



Proposing a CORD-19 Software Development Kit to Improve Machine Readability

*LTS is founded by Amy Neustein, PhD, Series Editor of **Speech Technology and Text Mining in Medicine and Health Care** (de Gruyter); and Editor of **Advances in Ubiquitous Computing: Cyber-Physical Systems, Smart Cities, and Ecological Monitoring** (Elsevier, forthcoming). Three publishers (Elsevier, Springer, and de Gruyter) have placed Dr. Neustein's publications on their open access portals linked from **CORD-19**.*

CORD-19 (the "**COVID-19** Open Research Dataset") is a new coronavirus data collection which was released in conjunction with a White House initiative to spur **COVID-19** research. This initiative is described as a "call to action ... to develop new text and data mining techniques that can help the science community answer high-priority scientific questions related to **COVID-19**" (see <https://www.whitehouse.gov/briefings-statements/call-action-tech-community-new-machine-readable-covid-19-dataset/>). The White House is spearheading a consortium of industry and academic institutions, led by the Allen Institute for AI Research, which curated a "machine-readable Coronavirus literature collection" which includes article metadata and (in most cases) publication text, both encoded as **JSON** files, for over 44,000 coronavirus research papers. This corpus of publication texts and metadata is also paired with links to publisher portals (including Springer Nature, Wiley, Elsevier, the American Society for Microbiology, and the New England Journal of Medicine), so as to provide scientists with full open access to selected **COVID-19**-related literature; these resources collectively constitute **CORD-19** (see [2]).

Linguistic Technology Systems (LTS) would like to create a Software Development Kit (**SDK**) to help scientists utilize **CORD-19**. This **SDK** would include new code libraries explicitly implemented for data-management operations specific to **CORD-19**. The **SDK** would also include a package of applications, modified to support **COVID-19** research, that would collectively create an integrated and self-contained computing environment. These two parts of the **SDK** — the new code libraries and the application package — are outlined in this paper.

I New Code Libraries within the Proposed SDK

The **CORD-19** collection was formulated with the explicit goal of promoting both *text mining* and *data mining* solutions to advance coronavirus research. This means that **CORD-19** is intended to be used both as a document archive for text mining and as a repository for finding and obtaining coronavirus data for subsequent research. Because the White House announcement requests institutions to develop additional technologies which would help scientists and jurisdictions to take advantage of **CORD-19**, the collection was released with the anticipation that industry and academia would augment the underlying data by layering on additional software. Our proposed **CORD-19 SDK** would do just that: this **SDK** would serve as a component that would provide analytic capabilities to make the raw **CORD-19** data more valuable; it would also serve as a toolkit through which other developers could create new solutions targeting the **CORD-19** repository.

To accomplish these goals, our proposed **SDK** would include a collection of new code libraries to aid programmers in the implementation of algorithms to investigate the **CORD-19** corpus. These code libraries would enhance the underlying data by providing the following useful features:

Tools for Correcting Transcription Errors Transcription errors can cause the machine-readable text archive to misrepresent the structure and content of documents. For instance, there are cases in **CORD-19** of scientific notation and terminology being improperly encoded. As a concrete example, "**2'-C-ethynyl**" is encoded incorrectly in one **CORD-19** file as "**2 0 -C-ethynyl**" (see [3] for the human-readable publication where this error is observed; the corresponding index in the corpus is 9555f44156bc5f2c6ac191dda2fb651501a7bd7b.json). To help address these sorts of errors — which could stymie text searches against the **CORD-19** corpus — our **SDK** would augment the **CORD-19** repository by providing alternate machine-readable encodings of the archived documents in formats such as **XML**, whenever they are available, as a supplement to **CORD-19**'s **JSON** representation. Compared to article content obtained indirectly by "scraping" text from **HTML** or **PDF** files, these **XML** representations (which would be derived

from the structured documents used in the editing process prior to publication) would not be subject to transcription errors. The **SDK** would then provide tools to cross-reference multiple versions of each document, so as to correct errors in the original **JSON** encodings.

Tools for Converting Between Data Formats Although the **CORD-19** corpus is published as **JSON** files, many text-mining tools such as those reviewed in [6] recognize input in alternative formats, such as **XML**, **BioC**, or **JSON** trees with different schema than **CORD-19**. Our proposed **SDK** would provide libraries to read **CORD-19**'s **JSON** files and output data in one of these alternative formats, so as to initiate a text mining workflow. The **SDK** would also include tools for manipulating the *results* of text mining algorithms, which is often represented in formats such as **XML** and **CoNLL** (Conference on Natural Language Learning).

Tools for Enhanced Annotation Currently **CORD-19** does not directly provide a mechanism for asserting annotations related to text mining, such as Named Entity Recognition or formally recognized biomedical concepts. However, because the archival schema supports standoff annotation for intra-document references, our **SDK** can provide code for additional standoff annotation categories of the kinds commonly used in biomedical text mining. As a concrete example, the corrected text segment "2'-C-ethynyl" mentioned earlier can be annotated as a molecular component.

Tools for Research Data-Mining Even though many papers in **CORD-19** are paired with published data sets, there is currently no tool for locating research *data* through **CORD-19**. For example, the collection of manuscripts available through the Springer Nature portal linked from **CORD-19** includes over 30 **COVID-19** data sets, but researchers can only discover that these data sets exist by looking for a "supplemental materials" or a "data availability" addendum near the end of each article. These Springer Nature data sets encompass a wide array of file types and formats, including **FASTA** (which stands for Fast-All, a genomics format), **SRA** (Sequence Read Archive, for **DNA** sequencing), **PDB** (Protein Data Bank, representing the **3D** geometry of protein molecules), **MAP** (Electron Microscopy Map), **EPS** (Embedded Postscript), **CSV** (comma-separated values), and tables represented in Microsoft Word and Excel formats. To promote data mining in the context of **CORD-19**, our **SDK** would (1) maintain an index of data sets linked to **CORD-19** articles and (2) merge these resources into a common representation (such as **XML**) wherever possible.

Wrappers for Network Requests Scientific use of **CORD-19** will often require communicating with remote servers. For example, genomics information in the **COVID-19** data sets (such as those mentioned above that are available through Springer Nature) is generally provided in the form of accession numbers which are used to query online genomics services. Similarly, text mining algorithms often rely on dedicated servers to perform Natural Language Processing; these services might take requests in **BioC** format and respond with **CoNLL** data. As another case study epidemiological studies of **COVID-19** may need to access **APIs** or data sets such as the John Hopkins University "dashboard" (see <https://coronavirus.jhu.edu/map.html>, which is paired with a **GIT** archive updated almost daily). To reduce the amount of "biolerplate code" which developers need for these networking requirements, our company's **SDK** would provide code libraries based on the **QT** Networking Module to manage networking requests and responses. Programmers would therefore have a unified framework with which to construct remote queries and route responses, a framework which could be used across disparate scientific disciplines (genomics, **NLP**, epidemiology, and so forth).

In short, the code libraries described above would augment the value of **CORD-19** by providing tools out-of-the-box to help scientists (and their codewriters) leverage **CORD-19** data. Although we can expect that numerous code libraries will be implemented so that researchers can use **CORD-19**, a **CORD-19 SDK** would be beneficial because it would integrate *multiple* libraries into a single package, designed to be easily interoperable. In particular, these libraries would be implemented in a manner which prioritizes rapid development: the **SDK** would comprise a *standalone* and *self-contained* development environment with minimal external dependencies. This priority would extend also to software tools that would be bundled together with the new code libraries. These software tools are discussed next.

II The Software Application Package within the Proposed SDK

In addition to the code libraries described above, whose purpose would be to manipulate **CORD-19** data to prepare for text mining and data mining operations, our proposed **SDK** would bundle numerous applications used for database storage, data visualization, and scripting. The goal of this application package would be to provide researchers with a self-contained computing platform optimized for scientific research and findings related to **COVID-19**. The components



within this application package would be selected with an emphasis on tools that could be distributed in source-code fashion, and then compiled within the **SDK**'s development framework with few, if any, external dependencies. In short, the **SDK** would try to eliminate almost all scenarios where programmers would need to perform a "system install"; for the most part, the entire computing platform (including scripting and database capabilities) could be compiled from source "out-of-the-box". The **SDK** would also modify the applications included in the package (e.g., embedding plugins to enable the applications to share data amongst themselves) so as to enhance their interoperability and their usefulness for **COVID-19** research.

The applications bundled with the **SDK** would likely include the following components:

- **XPDF**: A **PDF** viewer for reading full-text articles (augmented with **CORD-19** features, such as integration with biomedical ontologies);
- **AngelScript**: An embeddable scripting engine that could be used for analytic processing of data generated by text and data mining operations on **CORD-19** (see [5]);
- **WhiteDB**: A persistent database engine that supports both relational and **NoSQL**-style architectures (see [8]);
- **IQmol**: Molecular Visualization software that can be used to study chemical data presented in formats such as **PDB** which are employed by some **COVID-19** data sets;
- **MeshLab**: A general-purpose **3D** graphics viewer;
- **UDPipe**: a **C++** library for manipulating **CONLL** data;
- **LaTeXML**: a **LaTeX**-to-**XML** converter;
- **PositLib**: a library for use in high-precision computations based on the "Universal Number" format, which is more accurate than traditional floating-point encoding in some scientific contexts (see [4]).

It is worth noting that a data-mining platform requires *machine-readable* open-access research data (which is a more stringent requirement than simply pairing publications with data that can only be understood by domain-specific software). For example, radiological imaging can be a source of **COVID-19** data insofar as patterns of lung scarring, such as "ground-glass opacity," are a leading indicator of the disease. Consequently, diagnostic images of **COVID-19** patients are a relevant kind of content for inclusion in a **COVID-19** data set (see [9] as a case-study). However, diagnostic images are not in themselves "machine readable." When medical imaging is used in a quantitative context (e.g., applying Machine Learning for diagnostic pathology), it is necessary to perform Image Analysis to convert the raw data — in this case, radiological graphics — into quantitative aggregates. For instance, by using image segmentation to demarcate geometric boundaries one is able to define diagnostically relevant features (such as opacity) represented as a scalar field over the segments. In short, even after research data is openly published, it may be necessary to perform additional analysis on the data for it to be a full-fledged component of a machine-readable information space.¹ To deal with this sort of situation, our proposed **SDK** would include a *procedural data-modeling vocabulary* that would both identify the interrelationships between data representations and define the workflows needed to convert **CORD-19**-linked research data into machine-readable data sets.

Another concern in developing an integrated **CORD-19** data collection is that of indexing **COVID-19** data for both text mining *and* data mining. In particular, our proposed **SDK** would introduce a system of *microcitations* that apply to portions of manuscripts *as well as* data sets. In the publishing context, a microcitation is defined as a reference to a partially isolated fragment of a larger document, such as a table or figure illustration, or a sentence or paragraph defining a technical term, or (in mathematics) the statement/proof of a definition, axiom, or theorem. In data publishing, "data citations" are unique references to data sets in their entirety or to their smaller parts. A data microcitation is then a fine-grained reference into a data set. For example, a data microcitation can consist of one column in a spreadsheet, one statistical parameter in a quantitative analysis, or "the precise data records actually used in a study" (in the words adopted by the Federation of Earth Science Information Partners to define microcitations; see [7]).

¹ This does not mean that diagnostic images (or other graphical data) should not be placed in a data set; only that computational reuse of such data will usually involve certain numeric processing, such as image segmentation. Insofar as this subsequent analysis is performed, the resulting data should wherever possible be added to the underlying image data as a supplement to the data set.

The unique feature we propose for our **SDK** would be to combine the text-mining and data-mining notions of microcitation into a *unified* framework. In particular, text-based searches against the **CORD-19** corpus would try to find matches in the data sets indexed by our **SDK** alongside matches within textual content. As a concrete example, a concept such as "expiratory flow" appears in **CORD-19** both as a table column in research data and as a medical concept discussed in research papers; a unified microcitation framework should therefore map *expiratory flow* as a keyphrase to both textual locations and data set parameters. Similarly, a concept such as *2'-C-ethynyl* (mentioned earlier, in the context of transcription errors) should be identified both as a phrase in article texts and as a molecular component present within compounds whose scientific properties are investigated through **CORD-19** research data. *In so doing, a search for this concept would then trigger both publication and data-set matches at the same time.*

III Conclusion

The LTS vision of a *standalone* and *self-contained* **COVID-19** data-set collection is consistent with new publishing initiatives such as Research Objects (see [1]) and **FAIR** ("Findable, Accessible, Interoperable, Reusable"; see [10]). Indeed, our **CORD-19 SDK** would function as a macro-scale Research Object, which would be (1) *self-contained* (with few or no external dependencies); (2) *transparent* (meaning that all computing operations should be implemented by source code within the bundle that can be examined as code files and within a debugging session); and (3) *interactive* (meaning that the bundle does not only include raw data but also software to interactively view and manipulate this data). Research Objects which embrace these priorities attempt to provide data visualization, persistence, and analysis through **GUI**, database, and scripting engines that can be embedded as source code in the Research Object itself. Our proposed **SDK** would be based on the same paradigm, but instead of applying the Research Object model to a single data set, our **SDK** would translate it to a larger data space, integrating the information contained in multiple **COVID-19** data sets as well as the entire corpus of **CORD-19** articles.

References

- [1] Khalid Belhajjame, *et. al.*, "Workflow-centric research objects: First class citizens in scholarly discourse". <https://pages.semanticscholar.org/coronavirus-research>
- [2] "COVID-19 Open Research Dataset (CORD-19)". 2020. Version 2020-03-13. Retrieved from <https://pages.semanticscholar.org/coronavirus-research>. Accessed 2020-03-20. doi:10.5281/zenodo.3715506 <https://pages.semanticscholar.org/coronavirus-research>
- [3] Luděk Eyer, *et. al.*, "Nucleoside analogs as a rich source of antiviral agents active against arthropod-borne flaviviruses". <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC5890575/>
- [4] John Gustafson, "Beating Floating Point at its Own Game: Posit Arithmetic", <http://www.johngustafson.net/pdfs/BeatingFloatingPoint.pdf>
- [5] Andreas Jönsson, "AngelCode Scripting Library", www.AngelCode.com/AngelScript/
- [6] Amy Neustein, *et. al.*, "Application of Text Mining to Biomedical Knowledge Extraction: Analyzing Clinical Narratives and Medical Literature", https://www.researchgate.net/publication/262372604_Application_of_Text_Mining_to_Biomedical_Knowledge_Extraction_Analyzing_Clinical_Narratives_and_Medical_Literature
- [7] Mark A. Parsons and Ruth Duerr, "Data Identifiers, Versioning, and Micro-citation", <https://www.thelancet.com/action/showPdf?pii=S1473-3099%2820%2930086-4>
- [8] Enar Reilent, "Whiteboard Architecture for the Multi-agent Sensor Systems", <https://www.thelancet.com/action/showPdf?pii=S1473-3099%2820%2930086-4>
- [9] Heshui Shi, *et. al.*, "Radiological findings from 81 patients with COVID-19 pneumonia in Wuhan, China: a descriptive study". <https://www.thelancet.com/action/showPdf?pii=S1473-3099%2820%2930086-4>
- [10] Alina Trifan and José Luís Oliveira, "FAIRness in Biomedical Data Discovery". https://www.researchgate.net/publication/331775411_FAIRness_in_Biomedical_Data_Discovery

