


The NCN/A3R ("NA3")

Native Application Development Framework



Linguistic Technology Systems
Amy Neustein, Ph.D., Founder and CEO
amy.neustein@verizon.net
(917) 817-2184

Capital Raising for Round A, ROI, and Exit Plan

- ◆ Home-grown company launching round A at \$1.5 million.
- ◆ Conservative burn at 5 year exit plan.
- ◆ Company valuation at \$100 Million at exit.¹
- ◆ Business model: customization, hosting, and licensing.²

¹ See Slide 10 for development stages and exit strategy.

² See Slides 8 and II for details.

Team Members

Lead Software Architect Nathaniel Christen, Doctoral Candidate, University of Ottawa.
Specializations: C++, Programming Language Implementation, Cognitive and Computational Linguistics, Scientific Computing, Philosophy of Science, Digital Humanities.

Quality Assurance and User Acceptance Consultant Ara Mehetarian, former head of quality assurance at large companies such as Random House and AIG.

Medical Imaging and Data Communications Consultant Alan H. Rowberg, M.D., formerly RIS/PACS Manager at Northwest Hospital; Co-Developer of DICOM protocol formerly Co-Chair of DICOM Standards Committee.

Company Founder and CEO Amy Neustein, Ph.D., Editor-in-Chief of the *International Journal of Speech Technology*; Editor of De Gruyter Series in Text Mining in Medicine and Health Care; Editor of SpringerBriefs in Speech Technology; Author/Editor of 12 academic books on subjects ranging from natural language processing, speech recognition, text mining, speech and automata, forensic speaker recognition, and mobile speech, to cyber-physical systems and smart homes.

The NCN (Native Cloud/Native) Protocol

Cloud/Native Components as back-ends for native software

- Our “Native Cloud/Native” protocol refers to native application front-ends paired with Cloud/Native (back-end) container instances.
- Code libraries and data representation may be shared across both endpoints.
- Common representation on both server- and client-side streamlines network communications (no need to marshal data between different formats).
- The NA3 technology can be ported to other application frameworks apart from Qt (wxWidgets, XCode, MFC, etc.).
 - Note: This presentation will focus on NA3’s default Qt implementation.

How Cloud Back-Ends Enhance Native Front Ends

- Cloud Backup ● Share Data between Users ● Collaborative Editing
- Maintain users’ application state across different computers (home/school/office)
- Upgrade running applications without needing to re-compile

“Application-As-A-Resource” (A3R)

The A3R Application Model

- A3R Applications are self-contained, citable resources which can conform to modern resource documentation standards, such as the Research Object protocol.
- A3R Applications can use Hypergraph-structured metadata to describe data types, procedures, User Interface features, and inter-type relationships (for instance, the relation between data types and the types of GUI components which visualize them).

A3R Developer Tools

- Hypergraph-based data modeling and serialization.
- Framework for building custom scripting, parsing, and data persistence engines.
- Enhanced support for applications specifically designed to access research data sets.
- Convenient framework for sharing data among applications (to establish inter-application workflows) or between applications and cloud or web services (including leveraging “NCN” services).

The Qt Ecosystem and the Limitations of Qt in the Cloud

NA3
Capital
Team
NCN
A3R
Qt
Business Strategy
NA3 Revenue
Comparability
Development Phases
Customization
Software Development Market
Potential NA3 Markets
Examples

Qt is the most popular native, cross-platform application-development framework.

- ◆ ~1 million active developers ◆ Over 5,000 client companies ◆ Worldwide “Qt Partners” Ecosystem ◆ ~US \$25 billion overall market

However ... Limited Qt Cloud Integration Support

- “Qt Cloud Services” Discontinued in 2016.
- Currently there is no standard model for accessing Cloud services from Qt applications.
- Nor is there a standard Qt-based Cloud/Native container architecture.

Our NA3 Business Strategy

NA3
Capital
Team
NCN
A3R
Qt
Business Strategy
NA3 Revenue
Comparability
Development Phases
Customization
Software Development Market
Potential NA3 Markets
Examples

The NA3 Protocols encapsulate new technical models for Qt development and address recognized gaps in the Qt ecosystem, particularly the lack of a standard Qt Cloud Services. The strategy for promoting NA3 is therefore oriented to establishing NA3 within the Qt community, using the NA3's Qt implementation as a foundation to document NA3's essential hypergraph and type-theoretic concepts. On this basis NA3 can then be promoted in other application-development contexts.

Within the Qt Market

- Promote NCN as a standard solution for Qt/Cloud Integration.
- Promote A3R tools for building custom scripting languages for Qt.
- Promote the A3R protocol as a standard model for inter-application networking, describing applications, and serializing application-specific data structures.
- On the basis of these enhancements to the Qt ecosystem, LTS hopes to join the **Qt partners** program, which would expose NA3's unique features to a worldwide developer community.

Outside of Qt (see slide 9)

- Generalize the NA3 C++ reflection model and hypergraph libraries to standard (non-Qt) C++.
- Implement the A3R Protocols for standard C++ and for other languages (C#, Java, etc.).
- Implement language-agnostic hypergraph serialization to allow A3R networking between applications written for different operating systems and/or programming languages.

NA3 Revenue Sources

LTS projects NA3-related revenue from four sources:

- ◆ **Customization** Custom-implemented applications using project-specific versions of NCN and/or A3R (see slide 11).
- ◆ **Licensing** Commercial licenses required for any deployment of NCN outside LTS-controlled servers and/or any commercial deployment of A3R applications.
- ◆ **Hosting** LTS anticipates running proprietary containers via a Cloud-Native service such as OpenShift, and then leasing access to this service to NA3 users. LTS can offer integrated hosting and consulting wherein LTS fully implements and maintains a back-end paired to any desktop/native client software. Because the expertise involved in building native desktop applications is very different from the techniques required to deploy a Cloud-Native container image, the option of delegating all backend responsibilities to LTS may appeal to Qt-oriented development teams.
- ◆ **Sponsorship** LTS anticipates running a data-sharing platform which would be a publicly-visible introduction to NCN. This “demo” container would host research data sets and would therefore be a resource in the public interest, allowing LTS to receive compensation from companies financially supporting the portal given its merits as a technology benefiting science or scholarship.

LTS Comparability in the Qt Market

Projections of LTS revenue can be grounded in the case-study of the Qt company and participants in the “Qt partners” program (see slide 6).

This slide considers sample Qt-based companies to establish a baseline for assessing the future growth of LTS.

- ◆ **The Qt Group Plc** *€45.6 Million annual revenue* (source: Qt) Financial records released by The Qt Group suggest that commercial “Developer” and “Distribution” licenses are Qt’s largest revenues source (targets released in 2018 indicate that Qt aims for 60% revenue from licenses, 20% from consulting, and 20% for “support and maintenance”; total net revenue across these sources from 2018, the most recent figures available, was US \$57 Million at 2018 rates).
- ◆ **ICS (Integrated Computer Solutions)** *US \$25-50 Million annual revenue* (source: Glassdoor) ICS specializes in custom software development for companies in the military, aeronautics, and biomedical sectors. ICS exemplifies a Qt company whose revenue derives mostly from customization and consultation.
- ◆ **Toradex** *US \$16.2 Million annual revenue* (source: owler.com) Toradex specializes in microprocessors and embedded systems, one of the largest of several Qt partners focusing on embedded systems with Qt front-ends for touchscreens and/or desktop consoles.

ROI and Development Phases

NA3
Capital
Team
NCN
A3R
Qt
Business Strategy
NA3 Revenue
Comparability
Development Phases
Customization
Software Development Market
Potential NA3 Markets
Examples

This slide divides a 5-year NCN development strategy into 5 phases, identifying how the market for NCN may be projected to expand correlatively.

- 1 (9-12 mos) Establish a hosting platform (projected to take the form of a RedHat Enterprise Service or Kamatera Partner affiliation) within which LTS can license individual cloud back-ends on a per-client basis, paired with clients' desktop front-ends; along with tools to help developers create applications that leverage NCN back-ends (including those hosted by LTS).
- 2 (1-2 yrs) LTS will prioritize marketing its development libraries and cloud service, with an emphasis on explaining to Qt-based companies that the LTS hosting option provides functionality similar to the discontinued Qt Cloud Services.
- 3 (2-3 yrs) Generalize NA3 to standard C++ (eliminating Qt dependencies); and implement NA3 in an Apple-specific version targeting XCode.
- 4 (3-4 yrs) Port NA3 to Java; and build a Windows-specific implementation via MFC.
- 5 (5 yr exit) With NA3 now realized in Qt, Windows, Mac, and Java versions, consolidate each of these implementations into canonical container prototypes, such as RedHat "Cartridges". This collection then becomes a comprehensive, multi-platform desktop/cloud integration technology valued in the \$50-\$100M range.

LTS Customization


This slide will identify how LTS may customize NA3 components for individual clients (dollar figures project average custom development and licensing fees)

- ◆ **Custom NCN Servers** In this scenario LTS builds special versions of NCN which natively recognize client's application-specific data types, preferred serialization formats, and client/server interface definitions. (dev: \$75K; licensing: \$10K/month)
■ **Note: all development and licensing figures quoted are per-client**
- ◆ **Custom Markup and Scripting Languages** LTS can build scripting and/or markup languages customized for clients' unique data and interface requirements. These custom languages may be used for data serialization, testing, prototyping, and runtime fine-tuning of application behavior. (dev: \$250K; licensing: \$10K/month)
- ◆ **Custom GUI Components** In this scenario LTS builds GUI classes on client's behalf, which natively support NCN integration. (dev: \$50K; licensing: \$5K/month)
- ◆ **Workflow Management** LTS can customize networking protocols so that multiple applications may be unified into distributed workflows. (dev: \$50K; licensing: \$15K/month, for workflows using cloud services to enable remote networking)

Overview of the Software Development Market

NA3
Capital
Team
NCN
A3R
Qt
Business Strategy
NA3 Revenue
Comparability
Development Phases
Customization
Software Development Market
Potential NA3 Markets
Examples

This slide offers a rough breakdown of the software development market, (estimated at \$350 Billion), restricted to desktop software (roughly one-half the total market), including both cross-platform and single-platform solutions.



This breakdown of the overall desktop application-development market indicates the relative market share of different platforms against which the NA3 protocols may be implemented.

Taking the Qt implementations of the NCN and A3R protocols as a prototype, analogous versions may be built targeting other popular software-development platforms (see next slide for a more detailed outline).

NA3 In Different Software Ecosystems

NA3
Capital
Team
NCN
A3R
Qt
Business Strategy
NA3 Revenue
Comparability
Development Phases
Customization
Software Development Market
Potential N Markets
Examples

Potential NA3 Markets (see previous slide for overview)

Windows MFC (~\$135b market size) A3R can be implemented in C++/CLI, building off of a generic-C++ version using the C++ Standard Library in place of Qt-specific data structures.

Apple XCode (~\$25b market size) Apple Operating Systems are based on Linux, so a Linux-oriented A3R implementation can form the basis of an XCode version. This XCode implementation would also be built around the C++ Standard Library.

JavaFX (~\$12.5b market size) The Java programming language provides the most widely used cross-platform application development framework outside of Qt. It is feasible to port C++ A3R implementations to Java. The core of this re-implementation would involve designing a Java Hypergraph Library compatible with the A3R serialization and Interface Definition protocol.

Workflow Management (~\$10b market size – source: MarketsandMarkets) A3R plugins can be added to new or existing applications to support inter-application networking, unifying multiple applications into workflow-management systems.

Example Use-Cases

Inter-Application Networking and Workflow Management

- Export data and instructions between Qt-based applications (slides 15-16).
- Embed document or multi-media viewers inside scientific or dataset applications (slides 27-30).

Responsive desktop-style applications for enhanced UX


Native applications offer superior User Experience, leveraging distinct interactive features of desktop GUIs: context menus, dialog boxes, tool tips, Multiple Window Display, dock windows, and so on:

- Compelling front-ends for e-commerce (Note: “46% of global online retail orders happen on desktop”, source: leftronic.com), Real Estate, VR, etc. (slides 20-26).
- For scientists and researchers, build innovative data-collection instruments as well as interactive Research Object applications (slides 17-19).

An Example of Inter-Application Networking


Research S
Research Slide 2
Research Slide 3
Research Slide 4
Research Slide 5

This slide and the next demonstrate a case-study where inter-application data sharing enhances the capabilities of two applications: 3DimViewer (a radiology tool) and MeshLab (a 3D graphics engine).



3D Graphics Sent to MeshLab

... Once the 3D tissue sample is constructed by 3DimViewer's algorithms, an A3R inter-application networking protocol (implemented as an extension to both applications) allows 3DimViewer to export the model to MeshLab so that it may be studied in a more comprehensive 3D viewing environment.



A3R Applications as Data Collection Instruments

Research S
Research Side 2
Research S
Research Side 4
Research Side 5

Forms Web Language Help About

Save Form Open Form Cloud Save Cloud Open Submit Form

Page: 0 Search for: Forwards

Welcome Web

X ? ^ X Form Outline

Click on a subheading to continue

Patient Information
Chief Complaint
Review of Symptoms
Treatment History
Medical History
Current Medications
Family History

ndp-main-outline <5> ? ^ X

Referring Doctor: Dr. New Test

Referred By (Choose One): Clinical Specialist

Date of Visit: 1/9/16

Please List your Previous Stays

Sun	Mon	Tue	Wed	Thu	Fri	Sat
31	1					
7	8					6
14	15					13
21	22					20
28	29					27
4	5					3

OK Print

January 2018


February 6
March 13
April 20
May 27
June 3
July 10
August
September
October

In medicine and social science, “data collection instruments” (DCIs) refer to surveys, questionnaires, and other tools to obtain human feedback.

Qt-Based Interactive Forms

Research S
Research Side 2
Research Slide 3
Research S
Research Side 5

Data Collection Instruments implemented as native desktop applications can have easily navigable, interactive forms that make it simpler for people to provide information ...



A3R Applications as Research Objects

Complementary to A3R components which facilitate *obtaining* research or experimental data, A3R “Data-Set Applications” are also powerful tools for visualizing and analyzing research findings.

Data-Set Applications are “Research Object Bundles” — combinations of code and data, providing access to data sets without the need for external software dependencies.

The interface shows a central image of a cell with a red arrow pointing to its nucleus. To the left is a vertical stack of small thumbnail images. To the right are toolbars for annotations: Arrows, Comments, Lists, Arcs, and Rulers. At the bottom are controls for Silhouette Zoom, Image Transforms, Annotations Transforms, and movement buttons (Pan, Zoom, Slide, Pan, Rotate, Zoom).

Native Applications as Interactive Catalogs

E-Commerce
Slide 1

E-Commerce
Slide 2

E-Commerce
Slide 3

E-Commerce
Slide 4

E-Commerce
Slide 5

E-Commerce
Slide 6

E-Commerce
Slide 7

As a case-study in enhanced User Experience afforded by native applications, consider how static PDF catalogs and brochures can be turbo-charged into engaging, interactive software-based presentations.

The screenshot shows a user interface for a shoe catalog. In the center is a large image of two brown leather sneakers with white soles. A context menu is open over the right shoe, listing options: Detach Image, Detach Noteboook, Detach Description, **Detach Everything** (which is highlighted), Merge Windows, Explore Color Matches ..., View 3D Model ..., Take Screenshot, View Item List, and View Shopping Cart. To the left of the main image is a sidebar containing three smaller thumbnail images of shoes. At the bottom of the screen, there are navigation controls: a double arrow icon, a zoom slider labeled "Image Zoom:", and a numeric input field set to "Item: 3". Below these controls is a horizontal ellipsis (...). At the very bottom of the interface, there are tabs for "Overview", "Features", "Specs", and "Reviews", with "Overview" currently selected. To the right of the main content area, there is a sidebar with the title "Grand Crosscourt II Sneaker" followed by a descriptive text: "Sleek and simple, the Grand Crosscourt II sneaker from Cole Haan is the perfect way to add some tailored casual style to your every day look!". Below this text is a section titled "Actions:" with two bullet points: "Add to Cart" and "Explore Colors". There are also two small circular icons, one orange and one black, next to the actions. The overall layout is clean and modern, designed for a mobile or tablet device.

Detach Image
Detach Noteboook
Detach Description
Detach Everything
Merge Windows
Explore Color Matches ...
View 3D Model ...
Take Screenshot
View Item List
View Shopping Cart

Grand Crosscourt II Sneaker

Sleek and simple, the Grand Crosscourt II sneaker from Cole Haan is the perfect way to add some tailored casual style to your every day look!

Actions:

- [Add to Cart](#)
- [Explore Colors](#)

Item: 3 Image Zoom:
Overview Features Specs Reviews

- Leather upper
- Lace-up
- Round toe

Interactive Shopping Carts

Instead of static lists, shopping carts can be made into multi-dimensional, multiple-window interactive displays.

The screenshot illustrates a multi-dimensional shopping cart interface. At the top, a navigation bar includes File, Email, Events, APIs, Web, and Broadleaf. Below it are search and filter controls: Page: 0, Search for:, and a zoom setting of 100%.

Two product windows are displayed side-by-side:

- Product Window 1 (Left):** titled "tecs-db-main <2>". It shows a bouquet of purple flowers (lily garden silk peony) and includes a detailed description:

Lily Garden Silk Peony Bouquet
Home Decoration,
Lilac, 18 Inches
High

Below the image are tabs for Overview, Specs, Reviews, and Q & A, with "Overview" selected. Buttons for OK and Cancel are at the bottom.
- Product Window 2 (Right):** titled "tecs-db-main <3>". It shows a bouquet of pink hydrangeas and includes a detailed description:

Frosted
Hydrangea,
Mauve, 32
Inches High, 12
Floral Sprays

Below the image are tabs for Overview, Specs, Reviews, and Q & A, with "Overview" selected. Buttons for OK and Cancel are at the bottom.

Explore Products with Native Software

E-Commerce
Slide 1

E-Commerce
Slide 2

E-Commerce
Slide 3


E-Commerce
Slide 4

E-Commerce
Slide 5

E-Commerce
Slide 6

E-Commerce
Slide 7

Interactive catalogs allow designers to incorporate many unique features and capabilities of desktop applications, such as using HSV color-wheel controls to explore color coordination while shopping.



Interactive Real Estate

E-Commerce
Slide 1

E-Commerce
Slide 2

E-Commerce
Slide 3


E-Commerce
Slide 4

E-Commerce
Slide 5

E-Commerce
Slide 6

E-Commerce
Slide 7

A3R programming can also bring enhanced UX to Real Estate presentations: instead of just groups of photos, properties can be displayed via interactive, multi-dimensionally organized, color-coded photo viewers.



The screenshot displays a user interface for an interactive real estate photo viewer. On the left, a grid of thumbnail images shows various interior and exterior views of properties. A specific thumbnail in the fourth row, third column is highlighted with a red border and has an arrow pointing to it from a callout box. This callout box contains the text "Color-Coded Groups". To the right of the grid is a large image of a well-furnished bedroom with green walls, wooden furniture, and a large bed. A white overlay box on this image contains the text "Current Photo". At the bottom of the interface, there are navigation controls (left and right arrows), an item counter (Item: 19), an image zoom slider, and standard "OK" and "Cancel" buttons. On the far left, a sidebar titled "Groupings" lists categories with corresponding colored bars: Entrance/Foyer/Hall (teal), Kitchen/Dining Room (yellow-green), Living Room/Den (purple), Bath/Powder Room (blue-gray), Bedroom/Closet (teal), Master Bedroom/Spa (light green), and Basement/Game Room (gray).

Photo Viewer Interactive Cues

E-Commerce
Slide 1

E-Commerce
Slide 2

E-Commerce
Slide 3

E-Commerce
Slide 4

E-Commerce
Slide 5

E-Commerce
Slide 6

E-Commerce
Slide 7

These slides demonstrate visual cues aiding photo navigation, such as color bands (overlays) that switch from horizontal to vertical indicating which photos have been viewed so far; and the thumbnail of the current viewed photo marked with a thick colored border (surrounding the thumbnail photo and its overlays).

The screenshot shows a photo viewer interface with a grid of thumbnail images. A large, detailed image of a living room is displayed on the right side of the screen. On the left, there is a sidebar with a list of 'Groupings' and a navigation bar at the bottom.

- Already Viewed (vertical color band):** A callout points to a thumbnail in the second row, third column, which has a thick vertical purple border around it.
- Not Yet Viewed (horizontal color band):** Another callout points to a thumbnail in the fourth row, fifth column, which has a thin horizontal purple border around it.
- Current Photo (viewed for the second time):** A callout points to the same thumbnail in the second row, third column, which now has a thick horizontal purple border around it, indicating it is the current photo being viewed.

Groupings:

- Entrance/Foyer/Hall
- Kitchen/Dining Room
- Living Room/Den
- Bath/Powder Room
- Bedroom/Closet
- Master Bedroom/Spa
- Basement/Game Room

Navigation:

- Left arrow: <
- Right arrow: >
- Item: 10
- Image Zoom: [Slider]

Filtering Photos

Another feature which may be conveniently implemented in A3R-style photo viewers is a filtering option, which — given a collection of pictures classified into several groups — allows users to show or hide photos based on the group they belong to (note the check-box buttons on the group listing).

The screenshot shows a photo viewer interface with a sidebar of thumbnail images and a main view showing a living room. The sidebar includes a 'Groupings' section with several filter options.

Visible Groups: Entrance/Foyer/Hall (checked), Living Room/Den (checked), Bedroom/Closet (checked), Master Bedroom/Spa (checked). These are highlighted with a green oval.


Check Boxes: Kitchen/Dining Room, Bath/Powder Room, Basement/Game Room. The 'Bath/Powder Room' checkbox has a red arrow pointing to it.

Hidden Groups: Basement/Game Room. This group is circled in red.

Below the sidebar, there are navigation arrows, an 'Item: 3' indicator, an 'Image Zoom:' slider, and 'OK' and 'Cancel' buttons.

Interactive VR: Hyperlinked Tag Posts

Another emerging technology, relevant to both e-Commerce and Real Estate, is the use of Panoramic Photography to create immersive Virtual Reality scenes. Panorama-Photography-based VR engines, like Matterport, allow “tag posts” with embedded hyperlinks, which in a native-application context become channels of communication between the VR renderer and the host application. The full capabilities of this interactive modality — combining VR with clickable links and text “bubbles” — can only be fully realized via Virtual Reality engines (such as WebGL) embedded in native software.



A3R Document Viewers

Publishing
1
Publishing Slide
2
Publishing Slide
3
Publishing Slide
4

A3R applications may embed viewers for document formats such as e-Pub, HTML, and PDF; then supplement conventional publications with special components customized for individual manuscripts: e.g. (as in this case), a widget allowing readers to visually explore patterns in classical Indian music.

The screenshot shows a digital journal interface. At the top, there are three icons: a gear, a book, and a person reading a book. Below the icons are navigation links: 'References', 'Library', and 'Reading'. A horizontal menu bar includes 'HTML Source', 'Lisp', 'CSS', and 'XML'. A large red rectangular area covers the main content area. Below this, the text 'Read article view' is visible. At the bottom, there is a small icon of a person reading a book.

ANTHROPOLOGY AND HUMANISM

[Explore this journal >](#)

Ethnographer as Apprentice: Embodying omusical Knowledge in South India

da Weidman

Published: 26 December 2012 [Full publication history](#)

The screenshot shows a specialized A3R viewer window. At the top, it says 'Display Tala Types: Jhoomra/Dhamar (14 beats)'. Below this is a diagram consisting of several horizontal bars of different colors (red, purple, green) of varying lengths, representing musical patterns. Below the diagram, the word 'Patterns' is followed by a slider with 'Pattern 1 (3-4-3-4)' on the left and 'Pattern 2 (...' on the right. At the bottom, there is a file path 'File /extension/ScignSeer/articles/svg/tala.svg' and a 'Proceed' button.

Volume 37, Issue 2
December 2012
Pages 214-235



A3R Document Viewers as Embedded Components

Publishing 1
Publishing 2
Publishing Slide 3
Publishing Slide 4

Document Viewers may also be embedded in host applications which provide domain-specific visualization capabilities. For example, chemistry papers might be viewed within IQmol (a Qt-based program for molecular visualization and physical/chemical analysis) via an A3R document-viewer plugin.

The screenshot shows a chemistry application interface. At the top is a menu bar with options: Display, Build, Calculation, SONIC, and Help. Below the menu is a toolbar with various icons. On the left, there's a sidebar with a "Springer" logo and some search results. A context menu is open over a 3D molecular model, listing options like "Configure", "Select All", "Reperceive Bonds", "Duplicate Geometry", "Atomic Charges", and "Remove". A sub-menu for "SONIC" is also open, showing "SONIC Keyword Search: Cysteine", "Springer Web Search Home", and "Search Saved Articles". The main area displays a 3D ball-and-stick model of a molecule, likely cysteine, with atoms represented by spheres in blue, yellow, red, and white. In the bottom right corner, there's a small window showing the cover of a book titled "Cysteine Proteases of Pathogenic Organisms" by M.W. Robinson and J.P. Dalton, published by Springer.

Document Viewers Augmented With APIs

Publishing
1
Publishing Slide
2
Publishing
3
Publishing Slide
4

Another strategy for interactive publications is linking documents with APIs maintained by publishers, or by cultural or educational institutions.

View Instructions

As an example, documents mentioning artifacts held in a museum can provide features to view more information about those museum-pieces through the host institution's API.



MEDAL

 Click the icon to save

This is a **Medal**. We acquired it in 1920. It is a part of the **Product Development** department.

Cite this object as

Medal; bronze; 1920-3

Row: 0 Column: 0

Embedded Multimedia

Publishing
1
Publishing Slide
2
Publishing Slide
3
Publishing
4

Custom-built A3R document viewers can provide convenient access to multimedia content embedded in or linked to texts — including audio files, videos, and 3D graphics scenes or models.

Ailurus fulgens styani (also known as *a. f. fulgens*): Only found in China (in the Hengduan

Mo
My
The
ab

In this case a video player is launched in a dialog box, floating above the article text. For those reading digital books or articles, videos and other multimedia content can be presented through secondary windows launched via context menus; text and multimedia may thereby be viewed side-by-side.

Behavior

Red pandas are generally solitary, but there are a couple of cases where they develop extended associations with their mothers that last throughout the breeding season.



In terms of territoriality, red pandas tend to have overlapping home ranges with other. This means that they do not search for their own food, but instead patchily distributed across the landscape.

arkive.org/red_panda/about-the-red-panda/

ARKIVE
www.arkive.org

Moving images copyright
© BBC Natural History Unit


Sound recordings copyright
© BBC Natural History Unit
© Natural FX

ScignSeer Video Player

Restart | Pause | Play

URL: file:///ext_root/videos/a.mp4

OK | Proceed | Cancel



Thank You!

Thanks

Please contact Linguistic Technology Systems for more information about NA3 and/or other Software Development and Software Language Engineering Solutions: (917) 817-2184.

