Mountain Leader Dashboard Manual

Audience: ML users

Scope: event-by-event review, participant detail checks, and case study capture



1. Role overview

Mountain Leaders mainly use the dashboard for delivery support rather than broad management reporting.

Available views:

- `ML Dashboard`
- `Case Studies`

ML users cannot access:

- `Admin Dashboard`
- `KPI Dashboard`
- `Custom Reports Dashboard`
- `Funder Dashboard`

2. Quick start

1. Sign in with your dashboard account.
2. Use `View Mode` to switch between `ML Dashboard` and `Case Studies`.
3. Choose the correct region and timeframe before selecting an event.
4. Review the event panel first, then the participant details.



3. ML Dashboard purpose

The ML Dashboard is designed to help you work on one event at a time.

It supports:

- confirming you are looking at the correct event
- checking event information before delivery
- reviewing participant details where available
- surfacing medical and emergency fields when Beacon supplies them
- checking the raw source payload during troubleshooting

4. Filters and event selection

Use the sidebar to set:

- `All Regions` or a specific region
- timeframe

Then use the `Event` selector on the page to choose the event you need.

If the event list is empty:

- widen the timeframe
- switch to `All Regions`
- confirm the event has synced from Beacon

5. Event Details panel

Once an event is selected, the dashboard shows an `Event Details` area.

Typical fields include:

- event ID
- event name
- date
- region
- event type
- participant count
- location
- status
- description

Always check this panel first to confirm you are working in the right record.

6. Participant selection and detail

If attendee detail is available, the dashboard provides a participant chooser.

Typical workflow:

5. Select the event.
6. Open the participant selector.
7. Choose one participant at a time.
8. Review the available fields carefully.

Possible detail sections:

- `Personal Information`
- `Medical Information`
- `Emergency Contact Details`
- `Participant Record`

Not every attendee will have every field. Blank or missing sections usually mean Beacon did not provide that value.

7. Event-level medical and emergency information

Below the participant-level sections, the dashboard may also surface event-level medical or emergency fields extracted from the event payload.

Use these as an operational prompt, not as a substitute for normal safety procedures.

8. Raw Event Payload

The `Raw Event Payload` expander is for deeper checking.

Use it when:

- a value appears to be missing from the formatted sections
- support staff ask how Beacon stored a field
- you need to confirm exactly what synced into the app

Only use this section when needed. The formatted view is easier to read for day-to-day work.

9. Case Studies

ML users can also read and upload case studies.

This is useful after delivery when you want to capture:

- participant feedback
- outcome stories
- short event reflections

Suggested upload steps:

9. Open `Case Studies`.
10. Check whether the story already exists.
11. Add a descriptive title.
12. Paste the story text.
13. Choose the correct date and region.
14. Submit.

10. Good working practice

- set the correct date range before selecting an event
- confirm the event details panel before reviewing participants
- treat medical and emergency information carefully and only for operational need
- report missing attendee data to Managers or Admins when the source record should contain it

11. Troubleshooting

No events are showing

- widen the timeframe
- choose `All Regions`
- confirm the event exists in Beacon and has synced

No participant names are shown

- some events only sync counts or limited attendee data
- this depends on the Beacon source structure

Medical or emergency sections are blank

- the source record may not contain those fields
- not all events or attendees include those values in Beacon

The selected event looks wrong

- check the event date in the selector
- adjust the region and timeframe filters
- reselect the event after changing filters