

# Weekly Excercise 5 - Object Orientation

Scott Day  
Curtin FRC: Pre-season Training

December 2, 2016

The objectives of this worksheet are:

- Implement the basic object orientation concepts.
- Understand how a class is dependant on its class fields.
- Smash all the things.

## Problem 1.

Write a class having two private variables and one member function which will return the area of the rectangle

```
1 #include <iostream>
2 using namespace std;
3
4 class CRectangle
5 {
6     public:
7         int x, y;
8
9         int area()
10        {
11            return x * y;
12        }
13 };
14
15 int main ()
16 {
17     CRectangle rect;
18     cout << "Enter length of rectangle: ";
19     cin >> rect.x;
20     cout << "Enter breadth of rectangle: ";
21     cin >> rect.y;
22     cout << "Area: " << rect.area();
23
24     return 0;
25 }
```

□

## Problem 2.

Write a program that inputs two integers in main and passes them to the default constructor of a class. Show the result of the addition of two numbers.

```
1 #include <iostream>
2 using namespace std;
3
4 class Data
5 {
6     public:
7         int num1, num2;
8
9         Data(int num1, int num2)
10        {
11            this->num1 = num1;
12            this->num2 = num2;
13            cout << "numbers initialized" << endl;
14        }
15
16        int sum()
17        {
18            return num1 + num2;
19        }
20 };
21
22 int main ()
23 {
24     int num1, num2;
25
26     cout << "Enter first number: ";
27     cin >> num1;
28
29     cout << "Enter second number: ";
30     cin >> num2;
31
32     Data data(num1, num2);
33
34     cout << "The addition result on: " << data.sum() << endl;
35
36     return 0;
37 }
```

□

## Problem 3.

Write a C++ class called 'Student' with the data members:

- name (char type)
- marks1, marks2 (integer type)

The program asks the user to enter name and marks. Then calcMedia() calculates the media note and disp() display name and total media mark on screen in different lines.

```

1 Proof #include <iostream>
2 using namespace std;
3
4 class Student
5 {
6     public:
7         char* name;
8         int mark1, mark2;
9
10        Student(char* name, int mark1, int mark2)
11        {
12            this->name = name;
13            this->mark1 = mark1;
14            this->mark2 = mark2;
15        }
16
17        int calcMedia()
18        {
19            return (mark1 + mark2) / 2;
20        }
21
22        void display()
23        {
24            cout << "Student: " << name << endl;
25            cout << "Media: " << calcMedia() << endl;
26        }
27    };
28
29    int main()
30    {
31        char* name;
32        int mark1, mark2;
33
34        cout << "Enter name: ";
35        cin >> name;
36        cout << "Enter marks of two subjects: ";
37        cin >> mark1;
38        cin >> mark2;
39        Student student1(name, mark1, mark2);
40        student1.display();
41
42        return 0;
43    }

```



## Problem 4.

```

1 Proof

```

