```
_____
PART 5: RUNUP2

        for transect: YK-06F

Station locations shifted by: -0.06 feet from their
original location to set the shoreline to
elevation 0 for RUNUP2 input


_____RUNUP2 INPUT CONVERSIONS_____
        for transect: YK-06F

Incident significant wave height: 5.86 feet

Peak wave period: 9.61 seconds

Mean wave height: 3.67 feet

Local Depth below SWEL: 26.02 feet

Mean wave height deshoaled using Hunt approximation for
celerity assuming constant wave energy flux.
 References: R.G. Dean and R.A. Dalrymple. 2000.  Water

            Wave Mechanics for Engineers and Scientists. World
            Scientific Publishing Company, River Edge New Jersy

            USACE (1985), Direct Methods for Calculating Wavelength, CETN-1-17
            US Army Engineer Waterways Experiment Station Coastel Engineering
            Research Center, Vicksburg, MS

            also see Coastal Engineering Manual Part II-3
            for discussion of shoaling coefficient

    Depth, D = 26.02
    Period, T = 8.17
    Waveheight, H = 3.67
Deep water wavelength, L0 (ft)
    L0 = g*T*T/twopi
    L0 = 32.17*8.17*8.17/6.28 = 341.91
Deep water wave celerity, C0 (ft/s)
    C0 = L0/T
    C0 = 341.91/8.17 = 41.84
Angular frequency, sigma (rad/s)
    sigma = twopi/T
    sigma = 6.28/8.17 = 0.77
Hunts (1979) approximation for Celerity C1H (ft/s) at Depth D (ft)
    y = sigma.*sigma.*D./g
    y = 0.77*0.77*26.02/32.17 = 0.48
    C1H = sqrt( g.*D./(y+1./(1 + 0.6522.*y + 0.4622.*y.^2 + 0.0864.*y.^4 +0.0675.*y.^5)) )
    C1H = 26.63
Shoaling Coefficient KsH
    KsH = sqrt(C0/C1H)
    KsH = sqrt(41.84/26.63) = 1.25
Deepwater Wave Height H0_H (ft)
    H0_H = H/KsH
    H0_H = 3.67/1.25 = 2.92

Deepwater mean wave height: 2.92 feet

_____END RUNUP2 CONVERSIONS_____

_____RUNUP2 RESULTS_____
        for transect: YK-06F

RUNUP2 SWEL:
9.00
9.00
9.00
9.00
```

```
9.00
9.00
9.00
9.00
9.00
```

RUNUP2 deepwater mean wave heights:
```
2.78
2.78
2.78
2.92
2.92
2.92
3.07
3.07
3.07
```

RUNUP2 mean wave periods:
```
7.76
8.17
8.58
7.76
8.17
8.58
7.76
8.17
8.58
```

RUNUP2 runup above SWEL:
```
11.91
12.38
12.76
12.11
12.57
13.00
12.35
12.80
13.30
```

RUNUP2 Mean runup height above SWEL: 12.58 feet

RUNUP2 2-percent runup height above SWEL: 27.67 feet

RUNUP2 2-percent runup elevation: 36.67 feet-NAVD88

RUNUP2 Messages:
Nonfatal Error, Check Output

_____END RUNUP2 RESULTS_____

_____ACES BEACH RUNUP_____

Incident significant wave height: 5.86 feet

Significant wave height deshoaled using Hunt equation

Deepwater significant wave height: 4.09 feet

Peak wave period: 9.61 seconds

Average beach Slope: 1:15.64 (H:V)

ACES RUNUP CALCULATED USING 'Aces_Beach_Runup.m'

ACES Beach 2-percent runup height above SWEL: 5.84 feet

ACES Beach 2-percent runup elevation: 14.84 feet-NAVD88

ACES BEACH RUNUP is valid

_____END ACES BEACH RESULTS_____

PART 5 COMPLETE_____