CROSS SECTION PROFILE

	ORODD	0201101		
	LENGTH	ELEV.	SLOPE	ROUGHNESS
1	-185.4	-3.5	.00	.60
2	-168.4	-3.3		
3	-82.4	-1.4	44.79	.60
4	-4.4	.0	56.52	.60
5	15.1	. 4	47.56	.60
6	69.6	.8	151.39	.60
7	84.6	1.3	30.00	.60
8	125.1	1.3	FLAT	.60
			80.30	.60
9	151.6	1.6	FLAT	.60
10	167.6	1.6	47.62	.60
11	187.6	2.0	FLAT	.60
12	207.6	2.0	145.83	.60
13	260.1	2.4	13.16	.60
14	270.1	3.2		
15	276.6	4.2	6.44	.60
16	281.6	4.3	71.43	.60
17	289.1	5.5	6.20	.60
18	298.6	9.1	2.61	.60
19	304.6	9.5	13.95	.60
20	310.1	13.6	1.34	.60
20	310.1	13.0		

LAST SLOPE 2.00 LAST ROUGHNESS .60

CLIENT- FEMA ** WAVE RUNUP-VERSION 2.0 ** ENGINEERED BY sjh JOB job 2 PROJECT-RUNUP2 transect: YK-110 RUN 1 PAGE 2

OUTPUT TABLE

INPUT PARAMETERS RUNUP RESULTS

WATER LEVEL ABOVE DATUM (FT.)	DEEP WATER WAVE HEIGHT (FT.)	WAVE PERIOD (SEC.)	BREAKING SLOPE NUMBER	RUNUP SLOPE NUMBER	RUNUP ABOVE WATER LEVEL (FT.)	BREAKER DEPTH (FT.)
9.00	2.31	12.30	11	19	1.35	5.99
9.00	2.31	12.95	11	19	1.48	6.18
9.00	2.31	13.59	11	19	1.60	6.37
9.00	2.43	12.30	11	19	1.47	6.21
9.00	2.43	12.95	11	19	1.60	6.40
9.00	2.43	13.59	11	19	1.74	6.60
9.00	2.55	12.30	11	19	1.58	6.43
9.00	2.55	12.95	11	19	1.73	6.63
9.00	2.55	13.59	11	19	1.89	6.82