

DATA LOG FOR TRANSECT ID: YK-73

PART 1: USER INPUT

SWAN 1-D / WHAFIS input

station: -1500 ft LON: -70.5551 deg E LAT: 43.3114 deg N

Bottom ELEV: -22.9475 ft-NAVD88

TWL: 8.9345 ft-NAVD88

HS: 20.2061 ft TP: 14.8 sec

Wave Direction bin: 180 deg CCW from East (90 deg sector)

Transect Direction: 166.0955 deg CCW from East

TAW/RUNUP input

toe sta: -1000 ft


toe elev: -15.7852 ft-NAVD88

top sta: 380.5 ft

top elev: 14.206 ft-NAVD88

Wave and water level conditions at toe to be calculated in SWAN 1-D

PART 1 COMPLETE_____



PART 2: SWAN 1-D

swan input grid name: 2_swan/gridfiles/YK-73zmeters_xmeters.grd

2_swan/swanfiles/YK-73.swn swan file name: swan output name: 2_swan/swanfiles/YK-73.dat

Boundary Conditions:

TWL- 2.7232 meters HS- 6.1588 meters PER- 14.8 seconds

Batch File: 2_swan/swanfiles/runswan.dat


SWAN maximum additional wave setup: 1.605 feet

SWAN output at toe:

SETUP- 0.4831 feet HS-14.6276 feet PER-14.8142 seconds

PART 2 COMPLETE_

2-D ADCIRC+SWAN and SWAN 1-D results, Transect:



SWAN
SIMULATION OF WAVES IN NEAR SHORE AREAS
VERSION NUMBER 41.20A

```
PROJECT '2018FemaAppeal' '1'
  '100-year Wind and Wave conditions'
! -- SET commands ------
SET DEPMIN=0.01 MAXMES=999 MAXERR=3 PWTAIL=4
SET LEVEL 0
SET CARTESIAN
! -- MODE commands -----
MODE STATIONARY ONED
!-- COORDINATES commands-----
COORDINATES CART
! -- computational (CGRID) grid commands ------
                              xlenc=length of grid in meters
! mxc = number of mesh cells (one less than number of grid points)
!CGRID REGular [xpc] [ypc] [alpc] [xlenc] [ylenc] [mxc] [myc] &
     [ CIRcle | SECtor[dir1] [dir2] ] [mdc] [flow] [fhigh] [msc]
             0 0 0
CGRID REGULAR
                                550
                                        0.
                                      0.03
                                             0.8
                                                    30
Resolution in sigma-space: df/f = 0.1157
! -- READgrid --- not used in 1-D mode -----
! -- INPgrid commands ------
!INPgrid BOTtom REGular [xpinp] [ypinp] [alpinp] [mxinp] [myinp] [dxinp] [dyinp]
INPGRID BOTTOM REGULAR 0
                           0
                                   0
                                         550 0
!READinp BOTtom [fac] 'fname1' [idla] [nhedf] [FREe|FORmat[form]|UNFormatted]
       BOTTOM -1. '../gridfiles/YK-73zmeters xmeters.grd'
! -- WIND [vel] [dir]
      25.1 0
WIND
! -- BOUnd SHAPespec
BOUND SHAPE JONSWAP 3.3 PEAK DSPR POWER
! -- BOUndspec
! BOU SIDE W CCW CON FILE 'swanspec.txt' 1
BOUN SIDE W CCW CONSTANT PAR 6.1588 14.8
!-- \ {\tt BOUndnest1} \ - \ {\tt optional} \ {\tt for} \ {\tt boundary} \ {\tt from} \ {\tt parent} \ {\tt run}
!-- BOUndnest2
!-- BOUndnest3
!-- INITial -- usest to specify initial values
```

```
!-- GEN1 [cf10] [cf20] [cf30] [cf40] [edm1pm] [cdrag] [umin] [cfpm]
!-- GEN2 [cf10] [cf20] [cf30] [cf40] [cf50] [cf60] [edm1pm] [cdrag] [umin] [cfpm]
    GEN3 KOMEN
  whitecapping ( on by default)
!-- WCAPping KOMen [cds2] [stpm] [powst] [delta] [powk]
    WCAP KOM
  quadruplet wave interactions
!-- QUADrupl [iquad] [lambda] [Cn14] [Csh1] [Csh2]
! -- BREaking CONstant [alpha] [gamma]
    BREAK
            CON
                    1.
!-- FRICtion JONswap CONstant [cfjon]
    FRIC
           JONSWAP CON
                          0.038
!-- TRIad [itriad] [trfac] [cutfr] [a] [b] [urcrit] [urslim]
! TRIAD
            1 0.65
                           2.5
                               0.95 -0.75 0.2 0.01
  TRIAD
!-- VEGEtation [height] [diamtr] [nstems] [drag]
!-- MUD [layer] [rhom] [viscm]
!- LIMiter [ursell] [qb] deactivates quadruplets with Ursell number exceeds ursell
!-- OBSTacle -- not in 1-D
!-- SETUP [supcor]
   SETUP
          Ω
! ----- N U M E R I C S -----
!-- PROP can use BBST or GSE instead of default
! -- NUMeric -- lots of options
     NUM ACCUR npnts=100. stat 30
    NUMeric STOPC
! -----O U T P U T ------
!OUTPut OPTIons "comment' (TABLE [field]) (BLOck [ndec] [len]) (SPEC [ndec])
 OUTPUT OPTIONS '%' TABLE 16
 $BLOCK 9 1000 SPEC 8
!CURve 'sname' [xp1] [yp1] <[int] [xp] [yp] >
 CURVE 'curve' 0
                 0
                        550 550 0
!TABLe 'sname' < HEADer NOHEADer INDexed > 'fname' <output parameters> (output time)
 Table 'curve'
               HEADER 'YK-73.dat' XP YP HSIGN TPS RTP TMM10 DIR &
 DSPR DEPTH SETUP
!QUANTITY XP hexp=99999
!-----
COMPUTE STATIONARY
              COMPUTATIONAL PART OF SWAN
_____
```

!----- P H Y S I C S -----

```
One-dimensional mode of SWAN is activated
Gridresolution
                    : MXC
                                      551 MYC
                                                           1
                     : MCGRD
                                      552
                                       31 MDC
                    : MSC
                                                          36
                    : MTC
                                        1
                    : NSTATC
                                        O TTERMX
                                                          50
Propagation flags
                    : ITFRE
                                        1 IREFR
                                                           1
                    : IBOT
Source term flags
                                        1 ISURF
                                                           1
                    : IWCAP
                                        1 IWIND
                                                           3
                    : ITRIAD
                                        1 IOUAD
                                                           2
                    : IVEG
                                        0 ITURBV
                    : IMUD
                              0.1000E+01 DY
Spatial step
                    : DX
                                                 0.1000E+01
Spectral bin
                    : df/f
                               0.1157E+00 DDIR
                                                 0.1000E+02
                  : GRAV
Physical constants
                               0.9810E+01 RHO
                                                 0.1025E+04
                              0.2510E+02 DIR
Wind input : WSPEED Tail parameters : E(f)
                    : WSPEED
                                                 0.0000E+00
                               0.4000E+01 E(k)
                                                 0.2500E+01
                    : A(f)
                               0.5000E+01 A(k)
                                                  0.3000E+01
Accuracy parameters : DREL
                               0.1000E-01 NPNTS 0.9950E+02
                    : DHABS
                               0.0000E+00 CURVAT 0.5000E-02
                    : GRWMX
                               0.1000E+00
                    : LEVEL
                               0.0000E+00 DEPMIN 0.1000E-01
Drying/flooding
The Cartesian convention for wind and wave directions is used
Scheme for geographic propagation is SORDUP
Scheme geogr. space : PROPSC
                                  2 ICMAX
                               0.5000E+00 CDD
Scheme spectral space: CSS
                                                  0.5000E+00
Current is off
Quadruplets
                    : IQUAD
                    : LAMBDA 0.2500E+00 CNL4
                                                  0.3000E+08
                               0.5500E+01 CSH2
                    : CSH1
                                                  0.8330E+00
                    : CSH3
                              -0.1250E+01
                              0.1000E+01
Maximum Ursell nr for Snl4:
                                        1 TRFAC
                                                0.8000E+00
Triads
                    : ITRIAD
                    : CUTFR
                               0.2500E+01 URCRI 0.2000E+00
                               0.1000E-01
Minimum Ursell nr for Snl3 :
JONSWAP ('73)
                    : GAMMA
                             0.3800E-01
Vegetation is off
Turbulence is off
Fluid mud is off
                   : EMPCOF (CDS2):
: APM (STPM) :
: POWST :
W-cap Komen ('84)
                                      0.2360E-04
W-cap Komen ('84)
                                       0.3020E-02
                    : POWST
W-cap Komen ('84)
                                       0.2000E+01
W-cap Komen ('84)
                    : DELTA
                                       0.1000E+01
W-cap Komen ('84)
                    : POWK
                                  : 0.1000E+01
Wind drag is fit
Snyder/Komen wind input
Battjes&Janssen ('78): ALPHA
                               0.1000E+01 GAMMA 0.7300E+00
                   : SUPCOR 0.0000E+00
Set-up
Diffraction is off
Janssen ('89,'90)
Janssen ('89,'90)
                    : ALPHA
                               0.1000E-01 KAPPA 0.4100E+00
                    : RHOA
                               0.1280E+01 RHOW
                                                  0.1025E+04
1st and 2nd gen. wind: CF10
                               0.1880E+03 CF20
                                                 0.5900E+00
                    : CF30
                               0.1200E+00 CF40
                                                 0.2500E+03
                    : CF50
                               0.2300E-02 CF60
                                                 -0.2230E+00
                               0.0000E+00 CF80
                                               -0.5600E+00
                    : CF70
                               0.1249E-02 EDMLPM 0.3600E-02
                    : RHOAW
                    : CDRAG
                               0.1230E-02 UMIN
                    : LIM_PM
                              0.1300E+00
 First guess by 2nd generation model flags for first iteration:
                        0.1000E+23 ALFA
0 IQUAD 0
 ITER 1 GRWMX
 IWIND
            2 IWCAP
        1 IBOT 1 ISURF
0 ITURBV 0 IMUD
 ITRIAD
                        1 ISURF
                                     1
                                     0
 IVEG
 -----
iteration 1; sweep 1
          1; sweep 2
1; sweep 3
iteration
iteration
          1; sweep 4
iteration
not possible to compute, first iteration
 Options given by user are activated for proceeding calculation:
       2 GRWMX 0.1000E+00 ALFA
                                        0.0000E+00
 ITER
            3 IWCAP
 IWIND
                        1 IQUAD
                                     2
 ITRIAD
           1 IBOT
                        1 ISURF
                                     1
                       0 IMUD
 IVEG
          0 ITURBV
                                     0
 _____
iteration 2; sweep 1
iteration
            2; sweep 2
iteration
            2; sweep 3
            2; sweep 4
iteration
accuracy OK in 17.61 % of wet grid points ( 99.50 % required)
iteration
            3; sweep 1
            3; sweep 2
iteration
iteration
            3; sweep 3
```

```
iteration \, 3; sweep 4 accuracy OK in \, 0.19 % of wet grid points ( 99.50 % required)
              4; sweep 1
iteration
iteration
             4; sweep 2
            4; sweep 3
iteration
              4; sweep 4
iteration
accuracy OK in 22.15 % of wet grid points (99.50 % required)
iteration
              5; sweep 1
              5; sweep 2
iteration
           5; sweep 3
5; sweep 4
iteration
iteration
accuracy OK in 58.26 % of wet grid points ( 99.50 % required)
iteration
             6; sweep 1
iteration
             6; sweep 2
iteration
             6; sweep 3
iteration
              6; sweep 4
accuracy OK in 95.65 % of wet grid points (99.50 % required)
iteration
             7; sweep 1
iteration
              7; sweep 2
iteration
             7; sweep 3
             7; sweep 4
iteration
accuracy OK in 98.01 % of wet grid points (99.50 % required)
iteration
              8; sweep 1
iteration
              8; sweep 2
iteration
             8; sweep 3
iteration 8; sweep 4 accuracy OK in 99.46 % of wet grid points (99.50 % required)
iteration
              9; sweep 1
             9; sweep 2
iteration
            9; sweep 3
iteration
iteration 9; sweep 4
accuracy OK in 99.64 % of wet grid points (99.50 % required)
```

STOP

·	% % Run:1	Table:	curve	SWAN vers	sion:41.20A						
1. 0. 6.15399 1.4.7795 15.4936 13.3679 0.000 31.5677 9.7200 0.0000000 1.1.683 9.7012 0.001245 2. 0. 6.16530 1.4.7925 15.4936 13.1699 0.000 31.4683 9.7012 0.001245 2. 0. 6.16530 1.4.8040 15.4936 12.8728 0.000 31.4825 9.6841 0.0003 3. 0. 6.16530 1.4.8040 15.4936 12.8728 0.000 31.4825 9.6841 0.0003 3. 0. 6.16350 1.4.8040 15.4936 12.8728 0.000 31.3271 9.6654 0.00040 5. 0. 0. 6.16351 14.8040 15.4936 12.8728 0.000 31.3271 9.6654 0.00040 6. 0. 0. 6.16351 14.8040 15.4936 12.8728 0.000 31.3271 9.6654 0.00040 6. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.	% [m										
2. 0. 6.16774 14.8149 15.4936 12.9541 0.000 31.3315 9.6827 0.002682 3. 0. 6.16774 14.8149 15.4936 12.9541 0.000 31.3315 9.6827 0.002682 4. 0. 6. 16736 14.8319 15.4936 12.9736 0.000 31.3515 9.6827 0.002682 5. 0. 6. 16336 14.8319 15.4936 12.9736 0.000 31.2654 9.5569 0.006489 7. 0. 0. 6. 16735 14.8387 15.4936 12.9736 0.000 31.2654 9.5569 0.006489 7. 0. 0. 6. 16336 14.8319 15.4936 12.9736 0.000 31.2654 9.5569 0.006489 8. 0. 6. 14385 14.8449 15.4936 12.2700 355.899 31.1309 9.6239 0.00233 8. 0. 6. 14385 14.8449 15.4936 12.2700 355.899 31.1309 9.6239 0.00233 8. 0. 6. 14385 14.8449 15.4936 12.2700 355.899 31.1309 9.6239 0.00233 9. 0. 6. 14385 14.8449 15.4936 12.2700 355.899 30.9509 9.6047 0.011114 10. 0. 6. 11780 14.8584 15.4936 12.442 359.999 30.9509 9.6047 0.014700 111. 0. 6. 10520 14.8584 15.4936 11.447 359.999 30.9509 9.6047 0.014700 112. 0. 6. 00640 14.8700 15.4936 11.4717 9.999 30.9509 9.6047 0.014700 113. 0. 6. 00640 14.8700 15.4936 11.54938 999 30.9509 9.6047 0.017868 114. 0. 6. 00640 14.8700 15.4936 11.5938 999 30.9509 9.6047 0.017868 115. 0. 6. 007244 14.8700 15.4936 11.5938 999 30.9509 9.6047 0.007933 116. 0. 6. 007244 14.8707 15.4936 11.5938 999 30.9509 9.0047 0.007931 118. 0. 6. 00744 14.8707 15.4936 11.5938 999 30.9509 9.0047 0.007931 119. 0. 5. 99163 14.8709 15.4936 11.5938 999 30.4824 9.5272 0.02201 118. 0. 6. 00744 14.8707 15.4936 11.5948 999 30.4824 9.5272 0.02201 119. 0. 5. 99163 14.8709 15.4936 11.5948 999 30.4824 9.5272 0.027018 119. 0. 5. 99163 14.8709 15.4936 11.5948 999 30.4824 9.5272 0.027018 120. 0. 5. 99163 14.8809 15.4936 11.5948 999 30.4824 9.5272 0.027018 120. 0. 5. 99163 14.8809 15.4936 11.5938 999 30.4824 9.5272 0.027018 120. 0. 5. 99163 14.8809 15.4936 11.5938 999 30.4824 9.5272 0.027018 120. 0. 5. 99163 14.8809 15.4936 11.4939 999 30.4824 9.5272 0.027018 120. 0. 5. 99183 14.8809 15.4936 11.4939 999 30.4824 9.5272 0.027018 120. 0. 5. 99183 14.8809 15.4936 11.4939 999 30.4824 9.5272 9.9040 999 30.4824 9.5272 9.9040 999 30.4824 9.5272	•		0.						31.5057	9.7200	0.00000
3. 0. 6.16774 14.8149 15.4936 12.7803 0.000 31.3211 8.6634 0.000406 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6. 6.		1.			14.7925		13.1499				
4. 0. 6. 6.16731 1.4.8240 15.4936 12.6278 0.000 31.2014 9.6563 0.005440 5.6 0.005440 5.6 0.005440 9.5 0.00544							12.9541	0.000			
5. 0. 6.16356 14.8319 15.4936 12.4933 0.000 31.2654 9.6559 0.0006485 6. 0. 6.15735 14.8367 15.4936 12.7946 10.000 31.1907 9.6485 0.000481							12.7803				
6. 0. 6.15735 14.8387 15.4936 12.3746 0.000 31.1997 9.6485 0.009485 7. 0.6.14085 14.6447 15.4936 12.3700 389.999 31.1009 9.6299 0.009938 8. 0. 0.6.12050 14.8547 15.4936 12.3700 389.999 31.1009 9.6299 0.009938 8. 0. 0.6.12050 14.8544 15.4936 12.1000 389.999 31.1009 9.6211 0.011378 11. 0. 0. 6.1780 14.8544 15.4936 12.1000 389.999 31.1009 9.6099 9.6047 0.011378 11. 0. 0. 6.0540 14.8544 15.4936 12.1042 389.999 30.8909 9.0099 9.0099 9.0099 9.0099 10.00909 9.0099 9.0099 9.0099 9.0099 9.0099 9.0099 9.0099 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.009999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.00999 9.009999 9.009999 9.009999 9.009999 9							12.6278	0.000			
7. 0. 6.14985 14.8447 15.4936 12.2700 359.999 31.1309 9.6299 0.009939 8. 8. 0. 6.14023 14.8548 15.4936 12.1757 359.999 31.0509 9.6215 0.01528 15. 0.01528 14.8548 15.4936 12.1757 359.999 31.0509 9.6215 0.01528 15. 0.01528 14.8548 15.4936 12.942 359.999 31.0509 9.6215 0.01528 15. 0.01528 15. 0.01529 14.8548 15.4936 11.9447 359.999 30.8351 9.999 30.0328 15. 0.0000 15.848 15. 0.01529 14.8548 15.4936 11.8947 359.999 30.8351 9.5879 0.01528 15. 0.01528								0.000			
8, 0, 6,14023 14,8498 15,4936 12,1757 359,999 31,0690 9,6215 0,01528 9, 0, 6,1290 14,8544 12,0909 31,0900 9,6215 0,01528 10,000 14,8548 11,4936 11,0142 359,999 31,8505 9,6637 0,013748 12,000 14,8548 11,4936 11,4936 31,4936 31,8936 9,8361 9,5879 0,1017868 13, 0,66,07940 14,8676 15,4936 11,8161 359,999 30,7058 9,5699 0,017868 14,8700 15,4936 11,8161 359,999 30,7058 9,5699 0,020914 14,8700 15,4936 11,8161 359,999 30,7058 9,5699 0,020914 15,666 0,000 14,8700 15,4936 11,8161 359,999 30,7058 9,5699 0,020914 15,666 16,000 14,8700 15,4936 11,8161 359,999 30,7058 9,5699 0,020914 15,666 16,000 14,8700 15,4936 11,7590 359,999 30,6975 9,5521 0,022501 14,8700 15,4936 11,7590 359,999 30,6975 9,5521 0,022501 14,8700 15,4936 11,7590 359,999 30,6975 9,5521 0,022501 14,8700 14,8700 15,4936 11,7590 359,999 30,6975 9,5527 0,022501 18,000 16,00744 14,8765 15,4936 11,5666 359,999 30,4824 9,5272 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4824 9,5272 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4824 9,5272 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4924 9,5372 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4824 9,5272 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4924 9,5372 0,027218 19,000 5,99163 14,8775 15,4936 11,5666 359,999 30,4924 9,5372 0,027218 19,000 5,99163 14,8875 15,4936 11,3893 359,999 30,4924 9,5463 0,028777 2,000 5,99163 14,8884 15,4936 11,3893 359,999 30,1999 9,4748 0,024778 24,000 5,9112 14,8808 15,4936 11,3893 359,999 30,1999 9,4748 0,034778 24,000 5,9112 14,8808 15,4936 11,3893 359,999 30,19663 9,4573 0,034778 24,000 5,88781 14,8813 15,4936 11,3893 359,999 30,19663 9,4573 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4578 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4578 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4578 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4578 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4578 0,034778 14,8804 15,4936 11,3893 359,999 30,0863 9,4583 0,034776 14,8804 15,4936 11,3894 30,993 30,9								359 999			
9. 0. 6.12950 14.8544 15.4936 12.0909 359.999 31.0909 9.6131 0.013114 10. 0. 6.11780 14.8544 15.4936 12.0142 359.999 31.0909 9.6131 0.014700 11. 0. 6.10780 14.8549 15.4936 11.9182 359.999 30.8521 9.5057 0.014700 11. 0. 6.07966 14.8519 15.4936 11.9182 359.999 30.8521 9.5057 0.015248 13. 0. 6.07966 14.8700 15.4936 11.7550 359.999 30.7528 9.5755 0.019454 14. 0. 6.0520 14.8700 15.4936 11.7550 359.999 30.7538 9.5755 0.019454 15. 0. 6.05220 14.8720 15.4936 11.7550 359.999 30.75088 9.5509 0.020914 16. 0. 6.03764 14.8732 15.4936 11.7550 359.999 30.5015 9.5525 0.022511 16. 0. 6.03764 14.8755 15.4936 11.5566 359.999 30.5015 9.5525 0.022511 18. 0. 6.00744 14.8765 15.4936 11.5566 359.999 30.5210 9.5186 0.02511 19. 0. 5.99163 14.8775 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 20. 1. 5.97633 14.8785 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 21. 0. 5.97633 14.8785 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 22. 0. 5.97633 14.8785 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 23. 0. 5.79756 14.8804 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 24. 0. 5.97461 14.8808 15.4936 11.5566 359.999 30.4220 9.5188 0.028774 25. 0. 5.87461 14.8804 15.4936 11.3587 359.999 30.3573 9.5002 0.030139 24. 0. 5.97766 14.8804 15.4936 11.3589 359.999 30.43210 9.9463 0.030139 24. 0. 5.97766 14.8804 15.4936 11.3589 359.999 30.3533 9.999 30.43210 9.9463 25. 0. 5.87461 14.8811 15.4936 11.3589 359.999 30.1389 9.4663 0.03677 25. 0. 5.87461 14.8811 15.4936 11.3589 359.999 30.1389 9.4663 0.03677 25. 0. 5.87461 14.8811 15.4936 11.3574 359.999 30.1389 9.4663 0.03677 25. 0. 5.87461 14.8811 15.4936 11.3574 359.999 30.1389 9.4663 0.03677 26. 0. 5.87461 14.8811 15.4936 11.3574 359.999 30.1389 9.94663 0.03677 27. 0. 5.87461 14.8811 15.4936 11.3579 359.999 30.1389 9.94663 0.03677 28. 0. 5.87461 14.8811 15.4936 11.3574 359.999 30.1389 9.94663 0.03676 28. 0. 5.87461 14.8811 15.4936 11.3574 359.999 30.2574 29. 0. 5.8389 14.8811 15.4936 11.3574 359.999 30.30866 9.94830 0.03878 29. 0. 5.8389 14.				6.14023	14.8498			359.999			
10. 0. 6.11780 14.8584 15.4936 12.0142 399.999 30.95199 9.6047 0.014700 11. 0. 6.10520 14.8619 15.4936 11.9447 399.999 30.95199 9.5047 0.014700 11. 0. 6.10520 14.8619 15.4936 11.9407 339.999 30.8215 9.5653 0.016284 14. 0. 6.0640 14.8700 15.4936 11.7518 339.999 30.8215 9.5653 0.016284 14. 0. 6.0640 14.8700 15.4936 11.7518 339.999 30.8215 9.5653 0.022501 14.8700 15.4936 11.7518 339.999 30.6475 9.5525 0.022501 16. 0. 6.03764 14.8737 15.4936 11.7518 339.999 30.6475 9.5525 0.022501 16. 0. 6.03764 14.8737 15.4936 11.6558 339.999 30.6475 9.5525 0.022501 17. 0. 6.0520 14.8735 15.4936 11.6556 339.999 30.5919 9.5441 0.24082 17. 0.24082 17. 0. 0. 0.00014 18.8735 15.4936 11.6556 339.999 30.5919 9.5441 0.24082 17. 0.24082 17. 0. 0. 0.00014 18.8735 15.4936 11.6556 339.999 30.5919 9.5441 0.24082 17. 0.24082 17. 0. 0. 0.00014 18.8755 15.4936 11.6556 339.999 30.5919 9.5431 0.24568 17. 0.24082 17. 0. 0. 0.00014 18.8755 15.4936 11.4699 399.999 30.3573 9.5002 0.020199 21. 0. 0. 5.9616 14.8793 15.4936 11.4699 399.999 30.3573 9.5002 0.020199 21. 0. 5.9616 14.8793 15.4936 11.4899 399.999 30.3573 9.5002 0.020199 22. 0. 0. 5.97613 14.8799 15.4936 11.4899 399.999 30.3573 9.5002 0.030199 22. 0. 0. 5.97613 14.8799 15.4936 11.4206 339.999 30.3666 9.4833 0.03366 30.0002 9.4917 0.031739 22. 0. 0. 5.97612 14.8808 15.4936 11.4206 339.999 30.0863 9.4578 0.035776 12.4000 18.40000 18.4000 18.400							12.0909				
12. 0. 6.09266 14.8649 15.4936 11.8762 359.999 30.8361 9.5879 0.017868 13. 0. 6.07940 14.8676 15.4936 11.8161 359.999 30.7723 9.5759 0.019454 14. 0. 6.06400 14.8700 15.4936 11.75918 359.999 30.7723 9.5759 0.019454 15. 0. 6.03764 14.8737 15.4936 11.75918 359.999 30.7518 9.5513 0.022613 15. 0. 6.03764 14.8737 15.5436 11.76518 359.999 30.51768 9.5513 0.022613 17. 0. 6.03764 14.8737 15.5436 11.6696 359.999 30.5170 9.5517 0.025655 18. 0. 6.00744 14.8765 15.4936 11.5664 359.999 30.4224 9.5272 0.025655 18. 0. 6.00744 14.8765 15.4936 11.5664 359.999 30.4224 9.5272 0.025655 19. 0. 5.97633 14.8775 15.4936 11.5664 359.999 30.4210 9.5188 0.028774 20. 0. 5.97633 14.8785 15.4936 11.5463 359.999 30.4210 9.5188 0.028774 20. 0. 5.97633 14.8789 15.4936 11.4833 359.999 30.4210 9.5188 0.028774 20. 0. 5.97633 14.8789 15.4936 11.4833 359.999 30.4210 9.5188 0.028774 20. 0. 5.97633 14.8789 15.4936 11.4833 359.999 30.1002 9.34778 20. 0. 5.97633 14.8804 15.4936 11.3803 359.999 30.1002 9.34778 20. 0. 5.97632 14.8804 15.4936 11.3803 359.999 30.1002 9.34778 20. 0. 0. 5.97632 14.8804 15.4936 11.3803 359.999 30.1002 9.34778 20. 0. 0. 5.9712 14.8808 15.4936 11.3803 359.999 30.1019 9.4478 0.034778 24. 0. 5.9112 14.8808 15.4936 11.3897 359.999 30.1019 9.4478 0.034778 24. 0. 5.9112 14.8803 15.4936 11.3897 359.999 30.0863 9.4578 0.035776 25. 0. 5.89461 14.8813 15.4936 11.3897 359.999 30.0863 9.4578 0.035776 25. 0. 5.89461 14.8813 15.4936 11.3819 359.999 30.0863 9.4578 0.035776 26. 0. 5.86169 14.8813 15.4936 11.3819 359.999 30.0863 9.4578 0.035776 27. 0. 5.86169 14.8813 15.4936 11.3819 359.999 30.0863 9.4578 0.035776 27. 0. 5.86169 14.8813 15.4936 11.3819 359.999 29.9564 9.4200 0.040272 28. 0. 0. 5.8154 14.8813 15.4936 11.3819 359.999 29.9564 9.4200 0.040272 28. 0. 0. 5.86169 14.8813 15.4936 11.3819 359.999 29.9564 9.4300 0.05072 29.3819 29.38		10.	0.				12.0142		30.9509	9.6047	0.014700
13. 0. 6.07940 14.8676 15.4936 11.7899 30.7723 9.5795 0.019494 14. 0. 6.06640 14.8700 15.4936 11.790 30.7058 9.999 30.7703 9.5795 0.019494 15. 0. 6.05220 14.8720 15.4936 11.7054 359.999 30.6758 9.5505 0.022501 16. 0. 6.03760 14.8720 15.4936 11.7054 359.999 30.6475 9.5525 0.022501 16. 0. 6.03760 14.8725 15.4936 11.6536 359.999 30.5519 9.4441 0.024682 17.											
14. 0. 6.0640 14.8700 15.4936 11.7590 359.999 30.7058 9.5609 0.020914 15. 0. 6.05220 14.8720 15.4936 11.7590 359.999 30.675 9.5525 0.022501 16. 0. 6.05764 14.8727 15.4936 11.7590 359.999 30.675 9.5525 0.022501 16. 0. 6.05764 14.8737 15.4936 11.6556 359.999 30.5919 9.5441 0.022402 15. 16. 16. 16. 16. 16. 16. 16. 16. 16. 16											
15. 0. 6.05220 14.8720 15.4936 11.7054 359.999 30.6475 9.5525 0.022501 16. 0. 6.03764 14.8737 15.4936 11.6056 359.999 30.5370 9.5347 0.024082 17. 0. 6.02270 14.8752 15.4936 11.6056 359.999 30.5370 9.5357 0.022655 18. 0. 6.0743 14.8752 15.4936 11.5056 359.999 30.5370 9.5367 0.022655 18. 0. 6.0743 14.8765 15.4936 11.4863 359.999 30.5370 9.5367 0.022618 19. 0. 5.97633 14.8765 15.4936 11.4893 359.999 30.3573 9.5502 0.030199 21. 0. 5.90616 14.8793 15.4936 11.4893 359.999 30.3573 9.5502 0.030199 22. 0. 5.97631 14.8799 15.4936 11.4893 359.999 30.3573 9.5502 0.030199 22. 0. 5.97391 14.8799 15.4936 11.4906 359.999 30.2456 9.4833 0.033266 22. 0. 5.97531 14.8808 15.4936 11.3937 359.999 30.3573 9.5502 0.030199 22. 0. 5.94391 14.8808 15.4936 11.3937 359.999 30.1389 9.4663 0.032478 24. 0. 5.91112 14.8808 15.4936 11.3917 359.999 30.1389 9.4663 0.032771 25. 0. 5.86169 14.8814 15.4936 11.3917 359.999 30.1389 9.4663 0.032771 25. 0. 5.86169 14.8814 15.4936 11.3917 359.999 30.1389 9.4663 0.032771 25. 0. 5.86169 14.8814 15.4936 11.3917 359.999 30.1083 9.4678 0.037761 27. 28. 0. 5.86169 14.8814 15.4936 11.3917 359.999 29.9664 9.4305 0.040572 28. 0. 5.88491 14.8815 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.8821 14.8815 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.88221 14.8815 15.4936 11.2811 359.999 29.9604 9.4306 0.040572 30. 0. 5.81564 14.8814 15.4936 11.211 359.999 29.9604 9.4306 0.040572 30. 0. 5.81564 14.8814 15.4936 11.211 359.999 29.9604 9.4306 0.040572 30. 0. 5.81564 14.8815 15.4936 11.211 359.999 29.9604 9.4309 0.040573 30. 0. 5.81564 14.8815 15.4936 11.211 359.999 29.9604 9.4306 0.05076 30. 0. 5.81564 14.8814 15.4936 11.211 359.999 29.9604 9.4306 0.05076 30. 0. 5.81564 14.8816 15.4936 11.211 359.999 29.9604 9.4309 0.040573 30. 0. 5.81564 14.8816 15.4936 11.211 359.999 29.9604 9.4309 0.040573 30. 0. 5.81564 14.8816 15.4936 11.211 359.999 29.9604 9.4309 0.05076 30. 30. 0. 5.81564 14.8816 15.4936 11.211 359.999 29.9609 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.9709 9.97											
16. 0. 6.03764 14.8737 15.4936 11.6558 359.999 30.5919 9.5441 0.024082 17. 0. 6.02770 14.8755 15.4936 11.6558 359.999 30.5370 9.5357 0.25655 18. 0. 6.00744 14.8765 15.4936 11.5666 359.999 30.4824 9.5272 0.027218 19. 0. 5.9463 14.8775 15.4936 11.5666 359.999 30.4824 9.5272 0.027218 19. 0. 5.9463 14.8765 15.4936 11.5666 359.999 30.4824 9.5272 0.027218 19. 0. 5.9463 14.8763 15.4936 11.266 359.999 30.4210 9.5880 0.22774 19. 0. 5.9463 14.8763 15.4936 11.4679 359.999 30.3573 9.5002 0.030179 19. 0.030179 19. 0. 0.030179 15.4936 11.406 359.999 30.2456 9.4833 0.032676 19. 0. 0.030179 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 19. 0. 5.92756 14.8804 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 19. 0. 5.92756 14.8804 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 19. 0. 5.92756 14.8801 15.4936 11.3597 359.999 30.1919 9.4663 0.036277 19. 0. 5.89461 14.8811 15.4936 11.3597 359.999 30.0863 9.4578 0.037761 19. 0. 5.86169 14.8814 15.4936 11.3597 359.999 30.0863 9.4578 0.037761 19. 0. 5.86169 14.8814 15.4936 11.3055 359.999 30.0863 9.4578 0.037761 19. 0. 5.86169 14.8814 15.4936 11.2811 19. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0. 0.											
17. 0. 6.02270 14.8752 15.4936 11.6096 359.999 30.5370 9.5357 0.225655 18. 0. 6.00744 14.8765 15.4936 11.5066 359.999 30.4824 9.5272 0.22218 19. 0. 5.99163 14.8775 15.4936 11.5264 339.999 30.4210 9.5188 0.228774 20. 0. 5.97633 14.8775 15.4936 11.4893 359.999 30.4210 9.5188 0.228774 20. 0. 5.96103 14.8775 15.4936 11.4893 359.999 30.4210 9.5188 0.228774 20. 0. 5.96103 14.8793 15.4936 11.4893 359.999 30.3373 9.5002 0.301199 21. 0. 5.56013 14.8793 15.4936 11.4839 359.999 30.3030 9.4917 0.031739 6.22 10. 0. 5.2756 14.8804 15.4936 11.3893 359.999 30.3030 9.4917 0.031739 6.22 10. 0. 5.2756 14.8804 15.4936 11.3893 359.999 30.0219 9.4768 0.34778 24. 0. 5.91112 14.8808 15.4936 11.3597 359.999 30.189 9.4663 0.336277 25. 0. 5.89461 14.8813 15.4936 11.3597 359.999 30.0863 9.4578 0.337761 26. 0. 5.87781 14.8813 15.4936 11.3055 359.999 30.0274 9.4492 0.39232 27. 0. 5.86169 14.8814 15.4936 11.3055 359.999 30.0274 9.4492 0.39232 27. 0. 5.86169 14.8814 15.4936 11.3055 359.999 30.0274 9.4492 0.39232 27. 0. 5.86169 14.8814 15.4936 11.2811 359.999 29.9120 9.4200 0.40202 29. 0. 5.8221 14.8815 15.4936 11.2811 359.999 29.9120 9.4200 0.40202 29. 0. 5.8221 14.8815 15.4936 11.2814 359.999 29.9120 9.4200 0.40202 29. 0. 5.8221 14.8813 15.4936 11.2374 359.999 29.9120 9.4200 0.40202 29. 0. 5.8221 14.8813 15.4936 11.2374 359.999 29.9120 9.4000 0.40203 30. 0. 5.76183 14.8814 15.4936 11.2348 359.999 29.8001 9.4099 0.40400 0.404869 31. 0. 5.76183 14.8814 15.4936 11.1314 359.999 29.9120 9.4000 0.40203 34. 0. 5.76183 14.8804 15.4936 11.1314 359.999 29.9120 9.4000 9.3760 0.404003 34. 0. 5.76183 14.8804 15.4936 11.1314 359.999 29.8001 9.3760 0.404003 34. 0. 5.76183 14.8804 15.4936 11.104 359.998 29.5644 9.3617 0.501713 355. 0. 5.76183 14.8804 15.4936 11.104 359.998 29.5649 9.3743 9.3863 0.054339 36. 0. 5.8633 14.8794 15.4936 11.104 359.998 29.5649 9.3743 9.3569 0.056902 40. 5.66429 14.8799 15.4936 11.044 359.998 29.5649 9.3043 0.054339 36. 0. 5.86369 14.8798 15.4936 11.044 359.998 29.5649 9.3617 0.051713 355.998 29.0099 9.2755 9.006489 9.3756 9.0064											
18. 0. 6.00744 14.8765 15.4936 11.5666 359.999 30.4824 9.5772 0.027218 19. 0. 5.99163 14.8775 15.4936 11.5264 359.999 30.4210 9.5188 0.022774 20. 0. 5.97633 14.8785 15.4936 11.4893 359.999 30.3573 9.5002 0.030199 21. 0. 5.96016 14.8793 15.4936 11.4859 359.999 30.3573 9.5002 0.030199 21. 0. 5.94391 14.8793 15.4936 11.4259 359.999 30.2456 9.4813 0.033266 22. 0. 5.94391 14.8799 15.4936 11.4206 359.999 30.2456 9.4813 0.033266 22. 0. 5.94391 14.8804 15.4936 11.3893 359.999 30.2456 9.4833 0.033266 22. 0. 5.94161 14.8804 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 22. 0. 5.91161 14.8808 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 22. 0. 5.97181 14.8801 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 22. 0. 5.87781 14.8811 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 22. 0. 5.86169 14.8814 15.4936 11.2574 359.999 29.9664 9.4206 0.040572 29. 0. 5.8821 14.8815 15.4936 11.2574 359.999 29.9120 9.4220 0.04202 29. 0. 5.82821 14.8815 15.4936 11.2574 359.999 29.8064 9.406 0.040572 39. 0. 5.82821 14.8814 15.4936 11.2348 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.2348 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3863 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3863 0.055304 32. 0. 5.78899 14.8804 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1234 359.999 29.7593 9.3963 0.055304 32. 0. 5.76889 32. 0. 5.76889 32. 0. 0. 5.74837 14.8807 15.4936 11.1234 359.999 29.7593 9.3963 0.055304 32. 0. 5.76889 32. 0. 0. 5.74837 14.8807 15.4936 11.1232 359.999 29.7593 9.3963 0.055304 32. 0. 0. 5.68663 14.8798 15.4936 11.0325 359.999 29.7599 9.3090 0.055304 32. 0.					14.8752		11.6096	359.999			
20. 0. 5.97633 14.8785 15.4936 11.4893 359.999 30.3573 9.5002 0.030199 21. 0. 5.96016 14.8793 15.4936 11.4559 359.999 30.3002 9.4917 0.031739 22. 0. 5.94391 14.8799 15.4936 11.4206 359.999 30.2456 9.4833 0.033266 23. 0. 5.92756 14.8804 15.4936 11.3893 359.999 30.2456 9.4833 0.033266 24. 0. 5.91112 14.8808 15.4936 11.3597 359.999 30.1919 9.4749 0.034778 24. 0. 5.91112 14.8808 15.4936 11.3597 359.999 30.1838 9.4663 0.036277 25. 0. 5.89461 14.8811 15.4936 11.3519 359.999 30.1838 9.4663 0.036277 26. 0. 5.89461 14.8811 15.4936 11.3519 359.999 30.0863 9.4576 0.037761 27. 0. 5.86169 14.8815 15.4936 11.3519 359.999 30.0664 9.4505 0.037761 28. 0. 5.84821 14.8815 15.4936 11.2514 359.999 29.10664 9.4505 0.037761 30. 0. 5.8154 14.8814 15.4936 11.2348 359.999 29.8004 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.2348 359.999 29.7593 9.363 0.04270 32. 0. 5.77835 14.8811 15.4936 11.1725 359.999 29.7593 9.3863 0.046270 32. 0. 5.77835 14.8801 15.4936 11.1725 359.999 29.7098 9.3877 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1929 359.999 29.7098 9.3877 0.047655 33. 0. 5.74589 14.8804 15.4936 11.1549 359.998 29.6009 9.3790 0.045020 34. 0. 5.74589 14.8804 15.4936 11.1549 359.998 29.6009 9.3790 0.045020 34. 0. 5.74589 14.8804 15.4936 11.1549 359.998 29.609 9.3790 0.045020 34. 0. 5.74589 14.8804 15.4936 11.1549 359.998 29.609 9.3870 0.045020 34. 0. 5.75488 14.8804 15.4936 11.1549 359.998 29.5644 9.3617 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1041 359.998 29.5649 9.3813 0.0553034 37. 0. 5.66664 14.8798 15.4936 11.0457 359.999 29.4629 9.3949 0.054834 37. 0. 5.66665 14.8794 15.4936 11.0457 359.999 29.4629 9.3949 0.055403 38. 0. 5.76183 14.8801 15.4936 11.0437 359.998 29.4649 9.3443 0.0553034 39. 0. 5.66665 14.8794 15.4936 11.0457 359.999 29.4509 9.3810 0.0553034 39. 0. 5.66665 14.8794 15.4936 11.0457 359.999 29.4509 9.3810 0.0563034 40. 0. 5.56466 14.8798 15.4936 11.0457 359.999 29.4509 9.3810 0.0563034 41. 0. 5.56466 14.8798 15.4936 11.0457 359.999 29.4509 9.3810 0.0563034 42. 0. 5.66665 14.8794 15.4936 11.0457 359.999 29.4509 9				6.00744			11.5666				0.027218
21. 0. 5,96016 14.8799 15,4936 11.4539 359,999 30.2456 9.4833 0.032266 23. 0. 5,94391 14.8799 15,4936 11.4206 359,999 30.2456 9.4833 0.032266 23. 0. 5,92756 14.8804 15,4936 11.3893 359,999 30.1819 9.4748 0.034778 24. 0. 5,91112 14.8808 15,4936 11.3597 359,999 30.1819 9.4748 0.034778 25. 0. 5,89461 14.8813 15,4936 11.3597 359,999 30.0863 9.4578 0.037761 26. 0. 5,87781 14.8813 15,4936 11.3015 359,999 30.0274 9.4492 0.039232 27. 0. 5,86169 14.8813 15,4936 11.2811 359,999 30.0274 9.4492 0.039232 28. 0. 5,84491 14.8815 15,4936 11.2811 359,999 29,9120 9.4220 0.040572 29. 0. 5,8221 14.8815 15,4936 11.2574 359,999 29,9120 9.4220 0.040202 29. 0. 5,8154 14.8813 15,4936 11.2314 359,999 29,9120 9.4220 0.040202 39. 0. 5,8154 14.8813 15,4936 11.2314 359,999 29,9120 9.4220 0.040202 39. 0. 5,8154 14.8813 15,4936 11.2314 359,999 29,9120 9.4220 0.0404020 30. 5,7123 14.8813 15,4936 11.2314 359,999 29,9120 9.4220 0.0404020 31. 0. 5,7123 14.8813 15,4936 11.2314 359,999 29,9109 9.4049 9.40490 9.40							11.5264				
22, 0, 5,94391 14,8799 15,4936 11,4206 359,999 30,12456 9,4833 0,033266 23. 0, 5,92756 14,8804 15,4936 11,3893 359,999 30,1919 9,4748 0,034778 24. 0, 5,91112 14,8804 15,4936 11,3597 359,999 30,1389 9,4663 0,036277 25. 0, 5,89461 14,8811 15,4936 11,3319 359,999 30,0863 9,4578 0,037761 26. 0, 5,87781 14,8813 15,4936 11,3319 359,999 30,0863 9,4578 0,037761 27. 0, 5,86169 14,8814 15,4936 11,2811 359,999 29,9664 9,4306 0,040572 28. 0, 5,84491 14,8815 15,4936 11,2811 359,999 29,9564 9,4306 0,040572 29. 0, 5,82821 14,8815 15,4936 11,2348 359,999 29,8601 9,4125 0,042453 30. 0, 5,81154 14,8815 15,4936 11,2348 359,999 29,8601 9,4125 0,042453 30. 0, 5,81154 14,8813 15,4936 11,214 359,999 29,7893 9,3963 0,04489 31. 0, 5,79492 14,8813 15,4936 11,214 359,999 29,7893 9,3963 0,046270 32. 0, 5,76183 14,8809 15,4936 11,1273 359,999 29,7893 9,3963 0,046270 32. 0, 5,76183 14,8809 15,4936 11,1549 359,999 29,7893 9,3877 0,047655 33. 0, 5,76183 14,8809 15,4936 11,1549 359,998 29,6609 9,3790 0,049023 34. 0, 5,76183 14,8809 15,4936 11,1213 359,998 29,6609 9,3790 0,049023 34. 0, 5,76183 14,8809 15,4936 11,1213 359,998 29,5644 9,3617 0,051713 36. 0, 5,72899 14,8804 15,4936 11,1213 359,998 29,5644 9,3617 0,051713 36. 0, 5,72899 14,8804 15,4936 11,1213 359,998 29,5644 9,3617 0,051713 36. 0, 5,72899 14,8804 15,4936 11,1041 359,998 29,5644 9,3617 0,051713 36. 0, 5,76283 14,8804 15,4936 11,1041 359,998 29,4899 9,3442 0,056339 38. 0, 5,68033 14,8799 15,4936 11,0438 359,998 29,4899 9,3442 0,056339 38. 0, 5,68033 14,8799 15,4936 11,0438 359,998 29,4899 9,3442 0,056339 38. 0, 5,68033 14,8799 15,4936 11,0438 359,998 29,4899 9,3442 0,056339 38. 0, 5,68033 14,8799 15,4936 11,0438 359,998 29,4899 9,3442 0,056339 39,484 0					14.8785		11.4893				
23. 0. 5.97756 14.8804 15.4936 11.3893 359.999 30.1919 9.4748 0.034778 24. 0. 5.91112 14.8808 15.4936 11.3897 359.999 30.1399 9.4663 0.036277 25. 0. 5.89461 14.8811 15.4936 11.3055 359.999 30.0863 9.4578 0.037761 26. 0. 5.8781 14.8813 15.4936 11.3055 359.999 30.08274 9.4492 0.0373761 27. 0. 5.86169 14.8814 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.84491 14.8815 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 29. 0. 5.8154 14.8815 15.4936 11.2874 359.999 29.9664 9.4306 0.040572 29. 0. 5.8154 14.8815 15.4936 11.2874 359.999 29.8601 9.4155 0.042483 30. 0. 5.8154 14.8813 15.4936 11.2814 359.999 29.8601 9.4155 0.042483 31. 0. 5.79492 14.8813 15.4936 11.2134 359.999 29.8004 9.4009 0.044863 31. 0. 5.79492 14.8813 15.4936 11.1293 359.999 29.7038 9.3873 0.044863 32. 0. 5.76183 14.8809 15.4936 11.1372 359.999 29.7038 9.3873 0.06655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.999 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.78437 14.8804 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 36. 0. 5.72686 14.8801 15.4936 11.1041 359.998 29.5649 9.3439 0.053034 37. 0. 5.66429 14.8798 15.4936 11.1041 359.998 29.5649 9.3530 0.053034 38. 0. 5.68633 14.8794 15.4936 11.1041 359.998 29.4244 9.3356 0.055628 39. 0. 5.66429 14.8796 15.4936 11.0937 359.997 29.3216 9.3943 0.053034 41. 0. 5.68636 14.8786 15.4936 11.0937 359.997 29.2572 9.3107 0.05074 43. 0. 5.6655 14.8778 15.4936 11.0937 359.997 29.2572 9.3107 0.05074 44. 0. 5.68636 14.8766 15.4936 11.0937 359.999 29.4244 9.3356 0.055628 40. 0. 5.66429 14.8790 15.4936 11.0954 359.999 29.4244 9.3356 0.055628 40. 0. 5.68636 14.8786 15.4936 11.0937 359.997 29.2572 9.3107 0.060741 41. 0. 5.68769 14.8766 15.4936 11.0954 359.999 29.4214 9.3356 0.055628 40. 0. 5.66436 14.8786 15.4936 11.0937 359.999 29.4219 9.3094 0.056625 369.990 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.056000 30.0560					14.8793		11.4539				
24. 0. 5.91112 14.8808 15.4936 11.3597 359.999 30.1389 9.4663 0.036277 25. 0. 5.89461 14.8811 15.4936 11.3319 359.999 30.0863 9.4578 0.037761 26. 0. 5.87761 14.8813 15.4936 11.3055 359.999 30.0274 9.4492 0.039232 27. 0. 5.86169 14.8814 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.84491 14.8815 15.4936 11.2574 359.999 29.9120 9.4220 0.042020 29. 0. 5.82821 14.8815 15.4936 11.2348 359.999 29.9120 9.4220 0.042020 30. 0. 5.81154 14.8815 15.4936 11.2348 359.999 29.8601 9.4135 0.043453 30. 0. 5.79492 14.8813 15.4936 11.2134 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.1929 359.999 29.7993 9.3867 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7098 9.3877 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.999 29.7098 9.3877 0.047655 33. 0. 5.76183 14.8807 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8807 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1372 359.998 29.6509 9.3790 0.049023 37. 0. 5.76864 14.8788 15.4936 11.1203 359.998 29.5649 9.3530 0.051713 36. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5649 9.3530 0.053034 37. 0. 5.66429 14.8798 15.4936 11.1041 359.998 29.5649 9.3530 0.053034 38. 0. 5.68429 14.8788 15.4936 11.0886 359.998 29.4234 9.3556 0.055628 39. 39. 39. 39. 39. 39. 39. 39. 39. 39.					14.8/99		11.4206				
25. 0. 5.89461 14.8811 15.4936 11.3319 359.999 30.0863 9.4578 0.037761 26. 0. 5.8781 14.8813 15.4936 11.3015 359.999 30.0274 9.4922 0.039232 27. 0. 5.86169 14.8814 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.84491 14.8815 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 29. 0. 5.82821 14.8815 15.4936 11.2348 359.999 29.8601 9.4135 0.043453 30. 0. 5.81154 14.8814 15.4936 11.2348 359.999 29.8601 9.4135 0.043463 31. 0. 5.79492 14.8813 15.4936 11.2929 359.999 29.87593 9.3963 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1929 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7698 9.3877 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6609 9.3790 0.049023 35. 0. 5.72889 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051713 360. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5644 9.3617 0.051713 37. 0. 5.69646 14.8798 15.4936 11.1041 359.998 29.5649 9.3433 0.05334 37. 0. 5.69646 14.8798 15.4936 11.0886 359.998 29.4699 9.3443 0.055339 38. 0. 5.68033 14.8794 15.4936 11.0886 359.998 29.4699 9.3443 0.055339 38. 0. 5.68033 14.8794 15.4936 11.0886 359.998 29.4699 9.3443 0.055339 39. 0. 5.68429 14.8794 15.4936 11.0032 359.997 29.2329 9.3004 0.055628 39. 0. 5.66429 14.8796 15.4936 11.0032 359.997 29.2329 9.3004 0.055628 39. 0. 5.66429 14.8796 15.4936 11.0032 359.997 29.2329 9.3004 0.055628 39. 0. 5.66429 14.8796 15.4936 11.0032 359.997 29.2552 9.3107 0.060741 43. 0. 5.63273 14.8786 15.4936 11.0325 359.997 29.2529 9.3004 0.055403 42. 0. 5.61655 14.8778 15.4936 11.0032 359.997 29.2559 9.3004 0.055403 42. 0. 5.61655 14.8778 15.4936 11.0070 359.997 29.2559 9.3004 0.055403 42. 0. 5.61655 14.8778 15.4936 11.0070 359.997 29.2559 9.3004 0.055403 44. 0. 5.63273 14.8786 15.4936 10.9099 359.997 29.2559 9.3004 0.055403 44. 0. 5.63273 14.8786 15.4936 10.9099 359.999 29.1880 9.2667 0.066683 48. 0. 5.53458 14.8785 15.4936 10.9099 359.999 29.1800 9.2							11 3597				
26. 0. 5.87781 14.8813 15.4936 11.3055 359.999 30.0274 9.4492 0.039232 28. 0. 5.84491 14.8814 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.84491 14.8815 15.4936 11.2574 359.999 29.9120 9.4220 0.042020 29. 0. 5.8221 14.8815 15.4936 11.2574 359.999 29.8001 9.4135 0.043453 30. 0. 5.8154 14.8814 15.4936 11.2134 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.2134 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.12134 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7098 9.3877 0.047655 33. 0. 5.7835 14.8809 15.4936 11.1549 359.998 29.7098 9.3877 0.047655 33. 0. 5.74537 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1549 359.998 29.6124 9.3704 0.050376 35. 0. 5.71268 14.8801 15.4936 11.1272 359.998 29.5144 9.3617 0.051713 36. 0. 5.71268 14.8801 15.4936 11.1014 359.998 29.5164 9.3617 0.051713 36. 0. 5.76646 14.8798 15.4936 11.1041 359.998 29.5544 9.3617 0.051713 36. 0. 5.6646 14.8798 15.4936 11.1041 359.998 29.4099 9.3443 0.053034 37. 0. 5.66429 14.8798 15.4936 11.0041 359.998 29.4234 9.356 0.055038 39. 0. 5.66429 14.8790 15.4936 11.0041 359.998 29.4234 9.356 0.055038 39. 0. 5.66429 14.8790 15.4936 11.0047 359.998 29.4234 9.356 0.055602 39. 0. 5.66429 14.8790 15.4936 11.0047 359.999 29.2029 9.3049 0.05902 42. 0. 5.66639 14.8778 15.4936 11.0047 359.999 29.2239 3773 9.3269 0.055028 40. 0. 5.66655 14.8778 15.4936 11.0047 359.999 29.2572 9.3107 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0047 359.997 29.2572 9.3107 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0047 359.999 29.2572 9.3107 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0047 359.999 29.2572 9.3004 0.059403 42. 0. 5.56469 14.8785 15.4936 11.0047 359.999 29.2572 9.3007 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0047 359.999 29.2572 9.3009 9.2575 0.066663 45. 0. 5.57488 14.8753 15.4936 10.8078 359.999 29.26609 9.27555 0.066663 45. 0. 5.59481 14.8753 15.4936 10.8078 359.999 29.26609 9.2755 0.066663 46. 0. 5.54369 14.8759 15.4936 10.8079 359.999 29.							11.3319				
27. 0. 5.86169 14.8814 15.4936 11.2811 359.999 29.9664 9.4306 0.040572 28. 0. 5.84491 14.8815 15.4936 11.2814 359.999 29.9120 9.4220 0.042020 29. 0. 5.8221 14.8815 15.4936 11.2348 359.999 29.8001 9.4135 0.043463 30. 0. 5.78154 14.8813 15.4936 11.2134 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.1213 359.999 29.7593 9.3963 0.046270 32. 0. 5.76183 14.8811 15.4936 11.1735 359.999 29.7593 9.3863 0.046270 33. 0. 5.76183 14.8809 15.4936 11.1735 359.999 29.7593 9.3867 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.76437 14.8807 15.4936 11.1372 359.998 29.6609 9.3790 0.049023 35. 0. 5.72899 14.8804 15.4936 11.1372 359.998 29.5644 9.3617 0.051376 36. 0. 5.72899 14.8804 15.4936 11.1003 359.998 29.5644 9.3617 0.051713 36. 0. 5.7683 14.8801 15.4936 11.1003 359.998 29.5649 9.3433 0.053034 37. 0. 5.69646 14.8798 15.4936 11.10086 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0086 359.998 29.4234 9.3356 0.055628 39. 0. 5.66429 14.8790 15.4936 11.0073 359.998 29.3773 9.3269 0.056902 40. 0. 5.63273 14.8782 15.4936 11.00594 359.998 29.3773 9.3269 0.056902 40. 0. 5.66436 14.8786 15.4936 11.00594 359.997 29.2929 9.3094 0.05902 42. 0. 5.61655 14.8778 15.4936 11.00594 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0052 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0050 359.997 29.2572 9.3107 0.060741 43. 0. 5.63273 14.8769 15.4936 10.9868 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9868 359.997 29.2159 9.3019 0.061946 45. 0. 5.57488 14.8765 15.4936 10.9868 359.996 29.1380 9.2843 0.064320 46. 0. 5.54831 14.8769 15.4936 10.9868 359.999 29.5755 0.056902 47. 0. 5.54951 14.8769 15.4936 10.9868 359.999 29.2575 0.3009 9.2575 0.066663 48. 0. 5.57488 14.8765 15.4936 10.9879 359.999 29.2159 9.3019 0.061946 50. 5.54951 14.8769 15.4936 10.9868 359.999 29.2606 9.2755 0.056902 50. 5.54951 14.8769 15.4936 10.9868 359.999 29.0068 9.2755 0.056902 50. 5.54951 14.8769 15.4936 10.9879 359.999 29.0068 9.2755 0.05							11.3055	359.999			0.039232
29. 0. 5.82821 14.8815 15.4936 11.2348 359.999 29.8601 9.4135 0.043453 30. 0. 5.81154 14.8814 15.4936 11.234 359.999 29.8094 9.4049 0.044869 31. 0. 5.79492 14.8813 15.4936 11.1929 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7593 9.3963 0.046270 33. 0. 5.76183 14.8809 15.4936 11.1735 359.999 29.7098 9.3877 0.047656 33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6609 9.3790 0.059023 34. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051713 36. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5649 9.3530 0.053034 37. 0. 5.66466 14.8798 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0886 359.998 29.4234 9.3356 0.055628 39. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.66436 14.8786 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.66436 14.8786 15.4936 11.0594 359.999 29.3773 9.3269 0.056902 42. 0. 5.61555 14.8778 15.4936 11.0525 359.997 29.23316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2572 9.3107 0.060741 43. 0. 5.63273 14.8782 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 44. 0. 5.63273 14.8786 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.63273 14.8786 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.63273 14.8786 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8769 15.4936 10.9878 359.996 29.1599 9.3094 0.059403 44. 0. 5.58769 14.8769 15.4936 10.9878 359.995 29.0309 9.2579 0.066946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.995 29.0309 9.2579 0.066945 45. 0. 5.57488 14.8765 15.4936 10.9878 359.995 29.0309 9.2579 0.066945 45. 0. 5.58451 14.8766 15.4936 10.9878 359.995 29.0309 9.2579 0.066965 48. 0. 5.58451 14.8760 15.4936 10.9882 359.995 29.0309 9.2579 0.067896 48. 0. 5.54363 14.8753 15.4936 10.8822 359.993 28.8821 9.2505 0.076156 55. 0. 5.56221 14.8760 15.4936 10.8622 359.993 28.8821 9.2505 0.076156 55. 0. 5.54363 14.8732 15.4936 10.8862 359.993 28.8921 9.2505							11.2811				
30. 0. 5.81154 14.8814 15.4936 11.2134 359.999 29.8094 9.4049 0.044869 31. 0. 0. 5.79492 14.8813 15.4936 11.1929 359.999 29.7593 9.3963 0.046270 32. 0. 5.7635 14.8811 15.4936 11.1735 359.999 29.7798 9.3877 0.047655 33. 0. 5.76183 14.8807 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6609 9.3790 0.049023 35. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051713 36. 0. 5.72899 14.8804 15.4936 11.1041 359.998 29.5169 9.3530 0.0533034 37. 0. 5.69646 14.8798 15.4936 11.1041 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4699 9.3443 0.054339 39. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4234 9.3356 0.0555628 39. 0. 5.66429 14.8790 15.4936 11.0737 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8788 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8788 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.092 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.092 359.997 29.2572 9.3107 0.060741 43. 0. 5.58769 14.8769 15.4936 11.092 359.997 29.2559 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1380 9.2843 0.064320 46. 0. 5.57488 14.8766 15.4936 10.9878 359.997 29.1380 9.2843 0.064320 46. 0. 5.58483 14.8753 15.4936 10.9868 359.996 29.0966 9.2755 0.065495 47. 0. 5.55221 14.8760 15.4936 10.9878 359.995 29.0068 9.2855 0.065495 47. 0. 5.58483 14.8753 15.4936 10.9878 359.997 29.1380 9.2843 0.064320 48. 0. 5.54883 14.8753 15.4936 10.9878 359.997 29.1380 9.2843 0.064320 48. 0. 5.54883 14.8753 15.4936 10.9878 359.995 29.0068 9.2755 0.065495 47. 0. 5.56221 14.8760 15.4936 10.9878 359.995 29.0068 9.2755 0.065495 47. 0. 5.54838 14.8753 15.4936 10.9878 359.995 29.0068 9.2755 0.065495 50. 0. 5.53483 14.8753 15.4936 10.8871 359.993 28.8817 9.2505 0.070515 51. 0. 5.48436 14.8732 15.4936 10.8871 359.995 28.8069 9.							11.2574				
31. 0. 5.79492 14.8813 15.4936 11.1929 359.999 29.7593 9.3963 0.046270 32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7098 9.3817 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6609 9.3790 0.049023 35. 0. 5.72899 14.8804 15.4936 11.1372 359.998 29.5644 9.3617 0.051713 36. 0. 5.72899 14.8804 15.4936 11.1021 359.998 29.5644 9.3617 0.051713 37. 0. 5.69646 14.8798 15.4936 11.1041 359.998 29.5169 9.3530 0.053034 37. 0. 5.68033 14.8794 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 38. 0. 5.66429 14.8790 15.4936 11.0737 359.998 29.4234 9.3356 0.055628 39. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8786 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.32273 14.8782 15.4936 11.0325 359.997 29.2572 9.3107 0.060741 42. 0. 5.61655 14.8778 15.4936 11.0123 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8769 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8769 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.2579 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.2579 9.3019 0.061946 45. 0. 5.54836 14.8766 15.4936 10.9878 359.997 29.2579 0.06683 46. 0. 5.58769 14.8760 15.4936 10.9878 359.995 29.1766 9.2931 0.063138 46. 0. 5.58483 14.8765 15.4936 10.9888 359.996 29.1380 9.2843 0.064320 47. 0. 5.54831 14.8760 15.4936 10.9887 359.995 29.0069 9.2755 0.065495 48. 0. 5.53483 14.8765 15.4936 10.9887 359.995 29.0099 9.2579 0.067896 48. 0. 5.54831 14.8765 15.4936 10.9882 359.993 28.9821 9.2505 0.056495 50. 0. 5.54831 14.8765 15.4936 10.8882 359.993 28.9821 9.2505 0.076156 50. 0. 5.54833 14.8731 15.4936 10.8882 359.993 28.9821 9.2505 0.076156 51. 0. 5.45436 14.8736 15.4936 10.8882 359.993 28.9821 9.2505 0.076156 51. 0. 5.40223 14.8736 15.4936 10.8822 359.993 28.8969 9.2655 0.076516 55. 0. 5.40223 14.8733 15.4936 10.8812 359.993 28.8960 9.2655 0.0765							11.2348				
32. 0. 5.77835 14.8811 15.4936 11.1735 359.999 29.7098 9.3877 0.047655 33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5164 9.3617 0.051713 36. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5169 9.3530 0.051304 37. 0. 5.69646 14.8798 15.4936 11.0886 359.998 29.4699 9.3433 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 39. 0. 5.66429 14.8790 15.4936 11.0737 359.998 29.3773 9.3269 0.055628 40. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.05602 41.8786 15.4936 11.0457 359.997 29.3929 9.3094 0.058161 41. 0. 5.63273 14.8786 15.4936 11.0325 359.997 29.2929 9.3094 0.058161 41. 0. 5.63273 14.8788 15.4936 11.0325 359.997 29.2929 9.3094 0.058040 42. 0. 5.6655 14.8778 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.65655 14.8778 15.4936 11.0070 359.997 29.2159 9.3107 0.060741 43. 0. 5.58769 14.8778 15.4936 11.0070 359.997 29.2159 9.3107 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.2159 9.3109 0.061946 44. 0. 5.58769 14.8765 15.4936 10.9878 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8765 15.4936 10.9878 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8765 15.4936 10.9878 359.997 29.2159 9.3019 0.061946 44. 0. 5.58483 14.8765 15.4936 10.9878 359.996 29.1380 9.2843 0.063138 45. 0. 5.54951 14.8765 15.4936 10.9878 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8765 15.4936 10.9878 359.996 29.0996 9.2755 0.065495 48. 0. 5.53483 14.8753 15.4936 10.9888 359.996 29.0996 9.2755 0.065495 48. 0. 5.54851 14.8749 15.4936 10.9888 359.996 29.0996 9.2755 0.065495 48. 0. 5.53483 14.8753 15.4936 10.9888 359.996 29.0996 9.2757 0.067986 49. 0. 5.51911 14.8749 15.4936 10.8882 359.993 28.9812 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8882 359.993 28.9812 9.2505 0.070515 51. 0. 5.43637 14.8742 15.4936 10.8645 359.993 28.9817 9.2330 0.072961 54. 48725 15.4936 10.8645 359.993 28.8069 9.2065 0.076516 55. 0. 5.4223 14.							11.2134				
33. 0. 5.76183 14.8809 15.4936 11.1549 359.998 29.6609 9.3790 0.049023 34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051713 36. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5169 9.3530 0.053034 37. 0. 5.69646 14.8798 15.4936 11.0886 359.998 29.5169 9.3530 0.053034 38. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4234 9.3356 0.0555628 39. 0. 5.68033 14.8790 15.4936 11.0737 359.998 29.4234 9.3356 0.0555628 39. 0. 5.64836 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056692 14.8790 15.4936 11.0457 359.998 29.3773 9.3269 0.0565028 11.0594 359.997 29.3316 9.3182 0.058161 41.0 0. 5.63273 14.8782 15.4936 11.0457 359.997 29.3292 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.858769 14.8769 15.4936 11.0070 359.997 29.2572 9.3107 0.060741 44. 0. 5.858769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.55485 14.8760 15.4936 10.9878 359.996 29.1380 9.2843 0.064320 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.1380 9.2843 0.0664320 46. 0. 5.54951 14.8756 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8753 15.4936 10.9949 359.995 29.0068 9.2579 0.06786 48. 0. 5.54951 14.8753 15.4936 10.9949 359.995 29.0068 9.2599 0.06663 48. 0. 5.54951 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.4953 14.8742 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.4953 14.8742 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.4953 14.8742 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.4953 14.8742 15.4936 10.8987 359.993 28.8917 9.2330 0.072961 54.4873 15.4936 10.8987 359.993 28.8910 9.2417 0.071746 50. 0. 5.4925 14.8736 15.4936 10.8987 359.993 28.8910 9.2417 0.071746 50. 0. 5.4925 14.8736 15.4936 10.8987 359.993 28											
34. 0. 5.74537 14.8807 15.4936 11.1372 359.998 29.6124 9.3704 0.050376 35. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051713 36. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5169 9.3530 0.053034 37. 0. 5.69646 14.8798 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4699 9.3443 0.054339 39. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056528 40. 0. 5.64836 14.8786 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8786 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2379 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0325 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2579 9.30107 0.060741 44. 0. 5.58769 14.8769 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9868 359.996 29.1380 9.2843 0.064320 46. 0. 5.54951 14.8766 15.4936 10.9456 359.996 29.1380 9.2843 0.064320 46. 0. 5.54951 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8750 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8753 15.4936 10.9456 359.996 29.0615 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9456 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8882 359.995 29.0088 9.2492 0.069156 50. 0. 5.54951 14.8749 15.4936 10.8871 359.993 28.9510 9.2417 0.071746 50. 0. 5.48637 14.8742 15.4936 10.8874 359.993 28.9517 9.2330 0.072961 50. 5.48637 14.8742 15.4936 10.8847 359.993 28.89177 9.2330 0.073978 50. 0. 5.48637 14.8745 15.4936 10.8847 359.993 28.7400 9.18							11.1549				
35. 0. 5.72899 14.8804 15.4936 11.1203 359.998 29.5644 9.3617 0.051703 36. 0. 5.71268 14.8801 15.4936 11.1041 359.998 29.5169 9.3530 0.053034 37. 0. 5.69646 14.8798 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4234 9.3356 0.0550334 40. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8786 15.4936 11.0594 359.997 29.3316 9.3182 0.058101 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0325 359.997 29.2572 9.3107 0.060741 43. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8773 15.4936 11.092 359.997 29.2572 9.3107 0.060741 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.061348 45. 0. 5.57488 14.8765 15.4936 10.9878 359.997 29.1380 9.2843 0.064325 46. 0. 5.56221 14.8760 15.4936 10.9668 359.996 29.1380 9.2843 0.064325 47. 0. 5.54951 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8760 15.4936 10.9249 359.996 29.0996 9.2755 0.066495 48. 0. 5.55483 14.8765 15.4936 10.9249 359.996 29.0615 9.2667 0.066696 49. 0. 5.53483 14.8753 15.4936 10.9249 359.995 29.0068 9.2755 0.067896 49. 0. 5.53483 14.8753 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.4038 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.067896 50. 0. 5.4038 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.067165 51. 0. 5.48637 14.8745 15.4936 10.8987 359.995 29.0068 9.2492 0.067165 51. 0. 5.48637 14.8742 15.4936 10.8987 359.995 29.0068 9.2492 0.067165 51. 0. 5.48637 14.8742 15.4936 10.8987 359.993 28.9821 9.2505 0.070165 51. 0. 5.48637 14.8742 15.4936 10.8882 359.993 28.9821 9.2505 0.070165 51. 0. 5.48637 14.8742 15.4936 10.8871 359.993 28.9821 9.2505 0.070165 51. 0. 5.48637 14.8742 15.4936 10.8871 359.993 28.9821 9.2505 0.070165 51. 0. 5.48637 14.8742 15.4936 10.8871 359.993 28.9821 9.2505 0.070165 51. 0. 5.48637 14.8742 15.4936 10.8871 359.993 28.87177 9.2330 0.072961 51. 0. 5.48637 14.8733 15.4936 10.8871 359.992 28.8609 9.20							11.1372				
37. 0. 5.69466 14.8798 15.4936 11.0886 359.998 29.4699 9.3443 0.054339 38. 0. 5.68033 14.8794 15.4936 11.0737 359.998 29.4234 9.3356 0.055628 39. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8786 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8765 15.4936 10.9878 359.997 29.2169 9.2019 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9878 359.996 29.1380 9.2843 0.06320 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.1380 9.2843 0.064320 47. 0. 5.54951 14.8756 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9456 359.996 29.0015 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9909 359.995 29.0008 9.2755 0.065495 49. 0. 5.53483 14.8753 15.4936 10.9909 359.995 29.0008 9.2579 0.067896 49. 0. 5.550242 14.8745 15.4936 10.8882 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48367 14.8739 15.4936 10.8882 359.993 28.9817 9.2300 0.072961 53. 0. 5.47038 14.8736 15.4936 10.8882 359.993 28.9817 9.2300 0.072961 53. 0. 5.45366 14.8732 15.4936 10.8862 359.993 28.9817 9.2300 0.072961 54. 0. 5.45367 14.8733 15.4936 10.8897 359.993 28.9817 9.2300 0.072961 55. 0. 5.45253 14.8733 15.4936 10.8862 359.991 28.8817 9.2242 0.074161 54. 0. 5.45367 14.8733 15.4936 10.8845 359.991 28.8817 9.2242 0.074161 55. 0. 5.45253 14.8733 15.4936 10.8845 359.991 28.8869 9.2655 0.076516 56. 0. 5.40253 14.8738 15.4936 10.8841 359.992 28.8069 9.2055 0.076516 56. 0. 5.40253 14.8732 15.4936 10.8841 359.992 28.8069 9.2065 0.076516 56. 0. 5.40255 14.8728 15.4936 10.8814 359.992 28.8069 9.2065 0.076516 57. 0. 5.38568 14.8722 15.4936 10.8894 359.965 28.7117 9.1898 0.079850							11.1203				
38. 0. 5.68033							11.1041				
39. 0. 5.66429 14.8790 15.4936 11.0594 359.998 29.3773 9.3269 0.056902 40. 0. 5.64836 14.8786 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8765 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9878 359.997 29.1780 9.2843 0.064320 46. 0. 5.557488 14.8765 15.4936 10.9668 359.996 29.1380 9.2843 0.064320 46. 0. 5.554951 14.8766 15.4936 10.9456 359.996 29.0966 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.554951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.554951 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0309 9.2579 0.067896 49. 0. 5.50242 14.8745 15.4936 10.8882 359.995 29.0068 9.2492 0.069156 50. 0. 5.40327 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8703 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.075347 55. 0. 5.38568 14.8728 15.4936 10.8216 359.992 28.7694 9.1976 0.0775347 55. 0. 5.39568 14.8728 15.4936 10.8216 359.992 28.7694 9.1976 0.0775347 55. 0. 5.38568 14.8728 15.4936 10.8216 359.992 28.8069 9.2065 0.076516 56. 0. 5.39568 14.8728 15.4936 10.8216 359.992 28.8069 9.2065 0.076516 56. 0. 5.38568 14.8728 15.4936 10.8094 359.965 28.7107 9.1887 0.078850											
40. 0. 5.64836 14.8786 15.4936 11.0457 359.997 29.3316 9.3182 0.058161 41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9868 359.996 29.1380 9.2843 0.063138 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.995 29.0615 9.2667 0.06663 48. 0. 5.51911 14.8749 15.4936							11.0737				
41. 0. 5.63273 14.8782 15.4936 11.0325 359.997 29.2929 9.3094 0.059403 42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9868 359.996 29.1380 9.2843 0.063138 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.1380 9.2843 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0309 9.2579 0.067896 50. 0. 5.50242 14.8745 15.4936							11.0354				
42. 0. 5.61655 14.8778 15.4936 11.0192 359.997 29.2572 9.3107 0.060741 43. 0. 5.60110 14.8773 15.4936 11.0070 359.997 29.2159 9.3019 0.061946 44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9668 359.996 29.1380 9.2843 0.064320 46. 0. 5.56221 14.8765 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0916 9.2579 0.065495 48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.548637 14.8742 15.4936 <td></td>											
44. 0. 5.58769 14.8769 15.4936 10.9878 359.997 29.1766 9.2931 0.063138 45. 0. 5.57488 14.8765 15.4936 10.9668 359.996 29.1380 9.2843 0.064320 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9821 9.2505 0.070515 52. 0. 5.47038 14.8733 15.4936				5.61655	14.8778		11.0192		29.2572		
45. 0. 5.57488 14.8765 15.4936 10.9668 359.996 29.1380 9.2843 0.064320 46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 51. 0. 5.48637 14.8742 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 52. 0. 5.47038 14.8732 15.4936 10.8791 359.993 28.917 9.2330 0.072961 53. 0. 5.45436 14.8733 15.4936											
46. 0. 5.56221 14.8760 15.4936 10.9456 359.996 29.0996 9.2755 0.065495 47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8731 15.4936							10.9878				
47. 0. 5.54951 14.8756 15.4936 10.9249 359.996 29.0615 9.2667 0.066663 48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9821 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8703 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8622 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936							10.9668				
48. 0. 5.53483 14.8753 15.4936 10.9099 359.995 29.0309 9.2579 0.067896 49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8622 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.39568 14.8728 15.4936											
49. 0. 5.51911 14.8749 15.4936 10.8987 359.995 29.0068 9.2492 0.069156 50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8622 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.49925 14.8728 15.4936 10.8344 359.992 28.7694 9.1976 0.077897 58. 0. 5.38156 14.8722 15.4936											
50. 0. 5.50242 14.8745 15.4936 10.8882 359.993 28.9821 9.2505 0.070515 51. 0. 5.48637 14.8742 15.4936 10.8791 359.993 28.9510 9.2417 0.071746 52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8545 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.49025 14.8728 15.4936 10.8314 359.992 28.7694 9.1976 0.077593 57. 0. 5.39568 14.8725 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
52. 0. 5.47038 14.8739 15.4936 10.8703 359.993 28.9177 9.2330 0.072961 53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8545 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.40925 14.8728 15.4936 10.8334 359.992 28.7694 9.1976 0.077593 57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.078677 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
53. 0. 5.45436 14.8736 15.4936 10.8622 359.991 28.8817 9.2242 0.074161 54. 0. 5.43837 14.8733 15.4936 10.8545 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.40925 14.8728 15.4936 10.8334 359.992 28.7694 9.1976 0.077897 57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.079850 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
54. 0. 5.43837 14.8733 15.4936 10.8545 359.991 28.8443 9.2153 0.075347 55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.40925 14.8728 15.4936 10.8334 359.992 28.7694 9.1976 0.077593 57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.078677 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
55. 0. 5.42253 14.8731 15.4936 10.8471 359.992 28.8069 9.2065 0.076516 56. 0. 5.40925 14.8728 15.4936 10.8334 359.992 28.7694 9.1976 0.077593 57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.078677 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
56. 0. 5.40925 14.8728 15.4936 10.8334 359.992 28.7694 9.1976 0.077593 57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.078677 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
57. 0. 5.39568 14.8725 15.4936 10.8216 359.980 28.7400 9.1887 0.078677 58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
58. 0. 5.38156 14.8722 15.4936 10.8094 359.965 28.7117 9.1898 0.079850											
59. 0. 5.36811 14.8719 15.4936 10.7982 359.948 28.6773 9.1809 0.080900					14.8722						
		59.	0.	5.36811	14.8719	15.4936	10.7982	359.948	28.6773	9.1809	0.080900

00 00 00

60.	0.	5.35505	14.8715	15.4936	10.7869	359.937	28.6417	9.1719	0.081916
		5.34245							
61.	0.		14.8712	15.4936	10.7753	359.929	28.6049	9.1629	0.082893
62.	0.	5.33042	14.8708	15.4936	10.7633	359.924	28.5657	9.1538	0.083821
63.	0.	5.31852	14.8703	15.4936	10.7515	359.919	28.5263	9.1447	0.084735
64.	0.	5.30684	14.8699	15.4936	10.7400	359.915	28.4932	9.1356	0.085639
65.	0.	5.29455	14.8693	15.4936	10.7282	359.910	28.4629	9.1366	0.086641
66.	0.	5.28294	14.8688	15.4936	10.7173	359.906	28.4272	9.1275	0.087523
67.	0.	5.27134	14.8682	15.4936	10.7067	359.903	28.3899	9.1184	0.088397
68.	0.	5.26057	14.8677	15.4936	10.6938	359.908	28.3528	9.1093	0.089251
69.	0.	5.24992	14.8671	15.4936	10.6802	359.916	28.3101	9.1001	0.090095
70.	0.	5.24006	14.8665	15.4936	10.6673	359.926	28.2656	9.0808	0.090828
		5.22942							
71.	0.		14.8659	15.4936	10.6539	359.936	28.2209	9.0717	0.091666
72.	0.	5.21950	14.8653	15.4936	10.6414	359.946	28.1761	9.0524	0.092395
73.	0.	5.20875	14.8646	15.4936	10.6286	359.956	28.1322	9.0432	0.093232
74.	0.	5.19873	14.8640	15.4936	10.6167	359.967	28.0882	9.0240	0.093961
75.	0.	5.18796	14.8634	15.4936	10.6042	359.976	28.0448	9.0148	0.094794
76.	0.	5.17794	14.8628	15.4936	10.5927	359.987	28.0014	8.9955	0.095518
77.	0.	5.16712	14.8621	15.4936	10.5808	359.998	27.9586	8.9863	0.096347
78.	0.	5.15695	14.8614	15.4936	10.5701	0.010	27.9158	8.9671	0.097070
79.	0.	5.14593	14.8608	15.4936	10.5590	0.023	27.8736	8.9579	0.097900
80.	0.	5.13564	14.8601	15.4936	10.5490	0.037	27.8313	8.9386	0.098622
	0.	5.12472	14.8594	15.4936	10.5381			8.9294	0.099443
81.						0.050	27.7888		
82.	0.	5.11457	14.8587	15.4936	10.5281	0.065	27.7462	8.9102	0.100154
83.	0.	5.10378	14.8580	15.4936	10.5172	0.078	27.7038	8.9010	0.100965
84.	0.	5.09373	14.8573	15.4936	10.5072	0.092	27.6613	8.8817	0.101668
85.	0.	5.08287	14.8565	15.4936	10.4969	0.105	27.6197	8.8725	0.102476
86.	0.	5.07271	14.8558	15.4936	10.4877	0.120	27.5782	8.8532	0.103177
87.	0.	5.06179	14.8550	15.4936	10.4778	0.135	27.5371	8.8440	0.103982
88.	0.	5.05161	14.8543	15.4936	10.4690	0.150	27.4961	8.8247	0.104679
89.	0.	5.04068	14.8535	15.4936	10.4596	0.165	27.4555	8.8155	0.105480
90.	0.	5.03049	14.8527	15.4936	10.4513	0.180	27.4142	8.7962	0.106169
91.	0.	5.01950	14.8519	15.4936	10.4426	0.193	27.3730	8.7870	0.106960
92.	0.	5.00928	14.8512	15.4936	10.4350	0.206	27.3314	8.7676	0.107639
93.	0.	4.99843	14.8503	15.4936	10.4268	0.219	27.2960	8.7584	0.108422
94.	0.	4.98752	14.8495	15.4936	10.4188	0.232	27.2571	8.7492	0.109200
95.	0.	4.97734	14.8487	15.4936	10.4117	0.245	27.2371	8.7299	0.109870
96.	0.	4.96650	14.8478	15.4936	10.4038	0.256	27.1772	8.7206	0.110640
97.	0.	4.95798	14.8470	15.4936	10.3920	0.277	27.1354	8.7013	0.111261
98.	0.	4.94874	14.8462	15.4936	10.3794	0.305	27.0964	8.6920	0.111991
99.	0.	4.94036	14.8453	15.4936	10.3675	0.338	27.0591	8.6726	0.112608
100.	0.	4.93080	14.8445	15.4936	10.3561	0.367	27.0231	8.6633	0.113344
101.	0.	4.92198	14.8437	15.4936	10.3458	0.398	26.9861	8.6440	0.113971
102.	0.	4.91240	14.8428	15.4936	10.3347	0.429	26.9494	8.6347	0.114702
103.	0.	4.90341	14.8420	15.4936	10.3246	0.459	26.9067	8.6153	0.115326
104.	0.	4.89440	14.8412	15.4936	10.3145	0.490	26.8626	8.5959	0.115949
105.	0.	4.88537	14.8404	15.4936	10.3045	0.522	26.8181	8.5766	0.116573
106.	0.	4.87632	14.8395	15.4936	10.2944	0.554	26.7737	8.5572	0.117198
107.	0.	4.86724	14.8387	15.4936	10.2844	0.586	26.7292	8.5378	0.117824
108.	0.	4.85817	14.8379	15.4936	10.2745	0.618	26.6850	8.5184	0.118450
109.	0.	4.84913	14.8371	15.4936	10.2645	0.651	26.6411	8.4991	0.119074
110.	0.	4.84005	14.8363	15.4936	10.2546	0.684	26.5970	8.4797	0.119700
111.	0.	4.83096	14.8356	15.4936	10.2447	0.718	26.5531	8.4603	0.120327
112.	0.	4.82187	14.8348	15.4936	10.2349	0.752	26.5093	8.4410	0.120954
113.	0.	4.81274	14.8340	15.4936	10.2251	0.786	26.4654	8.4216	0.121583
114.	0.	4.80360	14.8333	15.4936	10.2154	0.820	26.4214	8.4022	0.122213
115.	0.	4.79487	14.8325	15.4936	10.2045	0.849	26.3772	8.3828	0.122830
116.	0.	4.78627	14.8318	15.4936	10.1932	0.877	26.3329	8.3634	0.123444
117.	0.	4.77767	14.8310	15.4936	10.1932	0.905	26.2886	8.3441	0.124058
118.	0.	4.76905	14.8303	15.4936	10.1704	0.933	26.2445	8.3247	0.124674
119.	0.	4.76038	14.8296	15.4936	10.1592	0.960	26.2001	8.3053	0.125293
120.	0.	4.75167	14.8289	15.4936	10.1480	0.987	26.1558	8.2859	0.125913
					10.1460	1.015			
121.	0.	4.74293	14.8282	15.4936			26.1117	8.2665	0.126536
122.	0.	4.73415	14.8275	15.4936	10.1259	1.042	26.0677	8.2472	0.127160
123.	0.	4.72569	14.8268	15.4936	10.1134	1.073	26.0239	8.2278	0.127787
124.	0.	4.71728	14.8261	15.4936	10.1006	1.105	25.9804	8.2084	0.128417
125.	0.	4.70891	14.8255	15.4936	10.0877	1.138	25.9369	8.1890	0.129045
126.	0.	4.70045	14.8249	15.4936	10.0750	1.171	25.8942	8.1697	0.129678

127.	0.	4.69194	14.8242	15.4936	10.0624	1.205	25.8519	8.1503	0.130313
128.	0.	4.68336	14.8237	15.4936	10.0500	1.239	25.8101	8.1309	0.130950
129.	0.	4.67467	14.8231	15.4936	10.0378	1.274	25.7688	8.1116	0.131592
130.	0.	4.66584	14.8225	15.4936	10.0256	1.309	25.7231	8.0922	0.132236
131.	0.	4.65781	14.8220	15.4936	10.0141	1.344	25.6749	8.0628	0.132769
132.	0.	4.64899	14.8215	15.4936	10.0017	1.379	25.6315	8.0434	0.133421
133.	0.	4.64012	14.8210	15.4936	9.9895	1.413	25.5896	8.0241	0.134078
134.	0.	4.63117	14.8205	15.4936	9.9774	1.447	25.5484	8.0047	0.134738
135.	0.	4.62204	14.8200	15.4936	9.9656	1.480	25.5025	7.9854	0.135401
136.	0.	4.61358	14.8196	15.4936	9.9551	1.514	25.4592	7.9560	0.135960
137.	0.	4.60356	14.8191	15.4936	9.9430	1.546	25.4237	7.9468	0.136752
138.	0.	4.59429	14.8187	15.4936	9.9323	1.578	25.3895	7.9274	0.137431
139.	0.	4.58420	14.8182	15.4936	9.9208	1.609	25.3571	7.9182	0.138224
140.	0.	4.57477	14.8178	15.4936	9.9105	1.641	25.3196	7.8989	0.138901
141.	0.	4.56533	14.8175	15.4936	9.9005	1.672	25.2857	7.8796	0.139581
142.	0.	4.55510	14.8171	15.4936	9.8898	1.704	25.2542	7.8704	0.140374
							25.2542		
143.	0.	4.54565	14.8167	15.4936	9.8801	1.735	25.2224	7.8511	0.141052
144.	0.	4.53539	14.8164	15.4936	9.8698	1.766	25.1921	7.8418	0.141842
145.	0.	4.52583	14.8160	15.4936	9.8605	1.797	25.1565	7.8225	0.142516
146.	0.	4.51619	14.8157	15.4936	9.8513	1.828	25.1194	7.8032	0.143190
147.	0.	4.50651	14.8154	15.4936	9.8423	1.859	25.0820	7.7839	0.143866
148.	0.	4.49688	14.8152	15.4936	9.8330	1.890	25.0442	7.7645	0.144541
149.	0.	4.48733	14.8149	15.4936	9.8236	1.922	25.0060	7.7452	0.145213
150.	0.	4.47771	14.8146	15.4936	9.8142	1.954	24.9681	7.7259	0.145890
151.	0.	4.46811	14.8144	15.4936	9.8048	1.989	24.9299	7.7066	0.146569
152.	0.	4.45851	14.8142	15.4936	9.7953	2.024	24.8920	7.6872	0.147248
153.	0.	4.44902	14.8140	15.4936	9.7855	2.061	24.8543	7.6679	0.147924
154.	0.	4.43947	14.8137	15.4936	9.7758	2.098	24.8169	7.6486	0.148605
155.	0.	4.42988	14.8136	15.4936	9.7661	2.138	24.7805	7.6293	0.149291
156.	0.	4.42020	14.8134	15.4936	9.7566	2.179	24.7449	7.6100	0.149984
157.	0.	4.41049	14.8132	15.4936	9.7471	2.220	24.7097	7.5907	0.150680
158.	0.	4.40075	14.8131	15.4936	9.7376	2.261	24.6749	7.5714	0.151378
159.	0.	4.39096	14.8129	15.4936	9.7283	2.303	24.6407	7.5521	0.152081
160.	0.	4.38116	14.8128	15.4936	9.7189	2.346	24.6071	7.5328	0.152784
161.	0.	4.37141	14.8127	15.4936	9.7094	2.391	24.5744	7.5135	0.153488
162.	0.	4.36165	14.8126	15.4936	9.6999	2.435	24.5420	7.4942	0.154192
163.	0.	4.35189	14.8125	15.4936	9.6904	2.480	24.5100	7.4749	0.154898
164.	0.	4.34212	14.8124	15.4936	9.6809	2.525	24.4785	7.4556	0.155604
165.	0.	4.33236	14.8124	15.4936	9.6713	2.571	24.4471	7.4363	0.156311
166.	0.	4.32261	14.8123	15.4936	9.6618	2.616	24.4161	7.4170	0.157018
167.	0.	4.31285	14.8123	15.4936	9.6522	2.662	24.3855	7.3977	0.157725
168.	0.	4.30310	14.8123	15.4936	9.6426	2.708	24.3552	7.3784	0.158433
169.	0.	4.29334	14.8122	15.4936	9.6330	2.755	24.3252	7.3591	0.159142
170.	0.	4.28357	14.8122	15.4936	9.6234	2.801	24.2954	7.3399	0.159852
171.	0.	4.27369	14.8122	15.4936	9.6138	2.847	24.2610	7.3206	0.160563
172.	0.	4.26446	14.8123	15.4936	9.6055	2.893	24.2240	7.2912	0.161163
173.	0.	4.25449	14.8123	15.4936	9.5959	2.939	24.1924	7.2719	0.161886
174.	0.	4.24452	14.8124	15.4936	9.5865	2.985	24.1623	7.2526	0.162611
175.	0.	4.23448	14.8124	15.4936	9.5772	3.030	24.1321	7.2333	0.163340
176.	0.	4.22423	14.8125	15.4936	9.5682	3.071	24.0963	7.2141	
									0.164072
177.	0.	4.21463	14.8126	15.4936	9.5605	3.113	24.0578	7.1847	0.164693
178.	0.	4.20428	14.8126	15.4936	9.5516	3.154	24.0251	7.1654	0.165439
179.	0.	4.19392	14.8127	15.4936	9.5428	3.195	23.9939	7.1462	0.166187
180.	0.		14.8128	15.4936	9.5340	3.235	23.9631	7.1269	0.166937
		4.18353							
181.	0.	4.17293	14.8129	15.4936	9.5258	3.271	23.9311	7.1077	0.167696
182.	0.	4.16215	14.8130	15.4936	9.5178	3.305	23.8935	7.0885	0.168458
183.	0.	4.15199	14.8132	15.4936	9.5112	3.340	23.8527	7.0591	0.169109
184.		4.14112	14.8133	15.4936	9.5033	3.374	23.8173	7.0391	0.169883
	0.								
185.	0.	4.13023	14.8135	15.4936	9.4955	3.408	23.7833	7.0207	0.170658
186.	0.	4.11934	14.8136	15.4936	9.4878	3.441	23.7496	7.0014	0.171435
187.	0.	4.10843	14.8138	15.4936	9.4802	3.474	23.7160	6.9822	0.172212
188.	0.	4.09743	14.8140	15.4936	9.4726	3.505	23.7100	6.9630	0.172989
189.	0.	4.08703	14.8142	15.4936	9.4665	3.536	23.6355	6.9337	0.173654
190.	0.	4.07587	14.8144	15.4936	9.4592	3.565	23.5981	6.9144	0.174444
191.	0.	4.06471	14.8145	15.4936	9.4520	3.594	23.5620	6.8952	0.175235
192.	0.	4.05354	14.8147	15.4936	9.4449	3.623	23.5265	6.8760	0.176027
193.	0.	4.04228	14.8150	15.4936	9.4379	3.650	23.4864	6.8568	0.176818

194.	0.	4.03165	14.8152	15.4936	9.4323	3.677	23.4429	6.8275	0.177497
195.	0.	4.02032	14.8154	15.4936	9.4253	3.704	23.4052	6.8083	0.178299
196.	0.	4.00898	14.8157	15.4936	9.4185	3.731	23.3688	6.7891	0.179102
197.	0.	3.99757	14.8159	15.4936	9.4119	3.756	23.3324	6.7699	0.179909
198.	0.	3.98618	14.8161	15.4936	9.4053	3.781	23.2965	6.7507	0.180715
199.	0.	3.97479	14.8164	15.4936	9.3988	3.806	23.2604	6.7315	0.181520
200.	0.	3.96353	14.8167	15.4936	9.3919	3.829	23.2244	6.7123	0.182321
201.	0.	3.95229	14.8169	15.4936	9.3850	3.851	23.1884	6.6931	0.183120
202.	0.	3.94132	14.8172	15.4936	9.3773	3.876	23.1529	6.6739	0.183912
203.	0.	3.93044	14.8175	15.4936	9.3692	3.901	23.1176	6.6547	0.184703
204.	0.		14.8178	15.4936	9.3610	3.926	23.0779	6.6355	
		3.91951							0.185492
205.	0.	3.90915	14.8181	15.4936	9.3544	3.949	23.0350	6.6062	0.186172
206.	0.	3.89814	14.8184	15.4936	9.3462	3.974	22.9977	6.5870	0.186973
207.	0.	3.88714	14.8187	15.4936	9.3381	3.998	22.9621	6.5678	0.187776
208.	0.	3.87616	14.8190	15.4936	9.3299	4.023	22.9271	6.5486	0.188578
209.	0.	3.86512	14.8193	15.4936	9.3218	4.046	22.8878	6.5294	0.189378
210.	0.	3.85464	14.8197	15.4936	9.3153	4.069	22.8450	6.5001	0.190069
211.	0.	3.84347	14.8200	15.4936	9.3074	4.094	22.8081	6.4809	0.190882
	0.	3.83229				4.117	22.7726	6.4617	0.191698
212.			14.8204	15.4936	9.2996				
213.	0.	3.82104	14.8207	15.4936	9.2918	4.141	22.7331	6.4425	0.192513
214.	0.	3.81029	14.8211	15.4936	9.2859	4.163	22.6899	6.4132	0.193221
215.	0.	3.79891	14.8215	15.4936	9.2783	4.186	22.6529	6.3940	0.194049
216.	0.	3.78743	14.8218	15.4936	9.2712	4.210	22.6180	6.3749	0.194883
217.	0.	3.77580	14.8222	15.4936	9.2644	4.231	22.5794	6.3557	0.195719
218.	0.	3.76481	14.8226	15.4936	9.2590	4.253	22.5365	6.3264	0.196442
219.	0.	3.75325	14.8230	15.4936	9.2519	4.275	22.4995	6.3073	0.197282
220.	0.	3.74163	14.8234	15.4936	9.2451	4.297	22.4639	6.2881	0.198125
221.	0.	3.72994	14.8238	15.4936	9.2383	4.317	22.4239	6.2690	0.198967
222.	0.	3.71883	14.8243	15.4936	9.2332	4.337	22.3805	6.2397	0.199699
223.	0.	3.70715	14.8247	15.4936	9.2264	4.359	22.3430	6.2205	0.200547
224.	0.	3.69540	14.8251	15.4936	9.2196	4.379	22.3022	6.2014	0.201396
225.	0.	3.68418	14.8256	15.4936	9.2147	4.399	22.2582	6.1721	0.202137
226.	0.	3.67237	14.8260	15.4936	9.2081	4.420	22.2205	6.1530	0.202995
227.	0.	3.66055	14.8264	15.4936	9.2016	4.441	22.1842	6.1339	0.203855
228.	0.	3.64865	14.8269	15.4936	9.1953	4.460	22.1434	6.1147	0.204713
229.	0.	3.63729	14.8274	15.4936	9.1908	4.478	22.0993	6.0855	0.205464
230.	0.	3.62539	14.8278	15.4936	9.1844	4.498	22.0613	6.0663	0.206330
231.	0.	3.61351	14.8283	15.4936	9.1781	4.518	22.0249	6.0472	0.207195
232.	0.	3.60158	14.8288	15.4936	9.1718	4.537	21.9841	6.0281	0.208059
233.	0.	3.59015	14.8293	15.4936	9.1675	4.555	21.9400	5.9988	0.208816
234.	0.	3.57818	14.8297	15.4936	9.1613	4.574	21.9019	5.9797	0.209688
235.	0.	3.56623	14.8302	15.4936	9.1551	4.593	21.8654	5.9606	0.210560
236.	0.	3.55437	14.8307	15.4936	9.1490	4.613	21.8344	5.9414	0.211431
237.	0.	3.54205	14.8312	15.4936	9.1411	4.634	21.8070	5.9324	0.212405
238.	0.	3.53036	14.8317	15.4936	9.1352	4.655	21.7788	5.9133	0.213263
239.	0.	3.51820	14.8322	15.4936	9.1275	4.675	21.7529	5.9042	0.214222
240.	0.	3.50664	14.8327	15.4936	9.1218	4.695	21.7255	5.8851	0.215066
241.	0.	3.49461	14.8331	15.4936	9.1142	4.715	21.7003	5.8760	0.216011
	0.	3.48319	14.8336		9.1087	4.734			0.216843
242.				15.4936			21.6736	5.8568	
243.	0.	3.47130	14.8341	15.4936	9.1013	4.753	21.6489	5.8478	0.217774
244.	0.	3.46002	14.8346	15.4936	9.0960	4.771	21.6227	5.8286	0.218590
245.	0.	3.44826	14.8351	15.4936	9.0888	4.790	21.5983	5.8195	0.219508
246.	0.	3.43707	14.8357	15.4936	9.0838	4.807	21.5726	5.8003	0.220314
247.	0.	3.42540	14.8362	15.4936	9.0768	4.825	21.5489	5.7912	0.221222
248.	0.	3.41433	14.8367	15.4936	9.0720	4.843	21.5233	5.7720	0.222016
249.	0.	3.40278	14.8372	15.4936	9.0652	4.860	21.4996	5.7629	0.222911
250.	0.	3.39183	14.8377	15.4936	9.0605	4.877	21.4742	5.7437	0.223693
251.	0.	3.38039	14.8383	15.4936	9.0539	4.895	21.4508	5.7346	0.224576
252.	0.	3.36955	14.8388	15.4936	9.0495	4.911	21.4256	5.7153	0.225347
253.	0.	3.35821	14.8393	15.4936	9.0431	4.928	21.4023	5.7062	0.226218
254.	0.	3.34748	14.8399	15.4936	9.0388	4.944	21.3770	5.6870	0.226978
255.	0.	3.33626	14.8404	15.4936	9.0326	4.960	21.3537	5.6778	0.227838
256.	0.	3.32563	14.8410	15.4936	9.0285	4.976	21.3285	5.6586	0.228587
257.	0.	3.31450	14.8416	15.4936	9.0225	4.992	21.3053	5.6494	0.229437
258.	0.	3.30395	14.8422	15.4936	9.0186	5.007	21.2803	5.6302	0.230177
259.		3.29290	14.8427	15.4936	9.0128	5.023	21.2569	5.6210	0.231018
	0.								
260.	0.	3.28245	14.8433	15.4936	9.0091	5.038	21.2322	5.6017	0.231748

261.	0.	3.27153	14.8439	15.4936	9.0034	5.053	21.2094	5.5926	0.232577
262.	0.	3.26119	14.8445	15.4936	8.9998	5.067	21.1847	5.5733	0.233298
263.	0.	3.25044	14.8451	15.4936	8.9942	5.084	21.1671	5.5641	0.234118
264.	0.	3.23975	14.8457	15.4936	8.9886	5.099	21.1464	5.5549	0.234928
265.	0.	3.22960	14.8463	15.4936	8.9853	5.112	21.1218	5.5356	0.235630
266.	0.	3.21905	14.8469	15.4936	8.9799	5.128	21.1047	5.5264	0.236431
267.	0.	3.20861	14.8475	15.4936	8.9747	5.144	21.0893	5.5172	0.237224
268.	0.	3.19831	14.8482	15.4936	8.9695	5.161	21.0791	5.5080	0.238008
269.	0.	3.18753	14.8487	15.4936	8.9628	5.180	21.0726	5.5089	0.238888
270.	0.	3.17729	14.8494	15.4936	8.9584	5.198	21.0599	5.4997	0.239656
271.	0.	3.16711	14.8500	15.4936	8.9542	5.216	21.0458	5.4904	0.240416
272.	0.	3.15709	14.8506	15.4936	8.9501	5.235	21.0362	5.4812	0.241166
273.	0.	3.14674	14.8512	15.4936	8.9440	5.255	21.0302	5.4820	0.242002
274.	0.	3.13699	14.8518	15.4936	8.9400	5.272	21.0179	5.4727	0.242723
275.	0.	3.12732	14.8524	15.4936	8.9361	5.289		5.4634	0.243436
							21.0038		
276.	0.	3.11780	14.8531	15.4936	8.9322	5.306	20.9944	5.4541	0.244140
277.			14.8537						
	0.	3.10794		15.4936	8.9264	5.326	20.9886	5.4549	0.244929
278.	0.	3.09867	14.8543	15.4936	8.9226	5.342	20.9764	5.4456	0.245607
279.	0.	3.08949	14.8549	15.4936	8.9189	5.358		5.4363	0.246275
							20.9629		
280.	0.	3.08047	14.8555	15.4936	8.9152	5.375	20.9543	5.4269	0.246936
	0.	3.07109	14.8561	15.4936	8.9094	5.394	20.9490	5.4277	0.247682
281.									
282.	0.	3.06229	14.8568	15.4936	8.9058	5.409	20.9371	5.4183	0.248318
	0.								
283.		3.05356	14.8574	15.4936	8.9023	5.424	20.9237	5.4089	0.248947
284.	0.	3.04496	14.8580	15.4936	8.8987	5.439	20.9148	5.3996	0.249570
285.	0.	3.03598	14.8586	15.4936	8.8932	5.457	20.9095	5.4003	0.250278
286.	0.	3.02755	14.8593	15.4936	8.8899	5.471	20.8978	5.3909	0.250881
287.	0.	3.01917	14.8599	15.4936	8.8867	5.485	20.8846	5.3815	0.251477
288.	0.	3.01090	14.8605	15.4936	8.8835	5.500	20.8759	5.3721	0.252068
289.	0.	3.00227	14.8611	15.4936	8.8783	5.517	20.8709	5.3727	0.252744
290.	0.	2.99419	14.8617	15.4936	8.8752	5.531	20.8594	5.3633	0.253315
	0.								0.253881
291.		2.98615	14.8624	15.4936	8.8722	5.544	20.8463	5.3539	
292.	0.	2.97821	14.8630	15.4936	8.8693	5.558	20.8380	5.3444	0.254442
293.	0.	2.96992	14.8636	15.4936	8.8642	5.574	20.8332	5.3451	0.255087
294.	0.	2.96217	14.8642	15.4936	8.8614	5.587	20.8218	5.3356	0.255630
295.	0.	2.95447	14.8648	15.4936	8.8585	5.600	20.8089	5.3262	0.256167
296.	0.	2.94687	14.8654	15.4936	8.8557	5.614	20.8006	5.3167	0.256700
297.	0.	2.93884	14.8660	15.4936	8.8508	5.627	20.7908	5.3173	0.257316
298.	0.	2.93175	14.8667	15.4936	8.8502	5.637	20.7705	5.2977	0.257744
299.	0.	2.92420	14.8673	15.4936	8.8476	5.648	20.7551	5.2883	0.258264
300.	0.	2.91671	14.8679	15.4936	8.8450	5.659	20.7406	5.2788	0.258781
301.	0.	2.90927	14.8686	15.4936	8.8424	5.670	20.7264	5.2693	0.259294
302.	0.	2.90193	14.8692	15.4936	8.8398	5.683	20.7173	5.2598	0.259803
303.	0.	2.89422	14.8698	15.4936	8.8351	5.697	20.7123	5.2604	0.260397
304.	0.	2.88706	14.8704	15.4936	8.8325	5.708	20.7002	5.2509	0.260890
305.	0.	2.87994	14.8710	15.4936	8.8299	5.719	20.6865	5.2414	0.261378
306.	0.	2.87291	14.8716	15.4936	8.8273	5.732	20.6774	5.2319	0.261864
307.	0.					5.745			
		2.86550	14.8722	15.4936	8.8226		20.6720	5.2324	0.262433
308.	0.	2.85860	14.8729	15.4936	8.8201	5.756	20.6599	5.2229	0.262904
	0.	2.85173	14.8735	15.4936	8.8176	5.766			0.263371
309.							20.6462	5.2134	
310.	0.	2.84494	14.8741	15.4936	8.8152	5.778	20.6370	5.2038	0.263836
311.	0.	2.83777	14.8747	15.4936	8.8106	5.791	20.6315	5.2044	0.264384
312.	0.	2.83110	14.8753	15.4936	8.8082	5.802	20.6193	5.1948	0.264836
313.	0.	2.82446	14.8759	15.4936	8.8058	5.811	20.6055	5.1853	0.265284
314.	0.	2.81789	14.8765	15.4936	8.8035	5.822	20.5962	5.1757	0.265730
315.	0.	2.81093	14.8771	15.4936	8.7990	5.835	20.5906	5.1763	0.266260
316.	0.	2.80448	14.8777	15.4936	8.7968	5.845	20.5783	5.1667	0.266693
317.	0.	2.79804	14.8783	15.4936	8.7946	5.854	20.5643	5.1571	0.267124
318.	0.	2.79168	14.8789	15.4936	8.7924	5.865	20.5548	5.1476	0.267553
319.	0.	2.78492	14.8795	15.4936	8.7881	5.877	20.5490	5.1481	0.268066
320.	0.	2.77867	14.8801	15.4936	8.7859	5.886	20.5365	5.1385	0.268482
321.	0.	2.77242	14.8807	15.4936	8.7839	5.894	20.5223	5.1289	0.268898
322.	0.	2.76624	14.8813	15.4936	8.7818	5.905	20.5127	5.1193	0.269311
323.	0.	2.75965	14.8818	15.4936	8.7776	5.916	20.5067	5.1198	0.269808
324.	0.	2.75358	14.8824	15.4936	8.7756	5.925	20.4939	5.1102	0.270210
325.	0.	2.74749	14.8830	15.4936	8.7737	5.933	20.4793	5.1006	0.270610
326.	0.	2.74149	14.8836	15.4936	8.7718	5.942	20.4694	5.0910	0.271010
327.	0.	2.73506	14.8842	15.4936	8.7677	5.953	20.4631	5.0915	0.271492
341.	υ.	4.73300	14.0042	10.4330	0./0//	5.755	ZU. 4031	0.0915	0.2/1492

328.	0.	2.72916	14.8848	15.4936	8.7659	5.961	20.4500	5.0819	0.271880
329.	0.	2.72323	14.8854	15.4936	8.7641	5.969	20.4351	5.0723	0.272267
330.	0.	2.71732	14.8860	15.4936	8.7624	5.976	20.4195	5.0627	0.272653
331.	0.	2.71130	14.8865	15.4936	8.7607	5.979	20.3929	5.0530	0.273036
332.	0.	2.70600	14.8872	15.4936	8.7637	5.974	20.3472	5.0233	0.273251
333.	0.	2.70056	14.8879	15.4936	8.7667	5.970	20.3013	4.9935	0.273477
334.	0.	2.69452	14.8885	15.4936	8.7675	5.966	20.2570	4.9738	0.273800
335.	0.	2.68886	14.8892	15.4936	8.7706	5.962	20.2103	4.9440	0.274045
336.	0.	2.68258	14.8899	15.4936	8.7714	5.958	20.1652	4.9244	0.274388
337.	0.	2.67669	14.8906	15.4936	8.7745	5.953	20.1179	4.8947	0.274651
338.	0.	2.67018	14.8913	15.4936	8.7753	5.949	20.0719	4.8750	0.275014
339.	0.	2.66407	14.8920	15.4936	8.7784	5.945	20.0235	4.8453	0.275295
340.	0.	2.65732	14.8927	15.4936	8.7792	5.941	19.9767	4.8257	0.275679
		2.65097	14.8935	15.4936	8.7824		19.9275	4.7960	0.275980
341.	0.					5.936			
342.	0.	2.64399	14.8942	15.4936	8.7833	5.931	19.8796	4.7764	0.276385
343.	0.	2.63735	14.8950	15.4936	8.7865	5.924	19.8239	4.7467	0.276706
344.	0.	2.63059	14.8958	15.4936	8.7898	5.919	19.7713	4.7170	0.277040
345.	0.	2.62319	14.8965	15.4936	8.7907	5.914	19.7214	4.6975	0.277482
346.	0.	2.61621	14.8974	15.4936	8.7940	5.908	19.6696	4.6678	0.277837
347.	0.	2.60857	14.8982	15.4936	8.7950	5.903	19.6197	4.6483	0.278300
348.	0.	2.60139	14.8990	15.4936	8.7983	5.897	19.5674	4.6187	0.278674
349.	0.	2.59352	14.8998	15.4936	8.7993	5.892	19.5166	4.5992	0.279159
350.	0.	2.58611	14.9007	15.4936	8.8027	5.886	19.4634	4.5696	0.279553
351.	0.	2.57801	14.9015	15.4936	8.8037	5.880	19.4118	4.5501	0.280059
352.	0.	2.57039	14.9024	15.4936	8.8071	5.874	19.3577	4.5205	0.280474
353.	0.	2.56206	14.9033	15.4936	8.8082	5.868	19.3054	4.5010	0.281002
354.	0.	2.55418	14.9042	15.4936	8.8117	5.860	19.2449	4.4714	0.281435
355.	0.	2.54615	14.9051	15.4936	8.8152	5.853	19.1875	4.4419	0.281886
356.	0.	2.53733	14.9060	15.4936	8.8164	5.850	19.1297	4.4225	0.282457
357.	0.	2.52913	14.9069	15.4936	8.8199	5.843	19.0737	4.3929	0.282927
358.	0.	2.52018	14.9079	15.4936	8.8211	5.837	19.0193	4.3735	0.283515
359.	0.	2.51178	14.9088	15.4936	8.8247	5.831	18.9627	4.3440	0.284005
360.	0.	2.50262	14.9098	15.4936	8.8260	5.825	18.9076	4.3246	0.284615
361.	0.	2.49407	14.9108	15.4936	8.8297	5.820	18.8559	4.2951	0.285125
		2.48430	14.9117						
362.	0.			15.4936	8.8287	5.824	18.8268	4.2859	0.285865
363.	0.	2.47408	14.9126	15.4936	8.8255	5.831	18.8065	4.2867	0.286700
364.	0.	2.46474	14.9135	15.4936	8.8245	5.838	18.7870	4.2774	0.287408
365.	0.	2.45491	14.9144	15.4936	8.8214	5.847	18.7705	4.2782	0.288210
366.	0.	2.44589	14.9153	15.4936	8.8204	5.852	18.7470	4.2689	0.288886
367.	0.	2.43701	14.9162	15.4936	8.8196	5.858	18.7277	4.2596	0.289552
368.	0.	2.42763	14.9171	15.4936	8.8165	5.866	18.7118	4.2603	0.290313
369.	0.	2.41909	14.9179	15.4936	8.8156	5.873	18.6949	4.2510	0.290950
370.	0.	2.41003	14.9188	15.4936	8.8125	5.882	18.6804	4.2517	0.291681
371.	0.	2.40180	14.9196	15.4936	8.8117	5.889	18.6642	4.2423	0.292291
372.	0.	2.39304	14.9204	15.4936	8.8087	5.897	18.6502	4.2430	0.292995
373.	0.	2.38510	14.9213	15.4936	8.8080	5.904	18.6345	4.2336	0.293580
374.	0.	2.37663	14.9221	15.4936	8.8050	5.912	18.6209	4.2343	0.294258
375.	0.	2.36896	14.9229	15.4936	8.8043	5.919	18.6057	4.2248	0.294818
376.	0.	2.36074	14.9237	15.4936	8.8014	5.926	18.5925	4.2255	0.295472
377.	0.	2.35333	14.9245	15.4936	8.8008	5.933	18.5776	4.2160	0.296011
378.	0.	2.34536	14.9252	15.4936	8.7979	5.941	18.5648	4.2166	0.296643
379.	0.	2.33814	14.9260	15.4936	8.7974	5.945	18.5446	4.2072	0.297160
380.	0.	2.33099	14.9268	15.4936	8.7968	5.951	18.5280	4.1977	0.297673
381.	0.	2.32330	14.9275	15.4936	8.7941	5.958	18.5148	4.1983	0.298280
382.	0.				8.7933	5.964			
		2.31643	14.9283	15.4936			18.5003	4.1888	0.298773
383.	0.	2.30900	14.9290	15.4936	8.7904	5.971	18.4879	4.1894	0.299359
384.	0.	2.30235	14.9297	15.4936	8.7896	5.977	18.4738	4.1798	0.299834
385.	0.	2.29513	14.9305	15.4936	8.7866	5.983	18.4617	4.1804	0.300402
386.	0.	2.28886	14.9312	15.4936	8.7849	5.990	18.4473	4.1709	0.300853
387.	0.	2.28208	14.9319	15.4936	8.7806	5.999	18.4347	4.1714	0.301396
388.	0.	2.27607	14.9326	15.4936	8.7784	6.007	18.4204	4.1618	0.301830
389.	0.	2.26952	14.9333	15.4936	8.7740	6.018	18.4142	4.1624	0.302358
390.	0.	2.26313	14.9340	15.4936	8.7695	6.030	18.4105	4.1629	0.302874
391.	0.	2.25687	14.9346	15.4936	8.7651	6.042	18.4077	4.1634	0.303379
392.	0.	2.25066	14.9353	15.4936	8.7607	6.050	18.3934	4.1639	0.303871
393.	0.	2.24567	14.9360	15.4936	8.7608	6.050	18.3604	4.1442	0.304161
394.	0.	2.24056	14.9367	15.4936	8.7610	6.047	18.3218	4.1245	0.304459

395.	0.	2.23532	14.9374	15.4936	8.7613	6.045	18.2811	4.1048	0.304765
396.	0.	2.23003	14.9381	15.4936	8.7616	6.044	18.2453	4.0851	0.305081
397.	0.	2.22403	14.9388	15.4936	8.7596	6.045	18.2129	4.0755	0.305501
398.	0.	2.21861	14.9395	15.4936	8.7600	6.043	18.1733	4.0558	0.305825
399.	0.	2.21308	14.9403	15.4936	8.7604	6.041	18.1315	4.0362	0.306157
400.	0.	2.20744	14.9410	15.4936	8.7610	6.038	18.0886	4.0165	0.306498
401.	0.	2.20173	14.9418	15.4936	8.7616	6.037	18.0508	3.9968	0.306848
402.	0.	2.19531	14.9425	15.4936	8.7599	6.038	18.0165	3.9873	0.307305
403.	0.	2.18949	14.9432	15.4936	8.7606	6.036	17.9749	3.9677	0.307663
404.	0.	2.18357	14.9440	15.4936	8.7613	6.033	17.9312	3.9480	0.308028
	0								
405.	0.	2.17753	14.9448	15.4936	8.7622	6.030	17.8865	3.9284	0.308403
406.	0.	2.17144	14.9456	15.4936	8.7631	6.029	17.8470	3.9088	0.308787
407.	0.	2.16461	14.9463	15.4936	8.7617	6.030	17.8110	3.8993	0.309280
408.	0.	2.15842	14.9471	15.4936	8.7627	6.028	17.7678	3.8797	0.309670
409.	0.	2.15212	14.9479	15.4936	8.7638	6.025	17.7225	3.8601	0.310069
	0.		14.9487	15.4936	8.7650				0.310477
410.		2.14576				6.024	17.6824	3.8405	
411.	0.	2.13866	14.9495	15.4936	8.7639	6.025	17.6454	3.8310	0.310995
412.	0.	2.13221	14.9503	15.4936	8.7652	6.023	17.6014	3.8114	0.311409
413.	0.	2.12566	14.9511	15.4936	8.7665	6.020	17.5554	3.7918	0.311830
414.	0.	2.11904	14.9519	15.4936	8.7680	6.019	17.5139	3.7723	0.312261
415.	0.		14.9527	15.4936	8.7673	6.020	17.4758	3.7628	0.312804
415.		2.11167							
416.	0.	2.10497	14.9535	15.4936	8.7689	6.017	17.4304	3.7432	0.313239
417.	0.	2.09818	14.9544	15.4936	8.7706	6.014	17.3827	3.7237	0.313683
418.	0.	2.09132	14.9552	15.4936	8.7724	6.013	17.3400	3.7041	0.314135
419.	0.	2.08370	14.9560	15.4936	8.7719	6.013	17.3006	3.6947	0.314702
420.	0.		14 0560	15 4026	8.7739	6.011	17.2541		0 215150
		2.07678	14.9568	15.4936				3.6752	0.315159
421.	0.	2.06975	14.9577	15.4936	8.7760	6.007	17.2054	3.6556	0.315623
422.	0.	2.06267	14.9585	15.4936	8.7781	6.006	17.1615	3.6361	0.316097
423.	0.	2.05480	14.9594	15.4936	8.7781	6.006	17.1208	3.6267	0.316686
424.	0.	2.04766	14.9602	15.4936	8.7805	6.003	17.0731	3.6072	0.317164
425.	0.	2.04042	14.9611	15.4936	8.7829	6.000	17.0231	3.5876	0.317649
426.	0.	2.03309	14.9620	15.4936	8.7855	5.996	16.9719	3.5681	0.318142
427.	0.	2.02571	14.9628	15.4936	8.7881	5.995	16.9261	3.5486	0.318644
428.	0.	2.01755	14.9637	15.4936	8.7885	5.995	16.8837	3.5393	0.319262
429.	0.	2.01014	14.9646	15.4936	8.7912	5.992	16.8342	3.5198	0.319766
430.	0.	2.00268	14.9654	15.4936	8.7941	5.991	16.7886	3.5003	0.320277
431.	0.	1.99442	14.9663	15.4936	8.7946	5.990	16.7456	3.4909	0.320906
432.	0.	1.98693	14.9672	15.4936	8.7976	5.987	16.6955	3.4714	0.321419
433.	0.	1.97939	14.9681	15.4936	8.8006	5.986	16.6492	3.4519	0.321939
434.	0.	1.97106	14.9689	15.4936	8.8013	5.986	16.6058	3.4426	0.322577
	0								
435.	0.	1.96350	14.9698	15.4936	8.8044	5.983	16.5553	3.4231	0.323098
436.	0.	1.95587	14.9707	15.4936	8.8076	5.979	16.5024	3.4036	0.323626
437.	0.	1.94820	14.9716	15.4936	8.8108	5.978	16.4545	3.3842	0.324162
438.	0.	1.93974	14.9725	15.4936	8.8116	5.978	16.4097	3.3748	0.324816
439.	0.	1.93207	14.9734	15.4936	8.8148	5.974	16.3578	3.3554	0.325351
440.	0.	1.92437	14.9743	15.4936	8.8181	5.973	16.3097	3.3359	0.325894
							10.3097		
441.	0.	1.91586	14.9752	15.4936	8.8190	5.973	16.2643	3.3266	0.326555
442.	0.	1.90815	14.9761	15.4936	8.8223	5.970	16.2116	3.3071	0.327097
443.	0.	1.90041	14.9770	15.4936	8.8256	5.969	16.1626	3.2876	0.327646
	0.								
444.		1.89185	14.9778	15.4936	8.8266	5.969	16.1165	3.2783	0.328315
445.	0.	1.88411	14.9787	15.4936	8.8300	5.966	16.0630	3.2589	0.328863
446.	0.	1.87629	14.9796	15.4936	8.8335	5.961	16.0070	3.2394	0.329418
447.	0.	1.86844	14.9805	15.4936	8.8371	5.960	15.9563	3.2200	0.329981
448.	0.	1.85976	14.9814	15.4936	8.8382	5.959	15.9087	3.2107	0.330665
449.	0.	1.85191	14.9823	15.4936	8.8418	5.956	15.8539	3.1912	0.331227
450.	0.	1.84403	14.9832	15.4936	8.8455	5.955	15.8031	3.1718	0.331797
451.	0.	1.83532	14.9841	15.4936	8.8467	5.954	15.7552	3.1625	0.332487
452.	0.	1.82745	14.9850	15.4936	8.8504	5.951	15.6998	3.1431	0.333055
453.	0.	1.81955	14.9859	15.4936	8.8541	5.949	15.6486	3.1236	0.333630
454.	0.	1.81081	14.9868	15.4936	8.8554	5.949	15.6000	3.1143	0.334327
455.	0.	1.80292	14.9877	15.4936	8.8592	5.945	15.5442	3.0949	0.334900
								3.0755	0.335480
456.	0.	1.79496	14.9886	15.4936	8.8631	5.941	15.4859		
457.	0.	1.78694	14.9895	15.4936	8.8669	5.936	15.4269	3.0561	0.336068
458.	0.	1.77882	14.9904	15.4936	8.8708	5.929	15.3613	3.0367	0.336662
459.	0.	1.77136	14.9913	15.4936	8.8774	5.914	15.2788	3.0071	0.337146
460.	0.	1.76447	14.9923	15.4936	8.8865	5.901	15.1948	2.9675	0.337536
	0.	1.75570	14.9932	15.4936	8.8906	5.903	15.1452		
461.	υ.	1./55/0	14.9932	13.4930	0.0900	5.903	13.145∠	2.9482	0.338213


462.	0.	1.74451	14.9941	15.4936	8.8871	5.913	15.1183	2.9593	0.339259
463.	0.	1.73536	14.9950	15.4936	8.8888	5.919	15.0818	2.9500	0.340017
464.	0.	1.72633	14.9958	15.4936	8.8905	5.921	15.0371	2.9408	0.340760
465.	0.	1.71818	14.9967	15.4936	8.8947	5.916	14.9754	2.9214	0.341371
466.	0.	1.71077	14.9976	15.4936	8.9016	5.908	14.9065	2.8919	0.341868
467.	0.	1.70231	14.9985	15.4936	8.9060	5.902	14.8434	2.8725	0.342512
468.	0.	1.69378	14.9994	15.4936	8.9105	5.897	14.7819	2.8532	0.343167
469.	0.	1.68523	15.0003	15.4936	8.9150	5.896	14.7269	2.8338	0.343829
470.	0.	1.67582	15.0012	15.4936	8.9169	5.896	14.6756	2.8246	0.344619
471.	0.	1.66737	15.0021	15.4936	8.9213	5.896	14.6235	2.8053	0.345277
	0.	1.65812	15.0029	15.4936	8.9231	5.903	14.5860	2.7961	0.346062
472.									
473.	0.	1.64815	15.0038	15.4936	8.9221	5.905	14.5418	2.7970	0.346950
474.	0.	1.64091	15.0046	15.4936	8.9290	5.899	14.4781	2.7674	0.347448
475.	0.	1.63263	15.0055	15.4936	8.9333	5.894	14.4162	2.7481	0.348090
									0.348740
476.	0.	1.62430	15.0064	15.4936	8.9376	5.890	14.3547	2.7287	
477.	0.	1.61592	15.0072	15.4936	8.9418	5.886	14.2928	2.7094	0.349398
478.	0.	1.60747	15.0081	15.4936	8.9459	5.882	14.2306	2.6901	0.350064
479.	0.	1.59897	15.0090	15.4936	8.9501	5.877	14.1681	2.6707	0.350738
480.	0.	1.59045	15.0098	15.4936	8.9542	5.876	14.1118	2.6514	0.351420
481.	0.	1.58101	15.0107	15.4936	8.9556	5.877	14.0590	2.6422	0.352234
482.	0.	1.57257	15.0115	15.4936	8.9598	5.877	14.0058	2.6229	0.352913
483.	0.	1.56326	15.0123	15.4936	8.9612	5.881	13.9607	2.6137	0.353721
484.	0.	1.55411	15.0132	15.4936	8.9625	5.886	13.9182	2.6045	0.354515
485.	0.	1.54506	15.0140	15.4936	8.9639	5.884	13.8638	2.5953	0.355293
486.	0.	1.53786	15.0148	15.4936	8.9706	5.881	13.8025	2.5658	0.355812
487.	0.	1.52879	15.0156	15.4936	8.9719	5.891	13.7691	2.5566	0.356608
488.	0.	1.51816	15.0163	15.4936	8.9678	5.905	13.7472	2.5676	0.357635
489.	0.	1.50971	15.0171	15.4936	8.9690	5.909	13.7053	2.5584	0.358360
490.	0.	1.50223	15.0178	15.4936	8.9729	5.906	13.6503	2.5389	0.358949
									0.359546
491.	0.	1.49471	15.0186	15.4936	8.9767	5.905	13.5977	2.5195	
492.	0.	1.48627	15.0193	15.4936	8.9779	5.908	13.5537	2.5103	0.360275
493.	0.	1.47793	15.0201	15.4936	8.9791	5.913	13.5123	2.5010	0.360995
494.	0.	1.46969	15.0208	15.4936	8.9805	5.918	13.4723	2.4917	0.361706
495.	0.	1.46153	15.0215	15.4936	8.9820	5.919	13.4263	2.4824	0.362406
496.	0.	1.45431	15.0222	15.4936	8.9863	5.915	13.3704	2.4630	0.362975
497.	0.	1.44697	15.0229	15.4936	8.9906	5.907	13.3044	2.4436	0.363553
498.	0.	1.44040	15.0237	15.4936	8.9976	5.897	13.2332	2.4140	0.364021
499.	0.	1.43271	15.0244	15.4936	9.0019	5.893	13.1749	2.3946	0.364645
500.	0.	1.42408	15.0251	15.4936	9.0033	5.896	13.1284	2.3854	0.365407
501.	0.	1.41554	15.0258	15.4936	9.0046	5.896	13.0791	2.3762	0.366157
502.	0.	1.40802	15.0265	15.4936	9.0087	5.896	13.0278	2.3568	0.366771
503.	0.	1.39956	15.0272	15.4936	9.0100	5.900	12.9839	2.3475	0.367519
504.	0.	1.39120	15.0279	15.4936	9.0112	5.901	12.9354	2.3383	0.368256
505.	0.	1.38381	15.0286	15.4936	9.0152	5.893	12.8708	2.3189	0.368856
506.	0.	1.37719	15.0293	15.4936	9.0219	5.879	12.7924	2.2893	0.369341
507.	0.	1.37022	15.0301	15.4936	9.0286	5.856	12.6949	2.2599	0.369858
508.	0.	1.36460	15.0309	15.4936	9.0411	5.809	12.5522	2.2102	0.370152
509.	0.	1.36115	15.0318	15.4936	9.0620	5.777	12.4237	2.1301	0.370121
510.	0.	1.34868	15.0327	15.4936	9.0600	5.776	12.3588	2.1314	0.371379
	0.	1.33750	15.0335	15.4936	9.0609	5.764	12.2773	2.1224	0.372450
511.									
512.	0.	1.33025	15.0344	15.4936	9.0733	5.732	12.1569	2.0729	0.372945
513.	0.	1.32225	15.0354	15.4936	9.0854	5.699	12.0292	2.0235	0.373530
514.	0.	1.31241	15.0364	15.4936	9.0944	5.673	11.9136	1.9844	0.374372
515.	0.	1.30098	15.0374	15.4936	9.1005	5.659	11.8174	1.9554	0.375450
516.	0.	1.28824	15.0384	15.4936	9.1037	5.648	11.7285	1.9367	0.376721
517.	0.	1.27657	15.0395	15.4936	9.1097	5.638	11.6409	1.9078	0.377842
518.	0.	1.26358	15.0405	15.4936	9.1127	5.615	11.5317	1.8891	0.379148
519.	0.	1.25464	15.0416	15.4936	9.1272	5.569	11.3798	1.8298	0.379838
520.	0.	1.24438	15.0429	15.4936	9.1419	5.517	11.2114	1.7707	0.380697
521.	0.	1.23271	15.0442	15.4936	9.1562	5.461	11.0349	1.7118	0.381750
522.	0.	1.21962	15.0457	15.4936	9.1698	5.415	10.8696	1.6530	0.383017
523.	0.	1.20281	15.0472	15.4936	9.1773	5.382	10.7261	1.6149	0.384876
524.	0.	1.18525	15.0488	15.4936	9.1857	5.358	10.5991	1.5769	0.386859
525.	0.	1.16606	15.0505	15.4936	9.1909	5.338	10.4799	1.5491	0.389114
526.	0.	1.14792	15.0522	15.4936	9.1996	5.316	10.3568	1.5112	0.391210
527.	0.	1.12912	15.0541	15.4936	9.2100	5.285	10.2260	1.4734	0.393414
528.	0.	1.11066	15.0560	15.4936	9.2264	5.244	10.0797	1.4256	0.395557
	٠.		,,,,,					1230	,

529.	0.	1.09217	15.0582	15.4936	9.2471	5.194	9.9207	1.3677	0.397715
530.	0.	1.07181	15.0502	15.4936	9.2703	5.135	9.7483	1.3102	0.400189
531.	0.	1.05040	15.0625	15.4936	9.3020	5.071	9.5713	1.2429	0.402854
532.	0.	1.02463	15.0650	15.4936	9.3384	5.003	9.4055	1.1863	0.406294
533.	0.	0.99730	15.0680	15.4936	9.3744	4.944	9.2559	1.1301	0.410080
534.	0.	0.96587	15.0714	15.4936	9.4058	4.904	9.1410	1.0947	0.414654
535.	0.	0.93322	15.0752	15.4936	9.4387	4.877	9.0579	1.0695	0.419455
536.	0.	0.90047	15.0795	15.4936	9.4724	4.853	8.9902	1.0542	0.424245
537.	0.	0.87079	15.0843	15.4936	9.5137	4.808	8.9033	1.0285	0.428477
538.	0.	0.84423	15.0898	15.4936	9.5647	4.725	8.7743	0.9822	0.432192
539.	0.	0.81973	15.0962	15.4936	9.6174	4.608	8.6022	0.9156	0.435646
540.	0.	0.79345	15.1034	15.4936	9.6564	4.514	8.4548	0.8496	0.439581
541.	0.	0.75817	15.1105	15.4936	9.6796	4.460	8.3675	0.8352	0.445215
542.	0.	0.72641	15.1175	15.4936	9.7122	4.409	8.2923	0.8102	0.450156
543.	0.	0.69603	15.1244	15.4936	9.7499	4.350	8.2128	0.7848	0.454831
544.	0.	0.66716	15.1314	15.4936	9.8096	4.278	8.1421	0.7492	0.459233
545.	0.	0.63591	15.1386	15.4936	9.8900	4.196	8.0931	0.7240	0.464027
546.	0.	0.60360	15.1463	15.4936	10.0323	4.090	8.0907	0.6889	0.468931
547.	0.	0.57371	15.1542	15.4936	10.1332	3.999	8.0616	0.6635	0.473471
548.	0.	0.54298	15.1626	15.4936	10.3027	3.832	8.0036	0.6281	0.478080
549.	0.	0.51012	15.1734	15.4936	10.6534	3.660	8.2153	0.5432	0.483163
550.	0.	0.47608	15.1919	15.4936	11.0146	3.848	8.4354	0.4192	0.489200

PART 3: WHAFIS

WHAFIS input: YK-73.dat WHAFIS output: YK-73.out

PART 3 COMPLETE___



WAVE HEIGHT COMPUTATIONS FOR FLOOD INSURANCE STUDIES (WHAFIS VERSION 4.0G, 08_2007)

Executed on: Thu Mar 5 16:11:15 2020

Input file: C:\FEMA-TransectAnalysis\LOMR-TransectAnalysis-Wells\3_whafis\whafis4\YK-73.dat
Output file: C:\FEMA-TransectAnalysis\LOMR-TransectAnalysis-Wells\3_whafis\whafis4\YK-73.out
header

THIS IS A 100-YEAR CASE

THE FOLLOWING NON-DEFAULT WIND SPEEDS ARE BEING USED

WINDLE 56 14 WINDON 56 14 WINDON 56 14 WINDLE 56 14

			THE FOLLO	WING NON-DE IF 56.14	WINDOF 56.	SPEEDS ARE 14 WINDVH				
IE	0.000	-22.947	1.000	1.000	PART1 INP 8.934	32.330	14.800	56.140	0.013	0.000
OF	3.300	-22.903	0.000	8.939	0.000	0.000	0.000	0.000	0.013 0.014	0.000
OF OF	6.600 9.800	-22.859 -22.815	0.000	8.943 8.948	0.000	0.000	0.000	0.000	0.014	0.000
OF	13.100	-22.771	0.000	8.952	0.000	0.000	0.000	0.000	0.013	0.000
OF	16.400	-22.727	0.000	8.957	0.000	0.000	0.000	0.000	0.013	0.000
OF OF	19.700 23.000	-22.683 -22.642	0.000	8.962 8.967	0.000	0.000	0.000	0.000	0.013 0.012	0.000
OF	26.200	-22.605	0.000	8.972	0.000	0.000	0.000	0.000	0.012	0.000
OF	29.500 32.800	-22.567 -22.529	0.000	8.977 8.983	0.000	0.000	0.000	0.000	0.012 0.012	0.000
OF OF	36.100	-22.491	0.000	8.988	0.000	0.000	0.000	0.000	0.012	0.000
OF	39.400	-22.453	0.000	8.993	0.000	0.000	0.000	0.000	0.012	0.000
OF OF	42.700 45.900	-22.415 -22.377	0.000	8.998 9.003	0.000	0.000	0.000	0.000	0.012 0.012	0.000
OF	49.200	-22.339	0.000	9.008	0.000	0.000	0.000	0.000	0.012	0.000
OF	52.500	-22.301	0.000	9.014	0.000	0.000	0.000	0.000	0.011	0.000
OF OF	55.800 59.100	-22.264 -22.226	0.000	9.019 9.024	0.000	0.000	0.000	0.000	0.011 0.012	0.000
OF	62.300	-22.188	0.000	9.029	0.000	0.000	0.000	0.000	0.012	0.000
OF OF	65.600 68.900	-22.150 -22.112	0.000	9.034 9.039	0.000	0.000	0.000	0.000	0.012 0.012	0.000
OF	72.200	-22.074	0.000	9.044	0.000	0.000	0.000	0.000	0.012	0.000
OF	75.500	-22.036	0.000	9.049	0.000	0.000	0.000	0.000	0.012	0.000
OF OF	78.700 82.000	-21.998 -21.960	0.000	9.054 9.058	0.000	0.000	0.000	0.000	0.012 0.012	0.000
OF	85.300	-21.922	0.000	9.063	0.000	0.000	0.000	0.000	0.011	0.000
OF OF	88.600 91.900	-21.885 -21.850	0.000	9.068 9.072	0.000	0.000	0.000	0.000	0.011	0.000
OF	95.100	-21.815	0.000	9.077	0.000	0.000	0.000	0.000	0.011	0.000
OF	98.400	-21.780 -21.746	0.000	9.082	0.000	0.000	0.000	0.000	0.010	0.000
OF OF	101.700 105.000	-21.746 -21.711	0.000	9.086 9.091	0.000	0.000	0.000	0.000	0.010 0.011	0.000
OF	108.300	-21.676	0.000	9.095	0.000	0.000	0.000	0.000	0.011	0.000
OF OF	111.500 114.800	-21.642 -21.608	0.000	9.100 9.104	0.000	0.000	0.000	0.000	0.010 0.010	0.000
OF	118.100	-21.578	0.000	9.104	0.000	0.000	0.000	0.000	0.009	0.000
OF	121.400	-21.548	0.000	9.113	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	124.700 128.000	-21.518 -21.488	0.000	9.117 9.121	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	131.200	-21.458	0.000	9.125	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	134.500 137.800	-21.427 -21.397	0.000	9.129 9.134	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	141.100	-21.368	0.000	9.138	0.000	0.000	0.000	0.000	0.009	0.000
OF	144.400	-21.340	0.000	9.142	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	147.600 150.900	-21.311 -21.283	0.000	9.146 9.149	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	154.200	-21.254	0.000	9.153	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	157.500 160.800	-21.226 -21.197	0.000	9.157 9.161	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	164.000	-21.197	0.000	9.166	0.000	0.000	0.000	0.000	0.009	0.000
OF	167.300	-21.140	0.000	9.170	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	170.600 173.900	-21.112 -21.084	0.000	9.174 9.178	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	177.200	-21.055	0.000	9.182	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	180.400 183.700	-21.027 -20.998	0.000	9.186 9.189	0.000	0.000	0.000	0.000	0.009	0.000
OF	187.000	-20.970	0.000	9.193	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	190.300 193.600	-20.941 -20.913	0.000	9.196 9.200	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	196.800	-20.884	0.000	9.203	0.000	0.000	0.000	0.000	0.009	0.000
OF	200.100	-20.856	0.000	9.207	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	203.400 206.700	-20.827 -20.799	0.000	9.210 9.212	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	210.000	-20.771	0.000	9.215	0.000	0.000	0.000	0.000	0.009	0.000
OF OF	213.300 216.500	-20.742 -20.714	0.000	9.219 9.222	0.000	0.000	0.000	0.000	0.009 0.009	0.000
OF	219.800	-20.685	0.000	9.224	0.000	0.000	0.000	0.000	0.009	0.000
OF	223.100	-20.657	0.000	9.227 9.230	0.000	0.000	0.000	0.000	0.011	0.000
OF OF	226.400 229.700	-20.613 -20.564	0.000	9.230	0.000	0.000	0.000	0.000	0.014 0.015	0.000
OF	232.900	-20.515	0.000	9.235	0.000	0.000	0.000	0.000	0.015	0.000
OF OF	236.200 239.500	-20.466 -20.417	0.000	9.238 9.240	0.000	0.000	0.000	0.000	0.015 0.015	0.000
OF	242.800	-20.367	0.000	9.243	0.000	0.000	0.000	0.000	0.015	0.000
OF	246.100	-20.318	0.000	9.245	0.000	0.000	0.000	0.000	0.015	0.000
OF OF	249.300 252.600	-20.269 -20.220	0.000	9.248 9.251	0.000	0.000	0.000	0.000	0.015 0.015	0.000
OF	255.900	-20.171	0.000	9.253	0.000	0.000	0.000	0.000	0.015	0.000
OF	259.200	-20.121	0.000	9.256	0.000	0.000	0.000	0.000	0.015	0.000
OF OF	262.500 265.700	-20.072 -20.023	0.000	9.258 9.261	0.000	0.000	0.000	0.000	0.015 0.015	0.000
OF	269.000	-19.974	0.000	9.263	0.000	0.000	0.000	0.000	0.015	0.000
OF OF	272.300 275.600	-19.925 -19.875	0.000	9.266 9.268	0.000	0.000	0.000	0.000	0.015 0.015	0.000
OF	278.900	-19.827	0.000	9.271	0.000	0.000	0.000	0.000	0.014	0.000
OF	282.200	-19.779	0.000	9.273	0.000	0.000	0.000	0.000	0.015	0.000
OF OF	285.400 288.700	-19.731 -19.683	0.000	9.276 9.278	0.000	0.000	0.000	0.000	0.015 0.014	0.000
OF	292.000	-19.635	0.000	9.281	0.000	0.000	0.000	0.000	0.014	0.000
OF OF	295.300 298.600	-19.587 -19.539	0.000	9.283 9.285	0.000	0.000	0.000	0.000	0.014 0.015	0.000
OF	301.800	-19.539	0.000	9.288	0.000	0.000	0.000	0.000	0.015	0.000

	305.100 308.400 311.700 315.000 321.500	-19.444 -19.396 -19.348 -19.300 -19.252 -19.204 -19.156 -19.108 -19.013 -19.060 -19.013 -18.820 -18.754 -18.820 -18.754 -18.623 -18.557 -18.491 -18.425 -18.359 -18.227 -18.161 -18.025 -18.359 -18.293 -18.756 -17.765 -17.765 -17.765 -17.765 -17.700 -17.638 -17.765 -17.700 -17.638 -17.765 -16.628 -16.628 -16.577 -16.805 -16.678 -16.628 -16.577 -16.526 -16.475 -16.678 -16.678 -16.628 -16.577 -16.526 -16.475 -16.526 -16.475 -16.526 -16.475 -16.526 -16.475 -15.545 -15.545 -15.545 -15.545 -15.5479 -15.5479 -15.5479 -15.5479 -15.5479 -15.5479 -15.5479 -15.5479 -15.345 -15.745 -15.745 -15.745 -15.745 -15.745 -15.745 -15.678 -16.271 -16.211 -16.424 -16.373 -16.221 -15.546 -15.745 -15.678 -15.5479 -15.412 -15.5479 -15.412 -15.545 -15.479 -14.4813 -14.4681 -14.4680 -14.4680 -14.4833 -14.4680 -14.4833 -14.4680 -14.397 -14.3269 -13.897 -13.897 -13.897 -13.897 -13.8755	0.000 0.000	9.293 9.293 9.295 9.297 9.300 9.300 9.300 9.301 9.3113 9.3113 9.3115 9.3113 9.3115 9.31213 9.3225 9.3327 9.3327 9.3327 9.3327 9.3333 9.3344 9.3446 9.3456 9.3556 9.3664 9.3775 9.377	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.014 0.014 0.014 0.015 0.015 0.015 0.017 0.019 0.020 0.021 0.015 0.016 0.015 0.016 0.015 0.016 0.015 0.016 0.017 0.019 0.020 0.021 0.021 0.020 0.020 0.020 0.021 0.021 0.020 0.020 0.020 0.020 0.020 0.020 0.021 0.021 0.020 0.020 0.020 0.020 0.020 0.020 0.020 0.020 0.021 0.021 0.020	0.000 0.000
OF OF OF OF OF OF OF	564.300 567.600 570.900 574.100 577.400 580.700 584.000 587.300 590.500 593.800	-14.468 -14.397 -14.326 -14.254 -14.183 -14.111 -14.040 -13.969 -13.897 -13.826	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	9.463 9.466 9.468 9.470 9.473 9.475 9.477 9.480 9.482 9.485	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.022 0.022 0.022 0.022 0.022 0.022 0.022 0.022 0.022	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000

	639.800 643.000 644.600 649.600 652.900 656.200 659.400 662.700 666.000 679.100 679.100 682.400 685.700 688.800 705.400 705.400 705.100 711.900 711.900 715.200 711.800 721.300 731.600 731.600 731.600 731.600 731.600 731.600 731.600 751.300 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 761.200 771.000 771	-12.827 -12.760 -12.693 -12.627 -12.560 -12.493 -12.427 -12.360 -12.290 -12.217 -12.143 -12.070 -11.996 -11.776 -11.776 -11.773 -11.629 -11.556 -11.483 -11.133 -11.629 -11.556 -11.483 -11.039 -11.556 -11.788 -11.133 -11.039 -11.362 -11.188 -11.133 -11.039 -10.965 -10.891 -10.891 -10.816 -10.742 -10.668 -10.742 -10.668 -10.742 -10.668 -10.742 -10.668 -10.742 -10.668 -10.742 -10.891 -10.89	0.000 0.000	9.519 9.522 9.525 9.525 9.525 9.525 9.525 9.533 9.533 9.533 9.533 9.534 9.5543 9.5543 9.5556 9.5566 9.5566 9.5566 9.5574 9.5579 9.5582 9.5587 9.5582 9.5587 9.5598 9.6006 9.6016 9.620 9.623 9.620 9.631 9.632 9.632 9.633 9.643 9.6643 9.6643 9.6655 9.6668 9.674 9.677 9.682 9.6668 9.677 9.682 9.690 9.6684 9.690 9.6684 9.6674 9.677 9.682 9.690	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.021 0.021 0.020 0.020 0.020 0.020 0.021 0.021 0.021 0.022 0.022 0.022 0.022 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.023 0.025 0.020 0.020 0.021 0.025 0.015	0.000 0.000
OF OF OF OF OF OF	912.100 915.400 918.600 921.900 925.200 928.500 931.800 935.000	-8.121 -8.096 -8.072 -8.047 -8.023 -7.998 -7.974 -7.949	0.000 0.000 0.000 0.000 0.000 0.000 0.000	9.740 9.743 9.745 9.747 9.749 9.751 9.753 9.756	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.007 0.008 0.008 0.007 0.007 0.007 0.008 0.008	0.000 0.000 0.000 0.000 0.000 0.000 0.000

OFF	974.400 977.700 981.000 984.200 987.500 990.800 994.100 997.400 1000.700 1003.900 1017.200 1010.500 1017.100 1020.300 1023.600 1036.700 1036.700 1040.000 1046.600 1049.900 1056.400 1059.700 1063.000 1066.300 1069.600 1072.800 1072.800 1079.400 1082.700 1088.000 1079.400 1099.100 1118.800 1125.300 1128.600 1128.600 1131.900 1115.500 1148.300 1128.600 1131.900 1148.300 1148.300 1148.300 1148.300 1148.300 1148.300 1158.100 1181.100 1184.400 1151.600 1151.600 1151.600 1151.600 1151.600 1151.600 1151.700 1161.400	-7.651 -7.612 -7.576 -7.546 -7.546 -7.485 -7.485 -7.432 -7.407 -7.383 -7.334 -7.309 -7.285 -7.260 -7.231 -7.162 -7.162 -7.162 -7.162 -7.162 -7.163 -7.014 -6.965 -6.941 -6.965 -6.941 -6.965 -6.941 -6.965 -6.941 -6.965 -6.941 -6.965 -5.982 -6.867 -6.8483 -6.6567 -6.483 -6.6567 -6.483 -6.793 -7.793	0.000 0.000	9.779 9.780 9.781 9.782 9.783 9.783 9.785 9.787 9.789 9.789 9.789 9.789 9.799 9.799 9.799 9.799 9.803 9.808 9.808 9.808 9.808 9.808 9.808 9.811 9.815 9.817 9.818 9.821 9.818 9.821 9.825 9.828 9.832 9.833 9.834 9.835 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.838 9.839 9.855 9.858 9.859 9.855 9.858 9.855 9.858 9.855 9.858 9.888 9.889 9.899 9.890 9.900 9.901 9.900 9.901 9.911	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000	0.010 0.011 0.010 0.009 0.009 0.009 0.008 0.007 0.005 0.005 0.025 0.005	0.000 0.000
OF OF OF OF OF OF OF OF	1213.900 1217.200 1220.500 1223.800 1227.000 1230.300 1236.900 1240.200 1243.400 1246.700 1250.000	-4.052 -4.035 -4.017 -4.000 -3.982 -3.964 -3.947 -3.929 -3.911 -3.894 -3.858	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	9.892 9.894 9.896 9.898 9.900 9.902 9.904 9.906 9.908 9.909 9.911 9.913	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.005 0.005 0.005 0.005 0.005 0.005 0.005 0.005 0.005	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000

OFF	1309.100 1312.300 1315.600 1318.900 1325.500 1328.700 1335.300 1335.300 1335.300 1335.300 1335.300 1341.900 1345.100 1345.100 1355.000 1355.300 1351.700 1355.000 1351.700 1357.400 1371.400 1371.400 1371.700 1371.900 1381.200 1381.200 1381.200 1381.200 1381.500 1381.200 1371.400 1371.700 1371.700 1371.700 1371.700 1371.700 1371.700 1371.700 1381.200 1401.300 1401.300 1401.300 1401.300 1401.300 1401.300 1417.300 1414.000 1417.300 1414.000 1417.300 1414.000 1417.300 1414.000 1417.300 1414.000 1417.300 1427.200 1433.700 1433.400 1446.800 1456.700 1446.800 1456.700 1466.500 1466.500 1469.800 1473.100 1476.400 1479.700 1482.900 1499.300 1496.100 1499.300 1502.600 1502.600 1512.500 1515.700	-3.303 -3.244 -3.185 -3.126 -3.066 -3.007 -2.9489 -2.830 -2.772 -2.657 -2.657 -2.657 -2.657 -2.650 -2.143 -2.257 -2.200 -2.143 -2.086 -2.422 -2.314 -1.971 -1.914 -1.855 -1.796 -1.737 -1.6620 -1.971 -1.914 -1.8564 -1.230 -1.175 -1.796 -1.737 -1.6620 -1.453 -1.397 -1.342 -1.286 -1.230 -1.175 -1.620 -1.564 -1.397 -1.388 -1.397 -1.388 -1.397 -1.398 -1.119 -1.066 -1.308 -1.175 -1.119 -1.066 -0.340 -0.285 -0.229 -0.173 -0.160 -0.381 -0.381 -0.3881 -0.364 -0.476 -0.553 -0.619 -0.3850 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.1553 -0.117 -0.060 -0.285 -0.229 -0.173 -0.159 -0.850 -0.85	0.000 0.000	9.939 9.940 9.941 9.943 9.944 9.945 9.948 9.949 9.950 9.953 9.955 9.956 9.958 9.956 9.958 9.967 9.965 9.967 9.967 9.968 9.989 9.970 9.972 9.974 9.975 9.978 9.980 9.982 9.984 9.985 9.987 9.989 9.991 9.993 9.995 9.9981 0.000 10.002 10.004 10.006 10.008 10.007 10.015 10.017 10.019 10.021 10.033 10.027 10.027 10.029 10.031 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.037 10.044 10.048 10.056 10.056 10.057 10.077 10.076 10.077 10.076 10.077 10.077 10.081 10.083 10.087 10.090 10.090 10.090 10.090 10.090 10.090 10.090 10.090 10.090 10.090 10.090	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.018 0.017 0.017 0.017 0.017 0.017 0.017 0.017 0.018 0.018 0.017	0.000 0.000
IF IF IF IF IF IF	1568.200 1571.500 1574.800 1578.100 1581.400 1584.600 1587.900 1591.200 1594.500	1.254 1.315 1.375 1.436 1.477 1.515 1.554 1.592 1.682	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	10.083 10.085 10.087 10.090 10.092 10.095 10.098 10.100 10.102	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.019 0.018 0.018 0.015 0.012 0.012 0.012 0.019 0.019	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000

12 1855.500 2.475	IF IF IF	1643.700 1647.000 1650.300	2.352 2.393 2.434	0.000 0.000 0.000	10.136 10.138 10.140	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000	0.012 0.012 0.013	0.000 0.000 0.000
The 1666, 790 2,989 0.000 10.1449 0.000	IF IF	1656.800 1660.100	2.547 2.644	0.000	10.145 10.146	0.000	0.000	0.000	0.000	0.026 0.029	0.000
The property The	IF IF	1666.700 1669.900	2.909 3.146	0.000	10.149 10.149	0.000	0.000	0.000	0.000	0.062 0.040	0.000
The 1688, 300	IF IF	1676.500 1679.800	3.206 3.362	0.000	10.156 10.158	0.000	0.000	0.000	0.000	0.030 0.047	0.000
F	IF IF	1686.300 1689.600	3.646 3.736	0.000	10.163 10.166	0.000	0.000	0.000	0.000	0.034 0.027	0.000
Text 1776.0000	IF IF	1696.200 1699.500	3.905 3.989	0.000	10.174 10.178	0.000	0.000	0.000	0.000	0.025 0.041	0.000
TF 1775.900	IF IF	1706.000 1709.300	4.381 4.587	0.000	10.184 10.187	0.000	0.000	0.000	0.000	0.063 0.058	0.000
TP 1725,7000 5.294	IF	1715.900 1719.200	4.893 5.020	0.000	10.197 10.204	0.000	0.000	0.000	0.000	0.038 0.038	0.000
F	IF	1725.700	5.264	0.000	10.218	0.000	0.000	0.000	0.000	0.039	0.000
F 174-100	IF	1735.600	5.739	0.000	10.239	0.000	0.000	0.000	0.000	0.056	0.000
F 1782.000 6.703	IF	1745.400	6.388	0.000	10.267	0.000	0.000	0.000	0.000	0.063	0.000
IF 1761.800	IF IF	1752.000 1755.200	6.703 6.801	0.000	10.295 10.311	0.000	0.000	0.000	0.000	0.034 0.027	0.000
F 1771.600	IF IF	1761.800 1765.100	6.959 7.133	0.000	10.340 10.352	0.000	0.000	0.000	0.000	0.038 0.061	0.000
IF 1781.500	IF IF	1771.600 1774.900	7.583 7.669	0.000	10.377 10.395	0.000	0.000	0.000	0.000	0.047 0.026	0.000
IF 1791,300 8.197 0.000 10.473 0.000 0.000 0.000 0.000 0.003 0.003 0.000	IF IF	1781.500 1784.800	7.862 7.975	0.000	10.427 10.441	0.000	0.000	0.000	0.000	0.033 0.034	0.000
IF 1801.200 8.741 0.000 10.520 0.000 0.000 0.000 0.000 0.106 0.000 1.16 0.000 1F 1805.500 9.285 0.000 10.540 0.000 0.000 0.000 0.000 0.000 0.002 0.000 1.26 0.000 1F 1818.000 9.885 0.000 10.540 0.000 0.000 0.000 0.000 0.000 0.002 0.000 1.054 0.000 1.054 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 1.054 0.000 1.054 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 1.054 0.0000 1.054 0.000 0.00	IF IF	1791.300 1794.600	8.197 8.306	0.000	10.473 10.488	0.000	0.000	0.000	0.000	0.034 0.039	0.000
F	IF IF	1801.200 1804.500	8.741 9.154	0.000	10.520 10.540	0.000	0.000	0.000	0.000	0.106 0.126	0.000
F 2079.500	IF IF	1818.000 1831.000	9.580 10.540	0.000	10.540 10.540	0.000	0.000	0.000	0.000	0.049 0.074	0.000
F 2101.000	IF IF	2079.500 2087.000	9.153 8.924	0.000	9.450 9.450	0.000	0.000	0.000	0.000	-0.046 0.004	0.000
IF 2132.000 7.579 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.001 0.000 IF 2162.000 7.185 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2172.500 7.808 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2191.000 7.480 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2191.000 7.480 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2196.000 7.776 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2210.500 6.595 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2210.500 6.595 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2247.000 4.364 0.000 9.450 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2247.000 4.364 0.000 9.451 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2233.000 IF 2248.500 3.904 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2308.500 3.773 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2332.000 3.773 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2334.500 3.478 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2334.500 3.044 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2334.500 3.044 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2334.500 3.044 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2334.500 3.044 0.000 9.452 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 IF 2344.500 3.044 0.000 9.453 0.000	IF IF	2101.000 2106.500	8.825 7.579	0.000	9.450 9.450	0.000	0.000	0.000	0.000	-0.143 -0.073	0.000
FF 2172,500 7.808 0.000 9.450 0.000 0.000 0.000 0.000 0.001 0.000	IF IF	2132.000 2147.000	7.579 7.940	0.000	9.450 9.450	0.000	0.000	0.000	0.000	0.015 -0.013	0.000
IF 2210.500	IF IF	2172.500 2191.000	7.808 7.480	0.000	9.450 9.450	0.000	0.000	0.000	0.000	0.010 -0.001	0.000
IF 2294.500 3.904 0.000 9.452 0.000 0.000 0.000 0.000 -0.000 0.000 1.000	IF IF	2210.500 2216.000	6.595 5.315	0.000	9.450 9.450	0.000	0.000	0.000	0.000	-0.123 -0.061	0.000
IF	IF IF	2266.000 2294.500	4.134 3.904	0.000	9.451 9.452	0.000	0.000	0.000	0.000	-0.010 -0.009	0.000
IF 2400.500	IF IF	2332.000 2345.500	3.773 3.478	0.000	9.452 9.452	0.000	0.000	0.000	0.000	-0.008 -0.011	0.000
OF 2842.000 -3.606 0.000 9.459 0.000 0.000 0.000 -0.010 0.000 OF 2893.000 -3.655 0.000 9.459 0.000 0.000 0.000 0.001 0.000 OF 2891.000 -3.556 0.000 9.459 0.000 0.0	IF OF	2400.500 2500.500	2.559 -0.164	0.000	9.450 9.453	0.000	0.000	0.000	0.000	-0.031 -0.026	0.000
OF 2891.000 -3.556 0.000 9.459 0.000 <t< td=""><td>OF OF</td><td>2842.000 2843.000</td><td>-3.606 -3.605</td><td>0.000</td><td>9.459 9.459</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>-0.010 0.001</td><td>0.000</td></t<>	OF OF	2842.000 2843.000	-3.606 -3.605	0.000	9.459 9.459	0.000	0.000	0.000	0.000	-0.010 0.001	0.000
OF 2986.000 -3.087 0.000 9.460 0.000 <t< td=""><td>OF OF</td><td>2891.000 2938.000</td><td>-3.556 -3.316</td><td>0.000</td><td>9.459 9.460</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.005 0.005</td><td>0.000</td></t<>	OF OF	2891.000 2938.000	-3.556 -3.316	0.000	9.459 9.460	0.000	0.000	0.000	0.000	0.005 0.005	0.000
OF 3035.000 -3.053 0.000 9.461 0.000 0.000 0.000 -0.021 0.000 OF 3187.000 -6.248 0.000 9.463 0.000 0.000 0.000 -0.021 0.000 OF 3188.000 -6.244 0.000 9.463 0.000 0.000 0.000 0.000 0.000 0.000 OF 3211.000 -6.244 0.000 9.463 0.000	OF OF	2986.000 2987.000	-3.087 -3.086	0.000	9.460 9.460	0.000	0.000	0.000	0.000	0.005 0.001	0.000
OF 3211.000 -6.244 0.000 9.463 0.000 <t< td=""><td>OF OF</td><td>3035.000 3187.000</td><td>-3.053 -6.248</td><td>0.000</td><td>9.461 9.463</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>-0.021 -0.021</td><td>0.000</td></t<>	OF OF	3035.000 3187.000	-3.053 -6.248	0.000	9.461 9.463	0.000	0.000	0.000	0.000	-0.021 -0.021	0.000
OF 3236.000 -6.239 0.000 9.463 0.000 <t< td=""><td>OF OF</td><td>3211.000 3212.000</td><td>-6.244 -6.244</td><td>0.000</td><td>9.463 9.463</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td></t<>	OF OF	3211.000 3212.000	-6.244 -6.244	0.000	9.463 9.463	0.000	0.000	0.000	0.000	0.000	0.000
OF 3281.000 -6.234 0.000 9.464 0.000 <t< td=""><td>OF OF</td><td>3236.000 3257.000</td><td>-6.239 -6.235</td><td>0.000</td><td>9.463 9.463</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td><td>0.000</td></t<>	OF OF	3236.000 3257.000	-6.239 -6.235	0.000	9.463 9.463	0.000	0.000	0.000	0.000	0.000	0.000
OF 3306.000 -6.233 0.000 9.465 0.000 0.000 0.000 0.000 0.000 0.000 OF 3329.000 -6.231 0.000 9.465 0.000 0.000 0.000 0.000 0.000 0.000	OF OF	3281.000 3282.000	-6.234 -6.234	0.000	9.464 9.464	0.000	0.000	0.000	0.000	0.000	0.000
	OF OF	3306.000 3329.000	-6.233 -6.231	0.000	9.465 9.465	0.000	0.000	0.000	0.000	0.000	0.000

OF IF IF IF IF IF IF IF IF IF I	3353.000 3474.000 3480.500 3497.000 3502.500 3526.500 3531.000 3558.000 3615.000 3615.000 3665.000 3665.000 3784.500 3807.500 3807.500 3807.500 3807.500 3908.500 3938.500 3977.500 3948.500 3977.500 4045.000 4075.500 4045.000 4075.500 40475.500 40475.500 40475.500 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000 40475.000	-5.653 3.346 4.987 5.216 5.052 5.052 3.871 4.035 3.510 4.232 4.856 4.101 0.886 4.101 0.886 4.101 0.886 4.823 4.757 4.856 4.823 4.757 4.921 5.052 4.856 4.921 5.052 4.856 4.921 5.052 4.856 5.151 4.856	0.000 0.000	9.466 9.467 9.467 9.467 9.467 9.467 9.468 9.469 9.470 9.470 9.471 9.477 9.478 9.488 9.488 9.488 9.488 9.488 9.488 9.488 9.488 9.488 9.488 9.489 9.491	0.000 0.000	0.000 0.000	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000	0.067 0.083 0.081 0.003 -0.006 -0.041 -0.032 -0.010 0.004 -0.003 0.000 -0.032 -0.028 0.047 0.070 0.007 0.007 0.007 -0.005 -0.004 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.007 0.0005 -0.004 0.003 -0.004 0.003 0.004 0.005 0.004 0.005 0.006 -0.002 0.006 -0.002 0.006 -0.002 0.003 0.0000 0.000	0.000 0.000
IF I	4987.000 4993.500 5011.000 5011.000 5017.000 5039.000 5048.500 5133.000 5136.500 5173.000 5195.000 5223.000 5223.000 5223.000 5223.000 5296.000 5348.500 5348.500 5348.500 5363.500 5395.000 5450.500 5467.500 5514.000 5526.500 5581.000 5649.500 5647.500 5647.500 5675.000 5647.500 5737.000 5746.000 5746.000 5746.000 5746.000 5745.000 5745.000 5745.000 5746.000 5745.000 5745.000 5746.000 5745.000 5746.000 5745.000 5745.000 5746.000 5745.000 5746.000 5745.000 5845.000 5873.000	5.151 4.987 3.871 3.707 3.642 3.576 3.642 3.740 3.806 5.052 5.085 2.526 4.035 4.757 5.085 4.167 5.085 4.331 4.528 -0.066 5.052 3.707 3.871 5.151 4.921 5.151 5.348 4.921 5.348 4.921 5.356 4.921 5.315 5.249	0.000 0.000	9.501 9.501 9.501 9.502 9.502 9.503 9.504 9.506 9.507 9.510 9.512 9.513 9.514 9.516 9.516 9.516 9.517 9.518 9.518 9.518 9.520 9.521 9.522 9.522 9.522 9.522 9.524 9.524 9.524 9.524 9.524 9.524 9.524 9.524 9.525 9.525 9.526 9.527 9.527 9.528 9.529	0.000 0.000	0.000 0.000	0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.0000 0.000	0.000 0.000	0.000 -0.047 -0.052 -0.007 -0.003 0.000 0.004 0.0039 0.035 -0.090 -0.021 0.052 -0.044 -0.010 0.075 0.008 -0.075 0.007 0.059 -0.020 0.059 -0.020 0.022 0.001 -0.003 0.047 0.017 -0.003 0.047 0.017 -0.034 -0.048 0.026 -0.011 -0.0039 -0.0040 0.026 -0.011 -0.0039 -0.006 -0.002 0.001 -0.0039 -0.006 -0.001 0.0039 -0.006 -0.0002 0.001	0.000 0.000

	IF	5909.000 5993.000 59940.500 59940.500 5962.500 5962.500 5991.500 5093.000 50961.500 5003.000 5017.000 5117.000 51178.000 51178.000 5224.000 52212.	4.035 4.068 4.0659 4.035 4.790 3.773 4.560 4.724 3.970 4.560 5.479 5.381 5.315 5.315 5.249 4.790 5.381 5.315 5.315 5.381 5.315 5.381 5.315 5.381	0.000 0.000	9.530 9.530 9.530 9.530 9.530 9.5330 9.5331 9.5332 9.5335 9.5335 9.5335 9.5335 9.5335 9.542 9.5444 9.5446 9.5446 9.5447 9.5447 9.5447 9.5448 9.5448 9.5448 9.5549 9.5549 9.5549 9.5550	0.000 0.000	0.000 0.000	0.000 0.000	0.000 0.000	-0.025 0.020 -0.001 0.005 -0.002 -0.009 0.009 0.015 -0.011 -0.013 0.009 0.010 0.036 0.028 -0.005 -0.005 -0.015 -0.005 0.012 0.005 0.012 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.003 0.001 0.005 0.017 0.030 0.017 0.030 0.016 -0.005 0.017 0.030 0.011 0.0005 0.017 0.030 0.011 0.0005 0.017 0.030 0.011 0.0005 0.017 0.030 0.011 0.0016 -0.003 0.011 0.0016 -0.003 0.011 0.0004 -0.008 0.014 0.019 0.012 0.018 0.019 -0.027 0.027 0.007 0.024 0.084 0.000
1 IE	END STATION 0.000 END	END ELEVATION -22.947 END	LENGTH 1.000 NEW SURGE	SURGE ELEV 10-YEAR 1.000 NEW SURGE		INITIAL WAVE HEIGHT 32.330	INITIAL W. PERIOD 14.800	56.140	BOTTOM SLOPE 0.013 BOTTOM	AVERAGE A-ZONES 0.000 AVERAGE
OF	STATION 3.300 END	ELEVATION -22.903 END	10-YEAR 0.000 NEW SURGE	100-YEAR 8.939 NEW SURGE	0.000	0.000	0.000	0.000	SLOPE 0.013 BOTTOM	A-ZONES 0.000 AVERAGE
OF	STATION 6.600 END	ELEVATION -22.859	10-YEAR 0.000	100-YEAR					SLOPE	A-ZONES
		END	NEW SURGE	8.943 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
OF	STATION 9.800 END	END ELEVATION -22.815 END	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM	0.000 AVERAGE A-ZONES 0.000 AVERAGE
OF OF	STATION 9.800 END STATION 13.100 END	END ELEVATION -22.815 END ELEVATION -22.771 END	NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE					0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM	0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE
	STATION 9.800 END STATION 13.100 STATION 16.400 END	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION	NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.957 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM	0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE
OF	STATION 9.800 END STATION 13.100 END STATION 16.400 END STATION 19.700 END	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END	NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.957 NEW SURGE 100-YEAR 8.962 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013	0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE
OF OF	STATION 9.800 END STATION 13.100 END STATION 16.400 END STATION 19.700 END	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.683 END ELEVATION -22.642	NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013	0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000 AVERAGE A-ZONES 0.000
OF OF	STATION 9.800 END STATION 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 23.000 END STATION 26.200	END ELEVATION -22.815 END ELEVATION -22.727 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.642 END ELEVATION -22.642	NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000 NEW SURGE 10-YEAR 0.000	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.957 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE	0.000 0.000 0.000	0.000 0.000 0.000 0.000	0.000 0.000 0.000	0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF	STATION 9.800 9.800 STATION 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 26.200 END STATION 27.000 STATION 29.500	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.605	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977	0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012 BOTTOM SLOPE 0.012 BOTTOM SLOPE 0.012 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF	STATION 9.800 9.800 13.100 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 26.200 END STATION 27.500 END STATION 29.500 END STATION 32.800	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.567 END ELEVATION -22.529	NEW SURGE 10-YEAR 0.000	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF	STATION 9.800 9.800 13.100 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 26.200 END STATION STATION 275.00 END STATION STATION 32.800 END STATION 32.800 END STATION 32.800 END STATION 31.800 STATION STATION 31.800 STATION 31.800 STATION 31.800 STATION 31.800 STATION 31.800 STATION 31.800	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.529 END ELEVATION -22.529 END ELEVATION -22.529 END ELEVATION -22.491	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.978	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF OF	STATION 9.800 9.800 13.100 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 26.200 END STATION STATION 37.400 STATION 32.800 END STATION 32.800 END STATION 32.800 STATION 33.400 STATION 34.400	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.529 END ELEVATION -22.529 END ELEVATION -22.491 END ELEVATION -22.453	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.973 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.988 NEW SURGE	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF OF	STATION 9.800 9.800 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 26.200 END STATION 37.500 END STATION 37.500 STATION 39.500 END STATION 30.100 END STATION 30.100 END STATION 30.400	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.507 END ELEVATION -22.529 END ELEVATION -22.529 END ELEVATION -22.491 END ELEVATION -22.491 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.453	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.973 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.988 NEW SURGE	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF OF OF	STATION 9.800 9.800 13.100 13.100 16.400 STATION 19.700 STATION 23.000 END STATION 23.000 END STATION 26.200 END STATION 30.800 END STATION 32.800 END STATION 32.800 END STATION 32.8100 STATION STATION STATION STATION 340.00 END STATION STATION 42.700 END STATION STATION 42.700 END STATION	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.683 END ELEVATION -22.642 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.529 END ELEVATION -22.453 END ELEVATION -22.415 END ELEVATION -22.377	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.975 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF OF OF	STATION 9.800 9.800 13.100 13.100 16.400 STATION 19.700 STATION 23.000 END STATION 23.000 END STATION 26.200 END STATION 32.800 END STATION 34.100 STATION STATION 42.700 END STATION 42.700 END STATION 45.900 END STATION 45.900 STATION 49.200	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.625 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.567 END ELEVATION -22.529 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.377 END ELEVATION -22.377 END ELEVATION -22.377 END ELEVATION -22.339	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE	0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES 0.000
OF OF OF OF OF OF OF	STATION 9.800 9.800 13.100 13.100 END STATION 16.400 END STATION 19.700 END STATION 23.000 END STATION 23.000 END STATION 36.200 END STATION 32.800 END STATION 32.810 STATION 32.810 STATION 32.810 END STATION STATION 42.700 END STATION 45.900 END STATION 45.900 END STATION 49.200	END ELEVATION -22.815 END ELEVATION -22.771 END ELEVATION -22.727 END ELEVATION -22.642 END ELEVATION -22.605 END ELEVATION -22.567 END ELEVATION -22.567 END ELEVATION -22.529 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.453 END ELEVATION -22.377 END ELEVATION -22.377 END ELEVATION -22.339	NEW SURGE 10-YEAR 0.000 NEW SURGE	NEW SURGE 100-YEAR 8.948 NEW SURGE 100-YEAR 8.952 NEW SURGE 100-YEAR 8.962 NEW SURGE 100-YEAR 8.967 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.977 NEW SURGE 100-YEAR 8.983 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.993 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 8.998 NEW SURGE 100-YEAR 9.003 NEW SURGE 100-YEAR 9.003 NEW SURGE	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000 0.000	0.014 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.013 BOTTOM SLOPE 0.012	0.000 AVERAGE A-ZONES

0.000 0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 59.100	ELEVATION -22.226	10-YEAR 0.000	100-YEAR 9.024	0.000	0.000	0.000	0.000	SLOPE 0.012	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	62.300	-22.188	0.000 NEW SURGE	9.029	0.000	0.000	0.000	0.000	0.012	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	65.600	-22.150	0.000	9.034	0.000	0.000	0.000	0.000	0.012	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 68.900	ELEVATION -22.112	10-YEAR 0.000	100-YEAR 9.039	0.000	0.000	0.000	0.000	SLOPE 0.012	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	72.200	-22.074	0.000	9.044	0.000	0.000	0.000	0.000	0.012	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	75.500	-22.036	0.000	9.049	0.000	0.000	0.000	0.000	0.012	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 78.700	ELEVATION -21.998	10-YEAR 0.000	100-YEAR 9.054	0.000	0.000	0.000	0.000	SLOPE 0.012	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	82.000 END	-21.960 END	0.000 NEW SURGE	9.058 NEW SURGE	0.000	0.000	0.000	0.000	0.012 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	85.300	-21.922	0.000	9.063	0.000	0.000	0.000	0.000	0.011	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 88.600	ELEVATION -21.885	10-YEAR 0.000	100-YEAR 9.068	0.000	0.000	0.000	0.000	SLOPE 0.011	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	91.900 END	-21.850 END	0.000 NEW SURGE	9.072 NEW SURGE	0.000	0.000	0.000	0.000	0.011 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	95.100	-21.815	0.000	9.077	0.000	0.000	0.000	0.000	0.011	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	98.400	-21.780	0.000	9.082	0.000	0.000	0.000	0.000	0.010	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.17	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	101.700 END	-21.746 END	0.000 NEW SURGE	9.086 NEW SURGE	0.000	0.000	0.000	0.000	0.010 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	105.000	-21.711	0.000	9.091	0.000	0.000	0.000	0.000	0.011	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	108.300	-21.676	0.000	9.095	0.000	0.000	0.000	0.000	0.011	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0 000	SLOPE	A-ZONES
OF	111.500 END	-21.642 END	0.000 NEW SURGE	9.100 NEW SURGE	0.000	0.000	0.000	0.000	0.010 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	114.800	-21.608	0.000	9.104	0.000	0.000	0.000	0.000	0.010	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	118.100	-21.578	0.000	9.108	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 121.400	ELEVATION -21.548	10-YEAR 0.000	100-YEAR 9.113	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	124.700 END	-21.518 END	0.000 NEW SURGE	9.117 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	128.000	-21.488	0.000	9.121	0.000	0.000	0.000	0.000	0.009	0.000
	END	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM	AVERAGE
OF	131.200	-21.458	0.000	9.125	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.17		ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
OF	134.500 END	-21.427 END	0.000 NEW SURGE	9.129 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	137.800	-21.397	0.000	9.134	0.000	0.000	0.000	0.000	0.009	0.000
	END	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	141.100	-21.368	0.000	9.138	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 144.400	ELEVATION -21.340	10-YEAR 0.000	100-YEAR 9.142	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
Or	END	-21.340 END		NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR				_	SLOPE	A-ZONES
OF	147.600 END	-21.311 END	0.000 NEW SURGE	9.146	0.000	0.000	0.000	0.000	0.009	0.000 AVERAGE
		ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
OF	150.900	-21.283	0.000	9.149	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	154.200	ELEVATION -21.254	10-YEAR 0.000	100-YEAR 9.153	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR			0.00-	0.00	SLOPE	A-ZONES
OF	157.500 END	-21.226 END	0.000 NEW SURGE	9.157 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	AVERAGE A-ZONES
OF	160.800	-21.197	0.000	9.161	0.000	0.000	0.000	0.000	0.009	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	164.000	-21.169	0.000	9.166	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE		-	-		BOTTOM	AVERAGE
OF	STATION 167.300	ELEVATION -21.140	10-YEAR 0.000	100-YEAR 9.170	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
OF	10/.300	-21.140	0.000	9.1/U	0.000	0.000	0.000	0.000	0.009	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	170.600 END	-21.112 END	0.000 NEW SURGE	9.174 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	173.900 END	-21.084 END	0.000 NEW SURGE	9.178 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	177.200 END	-21.055 END	0.000 NEW SURGE	9.182 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000		0.000	SLOPE	A-ZONES
OF	180.400 END	-21.027 END	0.000 NEW SURGE	9.186 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
0.11	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	183.700 END	-20.998 END	0.000 NEW SURGE	9.189 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
OF	STATION 187.000	ELEVATION -20.970	10-YEAR 0.000	100-YEAR 9.193	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES
OF	END	-20.970 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	0.000 AVERAGE
OF	STATION 190.300	ELEVATION -20.941	10-YEAR 0.000	100-YEAR 9.196	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 193.600	ELEVATION -20.913	10-YEAR 0.000	100-YEAR 9.200	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 196.800	ELEVATION -20.884	10-YEAR 0.000	100-YEAR 9.203	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 200.100	ELEVATION -20.856	10-YEAR 0.000	100-YEAR 9.207	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 203.400	ELEVATION -20.827	10-YEAR 0.000	100-YEAR 9.210	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 206.700	ELEVATION -20.799	10-YEAR 0.000	100-YEAR 9.212	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 210.000	ELEVATION -20.771	10-YEAR 0.000	100-YEAR 9.215	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 213.300	ELEVATION -20.742	10-YEAR 0.000	100-YEAR 9.219	0.000	0.000	0.000	0.000	SLOPE 0.009	A-ZONES 0.000
	END	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM	AVERAGE A-ZONES
OF	STATION 216.500	ELEVATION -20.714	0.000	9.222	0.000	0.000	0.000	0.000	SLOPE 0.009	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	219.800	-20.685	0.000	9.224	0.000	0.000	0.000	0.000	0.009	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	223.100	-20.657	0.000	9.227	0.000	0.000	0.000	0.000	0.011	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	226.400	-20.613	0.000	9.230	0.000	0.000	0.000	0.000	0.014	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	229.700	-20.564	0.000	9.233	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	232.900	-20.515	0.000	9.235	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	236.200	-20.466	0.000	9.238	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	239.500 END	-20.417 END	0.000 NEW SURGE	9.240 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	242.800 END	-20.367	0.000 NEW SURGE	9.243 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	246.100 END	-20.318 END	0.000 NEW SURGE	9.245 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	249.300 END	-20.269 END	0.000 NEW SURGE	9.248 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	252.600 END	-20.220 END	0.000 NEW SURGE	9.251 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000		0.000	SLOPE	A-ZONES
OF	255.900 END	-20.171 END	0.000 NEW SURGE	9.253 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
0.11	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	259.200 END	-20.121 END	0.000 NEW SURGE	9.256 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	262.500 END	-20.072 END	0.000 NEW SURGE	9.258 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	265.700 END	-20.023 END	0.000 NEW SURGE	9.261 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
OF	STATION 269.000	ELEVATION -19.974	10-YEAR 0.000	100-YEAR 9.263	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 272.300	ELEVATION -19.925	10-YEAR 0.000	100-YEAR 9.266	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 275.600	ELEVATION -19.875	10-YEAR 0.000	100-YEAR 9.268	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE		2.300	2.000		BOTTOM	AVERAGE
OF	STATION 278.900	ELEVATION -19.827	10-YEAR 0.000	100-YEAR 9.271	0.000	0.000	0.000	0.000	SLOPE 0.014	A-ZONES 0.000
	2.200	,	2.000							2.300

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	282.200	-19.779	0.000	9.273	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 285.400	ELEVATION -19.731	10-YEAR 0.000	100-YEAR 9.276	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	288.700 END	-19.683 END	0.000 NEW SURGE	9.278 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	292.000	-19.635	0.000	9.281	0.000	0.000	0.000	0.000	0.014	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	295.300	-19.587	0.000	9.283	0.000	0.000	0.000	0.000	0.014	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 298.600	ELEVATION -19.539	10-YEAR 0.000	100-YEAR 9.285	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION -19.492	10-YEAR 0.000	100-YEAR 9.288	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	301.800 END	-19.492 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	305.100 END	-19.444 END	0.000 NEW SURGE	9.290 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	308.400	-19.396	0.000	9.293	0.000	0.000	0.000	0.000	0.014	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	311.700	-19.348	0.000	9.295	0.000	0.000	0.000	0.000	0.014	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 315.000	ELEVATION -19.300	10-YEAR 0.000	100-YEAR 9.297	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
0.11	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	318.200 END	-19.252 END	0.000 NEW SURGE	9.300 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	321.500 END	-19.204 END	0.000 NEW SURGE	9.302 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	324.800	-19.156	0.000	9.304	0.000	0.000	0.000	0.000	0.014	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	328.100	-19.108	0.000	9.306	0.000	0.000	0.000	0.000	0.014	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 331.400	ELEVATION -19.060	10-YEAR 0.000	100-YEAR 9.308	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	334.600 END	-19.013 END	0.000 NEW SURGE	9.311 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	337.900	-18.952	0.000	9.313	0.000	0.000	0.000	0.000	0.019	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	341.200	-18.886	0.000	9.315	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	344.500	-18.820	0.000	9.317	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 347.800	ELEVATION -18.754	10-YEAR 0.000	100-YEAR 9.319	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	351.000 END	-18.688 END	0.000 NEW SURGE	9.321 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	354.300 END	-18.623 END	0.000 NEW SURGE	9.323 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	357.600	-18.557	0.000	9.325	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	360.900	-18.491	0.000	9.327	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 364.200	ELEVATION -18.425	10-YEAR 0.000	100-YEAR 9.329	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
OI.	END	END	NEW SURGE	NEW SURGE	3.000	0.000	5.000	5.000	BOTTOM	AVERAGE
0.11		ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	367.500 END	-18.359 END	0.000 NEW SURGE	9.331 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	370.700 END	-18.293 END	0.000 NEW SURGE	9.333 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	374.000	-18.227	0.000	9.335	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	377.300	-18.161	0.000	9.337	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 380.600	ELEVATION -18.095	10-YEAR 0.000	100-YEAR 9.340	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	3.000	BOTTOM	AVERAGE
O.E.		ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	383.900 END	-18.029 END	0.000 NEW SURGE	9.342 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	387.100 END	-17.963 END	0.000 NEW SURGE	9.344 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	390.400	-17.897	0.000	9.346	0.000	0.000	0.000	0.000	0.020	0.000

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	393.700	-17.831	0.000	9.348	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 397.000	ELEVATION -17.765	10-YEAR 0.000	100-YEAR 9.350	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	400.300 END	-17.700 END	0.000 NEW SURGE	9.352 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	403.500	-17.634	0.000	9.354	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	406.800	-17.568	0.000	9.356	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 410.100	ELEVATION -17.502	10-YEAR 0.000	100-YEAR 9.358	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 413.400	ELEVATION	10-YEAR 0.000	100-YEAR 9.360	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
OF	413.400 END	-17.436 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	416.700 END	-17.370 END	0.000 NEW SURGE	9.362 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	419.900	-17.304	0.000	9.364	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	423.200	-17.238	0.000	9.366	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 426.500	ELEVATION -17.166	10-YEAR 0.000	100-YEAR 9.368	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	429.800 END	-17.094 END	0.000 NEW SURGE	9.370 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	433.100 END	-17.021 END	0.000 NEW SURGE	9.372 NEW SURGE	0.000	0.000	0.000	0.000	0.022	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	A-ZONES
OF	436.400	-16.949	0.000	9.374	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	439.600	-16.877	0.000	9.377	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 442.900	ELEVATION -16.805	10-YEAR 0.000	100-YEAR 9.379	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	446.200 END	-16.733 END	0.000 NEW SURGE	9.381 NEW SURGE	0.000	0.000	0.000	0.000	0.019 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	449.500	-16.678	0.000	9.383	0.000	0.000	0.000	0.000	0.016	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	452.800	-16.628	0.000	9.385	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	456.000	-16.577	0.000	9.388	0.000	0.000	0.000	0.000	0.016	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 459.300	ELEVATION -16.526	10-YEAR 0.000	100-YEAR 9.390	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	462.600 END	-16.475 END	0.000 NEW SURGE	9.392 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	465.900 END	-16.424 END	0.000 NEW SURGE	9.395 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	469.200	-16.373	0.000	9.397	0.000	0.000	0.000	0.000	0.016	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	472.400	-16.322	0.000	9.400	0.000	0.000	0.000	0.000	0.016	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 475.700	ELEVATION -16.271	10-YEAR 0.000	100-YEAR 9.402	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
0.11		ELEVATION	10-YEAR 0.000	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	479.000 END	-16.211 END	NEW SURGE	9.404 NEW SURGE	0.000	0.000	0.000	0.000	0.019 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	482.300 END	-16.144 END	0.000 NEW SURGE	9.406 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	485.600	-16.078	0.000	9.409	0.000	0.000	0.000	0.000	0.021	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	488.800	-16.011	0.000	9.411	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 492.100	ELEVATION -15.944	10-YEAR 0.000	100-YEAR 9.413	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	3.000	BOTTOM	AVERAGE
O.E.		ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	495.400 END	-15.878 END	0.000 NEW SURGE	9.415 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	_				SLOPE	A-ZONES
OF	498.700 END	-15.811 END	0.000 NEW SURGE	9.418 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	502.000	-15.745	0.000	9.420	0.000	0.000	0.000	0.000	0.021	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 505.200	ELEVATION -15.678	10-YEAR 0.000	100-YEAR 9.422	0.000	0.000	0.000	0.000	SLOPE 0.021	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	508.500 END	-15.612 END	0.000 NEW SURGE	9.424 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	511.800	-15.545	0.000	9.427	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	515.100	-15.479	0.000	9.429	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 518.400	ELEVATION -15.412	10-YEAR 0.000	100-YEAR 9.431	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	521.700 END	-15.345 END	0.000 NEW SURGE	9.434 NEW SURGE	0.000	0.000	0.000	0.000	0.021 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	524.900	-15.279	0.000	9.436	0.000	0.000	0.000	0.000	0.021	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	528.200	-15.212	0.000	9.438	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 531.500	ELEVATION -15.146	10-YEAR 0.000	100-YEAR 9.440	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	534.800 END	-15.079 END	0.000 NEW SURGE	9.443 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	538.100	-15.013	0.000	9.445	0.000	0.000	0.000	0.000	0.021	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	541.300	-14.946	0.000	9.447	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 544.600	ELEVATION -14.879	10-YEAR 0.000	100-YEAR 9.450	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
Or	END	-14.679 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	547.900 END	-14.813 END	0.000 NEW SURGE	9.452 NEW SURGE	0.000	0.000	0.000	0.000	0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	551.200	-14.746	0.000	9.454	0.000	0.000	0.000	0.000	0.020	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	554.500	ELEVATION -14.680	0.000	9.457	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR 0.000	100-YEAR	0 000	0.000	0.000	0 000	SLOPE 0.022	A-ZONES 0.000
OF	557.700 END	-14.611 END	NEW SURGE	9.459 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	561.000 END	-14.540 END	0.000 NEW SURGE	9.461 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	564.300	-14.468	0.000	9.463	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 567.600	ELEVATION -14.397	10-YEAR 0.000	100-YEAR 9.466	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0 000	SLOPE	A-ZONES
OF	570.900 END	-14.326 END	0.000 NEW SURGE	9.468 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	574.100	-14.254	0.000	9.470	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	577.400	-14.183	0.000	9.473	0.000	0.000	0.000	0.000	0.022	0.000
	END	END		NEW SURGE					BOTTOM	AVERAGE
OF	STATION 580.700	ELEVATION -14.111	10-YEAR 0.000	100-YEAR 9.475	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
0.17	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	584.000 END	-14.040 END	0.000 NEW SURGE	9.477 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	587.300	-13.969	0.000	9.480	0.000	0.000	0.000	0.000	0.022	0.000
	END	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	590.500	-13.897	0.000	9.482	0.000	0.000	0.000	0.000	0.022	0.000
	END	END		NEW SURGE					BOTTOM	AVERAGE
OF	593.800	ELEVATION -13.826	10-YEAR 0.000	100-YEAR 9.485	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OI.	END	-13.626 END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION		10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	597.100 END	-13.755 END	0.000 NEW SURGE	9.487 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	600.400	-13.683	0.000	9.489	0.000	0.000	0.000	0.000	0.022	0.000
	END	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	603.700	-13.612	0.000	9.492	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 607.000	ELEVATION -13.540	10-YEAR 0.000	100-YEAR 9.494	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OI.	END	-13.540 END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0.000	0 000	0.000	SLOPE	A-ZONES
OF	610.200 END	-13.469 END	0.000 NEW SURGE	9.497 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	613.500	-13.398	0.000	9.500	0.000	0.000	0.000	0.000	0.022	0.000

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	616.800	-13.326	0.000	9.502	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	620.100 END	-13.255 END	0.000 NEW SURGE	9.504 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	623.400	-13.184	0.000	9.507	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 626.600	ELEVATION -13.112	10-YEAR 0.000	100-YEAR 9.509	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	629.900 END	-13.041 END	0.000 NEW SURGE	9.512 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	633.200	-12.969	0.000	9.515	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 636.500	ELEVATION -12.898	10-YEAR 0.000	100-YEAR 9.517	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	639.800 END	-12.827 END	0.000 NEW SURGE	9.519 NEW SURGE	0.000	0.000	0.000	0.000	0.021	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	A-ZONES
OF	643.000	-12.760	0.000	9.522	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 646.300	ELEVATION -12.693	10-YEAR 0.000	100-YEAR 9.525	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	649.600 END	-12.627 END	0.000 NEW SURGE	9.527	0.000	0.000	0.000	0.000	0.020	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
OF	652.900	-12.560	0.000	9.530	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 656.200	ELEVATION -12.493	10-YEAR 0.000	100-YEAR 9.533	0.000	0.000	0.000	0.000	SLOPE 0.021	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	659.400	-12.427	0.000 NEW SURGE	9.535	0.000	0.000	0.000	0.000	0.021	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	662.700	-12.360	0.000	9.538	0.000	0.000	0.000	0.000	0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 666.000	ELEVATION -12.290	10-YEAR 0.000	100-YEAR 9.540	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	-12.290 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	669.300	-12.217	0.000	9.543	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	672.600	-12.143	0.000	9.545	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 675.900	ELEVATION -12.070	10-YEAR 0.000	100-YEAR 9.548	0.000	0.000	0.000	0.000	SLOPE 0.023	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	679.100 END	-11.996 END	0.000 NEW SURGE	9.551 NEW SURGE	0.000	0.000	0.000	0.000	0.023 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	682.400	-11.923	0.000	9.553	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 685.700	ELEVATION -11.850	10-YEAR 0.000	100-YEAR 9.556	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	689.000 END	-11.776 END	0.000 NEW SURGE	9.558 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	692.300	-11.703	0.000	9.561	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE 10-YEAR	NEW SURGE					BOTTOM	AVERAGE A-ZONES
OF	695.500	ELEVATION -11.629	0.000	100-YEAR 9.563	0.000	0.000	0.000	0.000	SLOPE 0.023	0.000
	END	END	NEW SURGE	NEW SURGE		-	-		BOTTOM	AVERAGE
OF		ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	698.800 END	-11.556 END	0.000 NEW SURGE	9.566 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	702.100	-11.483	0.000	9.568	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	705.400	-11.409	0.000	9.571	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.11		ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	708.700 END	-11.336 END	0.000 NEW SURGE	9.574 NEW SURGE	0.000	0.000	0.000	0.000	0.023 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	711.900	-11.262	0.000	9.577	0.000	0.000	0.000	0.000	0.023	0.000
	END	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	715.200	-11.188	0.000	9.579	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE	NEW SURGE		-	-		BOTTOM	AVERAGE
OE.		ELEVATION	10-YEAR 0.000	100-YEAR	0.000	0 000	0 000	0.000	SLOPE	A-ZONES 0.000
OF	718.500 END	-11.113 END		9.582 NEW SURGE	0.000	0.000	0.000	0.000	0.023 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	721.800	-11.039	0.000	9.585	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	725.100	-10.965	0.000	9.587	0.000	0.000	0.000	0.000	0.023	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM SLOPE	AVERAGE
OF	STATION 728.300	ELEVATION -10.891	10-YEAR 0.000	100-YEAR 9.590	0.000	0.000	0.000	0.000	0.023	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	731.600	-10.816	0.000 NEW SURGE	9.592	0.000	0.000	0.000	0.000	0.023	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	734.900	-10.742	0.000	9.595	0.000	0.000	0.000	0.000	0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 738.200	ELEVATION -10.668	10-YEAR 0.000	100-YEAR 9.598	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	738.200 END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	741.500	-10.594	0.000	9.601	0.000	0.000	0.000	0.000	0.023	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	744.700	-10.519	0.000	9.603	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 748.000	ELEVATION -10.445	10-YEAR 0.000	100-YEAR 9.606	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	751.300 END	-10.371 END	0.000 NEW SURGE	9.609 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	754.600	-10.297	0.000	9.611	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 757.900	ELEVATION -10.222	10-YEAR 0.000	100-YEAR 9.614	0.000	0.000	0.000	0.000	SLOPE 0.023	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	761.200 END	-10.148 END	0.000 NEW SURGE	9.617 NEW SURGE	0.000	0.000	0.000	0.000	0.023 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	764.400	-10.074	0.000	9.620	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE A-ZONES
OF	STATION 767.700	ELEVATION -10.000	10-YEAR 0.000	100-YEAR 9.623	0.000	0.000	0.000	0.000	SLOPE 0.022	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	771.000 END	-9.930 END	0.000 NEW SURGE	9.625 NEW SURGE	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	774.300	-9.880	0.000	9.628	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	777.600	-9.830	0.000	9.631	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	780.800 END	-9.781 END	0.000 NEW SURGE	9.634 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	784.100	-9.731	0.000	9.637	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	787.400	-9.682	0.000	9.640	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 790.700	ELEVATION -9.632	10-YEAR 0.000	100-YEAR 9.643	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	790.700 END	-9.632 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	794.000	-9.583	0.000	9.646	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	797.200	-9.533	0.000	9.649	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	800.500	ELEVATION -9.483	10-YEAR 0.000	100-YEAR 9.652	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	803.800 END	-9.434 END	0.000 NEW SURGE	9.655 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	807.100	-9.384	0.000	9.657	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	810.400	-9.335	0.000	9.660	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.77	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES 0.000
OF	813.600 END	-9.285 END	0.000 NEW SURGE	9.663 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	816.900	-9.236	0.000	9.666	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	820.200	-9.186	0.000	9.668	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 823 500	ELEVATION	10-YEAR 0.000	100-YEAR 9 671	0.000	0.000	0.000	0.000	SLOPE 0 015	A-ZONES 0.000
OF	823.500 END	-9.137 END	NEW SURGE	9.671 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	826.800	-9.087	0.000	9.674	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	830.100	-9.038	0.000	9.677	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 833.300	ELEVATION -8.988	10-YEAR 0.000	100-YEAR 9.679	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
Or.	END	-0.966 END	NEW SURGE	NEW SURGE	3.000	0.000	5.000	0.000	BOTTOM	AVERAGE
_	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	836.600	-8.938	0.000	9.682	0.000	0.000	0.000	0.000	0.015	0.000

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	839.900	-8.889	0.000	9.684	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 843.200	ELEVATION -8.839	10-YEAR 0.000	100-YEAR 9.687	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	846.500 END	-8.790 END	0.000 NEW SURGE	9.690 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	849.700	-8.740	0.000	9.692	0.000	0.000	0.000	0.000	0.015	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	853.000	-8.691	0.000	9.695	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 856.300	ELEVATION -8.641	10-YEAR 0.000	100-YEAR 9.698	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	859.600 END	-8.592 END	0.000 NEW SURGE	9.700 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	862.900	-8.542	0.000	9.703	0.000	0.000	0.000	0.000	0.013	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	866.100	-8.504	0.000	9.705	0.000	0.000	0.000	0.000	0.012	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION -8.466	10-YEAR	100-YEAR	0.000	0.000	0.000	0 000	SLOPE	A-ZONES
OF	869.400 END	-8.466 END	0.000 NEW SURGE	9.708 NEW SURGE	0.000	0.000	0.000	0.000	0.012 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	872.700	-8.428	0.000	9.710	0.000	0.000	0.000	0.000	0.011	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	876.000	-8.391	0.000	9.713	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 879.300	ELEVATION -8.367	10-YEAR 0.000	100-YEAR 9.715	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	882.500 END	-8.342 END	0.000 NEW SURGE	9.718 NEW SURGE	0.000	0.000	0.000	0.000	0.008 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	885.800	-8.318	0.000	9.721	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 889.100	ELEVATION -8.293	10-YEAR 0.000	100-YEAR 9.723	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	892.400 END	-8.268 END	0.000 NEW SURGE	9.726 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	895.700	-8.244	0.000	9.729	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	898.900	-8.219	0.000	9.731	0.000	0.000	0.000	0.000	0.008	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 902.200	ELEVATION -8.195	10-YEAR 0.000	100-YEAR 9.733	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
OF	902.200 END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	905.500 END	-8.170 END	0.000 NEW SURGE	9.736 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	908.800	-8.146	0.000	9.738	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	912.100	-8.121	0.000	9.740	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0 000	0 000	SLOPE	A-ZONES
OF	915.400 END	-8.096 END	0.000 NEW SURGE	9.743 NEW SURGE	0.000	0.000	0.000	0.000	0.008 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	918.600 END	-8.072 END	0.000 NEW SURGE	9.745 NEW SURGE	0.000	0.000	0.000	0.000	0.008 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	921.900	-8.047	0.000	9.747	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 925.200	ELEVATION -8.023	10-YEAR 0.000	100-YEAR 9.749	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	928.500 END	-7.998 END	0.000 NEW SURGE	9.751 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	931.800	-7.974	0.000	9.753	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	935.000	-7.949	0.000	9.756	0.000	0.000	0.000	0.000	0.008	0.000
	END	END	NEW SURGE	NEW SURGE	-	-	-		BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	938.300 END	-7.924 END	0.000 NEW SURGE	9.758 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	941.600	-7.900	0.000	9.760	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	944.900	-7.875	0.000	9.762	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 948.200	ELEVATION -7.851	10-YEAR 0.000	100-YEAR 9.764	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
01	710.200	7.031	3.000	2.704	0.000	0.000	0.000	0.000	0.000	0.000

	END	END	NEW SURGE	NEW SURGE					DOTTOM	ALTEDACE
	STATION	END ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	951.400	-7.826	0.000	9.766	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	954.700	-7.802	0.000	9.767	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 958.000	ELEVATION -7.777	10-YEAR 0.000	100-YEAR 9.769	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 961.300	ELEVATION -7.753	10-YEAR 0.000	100-YEAR	0.000	0.000	0.000	0 000	SLOPE	A-ZONES 0.000
OF	961.300 END	-7.753 END	NEW SURGE	9.771 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	964.600 END	-7.728 END	0.000 NEW SURGE	9.773 NEW SURGE	0.000	0.000	0.000	0.000	0.008 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	967.800 END	-7.703 END	0.000 NEW SURGE	9.775 NEW SURGE	0.000	0.000	0.000	0.000	0.008 BOTTOM	0.000
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	AVERAGE A-ZONES
OF	971.100	-7.679	0.000	9.777	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	974.400	-7.651	0.000	9.779	0.000	0.000	0.000	0.000	0.010	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 977.700	ELEVATION -7.612	10-YEAR 0.000	100-YEAR 9.780	0.000	0.000	0.000	0.000	SLOPE 0.011	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 981.000	ELEVATION -7.576	10-YEAR 0.000	100-YEAR 9.782	0.000	0.000	0.000	0.000	SLOPE 0.010	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0 000	SLOPE 0.009	A-ZONES
OF	984.200 END	-7.546 END	0.000 NEW SURGE	9.783 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	987.500 END	-7.516 END	0.000 NEW SURGE	9.785 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	990.800	-7.485 END	0.000 NEW SURGE	9.787 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	END STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	994.100	-7.457	0.000	9.789	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	997.400	-7.432	0.000	9.790	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1000.700	-7.407	0.000	9.792	0.000	0.000	0.000	0.000	0.008	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1003.900	ELEVATION -7.383	10-YEAR 0.000	100-YEAR 9.794	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1007.200	ELEVATION -7.358	10-YEAR 0.000	100-YEAR 9.795	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
OF	END	= 7.336 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	1010.500 END	-7.334 END	0.000 NEW SURGE	9.797 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1013.800 END	-7.309 END	0.000 NEW SURGE	9.799 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1017.100	-7.285	0.000	9.800	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1020.300	-7.260	0.000	9.802	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1023.600	-7.235	0.000	9.803	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1026.900	-7.211	0.000	9.805	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1030.200	ELEVATION -7.186	10-YEAR 0.000	100-YEAR 9.806	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE		-	-		BOTTOM	AVERAGE
OF	STATION 1033.500	ELEVATION -7.162	10-YEAR 0.000	100-YEAR 9.808	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1036.700	ELEVATION -7.137	10-YEAR 0.000	100-YEAR 9.809	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
0.0	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	1040.000 END	-7.113 END	0.000 NEW SURGE	9.811 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1043.300 END	-7.088 END	0.000 NEW SURGE	9.812 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1046.600	-7.063	0.000	9.814	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1049.900	-7.039	0.000	9.815	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1053.100	-7.014	0.000	9.817	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1056.400	-6.990	0.000	9.818	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM	AVERAGE A-ZONES
OF	1059.700	-6.965	0.000	9.820	0.000	0.000	0.000	0.000	SLOPE 0.007	0.000
						-	-		-	

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1063.000	-6.941	0.000	9.821	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1066.300 END	-6.916 END	0.000 NEW SURGE	9.822 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1069.600	-6.892	0.000	9.824	0.000	0.000	0.000	0.000	0.008	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1072.800	ELEVATION -6.867	10-YEAR 0.000	100-YEAR 9.825	0.000	0.000	0.000	0.000	SLOPE 0.008	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1076.100	-6.843	0.000	9.826	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1079.400	-6.818	0.000	9.828	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR 0.000	100-YEAR	0.000	0.000	0.000	0.000	SLOPE 0.013	A-ZONES 0.000
OF	1082.700 END	-6.793 END	NEW SURGE	9.829 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1086.000	-6.734	0.000	9.830	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1089.200	-6.650	0.000	9.831	0.000	0.000	0.000	0.000	0.026	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.17	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	1092.500 END	-6.567 END	0.000 NEW SURGE	9.832 NEW SURGE	0.000	0.000	0.000	0.000	0.025 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1095.800	-6.483	0.000	9.833	0.000	0.000	0.000	0.000	0.025	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1099.100	-6.400	0.000	9.834	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000			SLOPE	A-ZONES
OF	1102.400 END	-6.316 END	0.000 NEW SURGE	9.835 NEW SURGE	0.000	0.000	0.000	0.000	0.026 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1105.600	-6.233	0.000	9.836	0.000	0.000	0.000	0.000	0.026	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1108.900	ELEVATION -6.149	10-YEAR 0.000	100-YEAR 9.837	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1112.200 END	-6.065 END	0.000 NEW SURGE	9.838 NEW SURGE	0.000	0.000	0.000	0.000	0.025 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1115.500	-5.982	0.000	9.839	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1118.800	ELEVATION -5.898	10-YEAR 0.000	100-YEAR 9.840	0.000	0.000	0.000	0.000	SLOPE 0.026	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1122.000 END	-5.815 END	0.000 NEW SURGE	9.841	0.000	0.000	0.000	0.000	0.026	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
OF	1125.300	-5.731	0.000	9.842	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR 0.000	100-YEAR	0 000	0 000	0.000	0.000	SLOPE	A-ZONES 0.000
OF	1128.600 END	-5.648 END	NEW SURGE	9.843 NEW SURGE	0.000	0.000	0.000	0.000	0.025 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1131.900	-5.564	0.000	9.845	0.000	0.000	0.000	0.000	0.025	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1135.200	-5.481	0.000	9.846	0.000	0.000	0.000	0.000	0.026	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1138.400	ELEVATION	10-YEAR 0.000	100-YEAR 9.848	0 000	0.000	0 000	0.000	SLOPE	A-ZONES 0.000
OF	END	-5.397 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.026 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1141.700	-5.313	0.000	9.849	0.000	0.000	0.000	0.000	0.025	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1145.000	-5.230	0.000	9.850	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF		ELEVATION -5.146	10-YEAR	100-YEAR	0.000	0 000	0 000	0 000	SLOPE	A-ZONES
OF	1148.300 END	-5.146 END	0.000 NEW SURGE	9.852 NEW SURGE	0.000	0.000	0.000	0.000	0.025 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1151.600	-5.062	0.000	9.853	0.000	0.000	0.000	0.000	0.025	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1154.900	-4.978	0.000	9.855	0.000	0.000	0.000	0.000	0.026	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR		0.000	0.000		SLOPE	A-ZONES
OF	1158.100 END	-4.895 END	0.000 NEW SURGE	9.856 NEW SURGE	0.000	0.000	0.000	0.000	0.026 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1161.400	-4.811	0.000	9.858	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1164.700	ELEVATION -4.727	10-YEAR 0.000	100-YEAR 9.859	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
J1	END	END	NEW SURGE	NEW SURGE	3.000	3.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	A A	0 00-	0.00-	0.000	SLOPE	A-ZONES
OF	1168.000 END	-4.643 END	0.000 NEW SURGE	9.861 NEW SURGE	0.000	0.000	0.000	0.000	0.025 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1171.300	-4.560	0.000	9.863	0.000	0.000	0.000	0.000	0.026	0.000

	END	END	NEW CUDCE	NEW CUDGE					DOTTOM	ALTEDACE
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1174.500	-4.476	0.000	9.865	0.000	0.000	0.000	0.000	0.026	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1177.800	-4.392	0.000	9.866	0.000	0.000	0.000	0.000	0.025	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1181.100	ELEVATION -4.308	10-YEAR 0.000	100-YEAR 9.868	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1184.400	ELEVATION -4.225	10-YEAR 0.000	100-YEAR 9.870	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
OF	END	-4.225 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1187.700 END	-4.194 END	0.000 NEW SURGE	9.872 NEW SURGE	0.000	0.000	0.000	0.000	0.007 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1190.900	-4.176	0.000	9.875	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1194.200	-4.158	0.000	9.877	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1197.500	-4.141	0.000	9.880	0.000	0.000	0.000	0.000	0.005	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1200.800	ELEVATION -4.123	10-YEAR 0.000	100-YEAR 9.882	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1204.100	ELEVATION -4.106	10-YEAR 0.000	100-YEAR 9.884	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1207.300 END	-4.088 END	0.000 NEW SURGE	9.887 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1210.600 END	-4.070 END	0.000 NEW SURGE	9.889 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1213.900	-4.052	0.000	9.892	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1217.200	-4.035	0.000	9.894	0.000	0.000	0.000	0.000	0.005	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1220.500	ELEVATION -4.017	10-YEAR 0.000	100-YEAR 9.896	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1223.800	ELEVATION -4.000	10-YEAR 0.000	100-YEAR 9.898	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1227.000 END	-3.982 END	0.000 NEW SURGE	9.900 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1230.300 END	-3.964 END	0.000 NEW SURGE	9.902 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1233.600	-3.947	0.000	9.904	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1236.900	-3.929	0.000	9.906	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1240.200	-3.911	0.000	9.908	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1243.400	-3.894	0.000	9.909	0.000	0.000	0.000	0.000	0.005	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1246.700	ELEVATION -3.876	10-YEAR 0.000	100-YEAR 9.911	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1250.000	ELEVATION -3.858	10-YEAR 0.000	100-YEAR 9.913	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
0=	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	1253.300 END	-3.841 END	0.000 NEW SURGE	9.915 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1256.600 END	-3.823 END	0.000 NEW SURGE	9.917 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1259.800	-3.805	0.000	9.918	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1263.100	-3.788	0.000	9.920	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1266.400	-3.770	0.000	9.922	0.000	0.000	0.000	0.000	0.005	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1269.700	ELEVATION -3.752	10-YEAR 0.000	100-YEAR 9.923	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	2.230				BOTTOM	AVERAGE
OF	STATION 1273.000	ELEVATION -3.737	10-YEAR 0.000	100-YEAR 9.925	0.000	0.000	0.000	0.000	SLOPE 0.003	A-ZONES 0.000
OI.	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0.000	0 000	SLOPE	A-ZONES
OF	1276.200 END	-3.732 END	0.000 NEW SURGE	9.927 NEW SURGE	0.000	0.000	0.000	0.000	0.002 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR		0 00-	0.00-	0.00	SLOPE	A-ZONES
OF	1279.500 END	-3.726 END	0.000 NEW SURGE	9.928 NEW SURGE	0.000	0.000	0.000	0.000	0.002 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1282.800	-3.721	0.000	9.930	0.000	0.000	0.000	0.000	0.002	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1286.100	ELEVATION	10-YEAR 0.000	100-YEAR 9.932	0 000	0 000	0 000	0 000	SLOPE	A-ZONES
OF	1286.100 END	-3.714 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1289.400	-3.658	0.000	9.932	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000		0 000		SLOPE	A-ZONES
OF	1292.600 END	-3.599 END	0.000 NEW SURGE	9.933 NEW SURGE	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1295.900	-3.540	0.000	9.934	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000			SLOPE	A-ZONES
OF	1299.200 END	-3.481 END	0.000 NEW SURGE	9.935 NEW SURGE	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1302.500	-3.422	0.000	9.937	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1305.800	ELEVATION -3.362	10-YEAR 0.000	100-YEAR 9.938	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
OF	END	-3.362 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1309.100	-3.303	0.000	9.939	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1312.300	ELEVATION -3.244	10-YEAR 0.000	100-YEAR 9.940	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1315.600	-3.185	0.000	9.941	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1318.900	-3.126	0.000	9.943	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1322.200 END	-3.066 END	0.000 NEW SURGE	9.944	0.000	0.000	0.000	0.000	0.018	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
OF	1325.500	-3.007	0.000	9.945	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
0.17	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0.000	0.000	SLOPE	A-ZONES
OF	1328.700 END	-2.948 END	0.000 NEW SURGE	9.946 NEW SURGE	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1332.000	-2.889	0.000	9.948	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1335.300	ELEVATION -2.830	10-YEAR 0.000	100-YEAR 9.949	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
Or	END	-2.630 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1338.600	-2.772	0.000	9.950	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1341.900	ELEVATION -2.715	10-YEAR 0.000	100-YEAR 9.952	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1345.100	-2.657	0.000	9.953	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1348.400	-2.600	0.000	9.955	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000			SLOPE	A-ZONES
OF	1351.700 END	-2.543 END	0.000 NEW SURGE	9.956 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1355.000	-2.486	0.000	9.958	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1358.300	ELEVATION -2.429	10-YEAR 0.000	100-YEAR	0.000	0 000	0.000	0.000	SLOPE 0.018	A-ZONES
OF	END	-2.429 END	NEW SURGE	9.959 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1361.500	-2.372	0.000	9.961	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1364.800	ELEVATION -2.314	10-YEAR 0.000	100-YEAR 9.962	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
OI.	END	-2.314 END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	5.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1368.100	-2.257	0.000	9.964	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1371.400	-2.200	0.000	9.965	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1374.700 END	-2.143 END	0.000 NEW SURGE	9.967 NEW SURGE	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1377.900	-2.086	0.000	9.969	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OI.	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0.000	0 000	SLOPE 0 017	A-ZONES
OF	1381.200 END	-2.029 END	0.000 NEW SURGE	9.970 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1384.500	-1.971	0.000	9.972	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1387.800	ELEVATION -1.914	10-YEAR 0.000	100-YEAR 9.974	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
J1	END	END	NEW SURGE	NEW SURGE	3.000	0.000	3.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1391.100 END	-1.855 END	0.000 NEW SURGE	9.975	0.000	0.000	0.000	0.000	0.018	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
OF	1394.400	-1.796	0.000	9.977	0.000	0.000	0.000	0.000	0.018	0.000

	END	END	NEW SURGE	NEW SURGE					DOTTOM	ALTEDACE
	STATION	END ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1397.600	-1.737	0.000	9.978	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1400.900	-1.678	0.000	9.980	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1404.200	ELEVATION -1.620	10-YEAR 0.000	100-YEAR 9.982	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1407.500	ELEVATION -1.564	10-YEAR 0.000	100-YEAR 9.984	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
OF	END	-1.564 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1410.800 END	-1.509 END	0.000 NEW SURGE	9.985 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1414.000	-1.453	0.000	9.987	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1417.300	-1.397	0.000	9.989	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1420.600	-1.342	0.000	9.991	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1423.900	ELEVATION -1.286	10-YEAR 0.000	100-YEAR 9.993	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1427.200	ELEVATION -1.230	10-YEAR 0.000	100-YEAR 9.995	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	1430.400 END	-1.175 END	0.000 NEW SURGE	9.996 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1433.700 END	-1.119 END	0.000 NEW SURGE	9.998 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1437.000	-1.064	0.000	10.000	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1440.300	-1.008	0.000	10.002	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1443.600	ELEVATION -0.952	10-YEAR 0.000	100-YEAR 10.004	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1446.800	ELEVATION -0.897	10-YEAR 0.000	100-YEAR 10.006	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
Or	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
OF	1450.100 END	-0.841 END	0.000 NEW SURGE	10.008 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1453.400 END	-0.785 END	0.000 NEW SURGE	10.009 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1456.700	-0.730	0.000	10.012	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1460.000	-0.674	0.000	10.014	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1463.300	-0.619	0.000	10.015	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1466.500	ELEVATION -0.563	0.000	10.017	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 1469.800	ELEVATION -0.507	10-YEAR 0.000	100-YEAR 10.019	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1473.100	ELEVATION -0.452	10-YEAR 0.000	100-YEAR 10.021	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
ΟĽ	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 1476.400	ELEVATION -0.396	10-YEAR 0.000	100-YEAR 10.023	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
OF	END	-0.396 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1479.700 END	-0.340 END	0.000 NEW SURGE	10.025 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	1482.900	-0.285	0.000 NEW SURGE	10.027	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1486.200	-0.229	0.000	10.029	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1489.500	-0.173	0.000	10.031	0.000	0.000	0.000	0.000	0.017	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	1492.800	ELEVATION -0.117	0.000	10.033	0.000	0.000	0.000	0.000	0.017	0.000
-	END	END	NEW SURGE	NEW SURGE			-		BOTTOM	AVERAGE
OF	STATION 1496.100	ELEVATION -0.060	10-YEAR 0.000	100-YEAR 10.035	0.000	0.000	0.000	0.000	SLOPE 0.019	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	3.000	2.000	2.000	000	BOTTOM	AVERAGE
IF	STATION 1499.300	ELEVATION 0.005	10-YEAR 0.000	100-YEAR 10.037	0.000	0.000	0.000	0.000	SLOPE 0.023	A-ZONES 0.000
ΤĽ	1499.300 END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	1502.600 END	0.090 END	0.000 NEW SURGE	10.039 NEW SURGE	0.000	0.000	0.000	0.000	0.027 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1505.900	0.184	0.000	10.041	0.000	0.000	0.000	0.000	0.033	0.000

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1509.200	0.307	0.000	10.042	0.000	0.000	0.000	0.000	0.030	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1512.500	ELEVATION 0.381	10-YEAR 0.000	100-YEAR 10.044	0.000	0.000	0.000	0.000	SLOPE 0.005	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1515.700	ELEVATION 0.338	10-YEAR 0.000	100-YEAR 10.048	0.000	0.000	0.000	0.000	SLOPE -0.003	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1519.000 END	0.364 END	0.000 NEW SURGE	10.050 NEW SURGE	0.000	0.000	0.000	0.000	0.011 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1522.300 END	0.410	0.000	10.052	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000
	STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					SLOPE	AVERAGE A-ZONES
IF	1525.600	0.476	0.000	10.054	0.000	0.000	0.000	0.000	0.022	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1528.900	0.553	0.000	10.056	0.000	0.000	0.000	0.000	0.024	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1532.100	ELEVATION 0.631	10-YEAR 0.000	100-YEAR 10.058	0.000	0.000	0.000	0.000	SLOPE 0.024	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1535.400	ELEVATION 0.708	10-YEAR 0.000	100-YEAR 10.060	0.000	0.000	0.000	0.000	SLOPE 0.020	A-ZONES 0.000
II	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
IF	1538.700 END	0.759 END	0.000 NEW SURGE	10.063 NEW SURGE	0.000	0.000	0.000	0.000	0.015 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1542.000 END	0.805 END	0.000 NEW SURGE	10.065 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1545.300	0.850	0.000	10.067	0.000	0.000	0.000	0.000	0.012	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1548.600	0.882	0.000	10.070	0.000	0.000	0.000	0.000	0.010	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1551.800	0.912	0.000	10.073	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1555.100	ELEVATION 0.979	10-YEAR 0.000	100-YEAR 10.074	0.000	0.000	0.000	0.000	SLOPE 0.022	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 1558.400	ELEVATION 1.054	10-YEAR 0.000	100-YEAR 10.076	0.000	0.000	0.000	0.000	SLOPE 0.023	A-ZONES 0.000
Tr	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1561.700 END	1.129 END	0.000 NEW SURGE	10.079 NEW SURGE	0.000	0.000	0.000	0.000	0.021 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1565.000 END	1.194	0.000 NEW SURGE	10.081	0.000	0.000	0.000	0.000	0.019	0.000 AVERAGE
	STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
IF	1568.200	1.254	0.000	10.083	0.000	0.000	0.000	0.000	0.019	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1571.500	1.315	0.000	10.085	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1574.800	1.375	0.000	10.087	0.000	0.000	0.000	0.000	0.018	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1578.100	ELEVATION 1.436	10-YEAR 0.000	100-YEAR 10.090	0.000	0.000	0.000	0.000	SLOPE 0.015	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1581.400	ELEVATION 1.477	10-YEAR 0.000	100-YEAR 10.092	0.000	0.000	0.000	0.000	SLOPE 0.012	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
T.D.	STATION	ELEVATION	10-YEAR	100-YEAR 10.095	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
IF	1584.600 END	1.515 END	0.000 NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.012 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
IF	1587.900 END	1.554 END	0.000 NEW SURGE	10.098 NEW SURGE	0.000	0.000	0.000	0.000	0.012 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1591.200 END	1.592 END	0.000 NEW SURGE	10.100 NEW SURGE	0.000	0.000	0.000	0.000	0.019 BOTTOM	0.000 AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1594.500	1.682	0.000	10.102	0.000	0.000	0.000	0.000	0.019	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1597.800	1.719	0.000	10.104	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1601.000	1.684	0.000	10.108	0.000	0.000	0.000	0.000	-0.001	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1604.300	ELEVATION 1.716	10-YEAR 0.000	100-YEAR 10.110	0.000	0.000	0.000	0.000	SLOPE 0.014	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1607.600	ELEVATION 1.776	10-YEAR 0.000	100-YEAR 10.112	0.000	0.000	0.000	0.000	SLOPE 0.018	A-ZONES 0.000
± F	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
TP	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	1610.900 END	1.835 END	0.000 NEW SURGE	10.114 NEW SURGE	0.000	0.000	0.000	0.000	0.014 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	1614.200 END	1.867 END	0.000 NEW SURGE	10.116 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1617.500	1.898	0.000	10.119	0.000	0.000	0.000	0.000	0.011	0.000

	END	END	NEW CUDCE	NEW SURGE					DOTTOM	ALTEDACE
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1620.700	1.941	0.000	10.121	0.000	0.000	0.000	0.000	0.014	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1624.000	1.986	0.000	10.123	0.000	0.000	0.000	0.000	0.014	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1627.300	ELEVATION 2.031	10-YEAR 0.000	100-YEAR 10.125	0.000	0.000	0.000	0.000	SLOPE 0.019	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 1630.600	ELEVATION 2.113	10-YEAR 0.000	100-YEAR 10.127	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
1P	END	Z.113 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1633.900 END	2.196 END	0.000 NEW SURGE	10.129 NEW SURGE	0.000	0.000	0.000	0.000	0.024 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1637.100	2.272	0.000	10.131	0.000	0.000	0.000	0.000	0.018	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1640.400	2.312	0.000	10.133	0.000	0.000	0.000	0.000	0.012	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1643.700	2.352	0.000	10.136	0.000	0.000	0.000	0.000	0.012	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1647.000	ELEVATION 2.393	10-YEAR 0.000	100-YEAR 10.138	0.000	0.000	0.000	0.000	SLOPE 0.012	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 1650.300	ELEVATION 2.434	10-YEAR 0.000	100-YEAR 10.140	0.000	0.000	0.000	0.000	SLOPE 0.013	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1653.500 END	2.475 END	0.000 NEW SURGE	10.143 NEW SURGE	0.000	0.000	0.000	0.000	0.017 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1656.800 END	2.547 END	0.000 NEW SURGE	10.145	0.000	0.000	0.000	0.000	0.026 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					SLOPE	AVERAGE A-ZONES
IF	1660.100	2.644	0.000	10.146	0.000	0.000	0.000	0.000	0.029	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1663.400	2.741	0.000	10.148	0.000	0.000	0.000	0.000	0.040	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE					BOTTOM	AVERAGE A-ZONES
IF	1666.700	ELEVATION 2.909	0.000	100-YEAR 10.149	0.000	0.000	0.000	0.000	SLOPE 0.062	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1669.900	ELEVATION 3.146	10-YEAR 0.000	100-YEAR 10.149	0.000	0.000	0.000	0.000	SLOPE 0.040	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1673.200 END	3.167 END	0.000 NEW SURGE	10.153 NEW SURGE	0.000	0.000	0.000	0.000	0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1676.500 END	3.206 END	0.000 NEW SURGE	10.156 NEW SURGE	0.000	0.000	0.000	0.000	0.030 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1679.800	3.362	0.000	10.158	0.000	0.000	0.000	0.000	0.047	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1683.100	3.517	0.000	10.160	0.000	0.000	0.000	0.000	0.044	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1686.300	3.646	0.000	10.163	0.000	0.000	0.000	0.000	0.034	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1689.600	ELEVATION 3.736	0.000	10.166	0.000	0.000	0.000	0.000	0.027	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1692.900	ELEVATION 3.822	10-YEAR 0.000	100-YEAR 10.170	0.000	0.000	0.000	0.000	SLOPE 0.026	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 1696.200	ELEVATION 3.905	10-YEAR 0.000	100-YEAR 10.174	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
TT,	END	END	NEW SURGE	NEW SURGE	0.000	0.000	5.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	1699.500 END	3.989 END	0.000 NEW SURGE	10.178 NEW SURGE	0.000	0.000	0.000	0.000	0.041 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1702.800 END	4.175 END	0.000 NEW SURGE	10.181 NEW SURGE	0.000	0.000	0.000	0.000	0.060 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1706.000	4.381	0.000 NEW SURGE	10.184	0.000	0.000	0.000	0.000	0.063	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1709.300	4.587	0.000	10.187	0.000	0.000	0.000	0.000	0.058	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1712.600	4.767	0.000	10.191	0.000	0.000	0.000	0.000	0.046	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1715.900	ELEVATION 4.893	10-YEAR 0.000	100-YEAR 10.197	0.000	0.000	0.000	0.000	SLOPE 0.038	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	2.000		2.000		BOTTOM	AVERAGE
IF	STATION 1719.200	ELEVATION 5.020	10-YEAR 0.000	100-YEAR 10.204	0.000	0.000	0.000	0.000	SLOPE 0.038	A-ZONES 0.000
TT,	END	END	NEW SURGE	NEW SURGE	0.000	0.000	5.000	0.000	BOTTOM	AVERAGE
T F2	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0 000	SLOPE	A-ZONES
IF	1722.400 END	5.142 END	0.000 NEW SURGE	10.211 NEW SURGE	0.000	0.000	0.000	0.000	0.038 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1725.700 END	5.264 END	0.000 NEW SURGE	10.218 NEW SURGE	0.000	0.000	0.000	0.000	0.039 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1729.000	5.399	0.000	10.225	0.000	0.000	0.000	0.000	0.046	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
TE	STATION 1732.300	ELEVATION	10-YEAR 0.000	100-YEAR 10.232	0.000	0.000	0.000	0.000	SLOPE	A-ZONES 0.000
IF	1/32.300 END	5.569 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.052 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1735.600	5.739	0.000	10.239	0.000	0.000	0.000	0.000	0.056	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000		0 000		SLOPE	A-ZONES
IF	1738.800 END	5.934 END	0.000 NEW SURGE	10.248 NEW SURGE	0.000	0.000	0.000	0.000	0.065 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1742.100	6.163	0.000	10.256	0.000	0.000	0.000	0.000	0.069	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000			SLOPE	A-ZONES
IF	1745.400 END	6.388 END	0.000 NEW SURGE	10.267 NEW SURGE	0.000	0.000	0.000	0.000	0.063 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1748.700	6.576	0.000	10.280	0.000	0.000	0.000	0.000	0.048	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION 1752.000	ELEVATION 6.703	10-YEAR 0.000	100-YEAR 10.295	0.000	0.000	0.000	0.000	SLOPE 0.034	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1755.200	6.801	0.000	10.311	0.000	0.000	0.000	0.000	0.027	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1758.500	ELEVATION 6.880	10-YEAR 0.000	100-YEAR 10.326	0.000	0.000	0.000	0.000	SLOPE 0.024	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1761.800	6.959	0.000	10.340	0.000	0.000	0.000	0.000	0.038	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1765.100	7.133	0.000	10.352	0.000	0.000	0.000	0.000	0.061	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1768.400	7.361 END	0.000 NEW SURGE	10.364	0.000	0.000	0.000	0.000	0.069	0.000 AVERAGE
	END STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
IF	1771.600	7.583	0.000	10.377	0.000	0.000	0.000	0.000	0.047	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	1774.900 END	7.669 END	0.000 NEW SURGE	10.395 NEW SURGE	0.000	0.000	0.000	0.000	0.026 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1778.200	7.755	0.000	10.411	0.000	0.000	0.000	0.000	0.029	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1781.500	ELEVATION 7.862	10-YEAR 0.000	100-YEAR 10.427	0.000	0.000	0.000	0.000	SLOPE 0.033	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1784.800	7.975	0.000	10.441	0.000	0.000	0.000	0.000	0.034	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1788.100	ELEVATION 8.088	10-YEAR 0.000	100-YEAR 10.457	0.000	0.000	0.000	0.000	SLOPE 0.034	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1791.300	8.197	0.000	10.473	0.000	0.000	0.000	0.000	0.034	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	1794.600	8.306	0.000	10.488	0.000	0.000	0.000	0.000	0.039	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1797.900 END	8.457 END	0.000 NEW SURGE	10.503 NEW SURGE	0.000	0.000	0.000	0.000	0.066 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1801.200	8.741	0.000	10.520	0.000	0.000	0.000	0.000	0.106	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	1804.500 END	9.154 END	0.000 NEW SURGE	10.540 NEW SURGE	0.000	0.000	0.000	0.000	0.126 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1805.500	9.285	0.000	10.540	0.000	0.000	0.000	0.000	0.032	0.000
	END	END	NEW SURGE 10-YEAR	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 1818.000	ELEVATION 9.580	0.000	100-YEAR 10.540	0.000	0.000	0.000	0.000	SLOPE 0.049	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	3.000	0.000	3.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	1831.000	10.540	0.000 NEW SURGE	10.540	0.000	0.000	0.000	0.000	0.074	0.000
	END	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
AS	2075.600	9.450	0.000	9.450	0.000	0.000	0.000	0.000	-0.076	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
TP	STATION	ELEVATION	10-YEAR 0.000	100-YEAR	0 000	0 000	0 000	0.000	SLOPE	A-ZONES 0.000
IF	2079.500 END	9.153 END	NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.046 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2087.000	8.924	0.000	9.450	0.000	0.000	0.000	0.000	0.004	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 2095.000	ELEVATION 9.219	10-YEAR 0.000	100-YEAR 9.450	0.000	0.000	0.000	0.000	SLOPE -0.007	A-ZONES 0.000
± F	2095.000 END	9.219 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2101.000	8.825	0.000	9.450	0.000	0.000	0.000	0.000	-0.143	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	2106.500	7.579	0.000	9.450	0.000	0.000	0.000	0.000	-0.073	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR		0.00-	0 00-	0.000	SLOPE	A-ZONES
IF	2119.000 END	7.513 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	0.000 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2132.000	7.579	0.000	9.450	0.000	0.000	0.000	0.000	0.015	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2147.000 END	7.940 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.013 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2162.000 END	7.185 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2172.500 END	7.808 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	0.010 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2191.000 END	7.480 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.001 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2196.000 END	7.776 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.045 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2210.500 END	6.595 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.123 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2216.000 END	5.315 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.061 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2247.000 END	4.364 END	0.000 NEW SURGE	9.450 NEW SURGE	0.000	0.000	0.000	0.000	-0.024 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2266.000 END	4.134 END	0.000 NEW SURGE	9.451 NEW SURGE	0.000	0.000	0.000	0.000	-0.010 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2294.500 END	3.904 END	0.000 NEW SURGE	9.452 NEW SURGE	0.000	0.000	0.000	0.000	-0.009 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2308.500 END	3.773 END	0.000 NEW SURGE	9.452 NEW SURGE	0.000	0.000	0.000	0.000	-0.004 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	2332.000 END	3.773 END	0.000 NEW SURGE	9.452 NEW SURGE	0.000	0.000	0.000	0.000	-0.008 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	2345.500 END	3.478 END	0.000 NEW SURGE	9.452 NEW SURGE	0.000	0.000	0.000	0.000	-0.011 BOTTOM	0.000 AVERAGE
IF	STATION 2394.500	ELEVATION 3.084	10-YEAR 0.000	100-YEAR 9.450	0.000	0.000	0.000	0.000	SLOPE -0.017	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 2400.500	ELEVATION 2.559	10-YEAR 0.000	100-YEAR 9.450	0.000	0.000	0.000	0.000	SLOPE -0.031	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 2500.500	ELEVATION -0.164	10-YEAR 0.000	100-YEAR 9.453	0.000	0.000	0.000	0.000	SLOPE -0.026	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 2504.000	ELEVATION -0.098	10-YEAR 0.000	100-YEAR 9.453	0.000	0.000	0.000	0.000	SLOPE -0.010	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 2842.000	ELEVATION -3.606	10-YEAR 0.000	100-YEAR 9.459	0.000	0.000	0.000	0.000	SLOPE -0.010	A-ZONES 0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	2843.000	-3.605	0.000	9.459	0.000	0.000	0.000	0.000	0.001	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	2890.000	-3.557	0.000	9.459	0.000	0.000	0.000	0.000	0.001	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	2891.000	-3.556	0.000	9.459	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	2938.000 END	-3.316 END	0.000 NEW SURGE	9.460 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	2939.000 END	-3.311 END	0.000 NEW SURGE	9.460 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	2986.000 END	-3.087 END	0.000 NEW SURGE	9.460 NEW SURGE	0.000	0.000	0.000	0.000	0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	2987.000 END	-3.086 END	0.000 NEW SURGE	9.460 NEW SURGE	0.000	0.000	0.000	0.000	0.001 BOTTOM	0.000 AVERAGE
0.77	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
OF	3034.000 END	-3.054 END	0.000 NEW SURGE	9.461 NEW SURGE	0.000	0.000	0.000	0.000	0.001 BOTTOM	0.000 AVERAGE
OF	STATION 3035.000	ELEVATION -3.053	10-YEAR 0.000	100-YEAR 9.461	0.000	0.000	0.000	0.000	SLOPE -0.021	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 3187.000	ELEVATION -6.248	10-YEAR 0.000	100-YEAR 9.463	0.000	0.000	0.000	0.000	SLOPE -0.021	A-ZONES 0.000
O1	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
OF	STATION 3188.000	ELEVATION -6.248	10-YEAR 0.000	100-YEAR 9.463	0.000	0.000	0.000	0.000	SLOPE 0.000	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 3211.000	ELEVATION -6.244	10-YEAR 0.000	100-YEAR 9.463	0.000	0.000	0.000	0.000	SLOPE 0.000	A-ZONES 0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3212.000	-6.244	0.000	9.463	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3235.000	-6.240	0.000	9.463	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3236.000	-6.239	0.000	9.463	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3257.000	-6.235	0.000	9.463	0.000	0.000	0.000	0.000	0.000	0.000

	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3258.000	-6.235	0.000	9.463	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 3281.000	ELEVATION -6.234	10-YEAR 0.000	100-YEAR 9.464	0.000	0.000	0.000	0.000	SLOPE 0.000	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	3282.000 END	-6.234 END	0.000 NEW SURGE	9.464 NEW SURGE	0.000	0.000	0.000	0.000	0.000 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	3305.000	-6.233	0.000	9.465	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3306.000	-6.233	0.000	9.465	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
OF	3329.000	ELEVATION -6.231	0.000	9.465	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 3330.000	ELEVATION -6.231	10-YEAR 0.000	100-YEAR 9.465	0.000	0.000	0.000	0.000	SLOPE 0.024	A-ZONES 0.000
OF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
OF	3353.000 END	-5.653 END	0.000 NEW SURGE	9.466 NEW SURGE	0.000	0.000	0.000	0.000	0.067 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3474.000	3.346	0.000	9.467	0.000	0.000	0.000	0.000	0.083	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3480.500	4.987	0.000	9.467	0.000	0.000	0.000	0.000	0.081	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3497.000	ELEVATION 5.216	10-YEAR 0.000	100-YEAR 9.467	0.000	0.000	0.000	0.000	SLOPE 0.003	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3502.500	ELEVATION 5.052	10-YEAR 0.000	100-YEAR 9.467	0.000	0.000	0.000	0.000	SLOPE -0.006	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3526.500 END	5.052 END	0.000 NEW SURGE	9.467 NEW SURGE	0.000	0.000	0.000	0.000	-0.041 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3531.000	3.871	0.000	9.468	0.000	0.000	0.000	0.000	-0.032	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3558.000	4.035	0.000	9.469	0.000	0.000	0.000	0.000	-0.010	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3566.500	ELEVATION 3.510	10-YEAR 0.000	100-YEAR 9.469	0.000	0.000	0.000	0.000	SLOPE 0.004	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR 9.470	0.000	0.000	0.000	0 000	SLOPE	A-ZONES
IF	3610.000 END	4.232 END	0.000 NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.028 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3615.000 END	4.856 END	0.000 NEW SURGE	9.470 NEW SURGE	0.000	0.000	0.000	0.000	-0.004 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3643.000	4.101	0.000	9.471	0.000	0.000	0.000	0.000	-0.003	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3665.000	4.692	0.000	9.472	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3672.000	ELEVATION 4.101	10-YEAR 0.000	100-YEAR 9.472	0.000	0.000	0.000	0.000	SLOPE -0.032	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3784.500	ELEVATION 0.886	10-YEAR 0.000	100-YEAR 9.473	0.000	0.000	0.000	0.000	SLOPE -0.028	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3807.500 END	0.361 END	0.000 NEW SURGE	9.474 NEW SURGE	0.000	0.000	0.000	0.000	0.047 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3860.000	4.462	0.000 NEW SURGE	9.474	0.000	0.000	0.000	0.000	0.070	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3865.000	4.396	0.000	9.474	0.000	0.000	0.000	0.000	0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3908.500	4.823	0.000	9.474	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3928.500	ELEVATION 4.856	10-YEAR 0.000	100-YEAR 9.474	0.000	0.000	0.000	0.000	SLOPE -0.005	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	3934.000 END	4.692 END	0.000 NEW SURGE	9.474 NEW SURGE	0.000	0.000	0.000	0.000	-0.004 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	3952.000 END	4.757	0.000 NEW SURGE	9.474 NEW SIDGE	0.000	0.000	0.000	0.000	0.007	0.000
	STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3958.500	4.856	0.000	9.474	0.000	0.000	0.000	0.000	0.003	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	3977.500	4.823	0.000	9.474	0.000	0.000	0.000	0.000	-0.004	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 3985.000	ELEVATION 4.757	10-YEAR 0.000	100-YEAR 9.474	0.000	0.000	0.000	0.000	SLOPE -0.034	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	3.000		2.000	2.000	BOTTOM	AVERAGE
IF	STATION 4007.500	ELEVATION 3.806	10-YEAR 0.000	100-YEAR 9.474	0.000	0.000	0.000	0.000	SLOPE -0.028	A-ZONES 0.000
TL	4007.500 END	3.806 END	NEW SURGE	9.474 NEW SURGE	0.000	0.000	0.000	0.000	-0.028 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	4040.500	3.215	0.000	9.475	0.000	0.000	0.000	0.000	0.024	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
TE	STATION 4045.000	ELEVATION 4.692	10-YEAR 0.000	100-YEAR 9.475	0.000	0.000	0.000	0.000	SLOPE	A-ZONES 0.000
IF	END	4.692 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	0.035 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4086.500	4.823	0.000	9.476	0.000	0.000	0.000	0.000	0.006	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4092.000	4.987	0.000	9.476	0.000	0.000	0.000	0.000	-0.002	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4131.000	4.757	0.000	9.477	0.000	0.000	0.000	0.000	-0.036	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4137.000	3.346	0.000	9.477	0.000	0.000	0.000	0.000	0.004	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4169.000	4.921	0.000	9.477	0.000	0.000	0.000	0.000	0.040	0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4180.000	5.052	0.000	9.478	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4222.500	4.921	0.000	9.478	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4229.500	5.052	0.000	9.478	0.000	0.000	0.000	0.000	-0.002	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE A-ZONES
IF	STATION 4267.000	ELEVATION 4.856	10-YEAR 0.000	100-YEAR 9.480	0.000	0.000	0.000	0.000	SLOPE -0.003	0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4279.000	4.921	0.000	9.480	0.000	0.000	0.000	0.000	-0.003	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4304.500	ELEVATION 4.757	10-YEAR 0.000	100-YEAR 9.481	0.000	0.000	0.000	0.000	SLOPE 0.000	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4312.500	4.921	0.000	9.482	0.000	0.000	0.000	0.000	0.001	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4459.000	ELEVATION 4.856	10-YEAR 0.000	100-YEAR 9.488	0.000	0.000	0.000	0.000	SLOPE 0.001	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4475.500	5.151	0.000	9.488	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4491.000	ELEVATION 4.856	10-YEAR 0.000	100-YEAR 9.488	0.000	0.000	0.000	0.000	SLOPE -0.030	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4520.000	3.806	0.000	9.489	0.000	0.000	0.000	0.000	-0.024	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4525.500	ELEVATION 4.035	10-YEAR 0.000	100-YEAR 9.489	0.000	0.000	0.000	0.000	SLOPE 0.025	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4557.500	4.757	0.000	9.489	0.000	0.000	0.000	0.000	0.023	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4566.500	ELEVATION 4.987	10-YEAR 0.000	100-YEAR 9.489	0.000	0.000	0.000	0.000	SLOPE 0.002	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4588.500	4.823	0.000	9.489	0.000	0.000	0.000	0.000	-0.009	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE					BOTTOM SLOPE	AVERAGE
IF	4598.000	ELEVATION 4.692	0.000	100-YEAR 9.489	0.000	0.000	0.000	0.000	-0.001	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4720.000	4.757	0.000	9.491	0.000	0.000	0.000	0.000	0.000	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4745.000	4.692	0.000	9.492	0.000	0.000	0.000	0.000	-0.004	0.000
	END	END	NEW SURGE	NEW SURGE	-	.	-		BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR		0 00-		0.00	SLOPE	A-ZONES
IF	4753.000 END	4.626 END	0.000 NEW SURGE	9.492 NEW SURGE	0.000	0.000	0.000	0.000	-0.005	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	A-ZONES
IF	4787.000	4.462	0.000	9.493	0.000	0.000	0.000	0.000	-0.063	0.000
	END	END	NEW SURGE	NEW SURGE		.	-		BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4794.500 END	2.001 END	0.000 NEW SURGE	9.493 NEW SURGE	0.000	0.000	0.000	0.000	0.001	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE	A-ZONES
IF	4844.500	4.528	0.000	9.494	0.000	0.000	0.000	0.000	0.044	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	4857.000 END	4.757 END	0.000 NEW SURGE	9.495 NEW SURGE	0.000	0.000	0.000	0.000	0.006 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4883.500	4.757	0.000	9.496	0.000	0.000	0.000	0.000	0.005	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
TE	STATION 4892.000	ELEVATION 4.921	10-YEAR 0.000	100-YEAR	0 000	0.000	0.000	0 000	SLOPE 0.002	A-ZONES 0.000
IF	4892.000 END	4.921 END	NEW SURGE	9.496 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4929.000	4.856	0.000	9.498	0.000	0.000	0.000	0.000	-0.002	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4935.000	ELEVATION 4.823	10-YEAR 0.000	100-YEAR 9.498	0.000	0.000	0.000	0.000	SLOPE -0.057	A-ZONES 0.000
± E'	END	4.623 END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	5.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	4955.500	3.346	0.000	9.499	0.000	0.000	0.000	0.000	-0.018	0.000

	END	END	NEW CUDGE	NEW CUDGE					DOTTOM	ALTEDACE
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4968.000	4.232	0.000	9.500	0.000	0.000	0.000	0.000	0.057	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	4987.000	5.151	0.000	9.501	0.000	0.000	0.000	0.000	0.030	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 4993.500	ELEVATION 4.987	10-YEAR 0.000	100-YEAR 9.501	0.000	0.000	0.000	0.000	SLOPE 0.000	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
T 177	STATION 5011.000	ELEVATION 5.151	10-YEAR 0.000	100-YEAR	0 000	0.000	0.000	0.000	SLOPE -0.047	A-ZONES 0.000
IF	END	END	NEW SURGE	9.502 NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5017.000 END	3.871 END	0.000 NEW SURGE	9.502 NEW SURGE	0.000	0.000	0.000	0.000	-0.052 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5039.000	3.707	0.000	9.503	0.000	0.000	0.000	0.000	-0.007	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5048.500	3.642	0.000	9.504	0.000	0.000	0.000	0.000	-0.003	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5087.000	3.576	0.000	9.506	0.000	0.000	0.000	0.000	0.000	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 5096.500	ELEVATION 3.642	10-YEAR 0.000	100-YEAR 9.507	0.000	0.000	0.000	0.000	SLOPE 0.004	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 5133.000	ELEVATION 3.740	10-YEAR 0.000	100-YEAR 9.509	0.000	0.000	0.000	0.000	SLOPE 0.004	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
IF	5136.500 END	3.806 END	0.000 NEW SURGE	9.510 NEW SURGE	0.000	0.000	0.000	0.000	0.039 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5167.000 END	5.052 END	0.000 NEW SURGE	9.512 NEW SURGE	0.000	0.000	0.000	0.000	0.035 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5173.000	5.085	0.000	9.512	0.000	0.000	0.000	0.000	-0.090	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5195.000	2.526	0.000	9.513	0.000	0.000	0.000	0.000	-0.021	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 5223.000	ELEVATION 4.035	10-YEAR 0.000	100-YEAR 9.514	0.000	0.000	0.000	0.000	SLOPE 0.052	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 5237.500	ELEVATION 4.757	10-YEAR 0.000	100-YEAR 9.514	0.000	0.000	0.000	0.000	SLOPE -0.044	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000				SLOPE	A-ZONES
IF	5293.000 END	0.951 END	0.000 NEW SURGE	9.516 NEW SURGE	0.000	0.000	0.000	0.000	-0.010 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5296.000 END	4.167 END	0.000 NEW SURGE	9.516 NEW SURGE	0.000	0.000	0.000	0.000	0.075 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5348.500	5.085	0.000	9.517	0.000	0.000	0.000	0.000	0.008	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5363.500	4.692	0.000	9.518	0.000	0.000	0.000	0.000	-0.017	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5392.000	4.331	0.000	9.518	0.000	0.000	0.000	0.000	-0.005	0.000
	END STATION	END	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5395.000	ELEVATION 4.528	0.000	9.518	0.000	0.000	0.000	0.000	-0.075	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
OF	STATION 5450.500	ELEVATION -0.066	10-YEAR 0.000	100-YEAR 9.520	0.000	0.000	0.000	0.000	SLOPE 0.007	A-ZONES 0.000
01	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
IF	STATION 5467.500	ELEVATION 5.052	10-YEAR 0.000	100-YEAR 9.520	0.000	0.000	0.000	0.000	SLOPE 0.059	A-ZONES 0.000
TL	END	END	NEW SURGE	NEW SURGE	5.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	5514.000 END	3.707 END	0.000 NEW SURGE	9.521 NEW SURGE	0.000	0.000	0.000	0.000	-0.020 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5526.500 END	3.871 END	0.000 NEW SURGE	9.521 NEW SURGE	0.000	0.000	0.000	0.000	0.022 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5581.000	5.151	0.000 NEW SURGE	9.522	0.000	0.000	0.000	0.000	0.001	0.000
	END STATION	END ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5643.000	4.003	0.000	9.524	0.000	0.000	0.000	0.000	-0.003	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5649.500	4.921	0.000	9.524	0.000	0.000	0.000	0.000	0.047	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 5667.500	ELEVATION 5.151	10-YEAR 0.000	100-YEAR 9.524	0.000	0.000	0.000	0.000	SLOPE 0.017	A-ZONES 0.000
	END	END	NEW SURGE	NEW SURGE	2.000		2.300		BOTTOM	AVERAGE
IF	STATION 5675.000	ELEVATION 5.348	10-YEAR 0.000	100-YEAR 9.524	0.000	0.000	0.000	0.000	SLOPE -0.034	A-ZONES 0.000
TT	END	END	NEW SURGE	NEW SURGE	3.000	0.000	0.000	0.000	BOTTOM	AVERAGE
TTP	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0 000	0 000	SLOPE	A-ZONES
IF	5694.500 END	4.232 END	0.000 NEW SURGE	9.525 NEW SURGE	0.000	0.000	0.000	0.000	-0.048 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0 000	0.000	SLOPE	A-ZONES
IF	5702.500 END	4.035 END	0.000 NEW SURGE	9.525 NEW SURGE	0.000	0.000	0.000	0.000	0.026 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR			_		SLOPE	A-ZONES
IF	5737.000	5.348	0.000	9.526	0.000	0.000	0.000	0.000	-0.011	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 5746.000	ELEVATION 3.576	10-YEAR 0.000	100-YEAR 9.526	0.000	0.000	0.000	0.000	SLOPE -0.004	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5775.000	5.216	0.000	9.527	0.000	0.000	0.000	0.000	0.039	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5783.500	5.052	0.000	9.527	0.000	0.000	0.000	0.000	-0.006	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	5832.500 END	4.856 END	0.000 NEW SURGE	9.528 NEW SURGE	0.000	0.000	0.000	0.000	-0.002 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5845.000	4.921	0.000	9.528	0.000	0.000	0.000	0.000	0.011	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5873.000	5.315	0.000	9.529	0.000	0.000	0.000	0.000	0.008	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	5886.500 END	5.249 END	0.000 NEW SURGE	9.529 NEW SURGE	0.000	0.000	0.000	0.000	-0.036 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5909.000	4.035	0.000	9.530	0.000	0.000	0.000	0.000	-0.025	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5933.000	4.068	0.000	9.530	0.000	0.000	0.000	0.000	0.020	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0.000	SLOPE	A-ZONES
IF	5940.500 END	4.659 END	0.000 NEW SURGE	9.530 NEW SURGE	0.000	0.000	0.000	0.000	-0.001 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	5962.500	4.035	0.000	9.530	0.000	0.000	0.000	0.000	0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	5967.500	4.790	0.000	9.530	0.000	0.000	0.000	0.000	-0.002	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
TE	STATION 5991.500	ELEVATION 3.970	10-YEAR 0.000	100-YEAR 9.530	0.000	0.000	0.000	0.000	SLOPE -0.029	A-ZONES 0.000
IF	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6003.000	3.773	0.000	9.530	0.000	0.000	0.000	0.000	0.009	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6056.000	4.560	0.000	9.531	0.000	0.000	0.000	0.000	0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0.000	0 000	SLOPE	A-ZONES
IF	6068.000 END	4.724 END	0.000 NEW SURGE	9.531 NEW SURGE	0.000	0.000	0.000	0.000	-0.011 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6117.000	3.904	0.000	9.532	0.000	0.000	0.000	0.000	-0.013	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6126.500	3.970	0.000	9.533	0.000	0.000	0.000	0.000	0.009	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 6178.000	ELEVATION 4.429	10-YEAR 0.000	100-YEAR 9.535	0.000	0.000	0.000	0.000	SLOPE 0.010	A-ZONES 0.000
IF	END	4.429 END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6187.000	4.560	0.000	9.535	0.000	0.000	0.000	0.000	0.036	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6207.000	5.479	0.000	9.536	0.000	0.000	0.000	0.000	0.028	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 6212.000	ELEVATION 5.249	10-YEAR 0.000	100-YEAR 9.537	0.000	0.000	0.000	0.000	SLOPE -0.004	A-ZONES 0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6232.500 END	5.381 END	0.000 NEW SURGE	9.538 NEW SURGE	0.000	0.000	0.000	0.000	0.002 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6244.000	5.315	0.000	9.538	0.000	0.000	0.000	0.000	-0.005	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6257.000	5.249	0.000	9.539	0.000	0.000	0.000	0.000	-0.015	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0.000	0.000	0.000	SLOPE	A-ZONES
IF	6280.000 END	4.790 END	0.000 NEW SURGE	9.540 NEW SURGE	0.000	0.000	0.000	0.000	-0.005 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6287.000	5.085	0.000	9.540	0.000	0.000	0.000	0.000	0.012	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6318.000	5.249	0.000	9.542	0.000	0.000	0.000	0.000	0.003	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0.000	0 000	0 000	0 000	SLOPE	A-ZONES
IF	6325.000 END	5.184 END	0.000 NEW SURGE	9.542 NEW SURGE	0.000	0.000	0.000	0.000	0.003 BOTTOM	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6360.000	5.381	0.000	9.544	0.000	0.000	0.000	0.000	0.003	0.000
	END STATION	END ELEVATION	NEW SURGE 10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	AVERAGE A-ZONES
IF	6366.500	5.315	0.000	9.544	0.000	0.000	0.000	0.000	-0.002	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
IF	STATION 6389.000	ELEVATION 5.315	10-YEAR 0.000	100-YEAR 9.545	0.000	0.000	0.000	0.000	SLOPE -0.008	A-ZONES 0.000
ΤĒ	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR			_		SLOPE	A-ZONES
IF	6394.500 END	5.085 END	0.000 NEW SURGE	9.546 NEW SURGE	0.000	0.000	0.000	0.000	-0.019	0.000 AVERAGE
	STATION	ELEVATION	10-YEAR	NEW SURGE 100-YEAR					BOTTOM SLOPE	A-ZONES
IF	6412.000	4.889	0.000	9.546	0.000	0.000	0.000	0.000	-0.005	0.000

	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6419.000	4.954	0.000	9.546	0.000	0.000	0.000	0.000	0.017	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6443.500	5.413	0.000	9.547	0.000	0.000	0.000	0.000	0.030 BOTTOM	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM SLOPE 0.016 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6451.000	5.905	0.000	9.547	0.000	0.000	0.000	0.000	0.016	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR 0.000	100-YEAR					STOPE	A-ZONES
IF	6466.500	5.774	0.000	9.547	0.000	0.000	0.000	0.000	-0.003	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6474.000	5.840 END	0.000	9.547	0.000	0.000	0.000	0.000	0.011	0.000
	END	END	NEW SURGE	NEW SURGE						AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6488.000	6.004	0.000	9.547	0.000	0.000	0.000	0.000	BOTTOM SLOPE 0.004 BOTTOM	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6501.000	5.938	0.000	9.548	0.000	0.000	0.000	0.000	-0.008	0.000
	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR						A-ZONES
IF	6507.500	5.840	0.000	9.548	0.000	0.000	0.000	0.000	SLOPE 0.014 BOTTOM	0.000
TI	END	END	NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
		ELEVATION	10-YEAR	100-YEAR					STODE	A-ZONES
IF	6537.500	6.430	0.000	9.549	0.000	0.000	0.000	0 000	SLOPE 0.019	0.000
Tr	END		NEW SURGE	NEW SURGE	0.000	0.000	0.000	0.000	BOTTOM	AVERAGE
			10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6544.500	ELEVATION 6.529	0.000	9.549	0.000	0.000	0.000	0.000	0.012	0.000
T.P.					0.000	0.000	0.000	0.000		
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR	0 000	0 000	0 000	0.000	SLOPE	A-ZONES
IF	6557.500	6.660	0.000	9.549	0.000	0.000	0.000	0.000	0.018 BOTTOM	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR				0.000	SLOPE 0.018 BOTTOM	A-ZONES
IF	6571.500	7.021	0.000	9.549	0.000	0.000	0.000	0.000	0.018	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM SLOPE 0.019 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6591.000	7.251	0.000	9.550	0.000	0.000	0.000	0.000	0.019	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
		ELEVATION	10-YEAR 0.000	100-YEAR						A-ZONES
IF	6608.000	7.710		9.550	0.000	0.000	0.000	0.000	-0.020	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6612.000	6.824 END	0.000	9.550	0.000	0.000	0.000		-0.027	0.000
	END		NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					BOTTOM SLOPE 0.007 BOTTOM	A-ZONES
IF	6632.500	7.054	0.000	9.550	0.000	0.000	0.000	0.000	0.007	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6641.000	7.021	0.000	9.550	0.000	0.000	0.000	0.000	0.024	0.000
	END	END	NEW SURGE	NEW SURGE					SLOPE 0.024 BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE 0.084 BOTTOM	A-ZONES
IF	6650.500	7.480	0.000	9.550	0.000	0.000	0.000	0.000	0.084	0.000
	END	END	NEW SURGE	NEW SURGE					BOTTOM	AVERAGE
	STATION	ELEVATION	10-YEAR	100-YEAR					SLOPE	A-ZONES
IF	6671.000	9.550	0.000	9.550	0.000	0.000	0.000	0.000	0.101	0.000
					0.000 -END OF TRANS	ECT				

NOTE: SURGE ELEVATION INCLUDES CONTRIBUTIONS FROM ASTRONOMICAL AND STORM TIDES.

	PART2:	CONTROLLING WAV		
			D, AND WAVE CRE	
LO	CATION		SPECTRAL PEAK	WAVE CREST
		WAVE HEIGHT		ELEVATION
IE	0.00	23.80	14.80	25.59
OF	3.30	23.77	14.80	25.58
OF	6.60	23.74	14.80	25.56
OF	9.80	23.71	14.80	25.55
OF	13.10	23.68	14.80	25.53
OF	16.40	23.66	14.80	25.52
OF	19.70	23.63	14.80	25.50
OF	23.00	23.60	14.80	25.49
OF	26.20	23.58	14.80	25.48
OF	29.50	23.56	14.80	25.47
OF	32.80	23.53	14.80	25.46
OF	36.10	23.51	14.80	25.44
OF	39.40	23.49	14.80	25.43
OF	42.70	23.46	14.80	25.42
OF	45.90	23.44	14.80	25.41
OF	49.20	23.42	14.80	25.40
OF	52.50	23.39	14.80	25.39
OF	55.80	23.37	14.80	25.38
OF	59.10	23.35 23.32	14.80	25.37 25.35
OF	62.30 65.60	23.32	14.80 14.80	25.35
OF				
OF OF	68.90 72.20	23.27 23.25	14.80 14.80	25.33 25.32
OF	75.50	23.23	14.80	25.32
OF	78.70	23.23	14.80	25.31
OF	82.00	23.20	14.80	25.30
OF	85.30	23.16	14.80	25.27
OF	88.60	23.10	14.80	25.27
OF	91.90	23.13	14.80	25.25
OF	95.10	23.11	14.80	25.24
OF	98.40	23.09	14.80	25.24
OF	101.70	23.07	14.80	25.23
OF	105.00	23.03	14.80	25.22
OF	108.30	23.03	14.80	25.21
OF	111.50	22.98	14.80	25.19
OF	114.80	22.96	14.80	25.19
OF	118.10	22.94	14.80	25.17
Or	110.10	22.71	14.00	23.11

	121. 40 124.70 128.00 131.20 134.50 137.80 141.10 144.40 147.60 150.90 154.20 157.50 160.80 167.30 170.60 173.90 177.20 180.40 183.70 180.40 183.70 190.30 193.60 196.80 200.10 203.40 206.70 210.00 213.30 206.70 210.00 213.30 216.50 219.80 223.10 226.40 229.70 232.90 232.90 236.20 239.50 242.80 242.80 242.80 242.80 249.30 255.90 259.20 265.70 269.00 272.30 275.60 278.90 285.40 288.70 292.00 285.40 288.70 292.00 285.40 288.70 295.30 298.60 301.80 305.10 308.40 331.70 311.70 315.00 331.70 334.80 334.60 337.90 344.50 347.80 331.70 331.70 334.80 334.60 337.90 344.50 347.80 331.70 331.70 338.60 337.70 341.20 344.50 347.80 331.70 331.70 341.20 344.50 347.80 357.60 360.90 364.20 377.30 380.60 377.30 380.60 387.10 399.70 340.35 400.35 4	22.92 22.91 22.89 22.87 22.85 22.83 22.81 22.76 22.76 22.76 22.67 22.67 22.67 22.67 22.67 22.68 22.57 22.55 22.53 22.57 22.55 22.53 22.57 22.55 22.57 22.50 22.48 22.40 22.38 22.37 22.14 22.30 22.17 22.14 22.30 22.17 22.14 22.10 22.07 22.14 22.10 22.17 22.14 22.10 22.17 22.14 22.10 22.17 22.14 22.10 22.17 22.14 22.10 22.07 22.14 22.10 22.17 22.10 22.17 22.14 22.10 22.17 22.14 22.10 22.17 22.10 22.17 22.10 22.17 22.10 22.17 22.10 22.17 22.10 22.10 22.17 22.10 22.10 22.17 22.10 22.17 22.10 22.20 22.10 22.10 22.10 22.10 22.10 22.10 22.10 22.10 22.10 22.10 22.20 22.10 22.10 22.20 22.10 22.20 22.10 22.20 22.10 22.20 22.10 22.20 22.10 22.20	14.80 14.80	25.16 25.14 25.13 25.12 25.12 25.11 25.09 25.06 25.06 25.06 25.06 25.06 25.06 25.06 25.07 25.00 24.99 24.89 24.70
OF OF OF OF	413.40 416.70 419.90 423.20 426.50	20.14 20.09 20.05 20.00 19.95	14.80 14.80 14.80 14.80 14.80	23.46 23.43 23.40 23.37 23.33

	456.00 459.30 462.60 465.90 469.20 475.70 479.00 482.30 485.60 488.80 495.40 495.40 495.40 495.40 505.20 508.50 511.80 515.10 518.40 521.70 524.90 524.90 524.90 524.90 524.90 531.50 534.80 538.10 547.90 551.20 554.50 557.70 564.30 567.60 567.60 567.60 567.60 669.30 670.40 603.70 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 603.70 607.00 609.80 600.40 603.70 609.80 609.80 609.80 644.30 655.90 665.90 675.90	19.54 19.50 19.47 19.43 19.40 19.36 19.33 19.28 19.29 19.19 19.10 19.05 19.00 18.96 18.91 18.86 18.82 18.77 18.72 18.68 18.63 18.58 18.63 18.58 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.63 18.77 18.72 18.68 18.61 18.11 18.06 17.91 17.86 17.71 17.86 17.71 17.86 17.71 17.87 17.87 17.96 17.71 17.65 17.00 17.55 17.00 17.15 17.00 17.25 17.00 17.15 17.00 16.85 17.20 17.15 17.00 16.85 17.90 16.85 17.90 16.85 17.90 16.85 17.90 16.85 17.90 16.85 17.90 18.56 18.71 18.66 18.71 18.66 18.71 18.66 18.71 18.72 18.73	14.80 14.80	23.06 23.06 23.02 23.00 22.97 22.95 22.93 22.90 22.87 22.84 22.75 22.75 22.75 22.75 22.75 22.60 22.57 22.54 22.39 22.35 22.45 22.45 22.45 22.45 22.45 22.45 22.45 22.45 22.45 22.39 22.35 22.29 22.17 22.10 22.77 22.16 22.10 22.17 22.16 22.10 22.17 22.16 22.10 22.17 22.16 22.10 22.17 22.16 22.10 22.17 22.16 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.17 22.11 22.10 22.10 22.10 22.17 22.11 22.10
OF OF OF OF OF OF	715.20 718.50 721.80 725.10 728.30 731.60 734.90 738.20	15.74 15.69 15.63 15.58 15.53 15.47 15.42 15.37	14.80 14.80 14.80 14.80 14.80 14.80 14.80	20.60 20.56 20.53 20.49 20.46 20.42 20.39 20.36

OFF	790.70 794.00 797.20 800.50 803.80 807.10 810.40 813.60 816.90 820.20 823.50 826.80 830.10 833.30 836.60 839.90 843.20 846.50 849.70 853.00 856.30 859.60 862.90 866.10 869.40 879.30 8859.50 8859.60 879.30 8859.50 8859.50 971.10 9915.40 9915.40 9915.40 9915.40 9915.40 9915.40 9918.60 9921.90 995.50 908.80 912.10 915.40 918.60 921.90 925.20 928.50 938.30 941.60 921.90 925.20 928.50 938.30 941.60 921.90 925.20 928.50 938.30 941.60 921.90 925.20 928.50 938.30 941.60 921.90 925.20 928.50 938.30 941.60 921.90 925.20 928.50 931.80 911.10 926.20 928.50 938.30 941.60 927.70 958.00 964.60 967.80 971.10 977.70 981.00 964.60 967.80 971.10 1000.70 1003.90 1007.20 1010.50 1003.90 1007.20 1010.50 1003.90 1007.20 1010.50 1003.90 1007.20 1010.50 1009.80 1007.20 1009.80 1076.10 1076.10 1076.20 1089.20 1095.80 1076.80 10776.10 1076.20 1089.20 1095.80	14.64 14.60 14.57 14.53 14.50 14.46 14.43 14.40 14.36 14.33 14.29 14.26 14.22 14.19 14.15 14.12 14.08 14.05 14.01 13.88 13.85 13.82 13.77 13.75 13.74 13.72 13.77 13.75 13.74 13.72 13.77 13.75 13.74 13.72 13.77 13.75 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77 13.75 13.77	14.80 14.80	19.89 19.87 19.85 19.83 19.78 19.76 19.70 19.68 19.73 19.65 19.63 19.65 19.63 19.65 19.63 19.55 19.55 19.55 19.52 19.50 19.48 19.40 19.38 19.37 19.35 19.34 19.33 19.32 19.31 19.30 19.29 19.24 19.24 19.24 19.24 19.27 19.26 19.27 19.26 19.27 19.26 19.27 19.26 19.27 19.26 19.27 19.26 19.27 19.26 19.27 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.27 19.26 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.27 19.26 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.21 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.28 19.29 19.29 19.28 19.29 19.28 19.29 19.29 19.28 19.29 19.29 19.28 19.29 19.28 19.29 19.29 19.28 19.29 19.29 19.28 19.29 19.29 19.28 19.29 19.29 19.29 19.29 19.30
OF OF OF OF OF OF	1069.60 1072.80 1076.10 1079.40 1082.70 1086.00 1089.20 1092.50	12.74 12.72 12.70 12.69 12.67 12.63 12.56 12.50	14.80 14.80 14.80 14.80 14.80 14.80 14.80	18.74 18.73 18.72 18.71 18.70 18.67 18.63 18.58

OF	1125.30	11.89	14.80	18.16
OF	1128.60	11.83	14.80	18.12
OF	1131.90	11.76	14.80	18.08
OF	1135.20	11.70	14.80	18.04
OF	1138.40	11.64	14.80	18.00
OF	1141.70	11.58	14.80	17.95
OF	1145.00	11.52	14.80	17.91
OF	1148.30	11.46	14.80	17.87
OF	1151.60	11.39	14.80	17.83
OF	1154.90	11.33	14.80	17.79
OF	1154.50	11.27	14.80	17.75
OF	1161.40	11.21	14.80	17.71
OF	1164.70	11.15	14.80	17.66
OF	1168.00	11.09	14.80	17.62
OF	1171.30	11.03	14.80	17.58
OF	1174.50	10.96	14.80	17.54
OF	1177.80	10.90	14.80	17.50
OF	1181.10	10.84	14.80	17.46
OF	1184.40	10.78	14.80	17.42
OF	1187.70	10.76	14.80	17.40
OF	1190.90	10.75	14.80	17.40
OF	1194.20	10.74	14.80	17.39
OF	1197.50	10.72	14.80	17.39
OF	1200.80	10.71	14.80	17.38
OF	1204.10	10.70	14.80	17.38
OF	1207.30	10.69	14.80	17.37
OF	1210.60	10.68	14.80	17.36
OF	1213.90	10.67	14.80	17.36
OF	1217.20	10.66	14.80	17.35
OF	1220.50	10.64	14.80	17.35
OF	1223.80	10.63	14.80	17.34
OF	1227.00	10.62	14.80	17.33
OF	1230.30	10.61	14.80	17.33
OF	1233.60	10.60	14.80	17.32
OF	1236.90	10.59	14.80	17.32
OF	1240.20	10.57	14.80	17.31
OF	1243.40	10.56	14.80	17.30
OF	1246.70	10.55	14.80	17.30
OF	1250.00	10.54	14.80	17.29
OF	1253.30	10.53	14.80	17.28
OF	1256.60 1259.80	10.51 10.50	14.80	17.28 17.27
OF OF	1263.10	10.49	14.80 14.80	17.26
OF	1266.40	10.48	14.80	17.26
OF	1269.70	10.47	14.80	17.25
OF	1273.00	10.46	14.80	17.24
OF	1276.20	10.45	14.80	17.24
OF	1279.50	10.45	14.80	17.24
OF	1282.80	10.45	14.80	17.24
OF	1286.10	10.44	14.80	17.24
OF	1289.40	10.40	14.80	17.21
OF	1292.60	10.36	14.80	17.18
OF	1295.90	10.31	14.80	17.15
OF	1299.20	10.27	14.80	17.12
OF	1302.50	10.23	14.80	17.10
OF	1305.80	10.18	14.80	17.07
OF	1309.10	10.14	14.80	17.04
OF	1312.30	10.10	14.80	17.01
OF	1315.60	10.05	14.80	16.98
OF	1318.90 1322.20	10.01 9.97	14.80 14.80	16.95 16.92
OF OF	1325.50	9.92	14.80	16.89
OF	1328.70	9.88	14.80	16.86
OF	1332.00	9.84	14.80	16.83
OF	1335.30	9.79	14.80	16.80
OF	1338.60	9.75	14.80	16.77
OF	1341.90	9.71	14.80	16.75
OF	1345.10	0 66	14 00	16.72
OF		9.66	14.80	10.72
OF	1348.40	9.62	14.80	16.69
	1348.40 1351.70	9.62 9.58	14.80 14.80	16.69 16.66
OF	1348.40 1351.70 1355.00	9.62 9.58 9.54	14.80 14.80 14.80	16.69 16.66 16.64
OF	1348.40 1351.70 1355.00 1358.30	9.62 9.58 9.54 9.50	14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61
OF OF	1348.40 1351.70 1355.00 1358.30 1361.50	9.62 9.58 9.54 9.50 9.46	14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61 16.58
OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80	9.62 9.58 9.54 9.50 9.46 9.41	14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61 16.58 16.55
OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10	9.62 9.58 9.54 9.50 9.46 9.41 9.37	14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61 16.58 16.55
OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33	14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.51 16.55 16.55 16.52
OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.51 16.55 16.55 16.52 16.50
OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47
OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.51 16.55 16.55 16.52 16.50
OF OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70 1377.90	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61 16.58 16.55 16.52 16.50 16.47 16.44
OF OF OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70 1377.90 1381.20 1384.50	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47 16.44 16.39 16.36
OF OF OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1371.40 1371.40 1374.70 1377.90 1381.20 1384.50 1387.80 1391.10 1394.40	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.61 16.58 16.55 16.52 16.50 16.47 16.41 16.39 16.36 16.33
OF OF OF OF OF OF OF OF OF	1348.40 1351.70 1355.00 1358.30 1361.50 1368.10 1371.40 1377.90 1381.20 1381.20 1387.80 1391.10 1391.60	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.64 16.51 16.55 16.52 16.50 16.47 16.44 16.31 16.33 16.33
OF	1348.40 1351.70 1355.00 1358.30 1361.50 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1394.60 1400.90	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.25 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47 16.44 16.39 16.33 16.30
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1371.40 1374.70 1377.90 1381.20 1384.50 1387.80 1397.60 1400.90 1404.20	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.90	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47 16.41 16.39 16.36 16.33 16.30 16.27
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1368.10 1371.40 1377.90 1381.20 1381.20 1387.80 1391.10 1391.10 1397.60 1400.90 1404.20 1407.50	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 9.03 8.99 8.95 8.90 8.86	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.51 16.55 16.52 16.50 16.47 16.44 16.39 16.36 16.33 16.30 16.27 16.24
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1368.10 1371.40 1371.70 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03 8.95 8.95 8.90 8.86 8.82	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.55 16.52 16.52 16.50 16.47 16.44 16.31 16.33 16.30 16.27 16.24 16.22
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1371.40 1377.90 1381.20 1384.50 1387.80 1391.10 1394.40 1397.60 1400.90 1404.20 1410.80 1414.00	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.90 8.86 8.82 8.78	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47 16.44 16.39 16.33 16.30 16.27 16.24 16.22 16.19
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1368.10 1371.40 1377.90 1381.20 1384.50 1387.80 1391.10 1397.60 1400.90 1404.20 1407.50 1410.80 1414.00	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 8.99 8.99 8.95 8.99 8.86 8.82 8.78	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.64 16.61 16.58 16.55 16.52 16.50 16.47 16.44 16.39 16.36 16.37 16.27 16.24 16.21 16.21
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1414.00 1417.30 1420.60	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.12 9.08 9.03 8.99 8.95 8.90 8.82 8.74 8.70	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.33 16.30 16.22 16.24 16.22 16.19 16.16
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1417.30 1423.90	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 9.03 8.95 8.90 8.86 8.82 8.78 8.74 8.70 8.66	14.80 14.80	16.69 16.66 16.64 16.58 16.55 16.52 16.50 16.47 16.44 16.31 16.33 16.30 16.27 16.24 16.22 16.10 16.11 16.08
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70 1377.90 1381.20 1384.50 1387.80 1391.10 1397.60 1400.90 1404.20 1407.50 1410.80 1411.30 1420.60 1427.20	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 8.99 8.99 8.95 8.90 8.86 8.82 8.74 8.70 8.66 8.62	14.80 14.80	16.69 16.64 16.51 16.52 16.50 16.47 16.44 16.41 16.30 16.27 16.24 16.21 16.10
OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1417.30 1412.60 1423.90 1423.90 1423.90	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.90 8.86 8.82 8.74 8.70 8.66 8.62 8.58	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.33 16.30 16.27 16.24 16.22 16.19 16.16
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1414.00 1417.30 1420.60 1423.90 1427.20 1433.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.90 8.82 8.74 8.74 8.70 8.66 8.62 8.58	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.39 16.36 16.33 16.30 16.27 16.24 16.22 16.10 16.10 16.10 16.10
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1374.70 1377.90 1381.20 1384.50 1387.80 1391.10 1397.60 1400.90 1404.20 1407.50 1410.80 1411.30 1420.60 1423.90 1427.20 1430.40 1433.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 8.99 8.95 8.99 8.95 8.82 8.74 8.70 8.66 8.62 8.58 8.54 8.50	14.80 14.80	16.69 16.64 16.51 16.52 16.50 16.47 16.44 16.41 16.30 16.27 16.24 16.22 16.19 16.16 16.13 16.11 16.08 16.03 16.07
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1414.00 1417.30 1420.60 1423.90 1427.20 1433.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.90 8.82 8.74 8.74 8.70 8.66 8.62 8.58	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.39 16.36 16.33 16.30 16.27 16.24 16.22 16.10 16.10 16.10 16.10
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1404.20 1407.50 1410.80 1417.30 1420.60 1423.90 1423.90 1423.70 1433.70 1433.70 1443.70	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 8.99 8.95 8.99 8.95 8.74 8.70 8.66 8.58 8.58 8.54 8.54	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.33 16.30 16.32 16.36 16.33 16.30 16.27 16.24 16.22 16.19 16.16 16.11 16.08 16.06 16.03 16.00 15.97
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1404.20 1410.80 1417.30 1423.90 1423.90 1423.90 1423.70 1433.70 1433.70 1443.60 1444.30 1444.30 1444.30 1444.30	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 8.99 8.95 8.99 8.95 8.86 8.82 8.74 8.70 8.66 8.58 8.58 8.54 8.54 8.46 8.42 8.38 8.34	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.31 16.36 16.33 16.30 16.27 16.24 16.22 16.19 16.16 16.11 16.08 16.06 16.03 16.07 15.97 15.92
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1407.50 1410.80 1417.30 1414.00 1417.30 1423.90 1423.90 1427.20 1433.70 1433.70 1433.70 1443.60 1446.80 1446.80 1446.80 1453.40	9.62 9.58 9.54 9.50 9.46 9.37 9.33 9.29 9.25 9.20 9.16 9.12 9.08 9.03 8.99 8.95 8.95 8.70 8.66 8.62 8.74 8.70 8.66 8.62 8.58 8.54 8.54 8.54 8.42 8.38 8.34 8.29	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.31 16.30 16.27 16.24 16.22 16.10 16.16 16.13 16.16 16.13 16.16 16.13 16.16 16.13 16.16 16.18
OF OF OF OF OF OF OF OF OF OF OF OF OF O	1348.40 1351.70 1355.00 1358.30 1361.50 1364.80 1368.10 1371.40 1377.90 1381.20 1384.50 1391.10 1394.40 1397.60 1400.90 1404.20 1404.20 1410.80 1417.30 1423.90 1423.90 1423.90 1423.70 1433.70 1433.70 1443.60 1444.30 1444.30 1444.30 1444.30	9.62 9.58 9.54 9.50 9.46 9.41 9.37 9.33 9.29 9.25 9.16 9.12 9.08 8.99 8.95 8.99 8.95 8.86 8.82 8.74 8.70 8.66 8.58 8.58 8.54 8.54 8.46 8.42 8.38 8.34	14.80 14.80	16.69 16.64 16.51 16.52 16.52 16.50 16.47 16.44 16.31 16.36 16.33 16.30 16.27 16.24 16.22 16.19 16.16 16.11 16.08 16.06 16.03 16.07 15.97 15.92

OFF	1460.00 1463.30 1466.50 1469.80 1473.10 1476.40 1479.70 1482.90 1486.20 1489.50 1492.80 1496.10 1499.30 1502.60 1505.90 1515.50 1512.50 1512.50 1512.50 1512.50 1515.70 1519.00 1522.30 1512.50 1515.70 1519.00 1522.30 1515.70 1519.00 1525.60 1528.90 1532.10 1558.90 1532.10 1558.40 1551.80 1558.40 1551.80 1551.80 1551.80 1551.80 1551.80 1551.80 1551.80 1558.40 1561.70 1568.20 1571.50 1597.80 1601.00 1568.20 1571.50 1597.80 1601.00 1568.20 1571.50 1660.10 1664.30 1667.60 1610.90 1614.20 1617.50 1620.70 1640.40 1667.30 1660.10 1660.10 1660.10 1660.10 1660.10 1660.30 1660.10 1660.10 1660.10 1660.30 1660.10 1660.10 1660.10 1660.10 1660.30 1660.10 1660.10 1660.10 1660.30 1660.10 1660.10 1660.30 1660.10 1660.10 1660.10 1660.10 1660.10 1660.10 1660.20 1679.80 1660.20 1679.80 1688.60 1699.50 1702.80 1706.00	8.21 8.17 8.13 8.09 8.05 7.97 7.88 7.97 7.88 7.97 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.42 7.44 7.44	14.80 14.80	15.76 15.74 15.71 15.68 15.663 15.63 15.58 15.55 15.52 15.55 15.52 15.50 15.40 15.35 15.25 15.26 15.26 15.26 15.27 15.40 15.40 15.40 14.40 14.50 15.00 15.00 15.01 14.94 14.94 14.94 14.94 14.94 14.94 14.94 14.94 14.94 14.72 14.71 14.66 15.02 15.01 14.87 14.84 14.87 14.84 14.87 14.84 14.87 14.76 14.76 14.76 14.76 14.76 14.76 14.76 14.76 14.76 14.76 14.76 14.77 14.66 14.79 14.67 14.79 14.67 14.70
IF IF IF IF IF IF IF	1676.50 1679.80 1683.10 1686.30 1689.60 1692.90 1696.20 1699.50 1702.80	5.37 5.25 5.13 5.04 4.97 4.91 4.85 4.79 4.65	14.80 14.80 14.80 14.80 14.80 14.80 14.80 14.80	13.91 13.83 13.75 13.69 13.65 13.61 13.57 13.53

IF	1794.60	1.70	14.80	11.68
IF IF	1797.90 1801.20	1.59 1.38	14.80 14.80	11.62 11.49
IF	1804.50	1.08	14.80	11.30
IF IF	1805.50 1818.00	0.98 0.75	14.80 14.80	11.22 11.06
IF	1831.00	0.73	14.80	10.55
AS	2075.60	0.00	0.00	9.45
IF IF	2079.50 2087.00	0.04 0.07	0.23 0.32	9.48 9.50
IF	2095.00	0.10	0.38	9.52
IF	2101.00	0.13	0.41	9.54
IF IF	2106.50 2119.00	0.14 0.18	0.44 0.49	9.55 9.58
IF	2132.00	0.21	0.54	9.60
IF	2147.00	0.25 0.28	0.58	9.62
IF IF	2162.00 2172.50	0.30	0.62 0.64	9.65 9.66
IF	2191.00	0.34	0.68	9.69
IF IF	2196.00 2210.50	0.35 0.38	0.69 0.72	9.70 9.72
IF	2216.00	0.39	0.73	9.72
IF	2247.00	0.44	0.78 0.81	9.76 9.78
IF IF	2266.00 2294.50	0.48 0.52	0.81	9.78
IF	2308.50	0.54	0.86	9.83
IF IF	2332.00 2345.50	0.58 0.60	0.89 0.91	9.86 9.87
IF	2394.50	0.67	0.96	9.92
IF	2400.50 2500.50	0.68	0.96 1.05	9.93 10.02
OF OF	2504.00	0.81 0.82	1.06	10.02
	2605.40	0.94	1.13	10.11
OF	2808.20 2842.00	1.17 1.20	1.26 1.28	10.28 10.30
OF	2843.00	1.20	1.28	10.30
OF	2890.00	1.25 1.25	1.31	10.34
OF OF	2891.00 2938.00	1.25	1.31 1.33	10.34 10.37
OF	2939.00	1.30	1.33	10.37
OF OF	2986.00 2987.00	1.35 1.35	1.36 1.36	10.40 10.40
OF	3034.00	1.40	1.38	10.44
OF	3035.00	1.40	1.38	10.44
OF	3141.40 3187.00	1.50 1.54	1.43 1.45	10.51 10.54
OF	3188.00	1.54	1.45	10.54
OF OF	3211.00 3212.00	1.56 1.56	1.46 1.46	10.56 10.56
OF	3235.00	1.58	1.47	10.57
OF	3236.00	1.58	1.47	10.57
OF OF	3257.00 3258.00	1.60 1.60	1.48 1.48	10.59 10.59
OF	3281.00	1.63	1.49	10.60
OF OF	3282.00 3305.00	1.63 1.65	1.49 1.50	10.60 10.62
OF	3306.00	1.65	1.50	10.62
OF	3329.00	1.67	1.51	10.63
OF OF	3330.00 3353.00	1.67 1.69	1.51 1.52	10.63 10.65
IF	3474.00	1.77	1.56	10.71
IF IF	3480.50 3497.00	1.71	1.57 1.57	10.66 10.66
IF	3502.50	1.70 1.71	1.58	10.67
IF	3526.50 3531.00	1.73 1.77	1.58 1.59	10.68 10.71
IF IF	3558.00	1.79	1.59	10.71
IF	3566.50	1.81	1.60	10.73
IF IF	3610.00 3615.00	1.82 1.80	1.61 1.61	10.74 10.73
IF	3643.00	1.85	1.62	10.76
IF IF	3665.00 3672.00	1.84 1.87	1.63 1.63	10.76 10.78
IF	3784.50	1.99	1.67	10.86
IF	3807.50	2.00	1.68	10.88
IF IF	3860.00 3865.00	1.97 1.98	1.69 1.70	10.85 10.86
IF	3908.50	1.96	1.71	10.84
IF IF	3928.50 3934.00	1.96 1.99	1.71 1.72	10.85 10.86
IF	3952.00	1.99	1.72	10.87
IF	3958.50 3977.50	1.98 1.99	1.72 1.73	10.86 10.87
IF IF	3985.00	2.00	1.73	10.88
IF	4007.50	2.09	1.74	10.94
IF IF	4040.50 4045.00	2.13 2.04	1.75 1.75	10.97 10.90
IF	4086.50	2.04	1.76	10.91
IF IF	4092.00 4131.00	2.03 2.07	1.76 1.77	10.90 10.92
IF	4137.00	2.18	1.77	11.00
IF	4169.00	2.07	1.78	10.93
IF IF	4180.00 4222.50	2.06 2.08	1.79 1.80	10.92 10.94
IF	4229.50	2.07	1.80	10.93
IF IF	4267.00 4279.00	2.10 2.11	1.81 1.81	10.95 10.95
IF	4304.50	2.13	1.82	10.97
IF	4312.50 4415.05	2.12 2.17	1.82 1.85	10.97 11.01
IF	4459.00	2.19	1.86	11.02
IF	4475.50	2.14	1.86	10.99

IF I	4491.00 4520.00 4525.50 4565.50 4566.50 4588.50 4798.00 4720.00 4745.00 4787.00 4787.00 4794.50 4844.50 4857.00 4883.50 4892.00 4929.00 4935.00 4955.50	2.17 2.29 2.28 2.20 2.19 2.21 2.23 2.27 2.29 2.32 2.34 2.34 2.33 2.34 2.32 2.34 2.34	1.87 1.87 1.88 1.88 1.89 1.92 1.93 1.93 1.94 1.95 1.95 1.96 1.96 1.97	11.01 11.09 11.09 11.03 11.02 11.04 11.05 11.08 11.09 11.10 11.12 11.13 11.13 11.13 11.13 11.14 11.14
IF I	4968.00 4987.00 4993.50 5011.00 5017.00 5039.00 5048.50 5087.00 5133.00 5136.50 5167.00 5173.00 5223.00 5223.00 5223.00 5293.00 5296.00 5363.50 5363.50 5392.00	2.41 2.29 2.30 2.43 2.45 2.45 2.48 2.49 2.36 2.35 2.56 2.48 2.49 2.39 2.40 2.66 2.49	1.98 1.98 1.98 1.99 1.99 1.99 2.00 2.00 2.01 2.01 2.01 2.02 2.02 2.03 2.03 2.04 2.05 2.06 2.06	11.19 11.10 11.11 11.20 11.22 11.22 11.24 11.25 11.25 11.17 11.16 11.30 11.25 11.17 11.16 11.30 11.25 11.17 11.16 11.30
IF OF IF	5395.00 5450.50 5467.50 5514.00 5526.50 5581.00 5643.00 5649.50 5667.50 5675.00 5694.50 5702.50 5737.00 5746.00 5775.00 5882.50 5832.50 5845.00 5886.50	2.45 2.72 2.43 2.58 2.58 2.42 2.56 2.46 2.44 2.37 2.50 2.51 2.38 2.53 2.40 2.41 2.43 2.44 2.43 2.44	2.07 2.08 2.08 2.09 2.09 2.10 2.11 2.11 2.12 2.12 2.12 2.12 2.12	11. 23 11. 42 11. 22 11. 33 11. 32 11. 22 11. 24 11. 23 11. 19 11. 27 11. 28 11. 19 11. 30 11. 21 11. 23 11. 23 11. 23 11. 23
IF I	5909.00 5933.00 5940.50 5962.50 5967.50 5991.50 6003.00 6056.00 6126.50 6178.00 6127.00 6207.00 6212.00 6232.50 6244.00 6257.00 6287.00	2.55 2.56 2.48 2.58 2.47 2.59 2.60 2.53 2.51 2.64 2.64 2.59 2.57 2.40 2.41 2.41 2.42 2.42	2.16 2.17 2.17 2.17 2.17 2.18 2.18 2.19 2.20 2.20 2.21 2.21 2.21 2.21 2.22 2.22	11.32 11.32 11.27 11.33 11.26 11.35 11.35 11.38 11.38 11.38 11.38 11.32 11.22 11.22 11.22 11.22
IF I	6318.00 6325.00 6360.00 6366.50 6389.00 6412.00 6412.00 6443.50 6451.00 6465.50 6474.00 6488.00 6501.00 6507.50 6537.50 6557.50 6557.50 6591.00 6608.00 6612.00	2.44 2.45 2.45 2.45 2.46 2.47 2.49 2.48 2.25 2.26 2.21 2.21 2.21 2.21 2.21 2.01 1.96 1.89 1.70 1.57 1.29	2.23 2.23 2.24 2.24 2.24 2.25 2.25 2.25 2.25 2.26 2.26 2.26 2.26	11. 25 11. 26 11. 26 11. 26 11. 27 11. 27 11. 29 11. 28 11. 27 11. 12 11. 13 11. 13 11. 10 11. 10 10. 96 10. 92 10. 87 10. 74 10. 65 10. 46

	00 1.34 50 1.32 00 0.01 EON OF AREAS ABOVE 1		10.48 10.49 10.48 9.56
STATION 3.30 6.60 9.80 13.10 16.40 19.70 23.00 29.50 32.80 36.10 39.40 42.70 45.90 45.90 45.90 62.30 65.60 68.90 72.20 75.50 78.70 82.00 85.30 68.60 91.90 95.10 101.70 105.00 114.80 101.70 105.00 114.80 111.50 114.80 111.50 114.80 111.50 114.80 111.50 114.80 121.40 122.20 133.30 131.20 131.20 131.20 131.20 134.50 141.10 144.40 125.60 125.50 126.50 126.50 127.30 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.60 173.90 170.20 180.40 183.70 189.30 200.10 203.40 205.50 20		75.60 RGE CHANGES 100-YE 8.9 8.1 8.9 8.9 8.9 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9.1 9	94 94 994 995 995 996 997 998 999 900 901 901 902 903 903 904 905 906 907 908 909 909 900 900 900 900 900

403.50 1.00 9.35 410.10 1.00 9.36 410.10 1.00 9.36 413.40 1.00 9.36 416.70 1.00 9.36 419.90 1.00 9.37 426.50 1.00 9.37 429.80 1.00 9.37 433.10 1.00 9.37 436.40 1.00 9.37 439.60 1.00 9.38 442.90 1.00 9.38 445.20 1.00 9.38 445.30 1.00 9.39 452.80 1.00 9.39 459.30 1.00 9.39 465.00 1.00 9.39 465.90 1.00 9.39 467.70 1.00 9.40 472.40 1.00 9.40 479.00 1.00 9.40 479.00 1.00 9.40 482.30 1.00 9.41 498.70 1.00 9.41 498.70 1.00 9.41	1.70 1.500 1.500 1.500 1.500 1.500 1.400 1.400 1.400 1.2	1.00 1.00	9.30 9.30 9.30 9.31 9.31 9.31 9.31 9.32 9.32 9.32 9.32 9.33 9.33 9.33 9.33
561.00 1.00 9.46 567.60 1.00 9.47 570.90 1.00 9.47 574.10 1.00 9.47 577.40 1.00 9.47 580.70 1.00 9.48 587.30 1.00 9.48 590.50 1.00 9.48 593.80 1.00 9.49 600.40 1.00 9.49 603.70 1.00 9.49 607.00 1.00 9.49 610.20 1.00 9.50 616.80 1.00 9.50 623.40 1.00 9.50 626.60 1.00 9.51 629.90 1.00 9.51 633.20 1.00 9.52 636.50 1.00 9.52	3.40 6.70 9.90 33.20 16.50 18.30 18.30 18.40 18.40 18.20	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	9.36 9.37 9.37 9.37 9.37 9.37 9.38 9.38 9.38 9.39 9.40 9.40 9.41 9.41 9.41 9.41 9.41 9.41 9.44 9.44

1653.50 1656.80 1660.10 1663.40 1666.70 1673.20 1676.50 1689.80 1689.60 1689.60 1699.90 1696.20 1709.30 1712.60 1715.90 1712.570 1712.70 1722.40 1725.70 1732.30 1735.60 1744.40 1745.40 1745.40 1745.40 1745.40 1765.10 1766.10 1776.80 1778.20 1778.20 1778.20 1778.20 1781.50 1784.80 1799.90 1788.50 1761.80 1765.10 1776.10 1776.10 1776.10 1776.10 1776.10 1777.90 1781.50 1784.80 1791.30 1794.60 1797.90 1801.20 1804.50 2294.50 2394.50 2472.00 4745.00 4745.00 4787.00 4844.50 4845.00 4787.00 4844.50 4857.00 4885.50 5083.50 5363.	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	10.14 10.15 10.15 10.15 10.15 10.16 10.16 10.16 10.17 10.17 10.18 10.19 10.20 10.23 10.24 10.22 10.23 10.24 10.25 10.27 10.33 10.24 10.5 10.5 10.5 10.5 10.5 10.5 10.5 10.5
4968.00 4987.00 5011.00 5039.00 5048.50 5087.00 5096.50 5133.00 5136.50 5167.00 5195.00 5223.00 5293.00 5348.50 5363.50 5450.50 5514.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	9.50 9.50 9.50 9.50 9.51 9.51 9.51 9.51 9.52 9.52 9.52

5643.00 5694.50 5737.00 5775.00 5873.00 5873.00 5909.00 6056.00 6117.00 6126.50 6178.00 6207.00 6212.00 6232.50	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00		9.52 9.53 9.53 9.53 9.53 9.53 9.53 9.53 9.53	
6257.00 6280.00 6318.00 6360.00 6389.00 6394.50 6443.50 6501.00 6537.50 6591.00	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	OCATIO WINI	9.54 9.54 9.54 9.55 9.55 9.55 9.55 9.55	
	GUTTER ELEVATION ZONI 25.59			FHF
3.30	1630.60	V12	EL=**	60
6.60	1633.90	V12	EL=**	60
9.80	1637.10	V20	EL=**	100
10.68	23.50	V24	EL=19	140
11.08	22.50	V24	EL=19	140
11.22	20.50	V24	EL=19	140
11.25	21.50	V24	EL=19	140
		V24	EL=19	140
11.76	24.50	V24	EL=19	140
13.10	1640.40	V24	EL=19	140
14.30	25.50	V24	EL=19	140
14.36	25.59	V24	EL=19	140
16.40	1643.70	V24	EL=19	140
19.70	1647.00	V24	EL=19	140
23.00	1650.30	V24	EL=19	140
25.42	19.50	V24	EL=19	140
26.20	1653.50		EL=19	140
29.50	1656.80		EL=19	140
32.80	1660.10			
36.10	1663.40	V24	EL=19	140
39.40	1666.70	V24	EL=19	140
42.70	1673.20	V24	EL=19	140
45.90	1676.50	V24	EL=19	140
49.20	1679.80	V24	EL=19	140
52.50	1683.10	V24	EL=19	140
55.80		V24	EL=19	140
59.10		V24	EL=19	140
62.30		V24	EL=19	140
65.60	1696.20	V24	EL=19	140
68.90	1699.50	V24	EL=19	140
		V24	EL=19	140
72.20		V24	EL=19	140
75.50	1702.80	V24	EL=19	140
78.70		V24	EL=19	140
82.00		V24	EL=19	140
85.30		V24	EL=19	140
88.60	1715.90	V24	EL=19	140
91.90	1719.20			

95.10	1722.40	V24	EL=19	140
98.40	1725.70	V24	EL=19	140
101.70	1729.00	V24	EL=19	140
105.00	1732.30	V24	EL=19	140
108.30	1735.60	V24	EL=19	140
111.50	1738.80	V24	EL=19	140
114.80	1742.10	V24	EL=19	140
118.10	1745.40	V24	EL=19	140
121.40	1745.62	V24	EL=19	140
124.70	1748.70	V24	EL=19	140
128.00	1752.00	V24	EL=19	140
131.20	1755.20	V24	EL=19	140
134.50	1758.50	V24	EL=19	140
137.80	1761.80	V24	EL=19	140
141.10	1765.10	V24	EL=19	140
144.40	1768.40	V24	EL=19	140
147.60	1771.60	V24	EL=19	140
150.90	1774.90	V24	EL=19	140
154.20	1778.20	V24	EL=19	140
157.50	1781.50	V24	EL=19	140
160.80	1784.80	V24	EL=19	140
164.00	1788.10	V24	EL=19	140
167.30	1791.30	V24	EL=19	140
170.60	1794.60	V24	EL=19	140
173.90	1797.90	V24	EL=19	140
177.20	1801.20	V24	EL=19	
180.40	1804.50	V24	EL=19	140
183.70	1831.00		EL=19	
187.00	2064.44		EL=19	
190.30	2075.60	V24	EL=19	140
193.60	2247.00		EL=19	140
196.80	2266.00		EL=19	140
200.10	2345.50	V24	EL=19	140
203.40	2400.50		EL=19	140
206.70	2504.00	V24		
210.00	2891.00	V24	EL=19	140
213.30	2987.00	V24		140
216.50	3035.00		EL=19	
219.80	3187.00	V24 V24	EL=19	140
223.10	3281.00			140
226.40	3305.00	V24 V24	EL=19 EL=19	140 140
229.70	3353.00	V24 V24	EL=19	140
232.90	3474.00			
236.20	3480.50	V24 V24	EL=19 EL=19	140 140
239.50	3531.00	V24 V24		140
242.80	3558.00	V24 V24		
246.10	3610.00	V24 V24	EL=19	140
249.30	3643.00	V24 V24		140
252.60	3665.00	V24 V24		
255.90	3784.50	V24 V24	EL=19	140
259.20	3807.50	v 2 T		110

262.50	4040.50	V24	EL=19	140
265.70	4086.50	V24	EL=19	140
269.00	4131.00	V24	EL=19	140
272.30	4180.00	V24	EL=19	140
275.60	4267.00	V24	EL=19	140
278.90	4304.50	V24	EL=19	140
282.20	4312.50	V24	EL=19	140
285.40	4459.00	V24	EL=19	140
288.70	4520.00	V24	EL=19	140
292.00	4720.00	V24	EL=19	140
295.30	4745.00	V24	EL=19	140
298.60	4787.00	V24	EL=19	140
301.80	4844.50	V24	EL=19	140
305.10	4857.00	V24	EL=19	140
308.40	4883.50	V24	EL=19	140
311.70	4929.00	V24	EL=19	140
315.00		V24	EL=19	140
	4955.50	V24	EL=19	140
318.20	4968.00	V24	EL=19	140
321.50	4987.00	V24	EL=19	140
324.80	5011.00	V24	EL=19	140
328.10	5039.00	V24	EL=19	140
331.40	5048.50	V24	EL=19	140
334.60	5087.00	V24	EL=19	140
337.90	5096.50	V24	EL=19	140
341.20	5133.00	V24	EL=19	140
344.50	5136.50	V24	EL=19	140
347.80	5167.00	V24	EL=19	140
351.00	5195.00	V24	EL=19	140
354.30	5223.00	V24	EL=19	140
357.60	5293.00	V24	EL=19	140
360.90	5348.50	V24	EL=19	140
364.20 367.50	5363.50 5450.50	V24	EL=19	140
		V24	EL=19	140
370.70	5514.00	V24	EL=19	140
374.00	5581.00	V24	EL=19	140
377.30 380.60	5643.00 5694.50	V24	EL=19	140
383.90	5737.00	V24	EL=19	140
387.10	5775.00	V24	EL=19	140
390.40	5832.50	V24	EL=19	140
393.70	5873.00	V24	EL=19	140
397.00	5909.00	V24	EL=19	140
400.30	6056.00	V24	EL=19	140
		V24	EL=19	140
403.50 406.80	6117.00 6126.50	V24	EL=19	140
		V24	EL=19	140
410.10	6178.00	V24	EL=19	140
413.40	6207.00	V24	EL=19	140
416.70 419.90	6212.00	V24	EL=19	140
419.90	6232.50	V24	EL=19	140
423.20	6257.00 6280.00	V24	EL=19	140
740.30	0200.00			

429.80	6318.00		EL=19	140
433.10	6360.00		EL=19	
436.40	6389.00		EL=19	
439.60	6394.50	V24		
442.90	6443.50		EL=19	
446.20	6501.00		EL=19	
449.50	6537.50		EL=19	
452.80	6591.00		EL=19	
456.00	6671.00	V24	EL=19	
459.30	23.04	V24		
462.60	23.02		EL=19	
465.90	23.00		EL=19	
469.20	22.97		EL=19	
472.40	22.95		EL=19	
475.70	22.93	V24	EL=19	140
479.00	22.90	V24	EL=19	140
482.30	22.87		EL=19	
485.60	22.84	V24	EL=19	140
488.80	22.81	V24	EL=19	140
492.10	22.78	V24	EL=19	140
495.40	22.75	V24	EL=19	140
498.70	22.72	V24	EL=19	140
502.00	22.69	V24	EL=19	140
505.20	22.66	V24	EL=19	140
508.50	22.63	V24	EL=19	140
511.80	22.60	V24	EL=19	140
515.10	22.57	V24	EL=19	140
518.40	22.54	V24	EL=19	140
521.70	22.51	V24	EL=19	140
524.90	22.48	V24	EL=19	140
528.20	22.45	V24	EL=19	140
531.50	22.41	V24	EL=19	140
534.80	22.39	V24	EL=19	140
538.10	22.35	V24	EL=19	140
541.30	22.32	V24	EL=19	140
544.60	22.29	V24	EL=19	140
547.90	22.26	V24	EL=19	140
551.20	22.23	V24	EL=19	140
554.50	22.20	V24	EL=19	140
557.70	22.17	V24	EL=19	140
561.00	22.14	V24	EL=19	140
564.30	22.10	V24	EL=19	140
567.60	22.07	V24	EL=19	140
570.90	22.04	V24	EL=19	140
574.10	22.00	V24	EL=19	140
577.40	21.97	V24	EL=19	140
580.70	21.94	V24	EL=19	140
584.00	21.91	V24	EL=19	140
587.30	21.87	V24	EL=19	140
590.50	21.84	V24	EL=19	140
593.80	21.81	V24	EL=19	140
JJ3.8U	21.81			

597.10	21.78	V24	EL=19	140
600.40	21.74	V24	EL=19	140
603.70	21.71	V24	EL=19	140
607.00	21.68	V24	EL=19	140
610.20	21.64	V24	EL=19	140
613.50	21.61	V24	EL=19	140
616.80	21.58	V24	EL=19	140
620.10	21.54	V24	EL=19	140
623.40	21.51	V24	EL=19	140
626.60	21.48	V24	EL=19	140
629.90	21.45	V24	EL=19	140
633.20	21.41	V24	EL=19	140
636.50	21.38	V24	EL=19	140
639.80	21.35	V24	EL=19	140
643.00	21.32	V24	EL=19	140
646.30	21.32	V24	EL=19	140
649.60	21.29	V24	EL=19	140
652.90		V24	EL=19	140
	21.23	V24	EL=19	140
656.20	21.20	V24	EL=19	140
659.40	21.17	V24	EL=19	140
662.70	21.14	V24	EL=19	140
666.00	21.10	V24	EL=19	140
669.30	21.07	V24	EL=19	140
672.60	21.04	V24	EL=19	140
675.90	21.00	V24	EL=19	140
679.10	20.97	V24	EL=19	140
682.40	20.93	V24	EL=19	140
685.70	20.90	V24	EL=19	140
689.00	20.87	V24	EL=19	140
692.30	20.83	V24	EL=19	140
695.50	20.80	V24	EL=19	140
698.80 702.10	20.77	V24	EL=19	140
	20.73	V24	EL=19	140
705.40		V24	EL=19	140
708.70 711.90	20.66	V24	EL=19	140
711.90	20.63	V24	EL=19	140
	20.60	V24	EL=19	140
718.50 721.80	20.56	V24	EL=19	140
721.80		V24	EL=19	140
	20.49	V24	EL=19	140
728.30	20.46	V24	EL=19	140
731.60	20.42	V24	EL=19	140
734.90	20.39	V24	EL=19	140
738.20	20.36	V24	EL=19	140
741.50	20.32	V24	EL=19	140
744.70	20.29	V24	EL=19	140
748.00	20.25	V24	EL=19	140
751.30	20.22	V24	EL=19	140
754.60	20.18	V24	EL=19	140
757.90	20.15	V24	EL=19	140
761.20	20.12			

764.40	20.08	V24	EL=19	140
767.70	20.05	V24	EL=19	140
771.00	20.02	V24	EL=19	140
774.30	19.99	V24	EL=19	140
777.60	19.97	V24	EL=19	140
780.80	19.95	V24	EL=19	140
784.10	19.93	V24	EL=19	140
787.40	19.91	V24	EL=19	140
790.70	19.89	V24	EL=19	140
794.00	19.87	V24	EL=19	140
797.20	19.85	V24	EL=19	140
800.50	19.83	V24	EL=19	140
803.80	19.81	V24	EL=19	140
807.10	19.78	V24	EL=19	140
810.40	19.76	V24	EL=19	140
813.60		V24	EL=19	140
816.90	19.74	V24	EL=19	140
	19.72	V24	EL=19	140
820.20	19.70	V24	EL=19	140
823.50	19.68	V24	EL=19	140
826.80	19.65	V24	EL=19	140
830.10	19.63	V24	EL=19	140
833.30	19.61	V24	EL=19	140
836.60	19.59	V24	EL=19	140
839.90	19.57	V24	EL=19	140
843.20	19.55	V24	EL=19	140
846.50	19.52	V24	EL=19	140
849.70	19.50	V24	EL=19	140
853.00	19.48	V24	EL=19	140
856.30	19.46	V24	EL=19	140
859.60	19.44	V24	EL=19	140
862.90	19.42	V24	EL=19	140
866.10	19.40	V24	EL=19	140
869.40	19.38	V24	EL=19	140
872.70	19.37	V24	EL=19	140
876.00	19.35	V24	EL=19	140
879.30	19.34	V24	EL=19	140
882.50	19.33	V24	EL=19	140
885.80	19.33	V24	EL=19	140
889.10	19.32	V24	EL=19	140
892.40	19.31	V24	EL=19	140
895.70	19.30	V24	EL=19	140
898.90	19.29	V24	EL=19	140
902.20	19.28	V24	EL=19	140
905.50	19.27	V24	EL=19	140
908.80	19.26	V24	EL=19	140
912.10	19.25	V24	EL=19	140
915.40	19.24	V24	EL=19	140
918.60	19.24	V24	EL=19	140
921.90	19.23	V24	EL=19	140
925.20	19.22	V24	EL=19	140
928.50	19.21			

931.80	19.20	V24	EL=19	140
935.00	19.19	V24	EL=19	140
938.30	19.18	V24	EL=19	140
941.60	19.17	V24	EL=19	140
944.90	19.16	V24	EL=19	140
948.20	19.15	V24	EL=19	140
951.40	19.14	V24	EL=19	140
954.70	19.13	V24	EL=19	140
958.00	19.12	V24	EL=19	140
961.30	19.11	V24	EL=19	140
964.60	19.10	V24	EL=19	140
967.80	19.09	V24	EL=19	140
971.10	19.08	V24	EL=19	140
974.40	19.07	V24	EL=19	140
977.70	19.05	V24	EL=19	140
981.00	19.03	V24	EL=19	140
984.20	19.02	V24	EL=19	140
987.50	19.01	V24	EL=19	140
990.80	18.99	V24	EL=19	140
994.10	18.98	V24	EL=19	140
997.40	18.97	V24	EL=19	140
1000.70	18.96	V24	EL=19	140
1003.90	18.95	V24	EL=19	140
1007.20	18.94	V24	EL=19	140
1010.50	18.93	V24	EL=19	140
1013.80	18.92	V24	EL=19	140
1017.10	18.91	V24	EL=19	140
1020.30	18.90	V24	EL=19	140
1023.60	18.89	V24	EL=19	140
1026.90	18.88	V24	EL=19	140
1030.20	18.87	V24	EL=19	140
1033.50	18.86	V24	EL=19	140
1036.70	18.85	V24	EL=19	140
1040.00	18.84	V24	EL=19	140
1043.30	18.83	V24	EL=19	140
1046.60	18.82	V24	EL=19	140
1049.90	18.80	V24	EL=19	140
1053.10	18.79	V24	EL=19	140
1056.40	18.78	V24	EL=19	140
1059.70	18.77	V24	EL=19	140
1063.00	18.76	V24	EL=19	140
1066.30	18.75	V24	EL=19	140
1069.60	18.74	V24	EL=19	140
1072.80	18.73	V24	EL=19	140
1076.10	18.72	V24	EL=19	140
1079.40	18.71	V24	EL=19	140
1079.40	18.70	V24	EL=19	140
1082.70	18.67	V24	EL=19	140
1089.20	18.63	V24	EL=19	140
1092.50	18.58	V24	EL=19	140
1095.80	18.54	V24	EL=19	140
10/3.00	10.54			

1099.10	18.50	V24	EL=19	140
1099.10	18.50	V24	EL=18	140
1102.40	18.46	V24	EL=18	140
1105.60	18.42	V24	EL=18	140
1108.90	18.37	V24	EL=18	140
1112.20	18.33	V24	EL=18	140
1115.50	18.29	V24	EL=18	140
	18.25	V24	EL=18	140
1122.00	18.21	V24	EL=18	140
1125.30		V24	EL=18	140
	18.16	V24	EL=18	140
1128.60	18.12	V24	EL=18	140
1131.90	18.08	V24	EL=18	140
1135.20	18.04	V24	EL=18	140
1138.40	18.00	V24	EL=18	140
1141.70	17.95	V24	EL=18	140
1145.00	17.91	V24	EL=18	140
1148.30	17.87	V24	EL=18	140
1151.60	17.83	V24	EL=18	140
1154.90	17.79	V24	EL=18	140
1158.10	17.75	V24	EL=18	140
1161.40	17.71	V24	EL=18	140
1164.70	17.66	V24	EL=18	140
1168.00	17.62	V24	EL=18	140
1171.30	17.58	V24	EL=18	140
1174.50	17.54	V24	EL=18	140
1177.64	17.50	V24	EL=17	140
1177.80	17.50	V24	EL=17	140
1181.10	17.46	V24	EL=17	140
1184.40	17.42	V24	EL=17	140
1187.70	17.40		EL=17	140
1190.90	17.40	V24	EL=17	140
1194.20	17.39	V24	EL=17	140
1197.50	17.39	V24	EL=17	140
1200.80	17.38	V24		140
1204.10	17.38	V24		140
1207.30	17.37	V24	EL=17	140
1210.60	17.36	V24		140
1213.90	17.36		EL=17	140
1217.20	17.35	V24	EL=17	140
1220.50	17.35	V24		140
1223.80	17.34	V24		140
1227.00	17.33	V24	EL=17	140
1230.30	17.33	V24		140
1233.60	17.32	V24		140
1236.90	17.32	V24	EL=17	140
1240.20	17.31	V24		140
1243.40	17.30	V24 V24		140
1246.70	17.30	V24 V24	EL=17 EL=17	140
1250.00	17.29	V24 V24		
1253.30	17.28			140
1256.60	17.28	V24	EL=17	140

1259.80	17.27	V24	EL=17	140
1263.10	17.26	V24	EL=17	140
1266.40	17.26	V24	EL=17	140
1269.70	17.25	V24	EL=17	140
1273.00	17.24	V24	EL=17	140
		V24	EL=17	140
1276.20 1279.50	17.24 17.24	V24	EL=17	140
1282.80	17.24	V24	EL=17	140
1286.10	17.24	V24	EL=17	140
1289.40	17.24	V24	EL=17	140
1292.60		V24	EL=17	140
1295.90	17.18 17.15	V24	EL=17	140
		V24	EL=17	140
1299.20	17.12	V24	EL=17	140
1302.50	17.10	V24	EL=17	140
1305.80	17.07	V24	EL=17	140
1309.10	17.04	V24	EL=17	140
1312.30	17.01	V24	EL=17	140
1315.60	16.98	V24	EL=17	140
1318.90	16.95	V24	EL=17	140
1322.20	16.92	V24	EL=17	140
1325.50	16.89	V24	EL=17	140
1328.70	16.86	V24	EL=17	140
1332.00	16.83	V24	EL=17	140
1335.30	16.80	V24	EL=17	140
1338.60	16.77	V24	EL=17	140
1341.90	16.75	V24	EL=17	140
1345.10	16.72	V24	EL=17	140
1348.40	16.69	V24	EL=17	140
1351.70	16.66	V24	EL=17	140
1355.00	16.64	V24	EL=17	140
1358.30	16.61	V24	EL=17	140
1361.50	16.58	V24	EL=17	140
1364.80	16.55	V24	EL=17	140
1368.10	16.52	V24	EL=17	140
1370.87	16.50	V24	EL=16	140
1371.40	16.50	V24	EL=16	140
1374.70	16.47	V24	EL=16	140
1377.90	16.44	V24	EL=16	140
1381.20	16.41	V24	EL=16	140
1384.50	16.39	V24	EL=16	140
1387.80	16.36	V24	EL=16	140
1391.10	16.33	V24	EL=16	140
1394.40	16.30	V24	EL=16	140
1397.60	16.27	V24	EL=16	140
1400.90	16.24	V24	EL=16	140
1404.20	16.22	V24	EL=16	140
1407.50	16.19	V24	EL=16	140
1410.80	16.16	V24	EL=16	140
1414.00	16.13	V24	EL=16	140
1417.30	16.11	V24	EL=16	140
1420.60	16.08			

1423.90	16.06	V24	EL=16	140
1427.20	16.03	V24	EL=16	140
1430.40	16.00	V24	EL=16	140
1433.70	15.97	V24	EL=16	140
1437.00	15.95	V24	EL=16	140
1440.30	15.92	V24	EL=16	140
1443.60	15.90	V24	EL=16	140
1446.80	15.87	V24	EL=16	140
1450.10	15.84	V24	EL=16	140
1453.40	15.81	V24	EL=16	140
1456.70	15.79	V24	EL=16	140
1460.00	15.76	V24	EL=16	140
		V24	EL=16	140
1463.30	15.74	V24	EL=16	140
1466.50	15.71	V24	EL=16	140
1469.80	15.68	V24	EL=16	140
1473.10	15.66	V24	EL=16	140
1476.40	15.63	V24	EL=16	140
1479.70	15.60	V24	EL=16	140
1482.90	15.58	V24	EL=16	140
1486.20	15.55	V24	EL=16	140
1489.50	15.52	V24	EL=16	140
1492.42	15.50	V24	EL=15	140
1492.80	15.50	V24	EL=15	140
1496.10	15.47	V24	EL=15	140
1499.30	15.44	V24	EL=15	140
1502.60	15.40	V24	EL=15	140
1505.90	15.35	V24	EL=15	140
1509.20	15.29	V24	EL=15	140
1512.50	15.25	V24	EL=15	140
1515.70	15.26	V24	EL=15	140
1519.00	15.26	V24	EL=15	140
1522.30	15.25	V24	EL=15	140
1525.60	15.21	V24	EL=15	140
1528.90	15.18	V24	EL=15	140
1532.10	15.14	V24	EL=15	140
1535.40	15.10	V24	EL=15	140
1538.70	15.08	V24	EL=15	140
1542.00	15.06	V24	EL=15	140
1545.30	15.04	V24	EL=15	140
1548.60	15.02	V24	EL=15	140
1551.80	15.01	V24	EL=15	140
1555.10	14.98	V24	EL=15	140
1558.40	14.94	V24	EL=15	140
1561.70	14.90	V24	EL=15	140
1565.00	14.87	V24	EL=15	140
1568.20	14.84	V24	EL=15	140
1571.50	14.82	V24	EL=15	140
1574.80	14.79	V24	EL=15	140
1578.10	14.76	V24	EL=15	140
1581.40	14.74	V24	EL=15	140
1584.60	14.72			

1587.90	14.71	V24	EL=15	140
1591.20	14.69	V24	EL=15	140
1594.50	14.65	V24	EL=15	140
1597.80	14.63	V24	EL=15	140
1601.00	14.64	V24	EL=15	140
1604.30	14.64	V24	EL=15	140
1607.60	14.61	V24	EL=15	140
1610.90	14.58	V24	EL=15	140
1614.20	14.57	V24	EL=15	140
1617.50	14.56	V24	EL=15	140
1620.70	14.54	V24	EL=15	140
1624.00	14.52	V24	EL=15	140
1626.45	0.00	V24	EL=15	140
1627.30	0.00	V24	EL=14	140
1630.60	0.00	V24	EL=14	140
1633.90	0.00	V24	EL=14	140
1637.10	0.00	V24	EL=14	140
1640.40	0.00	V24	EL=14	140
1643.70	0.00	V24	EL=14	140
1647.00	0.00	V24	EL=14	140
1650.30	0.00	V24	EL=14	140
1653.50	0.00	V24	EL=14	140
1656.80		V24	EL=14	140
	0.00	V24	EL=14	140
1660.10	0.00	V24	EL=14	140
1663.40	0.00	V24	EL=14	140
1666.70	0.00	V24	EL=14	140
1669.90	0.00	V24	EL=14	140
1673.20	0.00	V24	EL=14	140
1676.50	0.00	V24	EL=14	140
1679.80	0.00	V24	EL=14	140
1683.10 1686.30	0.00	V24	EL=14	140
	0.00	V24	EL=14	140
1689.60 1692.90	0.00	V24	EL=14	140
	0.00	V24	EL=14	140
1696.20	0.00	V24	EL=14	140
1699.50 1700.47	0.00	V24	EL=14	140
		V24	EL=13	140
1702.80	0.00	V24	EL=13	140
1706.00	0.00	V24	EL=13	140
1709.30	0.00	V24	EL=13	140
1712.60	0.00	V24	EL=13	140
1715.90	0.00	V24	EL=13	140
1719.20	0.00	V24	EL=13	140
1722.40	0.00	V24	EL=13	140
1725.70	0.00	V24	EL=13	140
1729.00	0.00	V24	EL=13	140
1732.30	0.00	V24	EL=13	140
1735.60	0.00	V24	EL=13	140
1738.80	0.00	V24	EL=13	140
1741.45	0.00	V24	EL=12	140
1742.10	0.00			

1745.40	0.00	V24	EL=12	140
1745.62	0.00	V24	EL=12	140
1748.70	0.00	A20	EL=12	100
1752.00	0.00	A20	EL=12	100
1755.20	0.00	A20	EL=12	100
1758.50	0.00	A20	EL=12	100
1761.80	0.00	A20	EL=12	100
1765.10	0.00	A20	EL=12	100
1768.40	0.00	A20	EL=12	100
1771.60	0.00	A20	EL=12	100
1774.90	0.00	A20	EL=12	100
1778.20	0.00	A20	EL=12	100
1781.50	0.00	A20	EL=12	100
1784.80	0.00	A20	EL=12	100
		A20	EL=12	100
1788.10	0.00	A20	EL=12	100
1791.30	0.00	A20	EL=12	100
1794.60	0.00	A20	EL=12	100
1797.90	0.00	A20	EL=12	100
1800.91	0.00	A20	EL=11	100
1801.20	0.00	A20	EL=11	100
1804.50	0.00	A20	EL=11	100
1831.00 2075.60	0.00			
2086.39	0.00	A20	EL= 9	100
2247.00	0.00	A20	EL=10	100
2266.00	0.00	A20	EL=10	100
2294.50	0.00	A20	EL=10	100
2345.50	0.00	A20	EL=10	100
2394.50	0.00	A20	EL=10	100
2400.50	0.00	A20	EL=10	100
2500.50	0.00	A20	EL=10	100
2504.00	0.00	A20	EL=10	100
2842.00	0.00	A20		100
2891.00	0.00	A20		100
2938.00	0.00	A20		100
2987.00	0.00	A20		100
3034.00	0.00	A20		
3035.00	0.00	A20		100
3125.46	0.00	A20		100
3187.00	0.00	A20		
3258.00	0.00	A20		100
3281.00	0.00	A20		100
3282.00	0.00	A20		
3305.00	0.00	A20		100
3330.00	0.00	A20		100
3353.00	0.00	A20		
3474.00	0.00	A20		100
3480.50	0.00	A20		100
3526.50	0.00	A20		
3531.00	0.00	A20	EL=11	100
3558.00	0.00	A20	EL=11	100
		A20	EL=11	100

3566.50	0.00	A20	EL=11	100
3610.00	0.00		EL=11	
3615.00	0.00		EL=11	
3643.00	0.00		EL=11	
3665.00	0.00	A20	EL=11	100
3672.00	0.00		EL=11	
3784.50	0.00		EL=11	
3807.50	0.00		EL=11	
4007.50	0.00		EL=11	
4040.50	0.00		EL=11	
4045.00	0.00	A20		100
4086.50	0.00		EL=11	
4092.00	0.00		EL=11	
4131.00	0.00		EL=11	
4169.00	0.00			
4180.00	0.00		EL=11	
4229.50	0.00		EL=11	
4267.00	0.00		EL=11	100
4279.00	0.00		EL=11	
4304.50	0.00		EL=11	
4312.50	0.00		EL=11	
4459.00	0.00	A20	EL=11	
4491.00	0.00	A20	EL=11	
4520.00	0.00	A20	EL=11	100
4598.00	0.00	A20	EL=11	100
4720.00	0.00		EL=11	100
4745.00	0.00	A20	EL=11	100
4753.00	0.00	A20	EL=11	100
4787.00	0.00	A20	EL=11	100
4794.50	0.00	A20	EL=11	100
4844.50	0.00	A20	EL=11	100
4857.00	0.00	A20	EL=11	100
4883.50	0.00	A20	EL=11	100
4892.00	0.00	A20	EL=11	100
4929.00	0.00	A20	EL=11	100
4935.00	0.00	A20	EL=11	100
4955.50	0.00	A20	EL=11	100
4968.00	0.00	A20	EL=11	100
4987.00	0.00	A20	EL=11	100
4993.50	0.00	A20	EL=11	100
5011.00	0.00	A20	EL=11	100
5017.00	0.00	A20	EL=11	100
5039.00	0.00	A20	EL=11	100
5048.50	0.00	A20	EL=11	100
5087.00	0.00	A20	EL=11	100
5096.50	0.00	A20	EL=11	100
		A20	EL=11	100
5133.00	0.00	A20	EL=11	100
5136.50	0.00	A20	EL=11	100
5167.00	0.00	A20	EL=11	100
5173.00	0.00	A20	EL=11	100
5195.00	0.00	A20	EL=11	100

5223.00	0.00	A20	EL=11	100
5237.50	0.00		EL=11	
5293.00	0.00		EL=11	
5296.00	0.00		EL=11	
5348.50	0.00	A20		100
5363.50	0.00		EL=11	
5395.00	0.00		EL=11	
5450.50	0.00		EL=11	
5467.50	0.00		EL=11	
5514.00	0.00		EL=11	
5526.50	0.00		EL=11	100
5581.00	0.00			
5643.00	0.00		EL=11	
5675.00	0.00		EL=11	
5694.50	0.00		EL=11	
5702.50	0.00		EL=11	
5737.00	0.00		EL=11	
5746.00	0.00		EL=11	100
5775.00	0.00		EL=11	
5783.50	0.00		EL=11	
5832.50	0.00	A20	EL=11	100
5845.00	0.00	A20	EL=11	100
5873.00	0.00	A20	EL=11	100
5886.50	0.00	A20	EL=11	100
5909.00	0.00	A20	EL=11	100
6003.00	0.00	A20	EL=11	100
6056.00	0.00	A20	EL=11	100
6068.00	0.00	A20	EL=11	100
6117.00	0.00	A20	EL=11	100
6126.50	0.00	A20	EL=11	100
6178.00	0.00	A20	EL=11	100
6187.00	0.00	A20	EL=11	100
6207.00	0.00	A20	EL=11	100
6212.00	0.00	A20	EL=11	100
6232.50	0.00	A20	EL=11	100
6244.00	0.00	A20	EL=11	100
6257.00	0.00	A20	EL=11	100
6280.00	0.00	A20	EL=11	100
		A20	EL=11	100
6287.00	0.00	A20	EL=11	100
6318.00	0.00	A20	EL=11	100
6325.00	0.00	A20	EL=11	100
6360.00	0.00	A20	EL=11	100
6366.50	0.00	A20	EL=11	100
6389.00	0.00	A20	EL=11	100
6394.50	0.00	A20	EL=11	100
6419.00	0.00	A20	EL=11	100
6443.50	0.00	A20	EL=11	100
6488.00	0.00	A20	EL=11	100
6501.00	0.00		EL=11	
6507.50	0.00	A20		100
6537.50	0.00	A20		100
		20		

6671.00	0.00	AZU	BD-10	100
6603.80	0.00	A20	EL=10	100
6591.00	0.00	A20	EL=11	100
6501 00	0.00	A20	EL=11	100
6571.50	0.00			

E E

Exexer Erellededehehe Exignification of the exexperiments of the exercise of the

PS# 10 PS# 11 PS# 12 - Representation of the state o


```
PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
                           PS# **
PS# **
                          PS# **
PS# **
PS# **
                          PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
PS# **
                           PS# **
PS# **
                                                                                                               À ~ À ~
                           PS# **
                                                                                                         C:\FEMA-Transe
                                              G
                           PS# **
PS# **
                                   ctAnalysis\LOMR-TransectAnalysis-Wells\3_whafis\whafis4\WHAFIS4.exe
                           PS# **
                           PS# **
PS# **
PS# **
                                            # •;s ¥?
                                                                                                         ä
                           PS# **
PS# **
                                                                                                       ð@ À@ "Ì @"Ì <@
                                   PS# **
                          PS# **
@"ÌL@"ÌL@ "ÌL@"Ì
                           PS# ** L@ 33 A @
                          rɔ#
, %@x£ð?x£ð?
PS# **
x ? Y?33Ó?
                 ø: ^d
x#;1 ø:1
                                                                                                                       ϒk;œík;
=Évþ¾ Évþ¾x£ ¿x£ ¿
```

PS# ** PS# ** PS# ** PS# ** A B iA HA HA HA HA HA , Í@ R, A ...C C PS# ** OC OC àcE àcE "I

Ü'æ‱u >u > V PS# ** m?V m? "æÒ="æÒ= PS# ** ČÜ5=33 ¿33 ¿ 33 ¿ •Ñ, n ¾Ó...²<'åp¾'åp¾ 'åp¾Nbp¾ "I

```
Zd¾\rÀ\rÀ
PS# ** 33‡>
?HÆ"@ à?"ÌL?
PS# ** NRSAI
 3/4
                          V > V > Zd\frac{3}{4}
                                                                                                                                            ?"ÌÌ>"ÌÌ> ° ?
                                                                                                                          ?ÆzT?
              ?" L>" L>fiGa>
                                                                                                                  ?Æz·?×£°?CLADDISTJUNMJU
 x>
                                                                                   NRSALMSALTSCYNSPAT
                                                                PS# **
                                                                PS# **
                                                                PS# **
                                                                PS# **
                                                                PS# **
                                                                                                                   "Ì la\tilde{N} la\tilde{O} la\tilde{U} la\hat{Y} la\tilde{z} la\hat{a} la\hat{o} la(\hat{I} la\hat{z} la\hat{I} la\hat{o} la(\hat{I} la\hat{z} la(\hat{I} la\hat{o} la(\hat{I} la(
 PS# **
PS# **
PS# **
Óla Óla Óla Óla!Óla%Ó
                                                                                    PS# **
                                                                PS# **
                                                                PS# **
ÔlΑ
´>•æÓ>₽ â>Þåü>Sæ
                                                                                                                                                                                                                                                                                                                 ?!
```

YK-73 100-year WHAFIS Output Zero Station: -70.56048061, 43.31274106



```
PART 5: RUNUP2
        for transect: YK-73
Station locations shifted by: -0.77 feet from their
original location to set the shoreline to
elevation 0 for RUNUP2 input
              _RUNUP2 INPUT CONVERSIONS_
        for transect: YK-73
Incident significant wave height: 20.21 feet
Peak wave period: 14.80 seconds
Mean wave height: 12.65 feet
Local Depth below SWEL: 31.88 feet
Mean wave height deshoaled using Hunt approximation for
celerity assuming constant wave energy flux.
 References: R.G. Dean and R.A. Dalrymple. 2000. Water
             Wave Mechanics for Engineers and Scientists. World
              Scientific Publishing Company, River Edge New Jersy
             USACE (1985), Direct Methods for Calculating Wavelength, CETN-1-17
             US Army Engineer Waterways Experiment Station Coastel Engineering
             Research Center, Vicksburg, MS
             also see Coastal Engineering Manual Part II-3
             for discussion of shoaling coefficient
    Depth, D = 31.88
    Period, T = 12.58
    Waveheight, H = 12.65
Deep water wavelength, L0 (ft)
    L0 = g*T*T/twopi
    L0 = 32.17*12.58*12.58/6.28 = 810.38
Deep water wave celerity, CO (ft/s)
    C0 = L0/T
    C0 = 810.38/12.58 = 64.42
Angular frequency, sigma (rad/s)
    sigma = twopi/T
    sigma = 6.28/12.58 = 0.50
Hunts (1979) approximation for Celerity C1H (ft/s) at Depth D (ft)
    y = sigma.*sigma.*D./g
    y = 0.50*0.50*31.88/32.17 = 0.25
    \texttt{C1H} = \texttt{sqrt}( \texttt{g.*D.}/(\texttt{y+1.}/(\texttt{1} + \texttt{0.6522.*y} + \texttt{0.4622.*y.^2} + \texttt{0.0864.*y.^4} + \texttt{0.0675.*y.^5})) \ )
    C1H = 30.71
Shoaling Coefficient KsH
    KsH = sqrt(C0/C1H)
    KsH = sqrt(64.42/30.71) = 1.45
Deepwater Wave Height HO_H (ft)
    H0_H = H/KsH
    H0_H = 12.65/1.45 = 8.73
Deepwater mean wave height: 8.73 feet
              _END RUNUP2 CONVERSIONS_
              RUNUP2 RESULTS
        for transect: YK-73
RUNUP2 SWEL:
8.90
```

8.90 8.90 8.90

```
8.90
8.90
8.90
8.90
RUNUP2 deepwater mean wave heights:
8.30
8.30
8.30
8.73
8.73
8.73
9.17
9.17
9.17
RUNUP2 mean wave periods:
11.95
12.58
13.21
11.95
12.58
13.21
11.95
12.58
13.21
RUNUP2 runup above SWEL:
1.29
1.29
1.33
1.27
1.22
1.18
1.15
1.15
1.10
RUNUP2 Mean runup height above SWEL: 1.22 feet
RUNUP2 2-percent runup height above SWEL: 2.68 feet
RUNUP2 2-percent runup elevation: 11.58 feet-NAVD88
RUNUP2 Messages:
No Messages
             __END RUNUP2 RESULTS_
              __ACES BEACH RUNUP_
Incident significant wave height: 20.21 feet
Significant wave height deshoaled using Hunt equation
Deepwater significant wave height: 12.23 feet
Peak wave period: 14.80 seconds
Average beach Slope: 1:50.61 (H:V)
ACES RUNUP CALCULATED USING 'Aces_Beach_Runup.m'
ACES Beach 2-percent runup height above SWEL: 6.97 feet
ACES Beach 2-percent runup elevation: 15.87 feet-NAVD88
ACES BEACH RUNUP is valid
```

8.90

END ACES B
PART 5 COMPLETE

FEMA
RUNUP2 transect: YK-73

13.0

-22.95 -1499.2 1.0
-21.88 -1410.2 1.0
-20.65 -1275.2 1.0
-18.99 -1163.2 1.0
-16.72 -1052.2 1.0
-16.25 -1022.2 1.0
-12.31 -834.2 1.0
-9.93 -728.2 1.0
-8.39 -623.2 1.0
-6.78 -415.2 1.0
-4.21 -314.2 1.0
-3.70 -212.2 1.0
-0.01 -0.2 1.0
1.44 79.3 1.0
2.49 155.8 1.0
4.00 200.8 1.0
7.58 272.3 1.0
8.53 300.3 1.0
9.97 328.3 1.0
1.44.21 381.3 1.0
8.9 8.30 11.95
8.9 8.30 12.58
8.9 8.73 12.58
8.9 8.73 12.58
8.9 8.73 12.58
8.9 9.17 12.58
8.9 9.17 12.58

sjh job 2 1

CROSS SECTION PROFILE

	LENGTH	ELEV.	SLOPE	ROUGHNESS
1	-149.9	-22.9	0.0	21 00
2	-141.0	-21.8	.00	21.00
3	-127.5	-20.6	11.25	21.00
4	-116.3	-18.9	6.59	21.00
5	-105.2	-16.7	5.05	21.00
6	-102.2	-16.2	6.00	21.00
7	-834.0	-12.3	-187.64	21.00
8	-728.2	-9.9	44.64	1.00
			68.18	1.00
9	-623.2	-8.4	129.19	1.00
10	-415.2	-6.8	39.30	1.00
11	-314.2	-4.2	200.00	1.00
12	-212.2	-3.7	57.45	1.00
13	2	.0	54.83	1.00
14	79.3	1.5	72.86	1.00
15	155.8	2.5	29.80	1.00
16	200.8	4.0		
17	272.3	7.6	19.97	1.00
18	300.3	8.5	29.47	1.00
19	328.3	10.0	19.44	1.00
20	381.3	14.2	12.50	1.00

LAST SLOPE 13.00 LAST ROUGHNESS 1.00

CLIENT- FEMA ** WAVE RUNUP-VERSION 2.0 ** ENGINEERED BY sjh JOB job 2
PROJECT-RUNUP2 transect: YK-73 RUN 1 PAGE 2

OUTPUT TABLE

INPUT PARAMETERS RUNUP RESULTS

WATER LEVEL ABOVE DATUM (FT.)	DEEP WATER WAVE HEIGHT (FT.)	WAVE PERIOD (SEC.)	BREAKING SLOPE NUMBER	RUNUP SLOPE NUMBER	RUNUP ABOVE WATER LEVEL (FT.)	BREAKER DEPTH (FT.)
8.90	8.30	11.95	10	19	1.29	15.41
8.90	8.30	12.58	9	19	1.29	15.96
8.90	8.30	13.21	9	19	1.33	16.28
8.90	8.73	11.95	9	19	1.27	16.29
8.90	8.73	12.58	9	19	1.22	16.62
8.90	8.73	13.21	9	19	1.18	16.95
8.90	9.17	11.95	9	19	1.15	16.95
8.90	9.17	12.58	8	19	1.15	17.29
8.90	9.17	13.21	8	19	1.10	17.63

