```
diary on         % begin recording

% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: CM-149
% calculation by SJH, Ransom Consulting, Inc. 20-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20200220
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007,  Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%

%-------------------------------------------------------------------------
% CONFIG
%-------------------------------------------------------------------------
fname='inpfiles/CM-149sta_ele_include.csv';   % file with station, elevation, include
                                        % third colunm is 0 for excluded points
imgname='logfiles/CM-149-runup';
SWEL=8.8429;  % 100-yr still water level including wave setup.
H0=9.9977;    % significant wave height at toe of structure
Tp=13.6834;    % peak period, 1/fma,
T0=Tp/1.1;

gamma_berm=0.91997;   % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;

setupAtToe=0.087333;
maxSetup=1.6597;   % only used in case of berm/shallow foreshore weighted average

plotTitle='Iterative TAW for CM-149'

plotTitle =

Iterative TAW for CM-149



% END CONFIG
%------------------------------

SWEL=SWEL+setupAtToe

SWEL =

                  8.930233

SWEL_fore=SWEL+maxSetup

SWEL_fore =

                 10.589933



% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2

L0 =

          791.778644369023


% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL;  % depth at breaking

% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height
```

```
% to make it consitent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0

Ztoe =

                -6.066317


% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%*[^\n]','delimiter',',','headerlines',0);

% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];

sta_org=sta;  % used for plotting purposes
dep_org=dep;


% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0

Z2 =

                23.926783


% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
       top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if  ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1)))    % here is the intersection of Ztoe with profile
       toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end

top_sta =

          71.2845872259295

% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta==-999
   dy=dep(1)-Ztoe;
   toe_sta=sta(1)-dy/S(1)
end

toe_sta =

         -33.0319658119658

if top_sta==-999
   dy=Z2-dep(end);
   top_sta=sta(end)+dy/S(end)
end

% just so the reader can tell the values aren't -999 anymore
top_sta

top_sta =

          71.2845872259295

toe_sta

toe_sta =

         -33.0319658119658




% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
   dd=SWEL_fore-dep;
   k=find(dd<0,1); % k is index of first land point
   staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
   dsta=staAtSWL-sta(1);
   dsetup=maxSetup-setupAtToe;
   dsetdsta=dsetup/dsta;
   setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
   sprintf('-!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
   sprintf('-!!- Setup is interpolated between setup at toe of slope and max setup')
```

```
   sprintf('-!!-       setup is adjusted to %4.2f feet',setup)
   SWEL=SWEL-setupAtToe+setup;
   sprintf('-!!-       SWEL is adjusted to %4.2f feet',SWEL)
   k=find(dep < SWEL-1.5*H0)
   sta(k)=[];
   dep(k)=[];
else
   sprintf('-!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',dep(1
   sprintf('-!!- This may be reasonable for some cases.  However the user may want to consider:\n')
   sprintf('-!!-   1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
   sprintf('-!!-   2) Reducing the incident wave height to a depth limited condition.\n')
end

ans =

-!!- The User has selected a starting point that is 1.21 feet above the elevation of SWEL-1.5H0



ans =

-!!- This may be reasonable for some cases.  However the user may want to consider:



ans =

-!!-   1) Selecting a starting point that is at or below -6.07 feet elevation, or



ans =

-!!-   2) Reducing the incident wave height to a depth limited condition.




% now iterate converge on a runup elevation
tol=0.01;  % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf ('!----------------- STARTING ITERATION %d -----------------!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
          top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end)
    end

    % get the length of the slope (not accounting for berm)
    Lslope=top_sta-toe_sta

    % loop over profile segments to determine berm factor
    % re-calculate influence of depth of berm based on this run-up elevation
    % check for berm, berm width, berm height
    berm_width=0;
    rdh_sum=0;
```

```
Berm_Segs=[];
Berm_Heights=[];
for kk=1:length(sta)-1
   ddep=dep(kk+1)-dep(kk);
   dsta=sta(kk+1)-sta(kk);
   s=ddep/dsta;
   if  (s < 1/15)     % count it as a berm if slope is flatter than 1:15 (see TAW manual)
      sprintf ('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter,kk)
      berm_width=berm_width+dsta;   % tally the width of all berm segments
      % compute the rdh for this segment and weight it by the segment length
      dh=SWEL-(dep(kk)+dep(kk+1))/2
      if  dh < 0
          chi=R2;
      else
          chi=2* H0;
      end
      if (dh <= R2 & dh >=-2*H0)
         rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
      else
         rdh=1;
      end
      rdh_sum=rdh_sum + rdh * dsta
      Berm_Segs=[Berm_Segs, kk];
      Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
   end
   if dep(kk) >= Z2  % jump out of loop if we reached limit of run-up for this iteration
      break
   end
end
sprintf ('!------- End Berm Factor Calculation, Iter: %d ---------!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
   rdh_mean=rdh_sum/berm_width
else
   rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
   gamma_berm=1
end
if gamma_berm < 0.6
   gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma_rough
gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough

% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
   sprintf('!!! - - Iribaren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*gam
   TAW_VALID=0;
else
   sprintf('!!! - - Iribaren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gamma_
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
   sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islope)
   TAW_VALID=0;
else
   sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
   TAW_ALWAYS_VALID=0;
end

if (Irb*gamma_berm < 1.8)
   R2_new=gamma*H0*1.77*Irb
else
   R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
end


% check to see if we need to evaluate a shallow foreshore
if berm_width > 0.25 * L0;
   disp ('!   Berm_width is greater than 1/4 wave length')
   disp ('!   Runup will be weighted average with foreshore calculation assuming depth limited wave height on ber
   % do the foreshore calculation
   fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
   % get upper slope
   fore_toe_sta=-999;
   fore_toe_dep=-999;
   for kk=length(dep)-1:-1:1
```

```
          ddep=dep(kk+1)-dep(kk);
          dsta=sta(kk+1)-sta(kk);
          s=ddep/dsta;
          if s < 1/15
             break
          end
          fore_toe_sta=sta(kk);
          fore_toe_dep=dep(kk);
          upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
       end
       fore_Irb=upper_slope/(sqrt(fore_H0/L0));
       fore_gamma=gamma_perm*gamma_beta*gamma_rough;
       if (fore_Irb < 1.8)
          fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
       else
          fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
       end
       if berm_width >= L0
          R2_new=fore_R2
          disp ('berm is wider than one wavelength, use full shallow foreshore solution');
       else
          w2=(berm_width-0.25*L0)/(0.75*L0)
          w1=1-w2
          R2_new=w2*fore_R2 + w1*R2_new
       end
    end % end berm width check

    % convergence criterion
    R2del=abs(R2-R2_new)
    R2_all(iter)=R2_new;

    % get the new top station (for plot purposes)
    Z2=R2_new+SWEL
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
          top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end);
    end
    topStaAll(iter)=top_sta;
end
ans =
!----------------- STARTING ITERATION 1 -----------------!
Ztoe =
                -6.066317
toe_sta =
         -33.0319658119658
top_sta =
          71.2845872259295
Z2 =
                23.926783
H0 =
                   9.9977
Tp =
                  13.6834
T0 =
          12.4394545454545
R2 =
                  29.9931
Z2 =
                38.923333
top_sta =
           132.20608738502
Lslope =
          165.238053196985
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 7
dh =
                12.382508
rdh_sum =
          0.68299170147957
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 8
dh =
                12.328058
rdh_sum =
          1.36199604723052
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 9
dh =
                12.271658
rdh_sum =
          2.03685643018158
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 10
```

```
dh =
                12.213308
rdh_sum =
          2.70741512821091
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 31
dh =
                 8.636658
rdh_sum =
          3.10130700475645
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 32
dh =
                 8.609308
rdh_sum =
          3.49310024933137
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 33
dh =
                 8.578633
rdh_sum =
          3.88254210565268
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 34
dh =
                 8.544633
rdh_sum =
          4.26938069921017
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 35
dh =
                 8.498358
rdh_sum =
          4.65268137832162
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 36
dh =
                 8.439808
rdh_sum =
           5.0315145326165
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 37
dh =
                 8.381033
rdh_sum =
           5.4058733071759
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 38
dh =
                 8.322033
rdh_sum =
          5.77575134949381
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 39
dh =
                 8.277883
rdh_sum =
          6.14228373001921
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 40
dh =
                 8.248583
rdh_sum =
          6.50659930853604
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 41
dh =
                 8.216808
rdh_sum =
          6.86851408110597
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 42
dh =
                 8.182558
rdh_sum =
          7.22784490138294
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 43
dh =
                 8.138083
rdh_sum =
          7.58382644601503
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 44
dh =
                 8.083383
rdh_sum =
          7.93569836187242
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 107
```

```
dh =
                -16.518192
rdh_sum =
          8.51505198909292
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 108
dh =
                -16.555042
rdh_sum =
          9.09631046400068
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 109
dh =
                -16.587992
rdh_sum =
          9.67927116371693
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 110
dh =
                -16.617042
rdh_sum =
           10.263731791949
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 111
dh =
                -16.651192
rdh_sum =
          10.8499546742065
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 112
dh =
                -16.690442
rdh_sum =
           11.438201623483
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 121
dh =
                -18.287642
rdh_sum =
          12.1071682125981
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 122
dh =
                -18.337992
rdh_sum =
          12.7786142345738
ans =
!------- End Berm Factor Calculation, Iter: 1 ---------!
berm_width =
    26
rB =
          0.157348743203871
rdh_mean =
          0.491485162868222
gamma_berm =
          0.919985829476794
slope =
           0.32311317895512
Irb =
           2.87545459139332
gamma_berm =
          0.919985829476794
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.735988663581435
ans =
!!! - - Iribaren number:   2.65 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
           24.6973809027147
R2del =
           5.29571909728525
Z2 =
           33.6276139027147
ans =
!----------------- STARTING ITERATION 2 -----------------!
Ztoe =
                -6.066317
toe_sta =
         -33.0319658119658
top_sta =
           114.808849877512
Z2 =
           33.6276139027147
```

```
H0 =
                    9.9977
Tp =
                   13.6834
T0 =
          12.4394545454545
R2 =
          24.6973809027147
Z2 =
          33.6276139027147
top_sta =
          114.808849877512
Lslope =
          147.840815689478
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 7
dh =
                  12.382508
rdh_sum =
          0.68299170147957
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 8
dh =
                  12.328058
rdh_sum =
          1.36199604723052
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 9
dh =
                  12.271658
rdh_sum =
          2.03685643018158
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 10
dh =
                  12.213308
rdh_sum =
          2.70741512821091
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 31
dh =
                   8.636658
rdh_sum =
          3.10130700475645
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 32
dh =
                   8.609308
rdh_sum =
          3.49310024933137
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 33
dh =
                   8.578633
rdh_sum =
          3.88254210565268
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 34
dh =
                   8.544633
rdh_sum =
          4.26938069921017
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 35
dh =
                   8.498358
rdh_sum =
          4.65268137832162
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 36
dh =
                   8.439808
rdh_sum =
           5.0315145326165
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 37
dh =
                   8.381033
rdh_sum =
           5.4058733071759
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 38
dh =
                   8.322033
rdh_sum =
          5.77575134949381
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 39
dh =
                   8.277883
```

```
rdh_sum =
          6.14228373001921
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 40
dh =
                  8.248583
rdh_sum =
          6.50659930853604
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 41
dh =
                  8.216808
rdh_sum =
          6.86851408110597
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 42
dh =
                  8.182558
rdh_sum =
          7.22784490138294
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 43
dh =
                  8.138083
rdh_sum =
          7.58382644601503
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 44
dh =
                  8.083383
rdh_sum =
          7.93569836187242
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 107
dh =
                 -16.518192
rdh_sum =
          8.68862606113646
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 108
dh =
                 -16.555042
rdh_sum =
          9.44357271181498
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 109
dh =
                 -16.587992
rdh_sum =
          10.2003198967875
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 110
dh =
                 -16.617042
rdh_sum =
          10.9586507625789
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 111
dh =
                 -16.651192
rdh_sum =
          11.7188388268258
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 112
dh =
                 -16.690442
rdh_sum =
          12.4811553790912
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 121
dh =
                 -18.287642
rdh_sum =
          13.3239647427693
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 122
dh =
                 -18.337992
rdh_sum =
          14.1690982410325
ans =
!------- End Berm Factor Calculation, Iter: 2 ---------!
berm_width =
    26
rB =
          0.17586483055268
rdh_mean =
         0.544965316962789
gamma_berm =
         0.919975402572069
```

```
slope =
         0.325785170413486
Irb =
          2.89923322565383
gamma_berm =
         0.919975402572069
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                       0.8
gamma =
         0.735980322057655
ans =
!!! - - Iribaren number:   2.67 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          24.7256308737496
R2del =
         0.028249971034839
Z2 =
          33.6558638737496
ans =
!----------------- STARTING ITERATION 3 -----------------!
Ztoe =
                 -6.066317
toe_sta =
         -33.0319658119658
top_sta =
          114.901655301411
Z2 =
          33.6558638737496
H0 =
                    9.9977
Tp =
                   13.6834
T0 =
          12.4394545454545
R2 =
          24.7256308737496
Z2 =
          33.6558638737496
top_sta =
          114.901655301411
Lslope =
          147.933621113377
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 7
dh =
                 12.382508
rdh_sum =
          0.68299170147957
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 8
dh =
                 12.328058
rdh_sum =
          1.36199604723052
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 9
dh =
                 12.271658
rdh_sum =
          2.03685643018158
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 10
dh =
                 12.213308
rdh_sum =
          2.70741512821091
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 31
dh =
                  8.636658
rdh_sum =
          3.10130700475645
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 32
dh =
                  8.609308
rdh_sum =
          3.49310024933137
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 33
dh =
                  8.578633
rdh_sum =
          3.88254210565268
```

```
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 34
dh =
                  8.544633
rdh_sum =
          4.26938069921017
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 35
dh =
                  8.498358
rdh_sum =
          4.65268137832162
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 36
dh =
                  8.439808
rdh_sum =
           5.0315145326165
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 37
dh =
                  8.381033
rdh_sum =
           5.4058733071759
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 38
dh =
                  8.322033
rdh_sum =
          5.77575134949381
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 39
dh =
                  8.277883
rdh_sum =
          6.14228373001921
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 40
dh =
                  8.248583
rdh_sum =
          6.50659930853604
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 41
dh =
                  8.216808
rdh_sum =
          6.86851408110597
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 42
dh =
                  8.182558
rdh_sum =
          7.22784490138294
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 43
dh =
                  8.138083
rdh_sum =
          7.58382644601503
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 44
dh =
                  8.083383
rdh_sum =
          7.93569836187242
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 107
dh =
                -16.518192
rdh_sum =
          8.68758990409521
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 108
dh =
                -16.555042
rdh_sum =
           9.4415009426573
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 109
dh =
                -16.587992
rdh_sum =
          10.1972130328231
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 110
dh =
                -16.617042
rdh_sum =
          10.9545092834786
```

```
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 111
dh =
                -16.651192
rdh_sum =
          11.7136633248002
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 112
dh =
                -16.690442
rdh_sum =
          12.4749465726919
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 121
dh =
                -18.287642
rdh_sum =
          13.3167873292111
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 122
dh =
                -18.337992
rdh_sum =
          14.1609554133414
ans =
!------- End Berm Factor Calculation, Iter: 3 ---------!
berm_width =
    26
rB =
          0.175754502622994
rdh_mean =
          0.544652131282363
gamma_berm =
          0.919970561813091
slope =
          0.325768893854263
Irb =
           2.89908837700636
gamma_berm =
          0.919970561813091
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.735976449450473
ans =
!!! - - Iribaren number:   2.67 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          24.7253280446482
R2del =
      0.000302829101421764
Z2 =
          33.6555610446482
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
          33.6555610446482
diary off
-1.000000e+00
-1.000000e+00
```