```
diary on         % begin recording

% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: YK-14
% calculation by SJH, Ransom Consulting, Inc. 06-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20181015
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007,  Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%

%-------------------------------------------------------------------------
% CONFIG
%-------------------------------------------------------------------------
fname='inpfiles/YK-14sta_ele_include.csv';   % file with station, elevation, include
                                        % third colunm is 0 for excluded points
imgname='logfiles/YK-14-runup';
SWEL=9.19;  % 100-yr still water level including wave setup.
H0=4.9688;    % significant wave height at toe of structure
Tp=13.8709;    % peak period, 1/fma,
T0=Tp/1.1;

gamma_berm=0.94964;   % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;

setupAtToe=0.5381;
maxSetup=1.1359;   % only used in case of berm/shallow foreshore weighted average

plotTitle='Iterative TAW for YK-14'

plotTitle =

Iterative TAW for YK-14



% END CONFIG
%------------------------------

SWEL=SWEL+setupAtToe

SWEL =

                    9.7281

SWEL_fore=SWEL+maxSetup

SWEL_fore =

                    10.864



% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2

L0 =

          813.626378047832


% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL;  % depth at breaking

% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height
% to make it consitent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0

Ztoe =
```

```
                    2.2749


% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%*[^\n]','delimiter',',','headerlines',0);

% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];

sta_org=sta;  % used for plotting purposes
dep_org=dep;


% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0

Z2 =

                   17.1813


% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
       top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if  ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1)))    % here is the intersection of Ztoe with profile
       toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end
% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta==-999
   dy=dep(1)-Ztoe;
   toe_sta=sta(1)-dy/S(1)
end

toe_sta =

          148.690355329948

if top_sta==-999
   dy=Z2-dep(end);
   top_sta=sta(end)+dy/S(end)
end

top_sta =

          173.496221662469


% just so the reader can tell the values aren't -999 anymore
top_sta

top_sta =

          173.496221662469

toe_sta

toe_sta =

          148.690355329948



% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
   dd=SWEL_fore-dep;
   k=find(dd<0,1); % k is index of first land point
   staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
   dsta=staAtSWL-sta(1);
   dsetup=maxSetup-setupAtToe;
   dsetdsta=dsetup/dsta;
   setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
   sprintf('-!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
   sprintf('-!!- Setup is interpolated between setup at toe of slope and max setup')
   sprintf('-!!-       setup is adjusted to %4.2f feet',setup)
   SWEL=SWEL-setupAtToe+setup;
   sprintf('-!!-       SWEL is adjusted to %4.2f feet',SWEL)
   k=find(dep < SWEL-1.5*H0)
   sta(k)=[];
   dep(k)=[];
else
   sprintf('-!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',de
   sprintf('-!!- This may be reasonable for some cases.  However the user may want to consider:\n')
   sprintf('-!!-   1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
   sprintf('-!!-   2) Reducing the incident wave height to a depth limited condition.\n')
```

```
end

ans =

-!!- The User has selected a starting point that is 1.22 feet above the elevation of SWEL-1.5H0


ans =

-!!- This may be reasonable for some cases.  However the user may want to consider:


ans =

-!!-   1) Selecting a starting point that is at or below 2.27 feet elevation, or


ans =

-!!-   2) Reducing the incident wave height to a depth limited condition.




% now iterate converge on a runup elevation
tol=0.001;  % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf ('!----------------- STARTING ITERATION %d -----------------!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
          top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end)
    end

    % get the length of the slope (not accounting for berm)
    Lslope=top_sta-toe_sta

    % loop over profile segments to determine berm factor
    % re-calculate influence of depth of berm based on this run-up elevation
    % check for berm, berm width, berm height
    berm_width=0;
    rdh_sum=0;
    Berm_Segs=[];
    Berm_Heights=[];
    for kk=1:length(sta)-1
       ddep=dep(kk+1)-dep(kk);
       dsta=sta(kk+1)-sta(kk);
       s=ddep/dsta;
       if  (s < 1/15)     % count it as a berm if slope is flatter than 1:15 (see TAW manual)
          sprintf ('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter,kk)
          berm_width=berm_width+dsta;   % tally the width of all berm segments
          % compute the rdh for this segment and weight it by the segment length
          dh=SWEL-(dep(kk)+dep(kk+1))/2
          if  dh < 0
              chi=R2;
          else
              chi=2* H0;
          end
          if (dh <= R2 & dh >=-2*H0)
```

```
         rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
      else
         rdh=1;
      end
      rdh_sum=rdh_sum + rdh * dsta
      Berm_Segs=[Berm_Segs, kk];
      Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
   end
   if dep(kk) >= Z2  % jump out of loop if we reached limit of run-up for this iteration
      break
   end
end
sprintf ('!------- End Berm Factor Calculation, Iter: %d ---------!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
   rdh_mean=rdh_sum/berm_width
else
   rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
   gamma_berm=1
end
if gamma_berm < 0.6
   gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma_rough
gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough

% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
   sprintf('!!! - - Iribaren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*
   TAW_VALID=0;
else
   sprintf('!!! - - Iribaren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gam
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
   sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islop
   TAW_VALID=0;
else
   sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
   TAW_ALWAYS_VALID=0;
end

if (Irb*gamma_berm < 1.8)
   R2_new=gamma*H0*1.77*Irb
else
   R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
end


% check to see if we need to evaluate a shallow foreshore
if berm_width > 0.25 * L0;
   disp ('!   Berm_width is greater than 1/4 wave length')
   disp ('!   Runup will be weighted average with foreshore calculation assuming depth limited wave height on
   % do the foreshore calculation
   fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
   % get upper slope
   fore_toe_sta=-999;
   fore_toe_dep=-999;
   for kk=length(dep)-1:-1:1
      ddep=dep(kk+1)-dep(kk);
      dsta=sta(kk+1)-sta(kk);
      s=ddep/dsta;
      if s < 1/15
         break
      end
      fore_toe_sta=sta(kk);
      fore_toe_dep=dep(kk);
      upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
   end
   fore_Irb=upper_slope/(sqrt(fore_H0/L0));
   fore_gamma=gamma_perm*gamma_beta*gamma_rough;
   if (fore_Irb < 1.8)
      fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
   else
      fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
   end
   if berm_width >= L0
      R2_new=fore_R2
      disp ('berm is wider than one wavelength, use full shallow foreshore solution');
   else
      w2=(berm_width-0.25*L0)/(0.75*L0)
      w1=1-w2
```

```
            R2_new=w2*fore_R2 + w1*R2_new
         end
      end % end berm width check

      % convergence criterion
      R2del=abs(R2-R2_new)
      R2_all(iter)=R2_new;

      % get the new top station (for plot purposes)
      Z2=R2_new+SWEL
      top_sta=-999;
      for kk=1:length(sta)-1
         if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
            top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
            break;
         end
      end
      if top_sta==-999
         dy=Z2-dep(end);
         top_sta=sta(end)+dy/S(end);
      end
      topStaAll(iter)=top_sta;
end
ans =
!----------------- STARTING ITERATION 1 -----------------!
Ztoe =
                    2.2749
toe_sta =
          148.690355329948
top_sta =
          173.496221662469
Z2 =
                   17.1813
H0 =
                    4.9688
Tp =
                   13.8709
T0 =
          12.6099090909091
R2 =
                   14.9064
Z2 =
                   24.6345
top_sta =
           236.07556675063
Lslope =
          87.3852114206816
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 1
dh =
                   6.24775
rdh_sum =
         0.696694661749085
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 7
dh =
                   5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 8
dh =
                   5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 54
dh =
                  -1.58515
rdh_sum =
           1.9125625838384
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 55
dh =
                  -1.64545
rdh_sum =
          1.94232759962642
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 56
dh =
                   -1.7051
rdh_sum =
          1.97426609824767
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 66
dh =
                  -3.51485
rdh_sum =
          2.10529161254412
ans =
!------- End Berm Factor Calculation, Iter: 1 ---------!
berm_width =
     7
rB =
         0.0801050874192117
rdh_mean =
```

```
          0.30075594464916
gamma_berm =
          0.943986993818757
slope =
          0.278155640880075
Irb =
          3.55938219472908
gamma_berm =
          0.943986993818757
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.755189595055005
ans =
!!! - - Iribaren number:   3.36 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.6 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          12.9529669019934
R2del =
          1.95343309800661
Z2 =
          22.6810669019934
ans =
!----------------- STARTING ITERATION 2 -----------------!
Ztoe =
                     2.2749
toe_sta =
          148.690355329948
top_sta =
          219.673945440751
Z2 =
          22.6810669019934
H0 =
                     4.9688
Tp =
                    13.8709
T0 =
          12.6099090909091
R2 =
          12.9529669019934
Z2 =
          22.6810669019934
top_sta =
          219.673945440751
Lslope =
          70.9835901108023
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 1
dh =
                    6.24775
rdh_sum =
          0.696694661749085
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 7
dh =
                    5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 8
dh =
                    5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 54
dh =
                   -1.58515
rdh_sum =
          1.92141855805693
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 55
dh =
                   -1.64545
rdh_sum =
          1.96071001201676
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 56
dh =
                    -1.7051
rdh_sum =
          2.00286041802213
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 66
dh =
                   -3.51485
rdh_sum =
          2.17380355043182
ans =
!------- End Berm Factor Calculation, Iter: 2 ---------!
berm_width =
```

```
     7
rB =
        0.0986143415551862
rdh_mean =
        0.310543364347402
gamma_berm =
        0.932009687844265
slope =
        0.318928132457954
Irb =
         4.08112203828527
gamma_berm =
        0.932009687844265
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                       0.8
gamma =
        0.745607750275412
ans =
!!! - - Iribaren number:   3.80 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          12.996319619657
R2del =
        0.0433527176635842
Z2 =
          22.724419619657
ans =
!----------------- STARTING ITERATION 3 -----------------!
Ztoe =
                    2.2749
toe_sta =
          148.690355329948
top_sta =
          220.037948107951
Z2 =
          22.724419619657
H0 =
                    4.9688
Tp =
                   13.8709
T0 =
          12.6099090909091
R2 =
          12.996319619657
Z2 =
          22.724419619657
top_sta =
          220.037948107951
Lslope =
          71.3475927780029
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 1
dh =
                   6.24775
rdh_sum =
        0.696694661749085
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 7
dh =
                   5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 8
dh =
                   5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 54
dh =
                  -1.58515
rdh_sum =
          1.92117843923054
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 55
dh =
                  -1.64545
rdh_sum =
          1.96021165551224
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 56
dh =
                   -1.7051
rdh_sum =
          2.00208530851954
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 66
dh =
                  -3.51485
rdh_sum =
```

```
          2.17195923757907
ans =
!------- End Berm Factor Calculation, Iter: 3 ---------!
berm_width =
     7
rB =
        0.0981112288088038
rdh_mean =
          0.310279891082724
gamma_berm =
          0.932330712579984
slope =
          0.317797740938144
Irb =
           4.06665713138656
gamma_berm =
          0.932330712579984
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.745864570063987
ans =
!!! - - Iribaren number:   3.79 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          12.9955805204094
R2del =
       0.000739099247571318
Z2 =
          22.7236805204094
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
          22.7236805204094
diary off
diary on         % begin recording
% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: YK-14
% calculation by SJH, Ransom Consulting, Inc. 19-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20200220
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007,  Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%
%------------------------------------------------------------------------
% CONFIG
%------------------------------------------------------------------------
fname='inpfiles/YK-14sta_ele_include.csv';   % file with station, elevation, include
                                        % third colunm is 0 for excluded points
imgname='logfiles/YK-14-runup';
SWEL=9.19;  % 100-yr still water level including wave setup.
H0=4.9688;    % significant wave height at toe of structure
Tp=13.8709;    % peak period, 1/fma,
T0=Tp/1.1;
gamma_berm=0.93233;   % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;
setupAtToe=0.5381;
maxSetup=1.1359;   % only used in case of berm/shallow foreshore weighted average
plotTitle='Iterative TAW for YK-14'
plotTitle =
Iterative TAW for YK-14
% END CONFIG
%------------------------------
SWEL=SWEL+setupAtToe
SWEL =
                    9.7281
SWEL_fore=SWEL+maxSetup
SWEL_fore =
                    10.864
% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
```

```
% using English units
L0=32.15/(2*pi)*T0^2
L0 =
         813.626378047832
% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL;  % depth at breaking
% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height
% to make it consitent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0
Ztoe =
                   2.2749
% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%*[^\n]','delimiter',',','headerlines',0);
% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];
sta_org=sta;  % used for plotting purposes
dep_org=dep;
% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0
Z2 =
                  17.1813
% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
       top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if  ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1)))    % here is the intersection of Ztoe with profile
       toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end
% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta==-999
   dy=dep(1)-Ztoe;
   toe_sta=sta(1)-dy/S(1)
end
toe_sta =
         148.690355329948
if top_sta==-999
   dy=Z2-dep(end);
   top_sta=sta(end)+dy/S(end)
end
top_sta =
         173.496221662469
% just so the reader can tell the values aren't -999 anymore
top_sta
top_sta =
         173.496221662469
toe_sta
toe_sta =
         148.690355329948
% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
   dd=SWEL_fore-dep;
   k=find(dd<0,1); % k is index of first land point
   staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
   dsta=staAtSWL-sta(1);
   dsetup=maxSetup-setupAtToe;
   dsetdsta=dsetup/dsta;
   setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
   sprintf('-!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
   sprintf('-!!- Setup is interpolated between setup at toe of slope and max setup')
   sprintf('-!!-       setup is adjusted to %4.2f feet',setup)
   SWEL=SWEL-setupAtToe+setup;
   sprintf('-!!-       SWEL is adjusted to %4.2f feet',SWEL)
   k=find(dep < SWEL-1.5*H0)
   sta(k)=[];
   dep(k)=[];
else
   sprintf('-!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',de
   sprintf('-!!- This may be reasonable for some cases.  However the user may want to consider:\n')
   sprintf('-!!-   1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
   sprintf('-!!-   2) Reducing the incident wave height to a depth limited condition.\n')
end
ans =
-!!- The User has selected a starting point that is 1.22 feet above the elevation of SWEL-1.5H0
ans =
-!!- This may be reasonable for some cases.  However the user may want to consider:
ans =
-!!-   1) Selecting a starting point that is at or below 2.27 feet elevation, or
ans =
-!!-   2) Reducing the incident wave height to a depth limited condition.
% now iterate converge on a runup elevation
tol=0.01;  % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
```

```
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf ('!----------------- STARTING ITERATION %d -----------------!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
          top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end)
    end

    % get the length of the slope (not accounting for berm)
    Lslope=top_sta-toe_sta
    % loop over profile segments to determine berm factor
    % re-calculate influence of depth of berm based on this run-up elevation
    % check for berm, berm width, berm height
    berm_width=0;
    rdh_sum=0;
    Berm_Segs=[];
    Berm_Heights=[];
    for kk=1:length(sta)-1
       ddep=dep(kk+1)-dep(kk);
       dsta=sta(kk+1)-sta(kk);
       s=ddep/dsta;
       if  (s < 1/15)     % count it as a berm if slope is flatter than 1:15 (see TAW manual)
          sprintf ('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter,kk)
          berm_width=berm_width+dsta;   % tally the width of all berm segments
          % compute the rdh for this segment and weight it by the segment length
          dh=SWEL-(dep(kk)+dep(kk+1))/2
          if  dh < 0
              chi=R2;
          else
              chi=2* H0;
          end
          if (dh <= R2 & dh >=-2*H0)
             rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
          else
             rdh=1;
          end
          rdh_sum=rdh_sum + rdh * dsta
          Berm_Segs=[Berm_Segs, kk];
          Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
       end
       if dep(kk) >= Z2  % jump out of loop if we reached limit of run-up for this iteration
          break
       end
    end
    sprintf ('!------- End Berm Factor Calculation, Iter: %d ---------!',iter)
    berm_width
    rB=berm_width/Lslope
    if (berm_width > 0)
       rdh_mean=rdh_sum/berm_width
    else
       rdh_mean=1
    end
    gamma_berm=1- rB * (1-rdh_mean)
    if gamma_berm > 1
       gamma_berm=1
    end
    if gamma_berm < 0.6
       gamma_berm =0.6
    end
    % Iribarren number
    slope=(Z2-Ztoe)/(Lslope-berm_width)
    Irb=(slope/(sqrt(H0/L0)))
    % runup height
    gamma_berm
    gamma_perm
```

```
    gamma_beta
    gamma_rough
    gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough
    % check validity
    TAW_VALID=1;
    if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
       sprintf('!!! - - Iribaren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*
       TAW_VALID=0;
    else
       sprintf('!!! - - Iribaren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gam
    end
    islope=1/slope;
    if (slope < 1/8 | slope > 1)
       sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islop
       TAW_VALID=0;
    else
       sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
    end
    if TAW_VALID == 0
       TAW_ALWAYS_VALID=0;
    end

    if (Irb*gamma_berm < 1.8)
       R2_new=gamma*H0*1.77*Irb
    else
       R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
    end
    % check to see if we need to evaluate a shallow foreshore
    if berm_width > 0.25 * L0;
       disp ('!   Berm_width is greater than 1/4 wave length')
       disp ('!   Runup will be weighted average with foreshore calculation assuming depth limited wave height on
       % do the foreshore calculation
       fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
       % get upper slope
       fore_toe_sta=-999;
       fore_toe_dep=-999;
       for kk=length(dep)-1:-1:1
          ddep=dep(kk+1)-dep(kk);
          dsta=sta(kk+1)-sta(kk);
          s=ddep/dsta;
          if s < 1/15
             break
          end
          fore_toe_sta=sta(kk);
          fore_toe_dep=dep(kk);
          upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
       end
       fore_Irb=upper_slope/(sqrt(fore_H0/L0));
       fore_gamma=gamma_perm*gamma_beta*gamma_rough;
       if (fore_Irb < 1.8)
          fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
       else
          fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
       end
       if berm_width >= L0
          R2_new=fore_R2
          disp ('berm is wider than one wavelength, use full shallow foreshore solution');
       else
          w2=(berm_width-0.25*L0)/(0.75*L0)
          w1=1-w2
          R2_new=w2*fore_R2 + w1*R2_new
       end
    end % end berm width check
    % convergence criterion
    R2del=abs(R2-R2_new)
    R2_all(iter)=R2_new;
    % get the new top station (for plot purposes)
    Z2=R2_new+SWEL
    top_sta=-999;
    for kk=1:length(sta)-1
       if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
          top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
          break;
       end
    end
    if top_sta==-999
       dy=Z2-dep(end);
       top_sta=sta(end)+dy/S(end);
    end
    topStaAll(iter)=top_sta;
end
ans =
!----------------- STARTING ITERATION 1 -----------------!
Ztoe =
                    2.2749
toe_sta =
          148.690355329948
top_sta =
          173.496221662469
Z2 =
                   17.1813
H0 =
                    4.9688
Tp =
                   13.8709
T0 =
```

```
          12.6099090909091
R2 =
                    14.9064
Z2 =
                    24.6345
top_sta =
           236.07556675063
Lslope =
          87.3852114206816
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 1
dh =
                    6.24775
rdh_sum =
         0.696694661749085
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 7
dh =
                    5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 8
dh =
                    5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 54
dh =
                   -1.58515
rdh_sum =
           1.9125625838384
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 55
dh =
                   -1.64545
rdh_sum =
          1.94232759962642
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 56
dh =
                    -1.7051
rdh_sum =
          1.97426609824767
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 66
dh =
                   -3.51485
rdh_sum =
          2.10529161254412
ans =
!------- End Berm Factor Calculation, Iter: 1 ---------!
berm_width =
     7
rB =
        0.0801050874192117
rdh_mean =
           0.30075594464916
gamma_berm =
          0.943986993818757
slope =
          0.278155640880075
Irb =
           3.55938219472908
gamma_berm =
          0.943986993818757
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.755189595055005
ans =
!!! - - Iribaren number:   3.36 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.6 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          12.9529669019934
R2del =
          1.95343309800661
Z2 =
          22.6810669019934
ans =
!----------------- STARTING ITERATION 2 -----------------!
Ztoe =
                     2.2749
toe_sta =
          148.690355329948
top_sta =
          219.673945440751
Z2 =
          22.6810669019934
H0 =
```

```
                    4.9688
Tp =
                   13.8709
T0 =
          12.6099090909091
R2 =
          12.9529669019934
Z2 =
          22.6810669019934
top_sta =
          219.673945440751
Lslope =
          70.9835901108023
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 1
dh =
                    6.24775
rdh_sum =
         0.696694661749085
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 7
dh =
                    5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 8
dh =
                    5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 54
dh =
                   -1.58515
rdh_sum =
          1.92141855805693
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 55
dh =
                   -1.64545
rdh_sum =
          1.96071001201676
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 56
dh =
                    -1.7051
rdh_sum =
          2.00286041802213
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 66
dh =
                   -3.51485
rdh_sum =
          2.17380355043182
ans =
!------- End Berm Factor Calculation, Iter: 2 ---------!
berm_width =
     7
rB =
        0.0986143415551862
rdh_mean =
          0.310543364347402
gamma_berm =
          0.932009687844265
slope =
          0.318928132457954
Irb =
           4.08112203828527
gamma_berm =
          0.932009687844265
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.745607750275412
ans =
!!! - - Iribaren number:   3.80 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
           12.996319619657
R2del =
        0.0433527176635842
Z2 =
           22.724419619657
ans =
!----------------- STARTING ITERATION 3 -----------------!
Ztoe =
                    2.2749
toe_sta =
          148.690355329948
top_sta =
```

```
          220.037948107951
Z2 =
           22.724419619657
H0 =
                    4.9688
Tp =
                   13.8709
T0 =
          12.6099090909091
R2 =
           12.996319619657
Z2 =
           22.724419619657
top_sta =
          220.037948107951
Lslope =
          71.3475927780029
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 1
dh =
                   6.24775
rdh_sum =
         0.696694661749085
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 7
dh =
                   5.59575
rdh_sum =
          1.29514584126333
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 8
dh =
                   5.53985
rdh_sum =
          1.88491919851846
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 54
dh =
                  -1.58515
rdh_sum =
          1.92117843923054
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 55
dh =
                  -1.64545
rdh_sum =
          1.96021165551224
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 56
dh =
                   -1.7051
rdh_sum =
          2.00208530851954
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 66
dh =
                  -3.51485
rdh_sum =
          2.17195923757907
ans =
!------- End Berm Factor Calculation, Iter: 3 ---------!
berm_width =
     7
rB =
        0.0981112288088038
rdh_mean =
          0.310279891082724
gamma_berm =
          0.932330712579984
slope =
          0.317797740938144
Irb =
           4.06665713138656
gamma_berm =
          0.932330712579984
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                        0.8
gamma =
          0.745864570063987
ans =
!!! - - Iribaren number:   3.79 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.1 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          12.9955805204094
R2del =
      0.000739099247571318
Z2 =
          22.7236805204094
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
```

```
          22.7236805204094
diary off
-1.000000e+00
```