

```

diary on          % begin recording

% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: CM-122-1
% calculation by SJH, Ransom Consulting, Inc. 20-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20200220
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007, Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%-----
% CONFIG
%-----
fname='infiles/CM-122-1sta_ele_include.csv'; % file with station, elevation, include
% third column is 0 for excluded points
imgname='logfiles/CM-122-1-runup';
SWEL=9.0674; % 100-yr still water level including wave setup.
H0=2.1741; % significant wave height at toe of structure
Tp=5.0338; % peak period, 1/fma,
T0=Tp/1.1;

gamma_berm=1; % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;

setupAtToe=0.00035761;
maxSetup=0.050741; % only used in case of berm/shallow foreshore weighted average

plotTitle='Iterative TAW for CM-122-1'

plotTitle =

Iterative TAW for CM-122-1

% END CONFIG
%-----

SWEL=SWEL+setupAtToe

SWEL =

          9.06775761

SWEL_fore=SWEL+maxSetup

SWEL_fore =

          9.11849861

% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2

L0 =

          107.153818349666

% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL; % depth at breaking

% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height

```

```

% to make it consistent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0

Ztoe =

    5.80660761

% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%[^\\n]','delimiter',' ','headerlines',0);

% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];

sta_org=sta; % used for plotting purposes
dep_org=dep;

% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0

Z2 =

    12.32890761

% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1))) % here is the intersection of Ztoe with profile
        toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end

toe_sta =

    304.639381762763

top_sta =

    324.759692030898

% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta== -999
    dy=dep(1)-Ztoe;
    toe_sta=sta(1)-dy/S(1)
end
if top_sta== -999
    dy=Z2-dep(end);
    top_sta=sta(end)+dy/S(end)
end

% just so the reader can tell the values aren't -999 anymore
top_sta

top_sta =

    324.759692030898

toe_sta

toe_sta =

    304.639381762763

% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
    dd=SWEL_fore-dep;
    k=find(dd<0,1); % k is index of first land point
    staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
    dsta=staAtSWL-sta(1);
    dsetup=maxSetup-setupAtToe;
    dsetdsta=dsetup/dsta;
    setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
    sprintf('!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
    sprintf('!!- Setup is interpolated between setup at toe of slope and max setup')

```

```

    sprintf('!!!-      setup is adjusted to %4.2f feet',setup)
    SWEL=SWEL-setupAtToe+setup;
    sprintf('!!!-      SWEL is adjusted to %4.2f feet',SWEL)
    k=find(dep < SWEL-1.5*H0)
    sta(k)=[];
    dep(k)=[];
else
    sprintf('!!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',dep(1)
    sprintf('!!!- This may be reasonable for some cases.  However the user may want to consider:\n')
    sprintf('!!!-      1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
    sprintf('!!!-      2) Reducing the incident wave height to a depth limited condition.\n')
end

ans =

-!!!- Location of SWEL-1.5*H0 is 17.9 ft landward of toe of slope

ans =

-!!!- Setup is interpolated between setup at toe of slope and max setup

ans =

-!!!-      setup is adjusted to 0.02 feet

ans =

-!!!-      SWEL is adjusted to 9.09 feet

k =

    1
    2
    3
    4
    5
    6
    7
    8

% now iterate converge on a runup elevation
tol=0.01; % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf('!----- STARTING ITERATION %d -----!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline)
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
    % determine slope for this iteration
    top_sta=-999;
    for kk=1:length(sta)-1
        if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
            top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
            break;
        end
    end
    if top_sta== -999
        dy=Z2-dep(end);
        top_sta=sta(end)+dy/S(end)
    end
end

```

```

% get the length of the slope (not accounting for berm)
Lslope=top_sta-toe_sta

% loop over profile segments to determine berm factor
% re-calculate influence of depth of berm based on this run-up elevation
% check for berm, berm width, berm height
berm_width=0;
rdh_sum=0;
Berm_Segs=[];
Berm_Heights=[];
for kk=1:length(sta)-1
    ddep=dep(kk+1)-dep(kk);
    dsta=sta(kk+1)-sta(kk);
    s=ddep/dsta;
    if (s < 1/15) % count it as a berm if slope is flatter than 1:15 (see TAW manual)
        sprintf('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter, kk)
        berm_width=berm_width+dsta; % tally the width of all berm segments
        % compute the rdh for this segment and weight it by the segment length
        dh=SWEL-(dep(kk)+dep(kk+1))/2
        if dh < 0
            chi=R2;
        else
            chi=2* H0;
        end
        if (dh <= R2 & dh >=-2*H0)
            rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
        else
            rdh=1;
        end
        rdh_sum=rdh_sum + rdh * dsta
        Berm_Segs=[Berm_Segs, kk];
        Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
    end
    if dep(kk) >= Z2 % jump out of loop if we reached limit of run-up for this iteration
        break
    end
end
sprintf('!----- End Berm Factor Calculation, Iter: %d -----!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
    rdh_mean=rdh_sum/berm_width
else
    rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
    gamma_berm=1
end
if gamma_berm < 0.6
    gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma_rough
gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough

% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
    sprintf('!!! - - Iribarren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*gamma_berm)
    TAW_VALID=0;
else
    sprintf('!!! - - Iribarren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gamma_berm)
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
    sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islope)
    TAW_VALID=0;
else
    sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
    TAW_ALWAYS_VALID=0;
end

if (Irb*gamma_berm < 1.8)
    R2_new=gamma*H0*1.77*Irb
else
    R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
end

% check to see if we need to evaluate a shallow foreshore
if berm_width > 0.25 * L0;

```

```

disp ('!   Berm_width is greater than 1/4 wave length')
disp ('!   Runup will be weighted average with foreshore calculation assuming depth limited wave height on berm')
% do the foreshore calculation
fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
% get upper slope
fore_toe_sta=-999;
fore_toe_dep=-999;
for kk=length(dep)-1:-1:1
    ddep=dep(kk+1)-dep(kk);
    dsta=sta(kk+1)-sta(kk);
    s=ddep/dsta;
    if s < 1/15
        break
    end
    fore_toe_sta=sta(kk);
    fore_toe_dep=dep(kk);
    upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
end
fore_Irb=upper_slope/(sqrt(fore_H0/L0));
fore_gamma=gamma_perm*gamma_beta*gamma_rough;
if (fore_Irb < 1.8)
    fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
else
    fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
end
if berm_width >= L0
    R2_new=fore_R2
    disp ('berm is wider than one wavelength, use full shallow foreshore solution');
else
    w2=(berm_width-0.25*L0)/(0.75*L0)
    w1=1-w2
    R2_new=w2*fore_R2 + w1*R2_new
end
end % end berm width check

% convergence criterion
R2del=abs(R2-R2_new)
R2_all(iter)=R2_new;

% get the new top station (for plot purposes)
Z2=R2_new+SWEL
top_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1))) % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
        break;
    end
end
if top_sta== -999
    dy=Z2-dep(end);
    top_sta=sta(end)+dy/S(end);
end
topStaAll(iter)=top_sta;

end
ans =
!----- STARTING ITERATION 1 -----!
Ztoe =
    5.80660761
toe_sta =
    304.639381762763
top_sta =
    324.759692030898
Z2 =
    12.32890761
H0 =
    2.1741
Tp =
    5.0338
T0 =
    4.57618181818182
R2 =
    6.5223
Z2 =
    15.6115963384552
top_sta =
    348.243855848088
Lslope =
    43.604474085325
ans =
!----- End Berm Factor Calculation, Iter: 1 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.224861987998498

```

```

Irb =
1.57862913424299
gamma_berm =
1
gamma_perm =
1
gamma_beta =
1
gamma_rough =
0.8
gamma =
0.8
ans =
!!! - - Iribaren number: 1.58 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.4 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
4.85985020267289
R2del =
1.66244979732711
Z2 =
13.9491465411281
ans =
!----- STARTING ITERATION 2 -----!
Ztoe =
5.80660761
toe_sta =
304.639381762763
top_sta =
334.907662956176
Z2 =
13.9491465411281
H0 =
2.1741
Tp =
5.0338
T0 =
4.57618181818182
R2 =
4.85985020267289
Z2 =
13.9491465411281
top_sta =
334.907662956176
Lslope =
30.2682811934127
ans =
!----- End Berm Factor Calculation, Iter: 2 -----!
berm_width =
0
rB =
0
rdh_mean =
1
gamma_berm =
1
slope =
0.26901226663971
Irb =
1.88858332778338
gamma_berm =
1
gamma_perm =
1
gamma_beta =
1
gamma_rough =
0.8
gamma =
0.8
ans =
!!! - - Iribaren number: 1.89 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:3.7 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
5.45392086781691
R2del =
0.594070665144022
Z2 =
14.5432172062721
ans =
!----- STARTING ITERATION 3 -----!
Ztoe =
5.80660761
toe_sta =
304.639381762763
top_sta =
339.673305199644
Z2 =
14.5432172062721

```

```

H0 =
                2.1741
Tp =
                5.0338
T0 =
                4.57618181818182
R2 =
                5.45392086781691
Z2 =
                14.5432172062721
top_sta =
                339.673305199644
Lslope =
                35.033923436881
ans =
!----- End Berm Factor Calculation, Iter: 3 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.249375711858606
Irb =
    1.7507261570382
gamma_berm =
    1
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.8
ans =
!!! - - Iribaren number: 1.75 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    5.38965529303172
R2del =
    0.0642655747851926
Z2 =
    14.4789516314869
ans =
!----- STARTING ITERATION 4 -----!
Ztoe =
    5.80660761
toe_sta =
    304.639381762763
top_sta =
    339.157765961694
Z2 =
    14.4789516314869
H0 =
    2.1741
Tp =
    5.0338
T0 =
    4.57618181818182
R2 =
    5.38965529303172
Z2 =
    14.4789516314869
top_sta =
    339.157765961694
Lslope =
    34.5183841989305
ans =
!----- End Berm Factor Calculation, Iter: 4 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.251238411725993
Irb =
    1.76380312173633
gamma_berm =
    1
gamma_perm =
    1

```

```

gamma_beta =
1
gamma_rough =
0.8
gamma =
0.8
ans =
!!! - - Iribaren number: 1.76 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
5.4299130636252
R2del =
0.040257770593481
Z2 =
14.5192094020804
ans =
!----- STARTING ITERATION 5 -----!
Ztoe =
5.80660761
toe_sta =
304.639381762763
top_sta =
339.480714296673
Z2 =
14.5192094020804
H0 =
2.1741
Tp =
5.0338
T0 =
4.57618181818182
R2 =
5.4299130636252
Z2 =
14.5192094020804
top_sta =
339.480714296673
Lslope =
34.8413325339095
ans =
!----- End Berm Factor Calculation, Iter: 5 -----!
berm_width =
0
rB =
0
rdh_mean =
1
gamma_berm =
1
slope =
0.250065114002192
Irb =
1.75556606047747
gamma_berm =
1
gamma_perm =
1
gamma_beta =
1
gamma_rough =
0.8
gamma =
0.8
ans =
!!! - - Iribaren number: 1.76 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
5.40455505967104
R2del =
0.0253580039541577
Z2 =
14.4938513981262
ans =
!----- STARTING ITERATION 6 -----!
Ztoe =
5.80660761
toe_sta =
304.639381762763
top_sta =
339.277292074462
Z2 =
14.4938513981262
H0 =
2.1741
Tp =
5.0338
T0 =
4.57618181818182

```



```

R2 =
    5.40455505967104
Z2 =
    14.4938513981262
top_sta =
    339.277292074462
Lslope =
    34.6379103116985
ans =
!----- End Berm Factor Calculation, Iter: 6 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.250801613317655
Irb =
    1.76073660658483
gamma_berm =
    1
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.8
ans =
!!! - - Iribaren number: 1.76 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    5.42047271822854
R2del =
    0.0159176585574956
Z2 =
    14.5097690566837
ans =
!----- STARTING ITERATION 7 -----!
Ztoe =
    5.80660761
toe_sta =
    304.639381762763
top_sta =
    339.404983728822
Z2 =
    14.5097690566837
H0 =
    2.1741
Tp =
    5.0338
T0 =
    4.57618181818182
R2 =
    5.42047271822854
Z2 =
    14.5097690566837
top_sta =
    339.404983728822
Lslope =
    34.7656019660581
ans =
!----- End Berm Factor Calculation, Iter: 7 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.250338292867205
Irb =
    1.75748389514133
gamma_berm =
    1
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.8

```

```

ans =
!!! - - Iribaren number: 1.76 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    5.4104591627803
R2del =
    0.0100135554482339
Z2 =
    14.4997555012355
ans =
!----- STARTING ITERATION 8 -----!
Ztoe =
    5.80660761
toe_sta =
    304.639381762763
top_sta =
    339.324654862827
Z2 =
    14.4997555012355
H0 =
    2.1741
Tp =
    5.0338
T0 =
    4.57618181818182
R2 =
    5.4104591627803
Z2 =
    14.4997555012355
top_sta =
    339.324654862827
Lslope =
    34.6852731000639
ans =
!----- End Berm Factor Calculation, Iter: 8 -----!
berm_width =
    0
rB =
    0
rdh_mean =
    1
gamma_berm =
    1
slope =
    0.250629362673794
Irb =
    1.75952733201063
gamma_berm =
    1
gamma_perm =
    1
gamma_beta =
    1
gamma_rough =
    0.8
gamma =
    0.8
ans =
!!! - - Iribaren number: 1.76 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:4.0 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
    5.41674993549442
R2del =
    0.00629077271411393
Z2 =
    14.5060462739496
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
    14.5060462739496
diary off
-1.000000e+00
-1.000000e+00
-1.000000e+00

```