```
diary on          % begin recording

% FEMA appeal for The Town of Harpswell, Cumberland county, Maine
% TRANSECT ID: CM-127-1
% calculation by SJH, Ransom Consulting, Inc. 20-Feb-2020
% 100-year wave runup using TAW methodology
% including berm and weighted average with foreshore if necessary
%
% chk nld 20200220
%
% This script assumes that the incident wave conditions provided
% as input in the configuration section below are the
% appropriate values located at the end of the foreshore
% or toe of the slope on which the run-up is being calculated
% the script does not attempt to apply a depth limit or any other
% transformation to the incident wave conditions other than
% conversion of the peak wave period to the spectral mean wave
% as recommended in the references below
%
% references:
%
% Van der Meer, J.W., 2002. Technical Report Wave Run-up and
% Wave Overtopping at Dikes. TAW Technical Advisory Committee on
% Flood Defence, The Netherlands.
%
% FEMA. 2007,  Atlantic Ocean and Gulf of Mexico Coastal Guidelines Update
%
%
%


%-------------------------------------------------------------------------
% CONFIG
%-------------------------------------------------------------------------
fname='inpfiles/CM-127-1sta_ele_include.csv';   % file with station, elevation, include
                                    % third colunm is 0 for excluded points
imgname='logfiles/CM-127-1-runup';
SWEL=8.8666;  % 100-yr still water level including wave setup.
H0=3.3682;    % significant wave height at toe of structure
Tp=6.1803;    % peak period, 1/fma,
T0=Tp/1.1;

gamma_berm=0.82539;   % this may get changed automatically below
gamma_rough=0.8;
gamma_beta=1;
gamma_perm=1;

setupAtToe=-0.0097211;
maxSetup=0.46254;   % only used in case of berm/shallow foreshore weighted average

plotTitle='Iterative TAW for CM-127-1'

plotTitle =

Iterative TAW for CM-127-1



% END CONFIG
%------------------------------

SWEL=SWEL+setupAtToe

SWEL =

              8.8568789

SWEL_fore=SWEL+maxSetup

SWEL_fore =

              9.3194189



% FIND WAVELENGTH USING DEEPWATER DISPERSION RELATION
% using English units
L0=32.15/(2*pi)*T0^2

L0 =

        161.523178522377


% Find Hb (Munk, 1949)
%Hb=H0/(3.3*(H0/L0)^(1/3))
%Db=-Hb/.78+SWEL;  % depth at breaking

% The toe elevation here is only used to determine the average
% structure slope, it is not used to depth limit the wave height.
% Any depth limiting or other modification of the wave height
```

```
% to make it consitent with TAW guidance should be performed
% prior to the input of the significant wave height given above.
Ztoe=SWEL-1.5*H0

Ztoe =

                   3.8045789


% read the transect
[sta,dep,inc] = textread(fname,'%n%n%n%*[^\n]','delimiter',',','headerlines',0);

% remove unselected points
k=find(inc==0);
sta(k)=[];
dep(k)=[];

sta_org=sta;  % used for plotting purposes
dep_org=dep;


% initial guess at maximum run-up elevation to estimate slope
Z2=SWEL+1.5*H0

Z2 =

                   13.9091789


% determine station at the max runup and -1.5*H0 (i.e. the toe)
top_sta=-999;
toe_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
    end
    if  ((Ztoe > dep(kk)) & (Ztoe <= dep(kk+1)))    % here is the intersection of Ztoe with profile
        toe_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Ztoe)
    end
end

toe_sta =

          46.6177029112231

% check to make sure we got them, if not extend the end slopes outward
S=diff(dep)./diff(sta);
if toe_sta==-999
   dy=dep(1)-Ztoe;
   toe_sta=sta(1)-dy/S(1)
end
if top_sta==-999
   dy=Z2-dep(end);
   top_sta=sta(end)+dy/S(end)
end

top_sta =

          137.929492046669


% just so the reader can tell the values aren't -999 anymore
top_sta

top_sta =

          137.929492046669

toe_sta

toe_sta =

          46.6177029112231



% check for case where the toe of slope is below SWL-1.5*H0
% in this case interpolate setup from the setupAtToe(really setup as first station), and the max setup
% also un-include points seaward of SWL-1.5*H0
if Ztoe > dep(1)
   dd=SWEL_fore-dep;
   k=find(dd<0,1); % k is index of first land point
   staAtSWL=interp1(dep(k-1:k),sta(k-1:k),SWEL_fore);
   dsta=staAtSWL-sta(1);
   dsetup=maxSetup-setupAtToe;
   dsetdsta=dsetup/dsta;
   setup=setupAtToe+dsetdsta*(toe_sta-sta(1));
   sprintf('-!!- Location of SWEL-1.5*H0 is %4.1f ft landward of toe of slope',dsta)
   sprintf('-!!- Setup is interpolated between setup at toe of slope and max setup')
```

```
    sprintf('-!!-       setup is adjusted to %4.2f feet',setup)
    SWEL=SWEL-setupAtToe+setup;
    sprintf('-!!-       SWEL is adjusted to %4.2f feet',SWEL)
    k=find(dep < SWEL-1.5*H0)
    sta(k)=[];
    dep(k)=[];
else
    sprintf('-!!- The User has selected a starting point that is %4.2f feet above the elevation of SWEL-1.5H0\n',dep(1
    sprintf('-!!- This may be reasonable for some cases.  However the user may want to consider:\n')
    sprintf('-!!-   1) Selecting a starting point that is at or below %4.2f feet elevation, or\n', Ztoe)
    sprintf('-!!-   2) Reducing the incident wave height to a depth limited condition.\n')
end

ans =

-!!- Location of SWEL-1.5*H0 is 163.6 ft landward of toe of slope


ans =

-!!- Setup is interpolated between setup at toe of slope and max setup


ans =

-!!-       setup is adjusted to 0.30 feet


ans =

-!!-       SWEL is adjusted to 9.17 feet


k =

      1
      2
      3
      4
      5
      6
      7
      8
      9
     10
     11
     12
     13
     14
     15
     16
     17
     18
     19
     20
     21
     22
     23
     24
     25
     26
     27
     28
     29
     30
     31
     32
     33
     34
     35
     36
     37
     38
     39
     40
     41
     42
     43
     44
     45
     46
     47
     48
     49
     50
     51
     52
     53
     54
     55
```

```
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
100
101
102
103
104
105
106
107
108
109
110
111
```

```matlab
% now iterate converge on a runup elevation
tol=0.01;  % convergence criteria
R2del=999;
R2_new=3*H0; %initial guess
R2=R2_new;
iter=0;
R2_all=[];
topStaAll=[];
Berm_Segs=[];
TAW_ALWAYS_VALID=1;
while(abs(R2del) > tol && iter <= 25)
    iter=iter+1;
    sprintf ('!---------------- STARTING ITERATION %d ----------------!',iter)
    % elevation of toe of slope
    Ztoe
    % station of toe slope (relative to 0-NAVD88 shoreline
    toe_sta
    % station of top of slope/extent of 2% run-up
    top_sta
    % elevation of top of slope/extent of 2% run-up
    Z2
    % incident significant wave height
    H0
    % incident spectral peak wave period
    Tp
    % incident spectral mean wave period
    T0

    R2=R2_new
    Z2=R2+SWEL
```

```matlab
% determine slope for this iteration
top_sta=-999;
for kk=1:length(sta)-1
    if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))    % here is the intersection of z2 with profile
        top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
        break;
    end
end
if top_sta==-999
    dy=Z2-dep(end);
    top_sta=sta(end)+dy/S(end)
end

% get the length of the slope (not accounting for berm)
Lslope=top_sta-toe_sta

% loop over profile segments to determine berm factor
% re-calculate influence of depth of berm based on this run-up elevation
% check for berm, berm width, berm height
berm_width=0;
rdh_sum=0;
Berm_Segs=[];
Berm_Heights=[];
for kk=1:length(sta)-1
    ddep=dep(kk+1)-dep(kk);
    dsta=sta(kk+1)-sta(kk);
    s=ddep/dsta;
    if  (s < 1/15)    % count it as a berm if slope is flatter than 1:15 (see TAW manual)
        sprintf ('Berm Factor Calculation: Iteration %d, Profile Segment: %d',iter,kk)
        berm_width=berm_width+dsta;    % tally the width of all berm segments
        % compute the rdh for this segment and weight it by the segment length
        dh=SWEL-(dep(kk)+dep(kk+1))/2
        if  dh < 0
            chi=R2;
        else
            chi=2* H0;
        end
        if (dh <= R2 & dh >=-2*H0)
            rdh=(0.5-0.5*cos(3.14159*dh/chi)) ;
        else
            rdh=1;
        end
        rdh_sum=rdh_sum + rdh * dsta
        Berm_Segs=[Berm_Segs, kk];
        Berm_Heights=[Berm_Heights, (dep(kk)+dep(kk+1))/2];
    end
    if dep(kk) >= Z2  % jump out of loop if we reached limit of run-up for this iteration
        break
    end
end
sprintf ('!------- End Berm Factor Calculation, Iter: %d ---------!',iter)
berm_width
rB=berm_width/Lslope
if (berm_width > 0)
    rdh_mean=rdh_sum/berm_width
else
    rdh_mean=1
end
gamma_berm=1- rB * (1-rdh_mean)
if gamma_berm > 1
    gamma_berm=1
end
if gamma_berm < 0.6
    gamma_berm =0.6
end
% Iribarren number
slope=(Z2-Ztoe)/(Lslope-berm_width)
Irb=(slope/(sqrt(H0/L0)))
% runup height
gamma_berm
gamma_perm
gamma_beta
gamma_rough
gamma=gamma_berm*gamma_perm*gamma_beta*gamma_rough
% check validity
TAW_VALID=1;
if (Irb*gamma_berm < 0.5 | Irb*gamma_berm > 10 )
    sprintf('!!! - - Iribaren number: %6.2f is outside the valid range (0.5-10), TAW NOT VALID - - !!!\n', Irb*gam
    TAW_VALID=0;
else
    sprintf('!!! - - Iribaren number: %6.2f is in the valid range (0.5-10), TAW RECOMMENDED - - !!!\n', Irb*gamma_
end
islope=1/slope;
if (slope < 1/8 | slope > 1)
    sprintf('!!! - - slope: 1:%3.1f V:H is outside the valid range (1:8 - 1:1), TAW NOT VALID - - !!!\n', islope)
    TAW_VALID=0;
else
    sprintf('!!! - - slope: 1:%3.1f V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!\n', islope)
end
if TAW_VALID == 0
```

```
        TAW_ALWAYS_VALID=0;
    end

    if (Irb*gamma_berm < 1.8)
        R2_new=gamma*H0*1.77*Irb
    else
        R2_new=gamma*H0*(4.3-(1.6/sqrt(Irb)))
    end
    % check to see if we need to evaluate a shallow foreshore
    if berm_width > 0.25 * L0;
        disp ('!    Berm_width is greater than 1/4 wave length')
        disp ('!    Runup will be weighted average with foreshore calculation assuming depth limited wave height on ber
        % do the foreshore calculation
        fore_H0=0.78*(SWEL_fore-min(Berm_Heights))
        % get upper slope
        fore_toe_sta=-999;
        fore_toe_dep=-999;
        for kk=length(dep)-1:-1:1
            ddep=dep(kk+1)-dep(kk);
            dsta=sta(kk+1)-sta(kk);
            s=ddep/dsta;
            if s < 1/15
                break
            end
            fore_toe_sta=sta(kk);
            fore_toe_dep=dep(kk);
            upper_slope=(Z2-fore_toe_dep)/(top_sta-fore_toe_sta)
        end
        fore_Irb=upper_slope/(sqrt(fore_H0/L0));
        fore_gamma=gamma_perm*gamma_beta*gamma_rough;
        if (fore_Irb < 1.8)
            fore_R2=fore_gamma*fore_H0*1.77*fore_Irb;
        else
            fore_R2=fore_gamma*fore_H0*(4.3-(1.6/sqrt(fore_Irb)));
        end
        if berm_width >= L0
            R2_new=fore_R2
            disp ('berm is wider than one wavelength, use full shallow foreshore solution');
        else
            w2=(berm_width-0.25*L0)/(0.75*L0)
            w1=1-w2
            R2_new=w2*fore_R2 + w1*R2_new
        end
    end % end berm width check
    % convergence criterion
    R2del=abs(R2-R2_new)
    R2_all(iter)=R2_new;
    % get the new top station (for plot purposes)
    Z2=R2_new+SWEL
    top_sta=-999;
    for kk=1:length(sta)-1
        if ((Z2 > dep(kk)) & (Z2 <= dep(kk+1)))      % here is the intersection of z2 with profile
            top_sta=interp1(dep(kk:kk+1),sta(kk:kk+1),Z2)
            break;
        end
    end
    if top_sta==-999
        dy=Z2-dep(end);
        top_sta=sta(end)+dy/S(end);
    end
    topStaAll(iter)=top_sta;
end
ans =
!---------------- STARTING ITERATION 1 ----------------!
Ztoe =
                 3.8045789
toe_sta =
        46.6177029112231
top_sta =
        137.929492046669
Z2 =
                 13.9091789
H0 =
                    3.3682
Tp =
                    6.1803
T0 =
        5.61845454545454
R2 =
                   10.1046
Z2 =
        19.2720969625541
top_sta =
        184.519403022822
Lslope =
        137.901700111599
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 20
dh =
        3.17853746255406
```

```
rdh_sum =
        0.455831438153278
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 21
dh =
        3.12133646255406
rdh_sum =
        0.898394170675858
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 22
dh =
        3.06413596255406
rdh_sum =
        1.32772918429549
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 23
dh =
        3.00693546255406
rdh_sum =
        1.74388676204367
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 24
dh =
        2.94973446255406
rdh_sum =
        2.14692644923318
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 25
dh =
        2.89253396255406
rdh_sum =
        2.53691735478053
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 26
dh =
        2.83533346255406
rdh_sum =
        2.91393775777477
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 27
dh =
        2.77813246255406
rdh_sum =
        3.27807505451236
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 28
dh =
        2.72093146255406
rdh_sum =
        3.62942592240545
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 29
dh =
        2.66373096255406
rdh_sum =
        3.96809624780915
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 30
dh =
        2.60653046255406
rdh_sum =
        4.29420082795931
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 31
dh =
        2.54932946255406
rdh_sum =
        4.60786329329859
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 32
dh =
        2.49212846255406
rdh_sum =
        4.90921623820501
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 33
dh =
        2.43492796255406
rdh_sum =
        5.19840112200614
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 34
dh =
        2.37772746255406
rdh_sum =
         5.4755679542565
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 35
dh =
        2.32052646255406
```

```
rdh_sum =
          5.74087519323827
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 36
dh =
          2.26332546255406
rdh_sum =
          5.99448984202326
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 37
dh =
          2.20612496255406
rdh_sum =
          6.23658732379978
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 38
dh =
          2.14892446255406
rdh_sum =
          6.46735115406978
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 39
dh =
          2.09172346255406
rdh_sum =
          6.68697281647881
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 40
dh =
          2.03452296255406
rdh_sum =
          6.89565191787464
ans =
Berm Factor Calculation: Iteration 1, Profile Segment: 41
dh =
          1.97732246255406
rdh_sum =
          7.09359575325115
ans =
!------- End Berm Factor Calculation, Iter: 1 ---------!
berm_width =
    22
rB =
          0.159533928749219
rdh_mean =
          0.322436170602325
gamma_berm =
          0.891905580317823
slope =
          0.133453763384495
Irb =
          0.924164571951214
gamma_berm =
          0.891905580317823
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                      0.8
gamma =
          0.713524464254259
ans =
!!! - - Iribaren number:   0.82 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:7.5 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          3.93123786091145
R2del =
          6.17336213908855
Z2 =
          13.0987348234655
ans =
!---------------- STARTING ITERATION 2 -----------------!
Ztoe =
                3.8045789
toe_sta =
          46.6177029112231
top_sta =
          130.888825578065
Z2 =
          13.0987348234655
H0 =
                3.3682
Tp =
                6.1803
T0 =
          5.61845454545454
R2 =
          3.93123786091145
```

```
Z2 =
          13.0987348234655
top_sta =
          130.888825578065
Lslope =
           84.271122666842
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 20
dh =
          3.17853746255406
rdh_sum =
       0.455831438153278
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 21
dh =
          3.12133646255406
rdh_sum =
       0.898394170675858
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 22
dh =
          3.06413596255406
rdh_sum =
          1.32772918429549
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 23
dh =
          3.00693546255406
rdh_sum =
          1.74388676204367
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 24
dh =
          2.94973446255406
rdh_sum =
          2.14692644923318
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 25
dh =
          2.89253396255406
rdh_sum =
          2.53691735478053
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 26
dh =
          2.83533346255406
rdh_sum =
          2.91393775777477
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 27
dh =
          2.77813246255406
rdh_sum =
          3.27807505451236
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 28
dh =
          2.72093146255406
rdh_sum =
          3.62942592240545
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 29
dh =
          2.66373096255406
rdh_sum =
          3.96809624780915
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 30
dh =
          2.60653046255406
rdh_sum =
          4.29420082795931
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 31
dh =
          2.54932946255406
rdh_sum =
          4.60786329329859
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 32
dh =
          2.49212846255406
rdh_sum =
          4.90921623820501
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 33
dh =
          2.43492796255406
rdh_sum =
          5.19840112200614
```

```
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 34
dh =
          2.37772746255406
rdh_sum =
           5.4755679542565
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 35
dh =
          2.32052646255406
rdh_sum =
          5.74087519323827
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 36
dh =
          2.26332546255406
rdh_sum =
          5.99448984202326
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 37
dh =
          2.20612496255406
rdh_sum =
          6.23658732379978
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 38
dh =
          2.14892446255406
rdh_sum =
          6.46735115406978
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 39
dh =
          2.09172346255406
rdh_sum =
          6.68697281647881
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 40
dh =
          2.03452296255406
rdh_sum =
          6.89565191787464
ans =
Berm Factor Calculation: Iteration 2, Profile Segment: 41
dh =
          1.97732246255406
rdh_sum =
          7.09359575325115
ans =
!------- End Berm Factor Calculation, Iter: 2 ---------!
berm_width =
    22
rB =
          0.261062144466438
rdh_mean =
          0.322436170602325
gamma_berm =
          0.823113733684551
slope =
          0.149253065071435
Irb =
          1.03357441181142
gamma_berm =
          0.823113733684551
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                     0.8
gamma =
          0.658490986947641
ans =
!!! - - Iribaren number:   0.85 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:6.7 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          4.05753917715523
R2del =
          0.126301316243785
Z2 =
          13.2250361397093
ans =
!---------------- STARTING ITERATION 3 -----------------!
Ztoe =
                3.8045789
toe_sta =
          46.6177029112231
top_sta =
          131.986057907803
```

```
Z2 =
          13.2250361397093
H0 =
                    3.3682
Tp =
                    6.1803
T0 =
          5.61845454545454
R2 =
          4.05753917715523
Z2 =
          13.2250361397093
top_sta =
          131.986057907803
Lslope =
          85.3683549965798
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 20
dh =
          3.17853746255406
rdh_sum =
        0.455831438153278
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 21
dh =
          3.12133646255406
rdh_sum =
        0.898394170675858
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 22
dh =
          3.06413596255406
rdh_sum =
          1.32772918429549
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 23
dh =
          3.00693546255406
rdh_sum =
          1.74388676204367
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 24
dh =
          2.94973446255406
rdh_sum =
          2.14692644923318
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 25
dh =
          2.89253396255406
rdh_sum =
          2.53691735478053
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 26
dh =
          2.83533346255406
rdh_sum =
          2.91393775777477
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 27
dh =
          2.77813246255406
rdh_sum =
          3.27807505451236
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 28
dh =
          2.72093146255406
rdh_sum =
          3.62942592240545
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 29
dh =
          2.66373096255406
rdh_sum =
          3.96809624780915
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 30
dh =
          2.60653046255406
rdh_sum =
          4.29420082795931
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 31
dh =
          2.54932946255406
rdh_sum =
          4.60786329329859
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 32
```

```
dh =
          2.49212846255406
rdh_sum =
          4.90921623820501
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 33
dh =
          2.43492796255406
rdh_sum =
          5.19840112200614
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 34
dh =
          2.37772746255406
rdh_sum =
           5.4755679542565
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 35
dh =
          2.32052646255406
rdh_sum =
          5.74087519323827
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 36
dh =
          2.26332546255406
rdh_sum =
          5.99448984202326
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 37
dh =
          2.20612496255406
rdh_sum =
          6.23658732379978
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 38
dh =
          2.14892446255406
rdh_sum =
          6.46735115406978
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 39
dh =
          2.09172346255406
rdh_sum =
          6.68697281647881
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 40
dh =
          2.03452296255406
rdh_sum =
          6.89565191787464
ans =
Berm Factor Calculation: Iteration 3, Profile Segment: 41
dh =
          1.97732246255406
rdh_sum =
          7.09359575325115
ans =
!------- End Berm Factor Calculation, Iter: 3 ---------!
berm_width =
    22
rB =
          0.257706734549136
rdh_mean =
          0.322436170602325
gamma_berm =
          0.825387238077317
slope =
          0.148661855593659
Irb =
          1.02948029831394
gamma_berm =
          0.825387238077317
gamma_perm =
     1
gamma_beta =
     1
gamma_rough =
                      0.8
gamma =
          0.660309790461854
ans =
!!! - - Iribaren number:   0.85 is in the valid range (0.5-10), TAW RECOMMENDED - - !!!
ans =
!!! - - slope: 1:6.7 V:H is in the valid range (1:8 - 1:1), TAW RECOMMENDED - - !!!
R2_new =
          4.05262961951011
R2del =
       0.00490955764512435
```

```
Z2 =
            13.2201265820642
% final 2% runup elevation
Z2=R2_new+SWEL
Z2 =
            13.2201265820642
diary off
-1.000000e+00
-1.000000e+00
-1.000000e+00
```