1

```
                    Execution started at 20200220.141939


                    ---------------------------------------
                                    SWAN
                    SIMULATION OF WAVES IN NEAR SHORE AREAS
                             VERSION NUMBER 41.20A
                    ---------------------------------------


 PROJECT '2018FemaAppeal' '1'
    '100-year Wind and Wave conditions'
 ! -- SET commands ------------------------------------------------------
  SET DEPMIN=0.01 MAXMES=999 MAXERR=3 PWTAIL=4
  SET LEVEL 0
  SET CARTESIAN
 ! -- MODE commands -----------------------------------------------------
  MODE STATIONARY ONED
 !-- COORDINATES commands-----------------------------------------------
 COORDINATES CART
 !
 !  --  computational (CGRID) grid commands -------------------------------------
 !                                   xlenc=length of grid in meters
 !  mxc = number of mesh cells (one less than number of grid points)
 !CGRID REGular [xpc]  [ypc]  [alpc]  [xlenc]   [ylenc]  [mxc]  [myc] &
 !      [ CIRcle|SECtor[dir1] [dir2] ] [mdc] [flow] [fhigh] [msc]
  CGRID REGULAR   0      0       0      148       0.   148     0    &
        CIRCLE                          36    0.03    0.8     30
 Resolution in sigma-space: df/f =  0.1157
 ! -- READgrid ---- not used in 1-D mode ----------------------------------
 ! -- INPgrid commands  -------------------------------------------------------
 !INPgrid BOTtom REGular [xpinp] [ypinp] [alpinp] [mxinp] [myinp] [dxinp] [dyinp]
 !
  INPGRID BOTTOM REGULAR    0       0        0      148   0      1       1
 !READinp BOTtom [fac]  'fname1'  [idla]  [nhedf]  [FREe|FORmat[form]|UNFormatted]
  READ    BOTTOM   -1. '../gridfiles/CM-139-1zmeters_xmeters.grd'    1      0       FREE
 !-------------------------------------------------------------------------
 ! -- WIND [vel] [dir]
 WIND      25.1  0
 ! -- BOUnd SHAPespec
 BOUND SHAPE JONSWAP 3.3  PEAK DSPR POWER
 ! -- BOUndspec
 ! BOU SIDE W CCW CON FILE 'swanspec.txt' 1
 BOUN SIDE W CCW CONSTANT PAR   2.5313     9.9036     0  2
 !-- BOUndnest1  - optional for boundary from parent run
 !-- BOUndnest2
 !-- BOUndnest3
 !-- INITial -- usest to specify initial values
 !
```

```
!---------------- P H Y S I C S ------------------------
!-- GEN1 [cf10] [cf20] [cf30] [cf40] [edm1pm] [cdrag] [umin] [cfpm]
!-- GEN2 [cf10] [cf20] [cf30] [cf40] [cf50] [cf60] [edm1pm] [cdrag] [umin] [cfpm]
    GEN3 KOMEN
!   whitecapping ( on by default)
!-- WCAPping KOMen [cds2] [stpm] [powst] [delta] [powk]
    WCAP KOM
!   quadruplet wave interactions
!-- QUADrupl [iquad] [lambda] [Cn14] [Csh1] [Csh2]
! -- BREaking CONstant [alpha] [gamma]
     BREAK    CON       1.      0.73
!-- FRICtion JONswap CONstant [cfjon]
    FRIC     JONSWAP CON       0.038
!-- TRIad [itriad] [trfac] [cutfr]   [a]  [b]  [urcrit] [urslim]
! TRIAD        1      0.65    2.5    0.95 -0.75  0.2       0.01
  TRIAD
!-- VEGEtation [height] [diamtr] [nstems] [drag]
!-- MUD [layer] [rhom] [viscm]
!- LIMiter [ursell] [qb] deactivates quadruplets with Ursell number exceeds ursell
!-- OBSTacle -- not in 1-D
!-- SETUP [supcor]
   SETUP    0
!
! ----------------- N U M E R I C S -----------------------------
!
!-- PROP  can use BBST or GSE instead of default
! -- NUMeric -- lots of options
!     NUM ACCUR npnts=100. stat 30
     NUMeric STOPC
!
! -------------------O U T P U T ------------------------------
!
!OUTPut OPTIons "comment' (TABLE [field]) (BLOck [ndec] [len]) (SPEC [ndec])
 OUTPUT OPTIONS '%' TABLE 16
 $BLOCK 9 1000 SPEC 8
!CURve 'sname' [xp1] [yp1] <[int]   [xp]   [yp] >
 CURVE 'curve' 0     0      148  148    0
!TABLe 'sname' < HEADer|NOHEADer|INDexed > 'fname' <output parameters> (output time)
 Table 'curve'   HEADER 'CM-139-1.dat' XP YP HSIGN TPS RTP TMM10 DIR &
 DSPR DEPTH SETUP
!QUANTITY XP hexp=99999
!
!-----------------------------------------------
COMPUTE STATIONARY
------------------------------------------------------------------
                 COMPUTATIONAL PART OF SWAN
------------------------------------------------------------------
```

```
One-dimensional mode of SWAN is activated
Gridresolution       : MXC             149 MYC              1
                     : MCGRD           150
                     : MSC              31 MDC             36
                     : MTC               1
                     : NSTATC            0 ITERMX          50
Propagation flags    : ITFRE             1 IREFR            1
Source term flags    : IBOT              1 ISURF            1
                     : IWCAP             1 IWIND            3
                     : ITRIAD            1 IQUAD            2
                     : IVEG              0 ITURBV           0
                     : IMUD              0
Spatial step         : DX       0.1000E+01 DY      0.1000E+01
Spectral bin         : df/f     0.1157E+00 DDIR    0.1000E+02
Physical constants   : GRAV     0.9810E+01 RHO     0.1025E+04
Wind input           : WSPEED   0.2510E+02 DIR     0.0000E+00
Tail parameters      : E(f)     0.4000E+01 E(k)    0.2500E+01
                     : A(f)     0.5000E+01 A(k)    0.3000E+01
Accuracy parameters  : DREL     0.1000E-01 NPNTS   0.9950E+02
                     : DHABS    0.0000E+00 CURVAT  0.5000E-02
                     : GRWMX    0.1000E+00
Drying/flooding      : LEVEL    0.0000E+00 DEPMIN  0.1000E-01
The Cartesian convention for wind and wave directions is used
Scheme for geographic propagation is SORDUP
Scheme geogr. space  : PROPSC            2 ICMAX            7
Scheme spectral space: CSS      0.5000E+00 CDD     0.5000E+00
Current is off
Quadruplets          : IQUAD             2
                     : LAMBDA   0.2500E+00 CNL4    0.3000E+08
                     : CSH1     0.5500E+01 CSH2    0.8330E+00
                     : CSH3    -0.1250E+01
Maximum Ursell nr for Snl4 :    0.1000E+02
Triads               : ITRIAD            1 TRFAC   0.8000E+00
                     : CUTFR    0.2500E+01 URCRI   0.2000E+00
Minimum Ursell nr for Snl3 :    0.1000E-01
JONSWAP (‘73)        : GAMMA    0.3800E-01
Vegetation is off
Turbulence is off
Fluid mud is off
W-cap Komen (‘84)    : EMPCOF (CDS2):   0.2360E-04
W-cap Komen (‘84)    : APM (STPM)   :   0.3020E-02
W-cap Komen (‘84)    : POWST        :   0.2000E+01
W-cap Komen (‘84)    : DELTA        :   0.1000E+01
W-cap Komen (‘84)    : POWK         :   0.1000E+01
Wind drag is fit
Snyder/Komen wind input
Battjes&Janssen (‘78): ALPHA    0.1000E+01 GAMMA   0.7300E+00
Set-up               : SUPCOR   0.0000E+00
Diffraction is off
Janssen (‘89,‘90)    : ALPHA    0.1000E-01 KAPPA   0.4100E+00
Janssen (‘89,‘90)    : RHOA     0.1280E+01 RHOW    0.1025E+04

1st and 2nd gen. wind: CF10     0.1880E+03 CF20    0.5900E+00
                     : CF30     0.1200E+00 CF40    0.2500E+03
                     : CF50     0.2300E-02 CF60   -0.2230E+00
                     : CF70     0.0000E+00 CF80   -0.5600E+00
                     : RHOAW    0.1249E-02 EDMLPM  0.3600E-02
                     : CDRAG    0.1230E-02 UMIN    0.1000E+01
                     : LIM_PM   0.1300E+00

 ---------------------------------------------------------------
 First guess by 2nd generation model flags for first iteration:
 ITER       1 GRWMX      0.1000E+23 ALFA       0.0000E+00
 IWIND      2 IWCAP      0 IQUAD      0
 ITRIAD     1 IBOT       1 ISURF      1
 IVEG       0 ITURBV     0 IMUD       0
 ---------------------------------------------------------------
iteration    1; sweep 1
iteration    1; sweep 2
iteration    1; sweep 3
iteration    1; sweep 4
not possible to compute, first iteration

 ---------------------------------------------------------------
 Options given by user are activated for proceeding calculation:
 ITER       2 GRWMX      0.1000E+00 ALFA       0.0000E+00
 IWIND      3 IWCAP      1 IQUAD      2
 ITRIAD     1 IBOT       1 ISURF      1
 IVEG       0 ITURBV     0 IMUD       0
 ---------------------------------------------------------------
iteration    2; sweep 1
iteration    2; sweep 2
iteration    2; sweep 3
iteration    2; sweep 4
accuracy OK in  59.03 % of wet grid points ( 99.50 % required)

iteration    3; sweep 1
iteration    3; sweep 2
iteration    3; sweep 3
```

```
iteration    3; sweep 4
accuracy OK in   0.70 % of wet grid points ( 99.50 % required)

iteration    4; sweep 1
iteration    4; sweep 2
iteration    4; sweep 3
iteration    4; sweep 4
accuracy OK in  55.56 % of wet grid points ( 99.50 % required)

iteration    5; sweep 1
iteration    5; sweep 2
iteration    5; sweep 3
iteration    5; sweep 4
accuracy OK in  91.67 % of wet grid points ( 99.50 % required)

iteration    6; sweep 1
iteration    6; sweep 2
iteration    6; sweep 3
iteration    6; sweep 4
accuracy OK in  92.37 % of wet grid points ( 99.50 % required)

iteration    7; sweep 1
iteration    7; sweep 2
iteration    7; sweep 3
iteration    7; sweep 4
accuracy OK in  94.45 % of wet grid points ( 99.50 % required)

iteration    8; sweep 1
iteration    8; sweep 2
iteration    8; sweep 3
iteration    8; sweep 4
accuracy OK in  95.84 % of wet grid points ( 99.50 % required)

iteration    9; sweep 1
iteration    9; sweep 2
iteration    9; sweep 3
iteration    9; sweep 4
accuracy OK in  95.14 % of wet grid points ( 99.50 % required)

iteration   10; sweep 1
iteration   10; sweep 2
iteration   10; sweep 3
iteration   10; sweep 4
accuracy OK in  96.53 % of wet grid points ( 99.50 % required)

iteration   11; sweep 1
iteration   11; sweep 2
iteration   11; sweep 3
iteration   11; sweep 4
accuracy OK in  97.23 % of wet grid points ( 99.50 % required)

iteration   12; sweep 1
iteration   12; sweep 2
iteration   12; sweep 3
iteration   12; sweep 4
accuracy OK in  96.53 % of wet grid points ( 99.50 % required)

iteration   13; sweep 1
iteration   13; sweep 2
iteration   13; sweep 3
iteration   13; sweep 4
accuracy OK in  97.23 % of wet grid points ( 99.50 % required)

iteration   14; sweep 1
iteration   14; sweep 2
iteration   14; sweep 3
iteration   14; sweep 4
accuracy OK in  97.92 % of wet grid points ( 99.50 % required)

iteration   15; sweep 1
iteration   15; sweep 2
iteration   15; sweep 3
iteration   15; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   16; sweep 1
iteration   16; sweep 2
iteration   16; sweep 3
iteration   16; sweep 4
accuracy OK in  97.92 % of wet grid points ( 99.50 % required)

iteration   17; sweep 1
iteration   17; sweep 2
iteration   17; sweep 3
iteration   17; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   18; sweep 1
iteration   18; sweep 2
iteration   18; sweep 3
```

```
iteration   18; sweep 4
accuracy OK in  97.92 % of wet grid points ( 99.50 % required)

iteration   19; sweep 1
iteration   19; sweep 2
iteration   19; sweep 3
iteration   19; sweep 4
accuracy OK in  97.92 % of wet grid points ( 99.50 % required)

iteration   20; sweep 1
iteration   20; sweep 2
iteration   20; sweep 3
iteration   20; sweep 4
accuracy OK in  95.84 % of wet grid points ( 99.50 % required)

iteration   21; sweep 1
iteration   21; sweep 2
iteration   21; sweep 3
iteration   21; sweep 4
accuracy OK in  95.14 % of wet grid points ( 99.50 % required)

iteration   22; sweep 1
iteration   22; sweep 2
iteration   22; sweep 3
iteration   22; sweep 4
accuracy OK in  97.92 % of wet grid points ( 99.50 % required)

iteration   23; sweep 1
iteration   23; sweep 2
iteration   23; sweep 3
iteration   23; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   24; sweep 1
iteration   24; sweep 2
iteration   24; sweep 3
iteration   24; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   25; sweep 1
iteration   25; sweep 2
iteration   25; sweep 3
iteration   25; sweep 4
accuracy OK in  99.31 % of wet grid points ( 99.50 % required)

iteration   26; sweep 1
iteration   26; sweep 2
iteration   26; sweep 3
iteration   26; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   27; sweep 1
iteration   27; sweep 2
iteration   27; sweep 3
iteration   27; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   28; sweep 1
iteration   28; sweep 2
iteration   28; sweep 3
iteration   28; sweep 4
accuracy OK in  99.31 % of wet grid points ( 99.50 % required)

iteration   29; sweep 1
iteration   29; sweep 2
iteration   29; sweep 3
iteration   29; sweep 4
accuracy OK in  98.62 % of wet grid points ( 99.50 % required)

iteration   30; sweep 1
iteration   30; sweep 2
iteration   30; sweep 3
iteration   30; sweep 4
accuracy OK in 100.00 % of wet grid points ( 99.50 % required)


STOP
```