

---

PART 5: RUNUP2

for transect: CM-127

Station locations shifted by: -0.05 feet from their  
original location to set the shoreline to  
elevation 0 for RUNUP2 input

---

RUNUP2 INPUT CONVERSIONS

for transect: CM-127

Incident significant wave height: 5.87 feet

Peak wave period: 9.74 seconds

Mean wave height: 3.68 feet

Local Depth below SWEL: 39.35 feet

Mean wave height deshoaled using Hunt approximation for  
celerity assuming constant wave energy flux.

References: R.G. Dean and R.A. Dalrymple. 2000. Water

Wave Mechanics for Engineers and Scientists. World  
Scientific Publishing Company, River Edge New Jersey

USACE (1985), Direct Methods for Calculating Wavelength, CETN-1-17  
US Army Engineer Waterways Experiment Station Coastal Engineering  
Research Center, Vicksburg, MS

also see Coastal Engineering Manual Part II-3  
for discussion of shoaling coefficient

Depth,  $D = 39.35$

Period,  $T = 8.28$

Waveheight,  $H = 3.68$

Deep water wavelength,  $L_0$  (ft)

$L_0 = g \cdot T^2 / 2\pi$

$L_0 = 32.17 \cdot 8.28^2 / 6.28 = 350.74$

Deep water wave celerity,  $C_0$  (ft/s)

$C_0 = L_0 / T$

$C_0 = 350.74 / 8.28 = 42.38$

Angular frequency,  $\sigma$  (rad/s)

$\sigma = 2\pi / T$

$\sigma = 6.28 / 8.28 = 0.76$

Hunts (1979) approximation for Celerity  $C_{1H}$  (ft/s) at Depth  $D$  (ft)

$y = \sigma \cdot \sigma \cdot D / g$

$y = 0.76 \cdot 0.76 \cdot 39.35 / 32.17 = 0.70$

$C_{1H} = \sqrt{g \cdot D / (y + 1 / (1 + 0.6522 \cdot y + 0.4622 \cdot y^2 + 0.0864 \cdot y^4 + 0.0675 \cdot y^5))}$

$C_{1H} = 31.38$

Shoaling Coefficient  $K_{sH}$

$K_{sH} = \sqrt{C_0 / C_{1H}}$

$K_{sH} = \sqrt{42.38 / 31.38} = 1.16$

Deepwater Wave Height  $H_{0\_H}$  (ft)

$H_{0\_H} = H / K_{sH}$

$H_{0\_H} = 3.68 / 1.16 = 3.16$

Deepwater mean wave height: 3.16 feet

---

END RUNUP2 CONVERSIONS

---

RUNUP2 RESULTS

for transect: CM-127

RUNUP2 SWEL:

8.90

8.90

8.90

8.90

8.90  
8.90  
8.90  
8.90  
8.90

RUNUP2 deepwater mean wave heights:

3.00  
3.00  
3.00  
3.16  
3.16  
3.16  
3.32  
3.32  
3.32

RUNUP2 mean wave periods:

7.86  
8.28  
8.69  
7.86  
8.28  
8.69  
7.86  
8.28  
8.69

RUNUP2 runup above SWEL:

6.46  
6.79  
7.15  
6.60  
6.98  
7.36  
6.69  
7.14  
7.54

RUNUP2 Mean runup height above SWEL: 6.97 feet

RUNUP2 2-percent runup height above SWEL: 15.33 feet

RUNUP2 2-percent runup elevation: 24.23 feet-NAVD88

RUNUP2 Messages:

Nonfatal Error, Check Output

---

END RUNUP2 RESULTS

---

ACES BEACH RUNUP

Incident significant wave height: 5.87 feet

Significant wave height deshoaled using Hunt equation

Deepwater significant wave height: 4.43 feet

Peak wave period: 9.74 seconds

Average beach Slope: 1:16.96 (H:V)

ACES RUNUP CALCULATED USING 'Aces\_Beach\_Runup.m'

ACES Beach 2-percent runup height above SWEL: 5.85 feet

ACES Beach 2-percent runup elevation: 14.75 feet-NAVD88

ACES BEACH RUNUP is valid

\_\_\_\_\_END ACES BEACH RESULTS\_\_\_\_\_

PART 5 COMPLETE\_\_\_\_\_