



CLIENT- FEMA  
PROJECT-RUNUP2 transect: CM-139

\*\* WAVE RUNUP-VERSION 2.0 \*\*

ENGINEERED BY sjh

JOB job 2  
RUN 1 PAGE 1

\*\*\*\*\*

CROSS SECTION PROFILE

	LENGTH	ELEV.	SLOPE	ROUGHNESS
1	-396.0	-24.0		
2	-390.0	-23.7	.00	1.00
3	-320.0	-15.6	8.64	1.00
4	-284.0	-14.0	22.50	1.00
5	-282.0	-5.0	.22	1.00
6	-178.0	-4.5	231.11	1.00
7	-40.0	-4.5	FLAT	1.00
8	32.0	3.5	9.00	1.00
9	56.0	8.1	5.22	1.00
10	90.0	11.3	10.49	1.00
11	148.0	14.4	18.77	1.00
12	186.0	17.0	14.84	1.00
13	202.0	19.0	8.08	1.00
14	260.0	22.3	17.26	1.00
15	318.0	28.3	9.75	1.00
16	342.0	29.0	30.38	1.00
17	380.0	31.8	13.62	1.00
18	426.0	35.8	11.47	1.00
19	448.0	38.8	7.56	1.00
20	500.0	42.0	16.25	1.00
	LAST SLOPE	17.00	LAST ROUGHNESS	1.00

CLIENT- FEMA  
PROJECT-RUNUP2 transect: CM-139

\*\* WAVE RUNUP-VERSION 2.0 \*\*

ENGINEERED BY sjh

JOB job 2  
RUN 1 PAGE 2

\*\*\*\*\*

OUTPUT TABLE

-----

INPUT PARAMETERS			RUNUP RESULTS			
WATER LEVEL ABOVE DATUM (FT.)	DEEP WATER WAVE HEIGHT (FT.)	WAVE PERIOD (SEC.)	BREAKING SLOPE NUMBER	RUNUP SLOPE NUMBER	RUNUP ABOVE WATER LEVEL (FT.)	BREAKER DEPTH (FT.)
8.80	2.70	8.43	8	10	3.59	4.10
8.80	2.70	8.88	8	10	3.69	4.19
COMPOSITE SLOPE USED BUT WAVE MAY REFLECT, NOT BREAK						
8.80	2.70	9.32	8	10	3.87	4.27
COMPOSITE SLOPE USED BUT WAVE MAY REFLECT, NOT BREAK						
8.80	2.84	8.43	8	10	3.67	4.27
8.80	2.84	8.88	8	10	3.83	4.36
COMPOSITE SLOPE USED BUT WAVE MAY REFLECT, NOT BREAK						
8.80	2.84	9.32	8	10	3.94	4.45
COMPOSITE SLOPE USED BUT WAVE MAY REFLECT, NOT BREAK						
8.80	2.98	8.43	8	10	3.75	4.45
8.80	2.98	8.88	8	10	3.92	4.53
8.80	2.98	9.32	8	10	4.06	4.62
COMPOSITE SLOPE USED BUT WAVE MAY REFLECT, NOT BREAK						