

---

PART 5: RUNUP2

for transect: YK-06

Station locations shifted by: -0.06 feet from their  
original location to set the shoreline to  
elevation 0 for RUNUP2 input

---

RUNUP2 INPUT CONVERSIONS

for transect: YK-06

Incident significant wave height: 5.86 feet

Peak wave period: 9.62 seconds

Mean wave height: 3.67 feet

Local Depth below SWEL: 25.85 feet

Mean wave height deshoaled using Hunt approximation for  
celerity assuming constant wave energy flux.

References: R.G. Dean and R.A. Dalrymple. 2000. Water

Wave Mechanics for Engineers and Scientists. World  
Scientific Publishing Company, River Edge New Jersey

USACE (1985), Direct Methods for Calculating Wavelength, CETN-1-17  
US Army Engineer Waterways Experiment Station Coastal Engineering  
Research Center, Vicksburg, MS

also see Coastal Engineering Manual Part II-3  
for discussion of shoaling coefficient

Depth,  $D = 25.85$

Period,  $T = 8.17$

Waveheight,  $H = 3.67$

Deep water wavelength,  $L_0$  (ft)

$L_0 = g \cdot T^2 / 2\pi$

$L_0 = 32.17 \cdot 8.17^2 / 6.28 = 342.20$

Deep water wave celerity,  $C_0$  (ft/s)

$C_0 = L_0 / T$

$C_0 = 342.20 / 8.17 = 41.86$

Angular frequency,  $\sigma$  (rad/s)

$\sigma = 2\pi / T$

$\sigma = 6.28 / 8.17 = 0.77$

Hunts (1979) approximation for Celerity  $C_{1H}$  (ft/s) at Depth  $D$  (ft)

$y = \sigma \cdot \sigma \cdot D / g$

$y = 0.77 \cdot 0.77 \cdot 25.85 / 32.17 = 0.47$

$C_{1H} = \sqrt{g \cdot D / (y + 1 / (1 + 0.6522 \cdot y + 0.4622 \cdot y^2 + 0.0864 \cdot y^4 + 0.0675 \cdot y^5))}$

$C_{1H} = 26.56$

Shoaling Coefficient  $K_{sH}$

$K_{sH} = \sqrt{C_0 / C_{1H}}$

$K_{sH} = \sqrt{41.86 / 26.56} = 1.26$

Deepwater Wave Height  $H_{0_H}$  (ft)

$H_{0_H} = H / K_{sH}$

$H_{0_H} = 3.67 / 1.26 = 2.92$

Deepwater mean wave height: 2.92 feet

---

END RUNUP2 CONVERSIONS

---

RUNUP2 RESULTS

for transect: YK-06

RUNUP2 SWEL:

9.00

9.00

9.00

9.00

9.00  
9.00  
9.00  
9.00  
9.00

RUNUP2 deepwater mean wave heights:

2.78  
2.78  
2.78  
2.92  
2.92  
2.92  
3.07  
3.07  
3.07

RUNUP2 mean wave periods:

7.77  
8.17  
8.58  
7.77  
8.17  
8.58  
7.77  
8.17  
8.58

RUNUP2 runup above SWEL:

8.03  
8.25  
8.34  
8.21  
8.31  
8.41  
8.30  
8.46  
8.64

RUNUP2 Mean runup height above SWEL: 8.33 feet

RUNUP2 2-percent runup height above SWEL: 18.32 feet

RUNUP2 2-percent runup elevation: 27.32 feet-NAVD88

RUNUP2 Messages:

No Messages

---

END RUNUP2 RESULTS

---

---

ACES BEACH RUNUP

---

Incident significant wave height: 5.86 feet

Significant wave height deshoaled using Hunt equation

Deepwater significant wave height: 4.09 feet

Peak wave period: 9.62 seconds

Average beach Slope: 1:15.48 (H:V)

ACES RUNUP CALCULATED USING 'Aces\_Beach\_Runup.m'

ACES Beach 2-percent runup height above SWEL: 5.88 feet

ACES Beach 2-percent runup elevation: 14.88 feet-NAVD88

ACES BEACH RUNUP is valid

\_\_\_\_\_END ACES BEACH RESULTS\_\_\_\_\_

PART 5 COMPLETE\_\_\_\_\_