

Full Presentation Title

Concise Subtitle (Optional)

Your Name

April 13, 2026

Your Organization / Lab

Agenda

Introduction

Background

Method

Results

Conclusion

Introduction

- Problem context in one or two lines.
- Why it matters (impact, constraints).
- Your key contribution in this talk.

Key Takeaways

1. Takeaway #1 — one sentence.
2. Takeaway #2 — one sentence.
3. Takeaway #3 — one sentence.

Background

Definition

Let $x \in \mathbb{R}^n$. We call x *stable* if $\|x_k\| \rightarrow 0$ as $k \rightarrow \infty$.

Remark

State your conventions/assumptions early.

A Useful Theorem

Theorem (Short Name)

If A is Hurwitz, then the system $\dot{x} = Ax$ is exponentially stable.

Sketch.

Choose $V(x) = x^\top P x$ with $P \succ 0$ solving $A^\top P + P A = -Q$. Then
 $\dot{V} = -x^\top Q x \leq -\lambda_{\min}(Q) \|x\|^2$. □

Method

=

- Specify states, inputs, and noise models.
- Note approximations and sampling time.

Listing 1: Pseudocode/Reference Implementation

```
1  import numpy as np
2
3  def step(x, u, dt):
4      # TODO: fill in dynamics
5      return x_next
6
7  def run_filter(y_seq, u_seq, Q, R):
8      # TODO: initialize, predict, update
9      return est_states
```

Two-Column Layout

Idea

- Point A
- Point B
- Point C

Graphic

`figs/diagram.pdf`

Figure 1: System diagram (replace with yours).

Results

- Hardware/Simulation details.
- Datasets and metrics.
- Train/val/test splits; seeds.

Method	Metric 1	Metric 2	Time
Baseline	0.72	0.55	12 ms
Ours	0.81	0.61	10 ms

Table 1: Replace with your actual numbers.

`figs/plot.png`

Conclusion

- One-line summary of contribution.
- Biggest limitation / assumption.
- Clear next step / future work.

Acknowledgments

Thanks to collaborators and sponsors.

Contact: `you@school.edu` `your-site.example`

Appendix

Use appendix frames for questions: proofs, ablations, backups.