

## community\_features

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(255)	No		

## images

Field	Type	Null	Default	Comments
image id	int(11)	No		
listing_id	int(11)	No		
image	varchar(255)	No		

# listings

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
image	varchar(200)	No	no_image.png	
image1	varchar(200)	No	no_image.png	
image2	varchar(200)	No	no_image.png	
image3	varchar(200)	No	no_image.png	
image4	varchar(200)	No	no_image.png	
image5	varchar(200)	No	no_image.png	
image6	varchar(200)	No	no_image.png	
image7	varchar(200)	No	no_image.png	
num_bed	int(10)	No		
num_bath	int(10)	No		
part_bed	int(10)	No		
part_bath	int(10)	No		
sq_foot	int(20)	No		
parking	varchar(255)	No		
pet_policy	varchar(255)	No		
deposit	decimal(10,2)	No		
description	blob	No		
renter_info	text	No		XML Datastructure
rental_features	text	No		XML Datastructure
community_features	text	No		XML Datastructure
lease_terms	blob	No		
annual_lease	decimal(10,2)	No		
address	text	No		XML Datastructure
tagline	varchar(200)	No		
price_per_month	decimal(10,2)	No		
keyw ords	blob	No		
featured	tinyint(1)	No	0	
active	tinyint(1)	No	1	
community_features2	varchar(255)	No		
rental_features2	varchar(255)	No		

#### pages

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(255)	No		
content	blob	No		

## phpmv\_a\_category

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	varchar(100)	Yes	NULL	

## phpmv\_a\_config

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	varchar(100)	Yes	NULL	

## phpmv\_a\_file

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	text	Yes	NULL	

## phpmv\_a\_keyword

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	text	Yes	NULL	

## phpmv\_a\_newsletter

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(60)	No		

## phpmv\_a\_page

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	text	Yes	NULL	

#### phpmv\_a\_partner\_name

Field	Туре	Null	Default	Comments
id	int(10)	No		
name	varchar(100)	Yes	NULL	

## phpmv\_a\_partner\_url

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	text	No		

## phpmv\_a\_provider

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	varchar(100)	Yes	NULL	

## phpmv\_a\_resolution

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(20)	No		

## phpmv\_a\_search\_engine

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	varchar(100)	Yes	NULL	

## phpmv\_a\_site

Field	Туре	Null	Default	Comments
<u>id</u>	int(10)	No		
name	text	Yes	NULL	

#### phpmv\_a\_vars\_name

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(255)	No		

## phpmv\_a\_vars\_value

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(255)	No		

## phpmv\_archives

Field	Туре	Null	Default	Comments
idarchives	int(10)	No		
idsite	int(10)	No	0	
done	tinyint(4)	No	0	
period	tinyint(1)	No	0	
simple	tinyint(4)	No	0	
date1	varchar(10)	No	00:00:00	
date2	varchar(10)	No	00:00:00	
nb_uniq_vis	mediumint(8)	No	0	
nb_vis	mediumint(8)	No	0	
nb_vis_returning	int(8)	No	0	
nb_uniq_vis_returning	int(11)	No	0	
nb_pag	mediumint(8)	No	0	
nb_pag_returning	int(8)	No	0	
nb_uniq_pag	smallint(5)	No	0	
nb_max_pag	smallint(5)	No	0	
nb_vis_1pag	mediumint(8)	No	0	
nb_vis_1pag_returning	mediumint(8)	No	0	
sum_vis_lth	int(10)	No	0	
sum_vis_lth_returning	int(10)	No	0	
nb_direct	mediumint(8)	No	0	
nb_search_engine	mediumint(8)	No	0	
nb_site	mediumint(8)	No	0	
nb_new sletter	mediumint(8)	No	0	
nb_partner	mediumint(8)	No	0	
vis_period	longblob	Yes	NULL	
vis_nb_vis	blob	Yes	NULL	
vis_st	blob	Yes	NULL	
vis_lt	blob	Yes	NULL	
pag_st	blob	Yes	NULL	
pag_lt	blob	Yes	NULL	
vis_lth	blob	Yes	NULL	
vis_nb_pag	blob	Yes	NULL	
vis_pag_grp	longblob	Yes	NULL	
vis_country	blob	Yes	NULL	
vis_continent	blob	Yes	NULL	
vis_provider	longblob	Yes	NULL	
vis_config	longblob	Yes	NULL	
vis_os	blob	Yes	NULL	

vis_brow ser	blob	Yes	NULL	
vis_brow ser_type	blob	Yes	NULL	
vis_resolution	longblob	Yes	NULL	
vis_plugin	blob	Yes	NULL	
vis_search_engine	longblob	Yes	NULL	
vis_keyw ord	longblob	Yes	NULL	
vis_site	longblob	Yes	NULL	
vis_partner	longblob	Yes	NULL	
vis_new sletter	longblob	Yes	NULL	
int_lt	blob	Yes	NULL	
int_st	blob	Yes	NULL	
int_referer_type	longblob	Yes	NULL	
int_search_engine	longblob	Yes	NULL	
int_keyw ord	longblob	Yes	NULL	
int_site	longblob	Yes	NULL	
int_partner	longblob	Yes	NULL	
int_new sletter	longblob	Yes	NULL	
int_country	longblob	Yes	NULL	
int_continent	longblob	Yes	NULL	
int_config	longblob	Yes	NULL	
int_os	longblob	Yes	NULL	
int_brow ser	longblob	Yes	NULL	
int_resolution	longblob	Yes	NULL	
compressed	tinyint(4)	No	0	

## phpmv\_category

Field	Туре	Null	Default	Comments
idcategory	int(10)	No		
complete_name	varchar(255)	No		
name	varchar(100)	Yes	NULL	
level	smallint(5)	No	0	
idparent	smallint(5)	No	0	

## phpmv\_groups

Field	Туре	Null	Default	Comments
<u>idgroups</u>	int(10)	No		
name	varchar(40)	Yes	NULL	
view	tinyint(1)	Yes	0	
admin	tinyint(3)	Yes	0	

## phpmv\_ip\_ignore

Field	Туре	Null	Default	Comments
idip ignore	int(10)	No		
idsite	int(10)	No	0	
ip_min	bigint(11)	Yes	NULL	
ip_max	bigint(11)	Yes	NULL	

## phpmv\_link\_vp

Field	Туре	Null	Default	Comments
idlink vp	int(11)	No		
idvisit	int(10)	No	0	
idpage	int(10)	No	0	
idpage_ref	int(11)	No	0	
total_time_page_ref	int(10)	Yes	NULL	

## phpmv\_link\_vpv

Field	Туре	Null	Default	Comments
idlink vp	int(11)	No	0	
idvars	int(11)	No	0	

## phpmv\_newsletter

Field	Туре	Null	Default	Comments
idnew sletter	int(10)	No		
idsite	int(10)	No	0	
name	varchar(90)	Yes	NULL	

## phpmv\_page

Field	Туре	Null	Default	Comments
<u>idpage</u>	int(10)	No		
idcategory	int(10)	No	0	
name	varchar(255)	Yes	NULL	

## phpmv\_page\_md5url

Field	Туре	Null	Default	Comments
idpage md5url	int(10)	No		
idpage	int(10)	No	0	
md5url	char(32)	Yes	NULL	
idpage_url	int(11)	No	0	

## phpmv\_page\_url

Field	Туре	Null	Default	Comments
idpage url	int(10)	No		
url	text	Yes	NULL	

## phpmv\_pdf\_config

Field	Туре	Null	Default	Comments
<u>idpdf</u>	int(10)	No		
name_pdf	varchar(90)	Yes	NULL	
params_pdf	longblob	Yes	NULL	

## phpmv\_pdf\_site\_user

Field	Туре	Null	Default	Comments
<u>idsite</u>	int(10)	No	0	
<u>login</u>	varchar(20)	No	0	
idpdf	int(10)	No		

## phpmv\_plugin\_version

Field	Туре	Null	Default	Comments
<u>code</u>	varchar(255)	No		
version	varchar(255)	No		

## phpmv\_query\_log

Field	Туре	Null	Default	Comments
idquery log	int(11)	No		
idsite	int(11)	No	0	
query	smallint(6)	No	0	
time	float	No	0	
date	date	No	0000-00-00	
daytime	time	No	00:00:00	

## phpmv\_site

Field	Туре	Null	Default	Comments
<u>idsite</u>	int(10)	No		
name	varchar(90)	Yes	NULL	
logo	varchar(15)	Yes	NULL	
params_choice	varchar(6)	No	all	
params_names	varchar(255)	No		
idpdf	int(10)	No	-1	
path_theme	varchar(255)	No	default	

## phpmv\_site\_partner

Field	Туре	Null	Default	Comments
idsite partner	int(10)	No		
idsite	int(10)	No	0	
name	varchar(90)	Yes	NULL	

## phpmv\_site\_partner\_url

Field	Туре	Null	Default	Comments
idsite partner url	int(10)	No		
idsite_partner	int(10)	No	0	
url	varchar(200)	Yes	NULL	

## phpmv\_site\_url

Field	Туре	Null	Default	Comments
idsite url	int(10)	No		
idsite	int(10)	No	0	
url	varchar(255)	Yes	NULL	

## phpmv\_users

Field	Туре	Null	Default	Comments
<u>login</u>	varchar(20)	No		
passw ord	varchar(255)	Yes	NULL	
alias	varchar(45)	Yes	NULL	
email	varchar(100)	No		
send_mail	int(10)	Yes	NULL	
rss_hash	varchar(100)	No		
date_registered	int(11)	Yes	NULL	

## phpmv\_users\_link\_groups

Field	Туре	Null	Default	Comments
<u>idsite</u>	int(10)	No	0	
<u>idgroups</u>	int(10)	No	0	
<u>login</u>	varchar(20)	No	0	

## phpmv\_vars

Field	Туре	Null	Default	Comments
<u>idvars</u>	int(10)	No		
name	varchar(255)	No		
int_value	int(10)	Yes	NULL	
varchar_value	varchar(255)	Yes	NULL	

## phpmv\_version

Field	Туре	Null	Default	Comments
version	varchar(255)	No		

## phpmv\_visit

Field	Туре	Null	Default	Comments
idvisit	int(10)	No		
idsite	int(10)	No	0	
idcookie	varchar(32)	Yes	NULL	
returning	tinyint(1)	No	0	
last_visit_time	time	No	00:00:00	
server_date	date	Yes	NULL	
server_time	time	No	00:00:00	
referer	text	Yes	NULL	
os	char(3)	Yes	NULL	
browser_name	varchar(10)	No		
browser_version	varchar(20)	No		
resolution	varchar(9)	Yes	NULL	
color_depth	tinyint(2)	Yes	NULL	
pdf	tinyint(1)	No	0	
flash	tinyint(1)	No	0	
java	tinyint(1)	No	0	
javascript	tinyint(1)	No	0	
director	tinyint(1)	No	0	
quicktime	tinyint(1)	No	0	
realplayer	tinyint(1)	No	0	
w indow smedia	tinyint(1)	No	0	
cookie	tinyint(1)	No	0	
local_time	time	No	00:00:00	
ip	int(10)	Yes	NULL	
hostname_ext	varchar(100)	Yes	NULL	
brow ser_lang	varchar(60)	Yes	NULL	
total_pages	smallint(5)	Yes	NULL	
total_time	smallint(5)	Yes	NULL	
country	char(3)	Yes	NULL	
continent	char(3)	Yes	NULL	
exit_idpage	int(11)	No	0	
entry_idpage	int(11)	No	0	
entry_idpageurl	int(11)	No	0	
md5config	varchar(32)	No		

## rental\_features

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
name	varchar(255)	No		

#### staff

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
image	varchar(255)	No		
title	varchar(255)	No		
name	varchar(255)	No		
phone	varchar(255)	No		
email	varchar(255)	No		
resume	varchar(255)	No		
active	tinyint(4)	No	1	
t2	varchar(255)	No		

## subpages

Field	Туре	Null	Default	Comments
<u>id</u>	int(11)	No		
parent	varchar(255)	No		
name	varchar(255)	No		
content	blob	No		

-	Onen new	phpMyAdmin	w indow
	Opcii liew		VV II IGGVV