

Custom List Widgets

Collaborative Development Design

Custom List Widgets

Problem ID 71528

Custom List Widgets

Table of Contents

- Introduction.....3**
- Objective3**
- Scope.....3**
- Programming Requirements4**
 - Custom Table 4
 - Custom Table List 5
 - Change Custom Table 6
 - Delete Custom Table 6
 - Table Column Maintenance 7
 - Table Link..... 11
 - Column Relation 16
 - Filter Checkbox 18
 - Table Foreign Key Maintenance 19
 - Page 20
 - Publish 21
 - URL 22
 - List Widget..... 23
 - Program Option Security 24

Custom List Widgets

Introduction

Provide the ability for the user to be able to create a list widget based on a custom table or view. The custom list widget will provide the same functionality (sort, search, download, etc) as the standard HDS list widgets.

Objective

Create a new Custom Table option:

- Add it to the Configuration => Control Panel Plus page.
- Include program option security to limit what users have access.
- Provide all of the tables, lists and maintenance pages currently used by HDS to allow the user to create a list widget on a custom table or view.
- In order to keep the standard HDS tables separated from the Custom tables, the Custom table ID's will be assigned starting at 5000.
- Automatically create a new Configuration => Control Panel Plus => URL when a new Custom List Widget is created. The URL can then be used to add the Custom List Widget to a portal page.

Scope

This project will be designed and delivered with the following release and version levels:

HarrisData HD5.0 115166
IBM i V7R1M0

This project will be based on the HTML User Interface. The Legacy User Interface will continue to work as it does today.


Minor changes may be made to the design as the enhancement is coded. These changes are made to correct issues discovered in developing the enhancement that were not found during the design. If any changes are made they will be included in the copy of the design you receive with the final product delivery. This design will also serve as your documentation until the User Documentation is updated.

Custom List Widgets

Programming Requirements

Custom Table

When the Configuration => Control Panel Plus => Custom Table option is selected, the following page is displayed (Figure 1). Use the add icon  to create a new table or view. The help icon  will display this design for reference.



The 'Custom Table' interface shows a table with columns: Table, Description, and ID. Below the table, there are icons for adding, deleting, and refreshing data. A message at the bottom states 'No Data Found For Selection Criteria'.

Table	Description	ID
-------	-------------	----

Page: 1 of 1


Opt Custom Table ID Description Security Program XML Container

No Data Found For Selection Criteria

Figure 1

When the add icon  is selected the Customer Table Maintenance page is displayed (Figure 2) with the following columns available:

- Table Name (required) – enter the table/view that you wish to create a list widget for. The table/view must exist in the library list.
- Description – enter a description of the table/view which will default to the page description
- Security Program – if there will be icons you wish to secure for this list, you can create a Security Program in legacy using the Control Panel Plus => Security Menu => Program Option Sequence.
- XML Container – if entered, it will be the container name when the icon for XML download  on the list widget is selected.



The 'Custom Table Maintenance' interface includes fields for Table Name, Description, Security Program, and XML Container. The Table Name field is marked as required and contains 'ITEMVIEW01'. The Description field contains 'Custom Item View'. The Security Program field contains 'CustomItemView'. The XML Container field is empty.

* = Required Field

Table Name: ITEMVIEW01 *

Description: Custom Item View

Security Program: CustomItemView

XML Container:

Figure 2

Custom List Widgets

Custom Table List

After the table/view is accepted, it will be displayed on the Custom Table list (Figure 3) with the ID automatically assigned with the next available ID that is 5000 or greater.

Custom Table

Confirm Add Of Custom Item View [ITEMVIEW01]

Table	Description	ID

Page: 1 of 1

Opt	Custom Table	ID	Description	Security Program	XML Container
	ITEMVIEW01	5001	Custom Item View		CustomItemView

Figure 3

Opt	Description
	Change icon will allow the user to change the Description, Security Program and XML Container.
	The delete icon will delete the custom table/view and all associated table entries. A confirmation box will be displayed.
C	This icon will display the Table Column Maintenance page which allows the user to further define each column.
L	This icon displays the Table Link page which allows the user to add/maintain header/detail/column links.
R	This icon displays the Column Relation page which allows the user to combine multiple columns to display as one.
	This icon displays the Filter Checkbox list which allows the user to create/maintain checkboxes for the list widget.
F	This icon displays the Table Foreign Key Maintenance page which allows the user to define the column values used to link to a column reference table.
	The Page icon displays the Page list which allows the user to create/maintain different page definitions for this table.
	The Publish icon will take all of the data defined for this table and publish it as XML and save it into the Table Document Set (SYDCST).


The Custom Table name link will display the list widget if the table has been published. If the table hasn't been published, the following message will display:

Design Page for Table 5001 not found

Custom List Widgets

Change Custom Table

When the Change icon  is selected from the [Custom Table list](#) (Figure 3), the Custom Table Maintenance page (Figure 4) is displayed which allows the user to maintain the Description, Security Program and XML Container. The Delete icon  is also available and if selected will display the confirmation box (Figure 5).




The figure shows a web form titled "Custom Table Maintenance" in red text. In the top right corner, there are three icons: a checkmark, a cross, and a trash can. Below the title, a legend indicates that a red asterisk (*) denotes a required field. The form contains four labeled input fields: "Table Name" with the value "ITEMVIEW01", "Description" with the value "Custom Item View", "Security Program" which is an empty field with a search icon to its right, and "XML Container" with the value "CustomItemView". At the bottom left of the form, there are three icons: a checkmark, a cross, and a trash can.

Figure 4

Delete Custom Table

When the Delete icon  is selected from the [Custom Table list](#) (Figure 3) or the Custom Table Maintenance (Figure 4), the following confirmation box (Figure 5) will be displayed. If OK is selected, all data related to the Custom Table will be deleted.



The figure shows a small confirmation dialog box. It contains the text "OK to delete?" followed by "Custom Item View [ITEMVIEW01]". At the bottom right, there are two buttons: a blue "OK" button and a white "Cancel" button with a grey border.

Figure 5

Custom List Widgets

Table Column Maintenance

When the Column icon  is selected from the [Custom Table list](#) (Figure 3), the Table Column Maintenance page (Figure 6) is displayed. The default order is by Seq which is the order of the columns within the table. The order can be change using any of the column headings links.

If changes have been made to the Table after it has been added to Custom Table, such as adding/removing columns, use the Refresh icon  to update the list of columns displayed.

Table Column Maintenance





Table: Custom Item View [ITEMVIEW01]

☐ Alternate Columns

Column	Description	Column Heading	Dft Seq	Search Default	Column Type	Alternate Sort	User View	Data Type	Seq
IMITEM	Item Number	Item Number	10.000	☐				CHAR (15)	1.0
IMIMDS	Item Description	Description	20.000	☐		UPPER		CHAR (30)	2.0
IMPCLS	Product Class	Prod Class	40.000	☐			PCLS	CHAR (4)	3.0
IMPTYP	Part Type	Part Type	50.000	☐	CODE			CHAR (1)	4.0
IWWHS	Warehouse Number	Whs	30.000	☐			WHS	NUMERIC (3,0)	5.0
IWOHQT	Quantity On Hand	Quantity On Hand	70.000	☐	QTY			DECIMAL (13,4)	6.0
IWQOO	Quantity On Order	Quantity On Order		☐	QTY			DECIMAL (13,4)	7.0
IWAVAL	Quantity Available	Quantity Available	80.000	☐	QTY			DECIMAL (13,4)	8.0
IWLRDT	Date Last Received	Last Received		☐	CYMD			NUMERIC (7,0)	9.0
IPPLT	Plant Number	Plant	60.000	☐			PLT	NUMERIC (3,0)	10.0
IPCMTO	Quantity Committed To Mfg	Quantity Committed To Mfg	90.000	☐				DECIMAL (13,4)	11.0
IPDLRM	Date Last Routing Maintenance	Last Routing Maintenance		☐	ISO			DATE (4,0)	12.0






Figure 6

Custom List Widgets

Column	Description															
Column	Name of the column in the table (display only).															
Description	Description of the column. Not used on the list widget.															
Column Heading	Defaults to the Description initially or if blanked out. This is the column heading displayed on the list widget. To force the heading to display on multiple rows, add to the value such as Quantity On Hand.															
Dft Seq	This defines the columns selected and order of the columns for the default page when the Table Publish option is selected. Page Maintenance allows the defaulted columns/sequence to be changed.															
Column Type	The Column Type defines the formatting that will be applied when a column is displayed on the list widget. Use the search icon to display the available values. The following are examples of commonly used values and the configuration parameters that are applied when the list widget is displayed.															
	<table><tr><th>Column Type</th><th>Description</th><th>EIP Configuration => BaseFormat used</th></tr><tr><td>AMT</td><td>Amount</td><td>amtEditCode</td></tr><tr><td>CYMD</td><td>Date (CYMD)</td><td>dateFormatDtl</td></tr><tr><td>ISO</td><td>Date (ISO)</td><td>dateFormatDtl</td></tr><tr><td>QTY</td><td>Quantity</td><td>qtyEditCode</td></tr></table>	Column Type	Description	EIP Configuration => BaseFormat used	AMT	Amount	amtEditCode	CYMD	Date (CYMD)	dateFormatDtl	ISO	Date (ISO)	dateFormatDtl	QTY	Quantity	qtyEditCode
	Column Type	Description	EIP Configuration => BaseFormat used													
	AMT	Amount	amtEditCode													
	CYMD	Date (CYMD)	dateFormatDtl													
	ISO	Date (ISO)	dateFormatDtl													
QTY	Quantity	qtyEditCode														
Alternate Sort	If this column is a mixed case character column and another column in the table contains the uppercase value of it, that column set here so it will be used for sorting. The other option is to enter 'UPPER' to automatically sort the column by the uppercase value.															
User View	This value determines if User View will be applied to this column. Use the search icon to find the appropriate value for this column.															
Data Type	This is the definition (type/size) of this column in the table (display only).															
Seq	This is the sequence of this column within the table (display only).															

Custom List Widgets

When the Alternate Columns checkbox is selected from Figure 6, the Table Column Maintenance is toggled to display additional options available per column (Figure 7).

Table Column Maintenance

☒
☐
☐
☐
☐

Table: Custom Item View [ITEMVIEW01]

☒ Alternate Columns

Column	Description	Flag Type	Reference Table	Default Value	Condition	Required	Uppercase	Data Type	Seq
IMITEM	Item Number		HDIMST			☐	☐	CHAR (15)	1.0
IMIMDS	Item Description					☐	☐	CHAR (30)	2.0
IMPCLS	Product Class		HDPCLS			☐	☐	CHAR (4)	3.0
IMPTYP	Part Type	PARTTYPE				☐	☐	CHAR (1)	4.0
IWWHS	Warehouse Number		HDIWHS			☐	☐	NUMERIC (3,0)	5.0
IWOHQT	Quantity On Hand					☐	☐	DECIMAL (13,4)	6.0
IWQOO	Quantity On Order					☐	☐	DECIMAL (13,4)	7.0
IWAVAL	Quantity Available					☐	☐	DECIMAL (13,4)	8.0
IWLRDT	Date Last Received					☐	☐	NUMERIC (7,0)	9.0
IPPLT	Plant Number		HDPLNT			☐	☐	NUMERIC (3,0)	10.0
IPCMTO	Quantity Committed To Mfg					☐	☐	DECIMAL (13,4)	11.0
IPDLRM	Date Last Routing Maintenance					☐	☐	DATE (4,0)	12.0

☒
☐
☐
☐
☐

Figure 7

Custom List Widgets

Column	Description																					
Column	Name of the column in the table (display only).																					
Description	Description of the column. Not used on the list widget.																					
Flag Type	If this column contains a flag type defined in the HDS Supplied System Flag table (SYFLAG), you can assign it here so the list widget will display the description of the flag type when the cursor is hovered over the value. Use the Flag Type Search to find the correct type. Some examples are: <table><tr><th>Flag Type</th><th>Value</th><th>Description</th></tr><tr><td>YORN</td><td>Y</td><td>Yes</td></tr><tr><td></td><td>N</td><td>No</td></tr><tr><td>PARTTYPE</td><td>B</td><td>Build Through</td></tr><tr><td></td><td>M</td><td>Manufactured</td></tr><tr><td></td><td>P</td><td>Purchased</td></tr><tr><td></td><td>S</td><td>Synthetic</td></tr></table>	Flag Type	Value	Description	YORN	Y	Yes		N	No	PARTTYPE	B	Build Through		M	Manufactured		P	Purchased		S	Synthetic
Flag Type	Value	Description																				
YORN	Y	Yes																				
	N	No																				
PARTTYPE	B	Build Through																				
	M	Manufactured																				
	P	Purchased																				
	S	Synthetic																				
Reference Table	If this column is a key value to another table, enter the table name here. Then use the Table Foreign Key icon F from the Custom Table list (Figure 3) to define the foreign key to the Reference Table.																					
Default Value	Not used for list widget.																					
Required	Not used for list widget.																					
Uppercase	Not used for list widget.																					
Data Type	This is the definition (type/size) of this column in the table (display only).																					
Seq	This is the sequence of this column within the table (display only).																					

Custom List Widgets

Table Link

When the Table Link icon  is selected from the [Custom Table list](#) (Figure 3), the Table Link page (Figure 8) is displayed. This option provides the ability to create links to other pages.

Table Link											
   Table: Custom Item View [ITEMVIEW01] Maintenance Script Name: Security Program: HHDIMU											
Page: 1 of 1											
Opt	Type	Display Sequence	URL ID	Description	Script Name	Cond ID	Column Name	Cond Seq	Override Program Option Program	Program Option Sequence	Image
   P	Column	0	ITEMSELECT/REPORT	Item Select			IMITEM	0		0	
   P	Column	0	ITEMWAREHOUSE/SELECT	Item/Warehouse			IWWHS	0		0	
   P	Detail	1	ITEMEXTCOMMENT/REPORT	Item Comments				1		2	
   P	Detail	1	ITEMEXTCOMMENT/REPORT	Item Comments				2		2	

Figure 8

Custom List Widgets

Column	Description	
Type	B - Banner	Displays at the top of the list widget page
	D - Detail	Displays under the Opt column for each row in the list
	C - Column	This link will be on the value of the column name it is defined for
	T - Trailer	Displays at the bottom of the list widget page after the copyright row
Display Sequence	This controls the order in which link Types of Detail (D) are displayed under the Opt column.	
URL ID	The ID of the URL which will be called when the link is selected. To add new URL's, go to Configuration => Control Panel Plus => URL.	
Image	Enter the name of the image that exists in the /HarrisData/EIP/Icon folder. If the image exists, it will display in the Image column of the Table Link list (Figure 8). This value is not used for Column (C) type links.	
Script Name	Not used for custom list widgets.	
Condition ID	If defined, the condition must be true for the link to display. Use the search icon to display the list of valid options. An example ID is 'LOTCONTROL' which means that Lot Control Active must be 'Y' in I/V Control for this link to display.	
Condition Sequence	Determines the orders in which conditions are tested. The first condition that is True will be used. Refer to Figures 11 & 12 for an example.	
Column Name	Defines the column that the link will be on for a Type C – Column.	
Table	The Table is used in conjunction with the Selection Criteria to test if a condition is true. Refer to the example in Figure 9.	
Selection Criteria	Used to define the selection criteria on the Table to determine if the condition is true. Make sure that character variables are enclosed in single quotes. Refer to the example in Figure 9.	
Override Program Option Program	This overrides the Security Program defined for the Custom Table (Figure 2).	
Program Option Sequence	Defines the sequence of the Security Program to test to determine if the user has authority to the option.	
Image Path	Not used for custom list widgets.	

Custom List Widgets

This is an example (Figure 9) of a column link on the Item Number column (IMITEM) which will link to the Item Select page defined in the URL ID. Since the Custom Table (ITEMVIEW01) could contain non-stock items, the Table/Selection Criteria has been updated to test if the item for each row in the list exists. The @@parm[IMITEM] will be replaced with the actual Item Number from each row and tested to see if it exists in the Table (HDIMST).

Table Link Maintenance

Type

C

* Column

Display Sequence

0

URL ID

ITEMSELECT/REPORT

Item Select

Image

Script Name

Condition ID

Condition Sequence

0

Column Name

IMITEM

Item Number

Table

HDIMST

Selection Criteria

IMITEM='@@parm[IMITEM]'

Override Program Option Program

Program Option Sequence

0

Image Path

Figure 9

This column link example (Figure 10) is on the Whs column (IWWHS) and links to the Item/Warehouse Select page defined in the URL ID. This link checks to see if a row exists in the Item/ Warehouse table (HDIWHS) and the Selection Criteria has two replacement variables in @@parm[IMITEM] and @@parm[IWWHS].

Table Link Maintenance

Type

C

* Column

Display Sequence

0

URL ID

ITEMWAREHOUSE/SELECT

Item/Warehouse

Image

Script Name

Condition ID

Condition Sequence

0

Column Name

IWWHS

Warehouse Number

Table

HDIWHS

Selection Criteria

IWITEM='@@parm[IMITEM]' and IWWHS='@@parm[IWWHS]'

Override Program Option Program

Program Option Sequence

0

Image Path

Figure 10

Custom List Widgets

This is an example of displaying a different icon in the same position under the Opt column based on a condition:

- Only one icon can be displayed for a Display Sequence.
- Both links (Figures 11 & 12) have a Display Sequence set to 1, but the link defined in (Figure 11) will be checked first because of the Condition Sequence (1 vs 2).
- If records exist in the Table (HDIMXD) for the Item Number @@parm[ITEM] of the row, then the Image (commentExistImage)  will be displayed.
- If the condition in the first link (Figure 11) is false, then the Image (commentImage)  defined in the second link (Figure 12) will automatically display because there is no condition defined.
- Refer to the [List Widget](#) (Figure 26) to see the results.

Table Link Maintenance

* = Required Field

Type

Display Sequence

URL ID

Image

Script Name

Condition ID

Condition Sequence

Column Name

Table

Selection Criteria

Override Program Option Program

Program Option Sequence

Image Path

Detail

1

ITEMEXTCOMMENT/REPORT

commentExistImage

HDIMXD

[X]ITEM= @@parm[ITEM]

2

Figure 11

Table Link Maintenance

* = Required Field

Type

Display Sequence

URL ID

Image

Script Name

Condition ID

Condition Sequence

Column Name

Table

Selection Criteria

Override Program Option Program

Program Option Sequence

Image Path

Detail

1

ITEMEXTCOMMENT/REPORT

commentImage

2

Figure 12

5/17/2023

Page 14

Custom List Widgets

Use the link on the Type column on the [Table Link list](#) (Figure 8) to display the Table Link Parameter Maintain page (Figure 13) to update parameters that are passed to all links. In this example, the 'itemNumber' is a common parameter that should be passed to all links.

Table Link Parameter Maintain

☒ ☐ ☐ ☐ ☐

Table: Custom Item View [ITEMVIEW01]

* = Required Field

Parameter Name	Column Name		Value
itemNumber	IMITEM		

☒ ☐ ☐ ☐ ☐

Figure 13

Use the **P** icon on the [Table Link list](#) (Figure 8) to display the Table Link Parameter Maintain page (Figure 13) to update parameters that are specific that link. For the Item/Warehouse Select link shown in (Figure 14), the 'itemNumber' parameter is display only from the update in Figure 13. In addition, a 'warehouseNumber' parameter needs to be passed to correctly display the Item/ Warehouse Select page.

Table Link Parameter Maintain

☒ ☐ ☐ ☐ ☐

Table: Custom Item View [ITEMVIEW01]
URL: Item/Warehouse [ITEMWAREHOUSE/SELECT]

* = Required Field

Parameter Name	Column Name		Value
itemNumber	IMITEM		
warehouseNumber	IWWHS		

☒ ☐ ☐ ☐ ☐

Figure 14

Custom List Widgets

Column Relation

When the Column Relation icon **R** is selected from the [Custom Table list](#) (Figure 3), the Column Relation page (Figure 15) is displayed. Use the link on the Table name to return to the [Custom Table list](#) (Figure 3). This option allows you to combine column values together to display on the list widget as a single value. The types of columns that can be combined are shown in the Format Type Search (Figure 17).

Column Relation

Table: Custom Item View [ITEMVIEW01]

Description	Column Name

Page: 1 of 1

Opt	Description	Column Name	Related Column 1	Related Column 2	Related Column 3	Related Column 4	Related Column 5	Format Type
No Data Found For Selection Criteria								

Figure 15

Custom List Widgets

In this example (Figure 16), the Stockroom (SLOC), Aisle (AISLE) and Location (LOC) will be combined together to create the full Stock Location column. Once created, the column can be selected to display using Page Maintenance.

Column Relation Maintenance

☒ ☒ ☒

* = Required Field

Description	Column Name		
	Stock Location	*	
Related Column 1	SLOC	*	
Related Column 2	LOC		
Related Column 3			
Related Column 4			
Related Column 5			
Type	STKLOC		Stock Location

☒ ☒ ☒

Figure 16

This is a list of the available Format Types:

Format Type Search

Page: 1

▼Flag	▼Description
ACCOUNT	Account
COFAC	Company/Facility
DTLPOINT	Detail Point
HRNAME	Employee Name
STKLOC	Stock Location

Figure 17

Custom List Widgets

Filter Checkbox

When the checkbox icon  is selected from the [Custom Table list](#) (Figure 3), the Filter Checkbox page (Figure 18) is displayed. This allows you to create a checkbox based on selection criteria.




Figure 18

In this example, a checkbox for 'With Qty Available' is created with a Default of checked and a selection criteria of Quantity Available > 0.




Figure 19

Custom List Widgets

Table Foreign Key Maintenance

When the Foreign Key icon **F** is selected from the [Custom Table list](#) (Figure 3), the Table Foreign Key Maintenance page (Figure 20) is displayed. This option is only required if Reference Tables were entered in [Table Column Maintenance](#) (Figure 7) so that the column links work. Each Reference Table defined will be display with the columns that make up the key to that table. The Foreign Key Column may default to the correct column from the Custom Table. However, if a Reference Table has multiple key values, you will need to update the Foreign Key Column to the correct Custom Table column. In the example below, the Item/Warehouse (HDIWHS) Reference Table (Figure 20) has 2 keys (IWITEM and IWWHS) with the IWITEM Foreign Key Column defaulted to IWWHS. This needed to be updated to the values shown in Figure 21. The Foreign Key Value is available if you need to set a hardcoded key value.

Table Foreign Key Maintenance
☒ ☐ ☐

Table: Custom Item View [ITEMVIEW01]

* = Required Field

Reference Table	Description	Column	Description	Foreign Key Column	Foreign Key Value
HDIWHS	Item	IMITEM	Item Number	IMITEM	
HDPCLS	Product Class	PCPCLS	Product Class	IMPCLS	
HDIWHS	Item/Warehouse	IWITEM	Item Number	IWWHS	
		IWWHS	Warehouse Number		
HDPLNT	Plant	PLPLNT	Plant	IPPLT	

☒ ☐ ☐

Figure 20

Table Foreign Key Maintenance
☒ ☐ ☐

Table: Custom Item View [ITEMVIEW01]

* = Required Field

Reference Table	Description	Column	Description	Foreign Key Column	Foreign Key Value
HDIWHS	Item	IMITEM	Item Number	IMITEM	
HDPCLS	Product Class	PCPCLS	Product Class	IMPCLS	
HDIWHS	Item/Warehouse	IWITEM	Item Number	IMITEM	
		IWWHS	Warehouse Number	IWWHS	
HDPLNT	Plant	PLPLNT	Plant	IPPLT	

☒ ☐ ☐

Figure 21

Custom List Widgets

Page

When the Page icon  is selected from the [Custom Table list](#) (Figure 3), the Page list (Figure 22) is displayed. Since the user has [Program Option Security](#), all options are available on the default page (no Role or User Profile) and the Table description is a link back to the Customer Table list.




Figure 22

If a user without [Program Option Security](#) selects the Page Layout icon  from a custom list widget, the Page list (Figure 23) will be displayed and they will only be able to copy the default page (no Role or User Profile) and the link on the Table description is no longer available.




Figure 23

Custom List Widgets

Publish

When the Publish icon  is selected from the [Custom Table list](#) (Figure 3), the 'Confirm Publish of' confirmation box (Figure 24) is displayed.

If OK is selected, the following will occur:

- The table definition will be added/updated to the Table Document Set (SYDCST)
- If a default page doesn't exist, the Table Column values will be used to create the default page in the Page Design table (SYDSGN).
- Once published, the link on the Custom Table name will display the custom list widget.




Figure 24

Custom List Widgets

URL

When a new Custom Table is added, a Configuration => Control Panel Plus => URL is automatically generated for it (Figure 24):

- URL ID is set to CUSTOM/HDLIST/<table name>
- URL points to the list widget with the table ID assigned to the new custom table.




Figure 25

The generated URL can be added to any custom portal. If a new portal is created in Portal Maintenance (Figure 25), be sure to assign the portal to the Roles that need it.




Figure 26

Custom List Widgets

List Widget

Based on the definition of Custom Table (ITEMVIEW01), this is the default page (Figure 27) that will be created when the Publish icon  is selected.

Custom Item View   

Page: 1  Search: 

View: ☒ With Qty Available

Opt	Item Number	Description	Whs	Prod Class	Part Type	Plant	Quantity On Hand	Quantity Available	Quantity Committed To Mfg
	AA 100 120000	AA 100 120000	1	BRDH	M	11	3.0000	3.0000	0.0000
	AA 100 120000	AA 100 120000	11	BRDH	M	11	100.0000	75.0000	0.0000
	AABD2	Antique Board Planks	11	MISC	P	11	300.0000	298.0000	0.0000
	AALL	Order Policy A / All	11	MISC	M	11	123,454,993.0000	123,454,991.0000	0.0000
	AB-COPYDEFAULTS	Customized Wagon/Cart	11	CART	M	11	198.0000	196.0000	0.0000
	AFIX	Order Policy A' w/Fixed	11	MISC	M	11	8,185.0000	8,183.0000	300.0000
	AMAX	Order Policy A w/Maximum	11	MISC	M	11	4,003.0000	2,963.0000	3,000.0000
	AMIN	Order Policy A w/Minimum	11	MISC	M	11	29,929.0000	29,398.0000	2,000.0000
	A101505	REAR AXLE STRUTS	1	BRDH	M	11	23,259.0000	23,259.0000	0.0000
	A101505	REAR AXLE STRUTS	11	BRDH	M	11	9,182.0000	9,180.0000	0.0000
	A105300	FRONT FORK ASSEMBLY	1	MISC	M	11	824.0000	824.0000	0.0000
	A105300	FRONT FORK ASSEMBLY	11	MISC	M	11	2,515.0000	2,461.0000	0.0000
	A105425	Deluxe Cart Bed Assembly	11	CART	M	11	3.0000	3.0000	0.0000
	A108410	HANDLE ASSEMBLY	1	PROD	M	11	600.0000	600.0000	0.0000
	A108410	HANDLE ASSEMBLY	11	PROD	M	11	400.0000	400.0000	0.0000
	A206500	3/8" LOCKING NUT	11	PROD	P	11	39,578.8944	39,528.8944	0.0000
	A400500	DELUXE CART CARTON	1	PROD	P	11	1,025.0000	1,025.0000	0.0000
	A400500	DELUXE CART CARTON	11	PROD	P	11	162.5000	162.5000	0.0000
	A400500	DELUXE CART CARTON	16	PROD	P	550	1,000.0000	1,000.0000	0.0000
	BASEBGE	Beige Base - Tape Dispenser	1	PROD	P	11	700.0000	700.0000	0.0000



Figure 27

Custom List Widgets

Program Option Security

Add a new program (CUSTOMMTBL) to Program Option Security with an option of 'Access Allowed'. A conversion program will add the 'HDS' User Profile with the flag set to 'N'. By adding the 'HDS' User Profile, all users that require access to Custom Table will need to be added to Program Option Security.

Program Option Security Maintenance

Program Name: [CUSTOMMTBL]

User Profile	Name	Role

Page: 1 of 1

Opt	User Profile	Name	Role	Access Allowed
	HDS	HDS	HD_ALL	☐

Figure 28

If a user doesn't have access, when they select the Custom Table option from the Configuration => Control Panel Plus page, the following error will display:

Custom Table

You are not authorized to run this option

Figure 29