

A Project Report
On
Pharmacy Store Management

By

Dahiwal Satyam Santoshkumar (307023)
Adharv Ajay Kumar (307018)
Akshay Raina (307024)
Gupta Sudhanshu Shekhar (307030)

Under the guidance of

Dr. Mrs. K. S. Thakare



Department of Information Technology
Sinhgad College of Engineering

SAVITRIBAI PHULE PUNE UNIVERSITY

2019-2020

Sinhgad Technical Education Society,
Department of Information Technology
Sinhgad College of Engineering , Pune-41



Sinhgad Institutes

Date:

CERTIFICATE

This is to certify that,

Dahiwal Satyam Santoshkumar (307023)

Adharv Ajay Kumar (307018)

Akshay Raina (307024)

Gupta Sudhanshu Shekhar (307030)

of class T.E IT; have successfully completed their project work on “**Pharmacy Store Management**” at SINHGAD COLLEGE OF ENGINEERING in the partial fulfillment of the Graduate Degree course in T.E at the Department of Information Technology, in the academic Year 2019-2020 Semester – I as prescribed by the Savitribai Phule Pune University.

Dr. Mrs. K. S. Thakare

Guide

Prof.G. R. Pathak

Head of the Department
(Department of Information Technology)

Acknowledgement

I feel great pleasure in expressing my deepest sense of gratitude and sincere thanks to my guide **Prof. Dr. Mrs. K. S. Thakare** for their valuable guidance during the Project work, without which it would have been very difficult task. I have no words to express my sincere thanks for valuable guidance, extreme assistance and cooperation extended to all the **Staff Members** of my Department.

This acknowledgement would be incomplete without expressing my special thanks to **Prof.G. R. Pathak** Head of the Department (Information Technology) for their support during the work.

I would also like to extend my heartfelt gratitude to my **Principal, Dr. S. D. Lokhande** who provided a lot of valuable support, mostly being behind the veils of college bureaucracy.

Last but not least I would like to thanks all the Teaching, Non- Teaching staff members of my Department, my parent and my colleagues those who helped me directly or indirectly for completing of this Project successfully.

Name of Students

Adharv Ajay Kumar

Dahiwal Satyam Santoshkumar

Akshay Raina

Gupta Sudhanshu Shekhar

Contents

1. TITLE OF THE PROJECT

2. ABSTRACT

3. INTRODUCTION

- Problem definition

4. SCOPE

5. SPECIFIC REQUIRMENTS

- Hardware Interface
- Software Interface

6. THEORY OF SOFTWARE USED

- Java (JDK)
- MYSQL

7. DATABASE FORMAT

8. ER DIAGRAM

9. OUTPUT SCREEN (GUI)

10.SAMPLE CODE

11.CONCLUSION

12.REFERENCES

Pharmacy Store Management

ABSTRACT

Nowadays, Pharmacy Management System is one of the essential tools that are mostly used in medical stores; it is mostly used to manage pharmacy related activities such as medical inventory, record keeping sales management as well as managing the drug stock and information of the expired medicines. Many Pharmacists are still operating manually; they don't have adequate software to manage their daily activities. It's the need of the pharmacist to check the expiry of each medicine twice per week and it consumes lot of time to check whether the medicine is out of stock or not and buy the required medicines accordingly.

In this project we tried to develop a computerized Pharmacy Management system. Our main intention is to allow this application to be used in most retailing pharmacies where this application allows the user to use easily and most convenient way. This system is designed to overcome all the challenges related to the management of medicine that are used both locally and manually. Using this system, it will help us to record all transaction made at daily sales, customers, balance and stock. It will manage all the activities around the shop and increase productivity of the shop.

INTRODUCTION

The **Pharmacy Store Management System** is a system that stores data and enables functionality that organizes and maintains the medication use process within pharmacies.

Necessary actions for a basic, functioning pharmacy management system include a user interface, data entry and retention, and security limits to protect patient health information. Various pharmacy software operating systems are used throughout the many practice settings of pharmacy across the world.

The pharmacy management system serves many purposes, including the safe and effective dispensing of pharmaceutical drugs. During the dispensing process, the system will prompt the pharmacist to verify the medication they have filled is for the correct patient, contains the right quantity and dosage, and displays accurate information on the prescription label. Advanced pharmacy management systems offer clinical decision support and may be configured to alert the pharmacist to perform clinical interventions, such as an opportunity to offer verbal counseling if the patient's prescription requires additional education.

- ***Problem definition:***

The transactions related to Purchase of Medicines, Updating the price, stock of medicines are maintained manually at present along with Overall Report of the sales of medicines.

All these are to be automated and an application is required to relate all of them relatively and logically so that the current system can be replaced and accepted without major changes and problems.

The application should provide quick access to the records maintained and must reveal the important reviews about the business so that the growth can be easily compared and should provide with the various reports showing the related details so that the important decisions could be taken easily.

SCOPE

The scope of this project is limited to the activities of a pharmaceutical store which includes will improving health outcomes, reduce hospital and long term care admissions, enhance access and care in the Estate and surrounding communities and ensuring best use of resources, the use of a computer based management system for improving the efficiency of a pharmacy is needed and it is an essential part of any modern continuously evolving society. The system will not be able to handle drug prescription, drug to drug interaction. The system will not be able to handle contradiction and poly pharmacy in a prescription; this implies that these services will be manually completed by the pharmacist.

The different areas where we can use this application are:

- Any small scale pharmacy store to keep the records of the medicine and price and shows an overall report of the transactions and the medicines which are unavailable or insufficient stock.
- It can also be used in hospitals to the keep the track of medicines and transactions and can also be used with large scale uses with minimum modification.

SPECIFIC REQUIRMENTS

Specific Requirements:

Hardware Requirements:

- Processor : Pentium IV 2GHz and Above
- RAM : 2GB RAM
- Monitor : 15” Color Monitor
- Keyboard
- Mouse

Software Requirements

- Operating System : Windows XP, 7 ,8 and 10.
- Developing Tool : Net Beans
- Language: Java Runtime Environment (Java).
- Database : MySQL

THEORY OF SOFTWARE USED

Java:

JDK:

The Java Development Kit (JDK) is an implementation of either one of the Java Platform, Standard Edition, Java Platform, Enterprise Edition, or Java Platform, Micro Edition platforms released by Oracle Corporation in the form of a binary product aimed at Java developers on Solaris, Linux, macOS or Windows. The JDK includes a private JVM and a few other resources to finish the development of a Java Application. Since the introduction of the Java platform, it has been by far the most widely used Software Development Kit (SDK).

JRE stands for Java Runtime Environment which is used to provide an environment at runtime. It is the cause of implementation of JVM (as discussed earlier). It contains a set of supporting libraries in combination with core classes and various other files that are used by JVM at runtime. JRE is a part of JDK (Java Development Toolkit) but can be downloaded separately.

JRE is a set of software tools for the development of Java applications.

You need JRE to execute your program, which includes two things:

- JVM
- Java Library:
 - Static - Functions that are required at compile time.
 - Dynamic - Functions that are required at runtime and not at compile time

JDBC:

JDBC API is a Java API that can access any kind of tabular data, especially data stored in a Relational Database. JDBC works with Java on a variety of platforms, such as Windows, Mac OS, and the various versions of UNIX.

JDBC stands for **Java Database Connectivity**, which is a standard Java API for database-independent connectivity between the Java programming language and a wide range of databases.

The JDBC library includes APIs for each of the tasks mentioned below that are commonly associated with database usage.

- Making a connection to a database.
- Creating SQL or MySQL statements.
- Executing SQL or MySQL queries in the database.
- Viewing & Modifying the resulting records.

Applications of JDBC:

Fundamentally, JDBC is a specification that provides a complete set of interfaces that allows for portable access to an underlying database. Java can be used to write different types of executable, such as —

- Java Applications
- Java Applets
- Java Servlets
- Java Server Pages (JSPs)
- Enterprise JavaBeans (EJBs).

All of these different executables are able to use a JDBC driver to access a database, and take advantage of the stored data.

JDBC provides the same capabilities as ODBC, allowing Java programs to contain database-independent code.

MySQL:

MySQL is written in C and C++. Its SQL parser is written in yacc, but it uses a home-brewed lexical analyzer. MySQL works on many system platforms, including AIX, BSDi, FreeBSD, HP-UX, eComStation, i5/OS, IRIX, Linux, macOS Microsoft Windows, Net BSD, Novel Net Ware, Open BSD, Open Solaris, OS/2Warp, QNX, Oracle Solaris, Symbian, SunOS, SCO Open Server, SCO Unix Ware, SanosandTru64. A port of MySQL to Open VMS also exists.

The MySQL server software itself and the client libraries use dual-licensing distribution. They are offered under GPL version2 or a proprietary license.

Support can be obtained from the official manual. Free support additionally is available in different IRC channels and forums. Oracle offers paid support via its MySQL Enterprise products. They differ in the scope of services and in price. Additionally, a number of third party organizations exist to provide support and services, including MariaDB and Percona.

MySQL has received positive reviews, and reviewers noticed it "performs extremely well in the average case" and that the "developer inter faces are there, and the documentation (not to mention feedback in the real world via Websites and the like) is very, very good". It has also been tested to be a "fast, stable and true multi-user, multi-threaded SQL database server".

DATABASE FORMAT

1. Bill Table

```
mysql> desc bill;
```

Field	Type	Null	Key	Default	Extra
billid	int(11)	NO	PRI		auto_increment
price	int(11)	YES			
date	date	YES			
time	time	YES			

4 rows in set (0.01 sec)

2. Cart Table

```
mysql> desc cart;
```

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	MUL		
quantity	int(11)	YES			
price	int(11)	YES			

3 rows in set (0.01 sec)

3. Medicine Table

```
mysql> desc medicine;
```

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	PRI		auto_increment
name	varchar(45)	YES			
type	varchar(45)	YES			
expiry	date	YES			
price	int(11)	YES			
quantity	int(11)	YES			

6 rows in set (0.01 sec)

4. Out of Stock Table

```
mysql> desc out_of_stock;
```

Field	Type	Null	Key	Default	Extra
id	int(11)	NO	MUL		

1 row in set (0.01 sec)


5. User Table

```
mysql> desc user;
```


Field	Type	Null	Key	Default	Extra
username	varchar(45)	NO	PRI		
password	varchar(45)	YES			

2 rows in set (0.01 sec)


ER DIAGRAM



SCHEMA DIAGRAM




OUTPUT SCREEN(GUI)



A screenshot of a login window with a purple background. The window has a title bar with a small icon and standard minimize, maximize, and close buttons. In the center, there is a white box titled "LOGIN". Inside this box, there are two labels: "Username" and "Password". The "Username" label is next to a text input field containing the text "admin". The "Password" label is next to a password input field showing three black dots. Below these fields is a button labeled "Login".

Login Page



A screenshot of the home page of a Pharmacy Store Management application. The page has a dark purple sidebar on the left and a light purple header. The header contains the text "Pharmacy Store Management". Below the header, there is a section titled "Current Stock" which contains a table. The table has five columns: "Medicine Name", "Type", "Expiry Date", "Price", and "Available Stock". The table lists eight medicines: Acebutolol, Aclovate, Paracetamol, Burnol, Licinopril, eno, Hydrozinocolonite, and Crocin Advance. Below the table is a button labeled "Create New Bill". The sidebar on the left contains a list of options: "Options", "Add Medicine", "Update Medicine", "Delete Medicine", "Show Report", "Expired Stock", "Out Of Stock", and "Create New User".

Medicine Name	Type	Expiry Date	Price	Available Stock
Acebutolol	Tablet	2020-01-02	20	12
Aclovate	Tablet	2021-01-07	30	3
Paracetamol	Tablet	2021-01-08	10	5
Burnol	Cream	2019-01-14	20	3
Licinopril	Capsule	2020-01-14	85	0
eno	Other	2022-01-14	7	6
Hydrozinocolonite	Liquid	2020-10-05	120	16
Crocin Advance	Tablet	2020-01-17	12	0

Home Page

id	name	type	expiry	price	quantity
18	Aclovate	Tablet	2021-01-07	30	3
22	Burnol	Cream	2019-01-14	20	3
26	eno	Other	2022-01-14	7	6
28	Hydrozinocolonite	Liquid	2020-10-05	120	16

Enter Quantity

name	id	quantity	Total Price
Acebutolol	17	3	60
Paracetamol	19	2	20
itraconazole	33	1	25

Bill Creation

Bill Generated

name	id	quantity	Total Price
Acebutolol	17	3	60
Paracetamol	19	2	20
itraconazole	33	1	25

Total Cost 105

Bill Generated

Java Printing

File | C:/Users/Satyam/Desktop/bill.pdf

Generated Bill

name	id	quantity	Total Price
Acebutolol	17	3	60
Paracetamol	19	2	20
itraconazole	33	1	25

Printed Bill PDF

Name of Medicine


Type of Medicine

Expiry Date of medicine

Price


Quantity

Add Medicine


— □ ×

Select Medicine to delete

id	name	type	expiry	price	quantity
17	Acebutolol	Tablet	2020-01-02	20	9
18	Aclovate	Tablet	2021-01-07	30	3
19	Paracetamol	Tablet	2021-01-08	10	3
22	Burnol				3
23	Licinopril				0
26	eno				6
28	Hydrozinocolonite			0	16
31	Crocine Advance	Tablet	2020-01-17	12	0
33	itraconazole	Capsule	2019-10-31	25	9




Do you really want to delete?

Yes No

Delete

Cancel

Delete Medicine


— □ ×

Select Medicine to Update

ID	Medicine Name	Expiry Date	Price	Stock Available
17	Acebutolol	2020-01-02	20	9
19	Paracetamol	2021-01-08	10	3
22	Burnol	2019-01-14	20	3
23	Licinopril	2020-01-14	85	0
26	eno	2022-01-14	7	6
28	Hydrozinocolonite	2020-10-05	120	16
31	Crocine Advance	2020-01-17	12	0
33	itraconazole	2019-10-31	25	9
34	Hydromyxine	2020-10-31	20	10

Name of Medicine

Hydrozinocolonite

Type of Medicine

Liquid

Expiry Date of medicine

Jan 5, 2020

Price

120

Quantity

20

Update

Cancel

Update Medicine

Report

billid	price	date	time
3	2	2019-10-02	20:38:33
4	22	2019-10-02	21:22:19
5	10	2019-10-02	21:26:37
6	108	2019-10-02	23:00:22
7	22	2019-10-02	23:05:37
8	10	2019-10-03	23:54:46
10	10	2019-10-03	23:56:53
11	44	2019-10-04	00:00:37
12	100	2019-10-05	18:28:13
13	44	2019-10-05	19:59:48
14	7	2019-10-05	20:00:25
15	31	2019-10-05	20:05:13

From

Oct 2, 2019

To

Oct 9, 2019

Print Report

Clear Filter


Filter

Report of Transactions

Expired Medicines

id	name	type	expiry	price	quantity
17	Acebutolol	Tablet	2018-01-02	20	9
22	Burnol	Cream	2019-01-14	20	0
23	Licinopril	Capsule	2018-01-14	85	0


Expired Medicines



The screenshot shows a web application window with a purple header and a white table. The table lists four medicines that are out of stock. The window has standard OS controls (minimize, maximize, close) in the top right corner.

Name	Expiry Date	Price	Type	Quantity
Burnol	2019-01-14	20	Cream	0
Licinopril	2018-01-14	85	Capsule	0
Licinopril	2018-01-14	85	Capsule	0
Crocin Advance	2020-01-17	12	Tablet	0

Out of Stock Medicines



The screenshot shows a web application window with a purple background. In the center, there is a white rectangular box with a purple border containing a registration form. The form has fields for 'Username' and 'Password', and a 'Register' button. The window has standard OS controls (minimize, maximize, close) in the top right corner.

REGISTER

Username

Password

Register

Register New User

SAMPLE CODE

1. Trigger for Out of Stock:

```
DELIMITER ;;  
CREATE TRIGGER `outofstocktrigger`  
BEFORE UPDATE ON `medicine`  
FOR EACH ROW  
begin  
    if NEW.quantity <= 0  
    then  
        insert into out_of_stock  
        set id = NEW.id;  
    elseif NEW.quantity > 0  
    then  
        delete from out_of_stock where out_of_stock.id = NEW.id;  
    end if;  
end;  
DELIMITER ;
```

2. Add selected medicine with given quantity to cart:

```
private void btn_addtocartActionPerformed(java.awt.event.ActionEvent
evt) {

    String quantity_validate = txt_quantity.getText();

    int row = table_medicines.getSelectedRow();
    String table_click =
table_medicines.getModel().getValueAt(row, 0).toString(); //
medicine id is taken into table_click variable

    try {
        String sql = "select * from medicine where id =" +
table_click + ";";
        pst = conn.prepareStatement(sql);
        rs = pst.executeQuery();

        if (rs.next()) {
            price = rs.getString("price");
            quantity = rs.getString("quantity");
        }
    } catch (Exception e) {
        JOptionPane.showMessageDialog(null, e);
    } finally {
        try {
            rs.close();
            pst.close();
        } catch (Exception e) {
            JOptionPane.showMessageDialog(null, e);
        }
    }
    if (quantity_validate.equals("")){
        JOptionPane.showMessageDialog(null, "Enter
quantity");
    }
    else if (Integer.parseInt(quantity_validate) >
Integer.parseInt(quantity)) {
```



```

        JOptionPane.showMessageDialog(null, "Not enough stock
available!");
    }

    else {
        try {
            String sql = "insert into cart (id, price,
quantity)values(?,?,?);";
            pst = conn.prepareStatement(sql);
            String currentSelectedID = medID;
            pst.setString(1, medID);
            pst.setString(2, price);
            pst.setString(3, txt_quantity.getText());

            pst.execute();
            UpdateCart();

            updateQuantityAfterAddingToCart(currentSelectedID);
            btn_bill.setEnabled(true);
            btn_clear.setEnabled(true);
            txt_quantity.setText("");
            noincart++;
        } catch (Exception e) {
            JOptionPane.showMessageDialog(null, e);
        } finally { // gurantees this section will be
executed, even if error is encountered
            try {
                rs.close();
                pst.close();
            } catch (Exception e) {
                JOptionPane.showMessageDialog(null, e);
            }
        }
    }
}

```

3. Filtering Report using given dates on clicking 'Filter' button:

```
private void btn_filterActionPerformed(java.awt.event.ActionEvent
evt) {
    java.util.Date from_date = date_from.getDate();
    java.util.Date to_date = date_to.getDate();

    java.util.Date date=new java.util.Date();
    java.sql.Date sqlDate=new java.sql.Date(date.getTime());

    if (from_date == null) {
        JOptionPane.showMessageDialog(null, "Enter 'From'
Date");
    } else if (from_date.compareTo(sqlDate) >= 0) {
        JOptionPane.showMessageDialog(null, "Enter past date
in 'from' date chooser");
    }
    else if (to_date == null) {
        JOptionPane.showMessageDialog(null, "Enter 'to'
Date");
    } else {
        try {
            SimpleDateFormat sdf = new
SimpleDateFormat("yyyy-MM-dd");
            String str_from_date = sdf.format(from_date);
            String str_to_date = sdf.format(to_date);
            String sql = "select * from bill where date >= ?
and date <= ?;";
            pst = conn.prepareStatement(sql);
            pst.setString(1, str_from_date);
            pst.setString(2, str_to_date);
            rs = pst.executeQuery();

            table_report.setModel(DbUtils.resultSetToTableModel(rs));

        } catch (Exception e) {
            JOptionPane.showMessageDialog(null, e);
        } finally {
            try {
```

```
        rs.close();
        pst.close();
    } catch (Exception e) {
        JOptionPane.showMessageDialog(null, e);
    }
}
}
```

CONCLUSION

This **Pharmacy Store Management System** has been computed and tested successfully. It is user friendly and has various required options, which has been utilized by the user to perform the desired operations.

The software is developed using Java as front end and MySQL as backend in Windows environment. The goals that are achieved by the software are:

- Efficient management of records of medicines.
- Simplification of the operations.
- Less processing time and getting required information.
- User friendly.
- Portable and flexible for further enhancement.

REFERENCES

Books:

1. Database System Concepts 7th edition – Abraham Silberschahtz
2. Java The Complete Reference 9th edition – Herbert Schildt

Links:

1. [https://en.wikipedia.org/wiki/Java_\(programming_language\)](https://en.wikipedia.org/wiki/Java_(programming_language))
2. <https://www.tutorialspoint.com/dbms/>
3. <https://netbeans.org/kb/docs/web/mysql>
4. <https://stackoverflow.com>