

Installation

After downloading the file from Themeforest, You will find SuperProps.zip file. Then unzip the SuperProps.zip and run the following commands on SuperProps folder to get started with the project.

```
yarn
```

```
// For starting GatsbyJs Server run  
yarn gatsby-dev
```

GatsbyJs server will start in **localhost:8000**

```
// For starting NextJs Server run  
yarn next-dev
```

NextJs Server will start in **localhost:3000**

Available routes are below

```
/app  
/appmodern  
/appclassic  
/appminimal  
/saas  
/saasmodern  
/saasclassic  
/saasminimal  
/saasminimal2  
/hosting  
/hostingmodern  
/portfolio  
/ride  
/crypto  
/cryptomodern  
/charity  
/interior  
/agency  
/agencymodern  
/agencydigital
```

```
...
```

Folder Structure

```
/packages
  /landing [NextJs version of the project]
  /landing-gatsby [Gatsby version of the project]
```

Stack We Have Used

1. Lerna (A tool for managing JavaScript projects with multiple packages. <https://lernajs.io>)
2. Yarn Workspace
3. React Js and Next Js
4. Gatsby Js
5. Styled System and Styled Components
6. Firebase Deployment.
7. Vercel Deployment.

Development

Follow the below procedure to go with the development process.

GatsbyJs

If you want to develop only for gatsbyjs then you don't need the `/landing` folder which contains only nextjs related code. You can delete `/landing` folder.

For any specific template like the template under `/app` route. If you want to use this template only, then you have to follow below procedure.

1. Go to `/landing-gatsby/src/pages/`
2. now copy all the content from `app.js`
3. Paste all the content in `/landing-gatsby/src/pages/index.js`

Now for cleaning the unused code in your project follow the below procedure.

1. Now you can delete all other pages except `404.js`. That mean in your `/pages` folder you will have two files `index.js` and `404.js`
2. From `/landing-gatsby/src/containers/` folder you can delete all other folder except `App` and `Error`
3. From `/common/assets/image/` folder you can delete all other folder except `app`. Do not delete any files from there like `404.svg`, `error.svg` etc.
4. From `/common/data/` folder you can delete all other folder except `App`.
5. From `/common/theme/` folder you can delete all other folder except `app`. Do not delete the `index.js` file.

Now if you start your `gatsbyjs` server with `yarn gatsby-dev` then you will get your server running on `localhost:8000`

NextJs

If you want to develop only for `nextjs` then then you don't need the `/landing-gatsby` folder. You can delete the folder.

For any specific template like the template under `/app` route. If you want to use this template only, then you have to follow below procedure.

1. Go to `/landing/pages/`
2. now copy all the content from `app.js`
3. Paste all the content in `/landing/pages/index.js`

Now for cleaning the unused code in your project follow the below procedure.

1. Now you can delete all other pages except `_app.js`, `_documents.js` and `_error.js`. That mean in your `/pages` folder you will have four files `index.js`, `_app.js`, `_documents.js` and `error.js`
2. From `/landing/containers/` folder you can delete all other folder except `App` and `Error`
3. From `/common/assets/image/` folder you can delete all other folder except `app`. Do not delete any files from there like `404.svg`, `error.svg` etc.
4. From `/common/data/` folder you can delete all other folder except `App`.
5. From `/common/theme/` folder you can delete all other folder except `app`. Do not delete the `index.js` file.

To start the server for `nextjs` you have to run `yarn nextjs-dev` and the server will start on `localhost:3000`.

Explaining Containers

In the `containers` directory you will get folder for our every template. If you want to use `App` template. Then in the `App` directory you will get folders containing different section of the template like `Banner`, `Footer`, `Testimonial`, `Navbar` etc.

All of these containers contains regular reactjs code.

Deployment

For deploying your final project you have to build your project first. To build the project you have to follow below procedure.

GatsbyJs

Run the below command on

```
yarn gatsby-build

// To check the build version locally run below command
// Not necessary if you don't want to check on your local.

yarn gatsby-serve
```

If you run `yarn gatsby-serve` then the build version the the project will start in `localhost:9000` .
Navigate to the url you will get your site up and running.

NextJs

To build the nextjs version run below commands.

```
yarn next-build

// To check the build version locally run below command
// Not necessary if you don't want to check on your local.

yarn next-start
```

We removed the 'next-export' support from our template from version 11.0.0 and we recommend to use 'next-build' and 'next-start' to run our template. It is also recommended by Next Js

But if you want to use 'next-export', then at first please go to packages->landing->next.config.js and replace the code with

```
const nextConfig = { images: { domains: ['pbs.twimg.com'], loader: 'akamai', path: '', }, };
```

Then , run the below command in your terminal.

```
next build && next export
```

Running with Docker

To run the SuperProps Next.js app in docker

```
yarn next-export
docker build -t superprops/landing-next -f ./packages/landing/Dockerfile .
docker run -it -p 3000:3000 superprops/landing-next:latest
Open http://localhost:3000
```

To run the SuperProps Gatsby.js app in docker

```
yarn gatsby-build
docker build -t superprops/landing-gatsby -f ./packages/landing-gatsby/Dockerfile .
docker run -it -p 8000:8000 superprops/landing-gatsby:latest
open http://localhost:8000
```

Deployment Support

vercel.com

GatsbyJs

We have given vercel.com deployment by default. For hosting the project in vercel.com first you have to go within the `packages/landing-gatsby`

Now run below command .

```
vercel
```

NextJs

For deploying nextjs on vercel.com go to `packages/landing`. Now run below command .

```
vercel
```

Make sure you have `vercel-cli` installed in your system.

Firebase

NextJs

Add your project ID at `packages/landing/.firebase`

Then, To deploy to your site, run the following command from the `packages/landing` directory.

```
yarn deploy
```

GatsbyJs

To deploy to your site, run the following command from the `packages/landing-gatsby` directory.

```
yarn deploy
```

Make sure you have **firebase-tools** installed on your machine.

Netlify

At first, open an account on netlify and go to **sites** tab.

NextJs

Run the below command to make the project netlify deploy ready from **packages/landing**.

```
yarn export
```

After running the above command go to **/landing** folder. You will find a **out** folder there. Drag and drop this **out** folder on netlify **sites** tab. Now after finishing the upload you are ready to go.

GatsbyJs

If you want to host the **gatsbyjs** project, go to your command line and run this command on **packages/landing-gatsby** directory.

```
yarn build
```

After running above command go to **landing-gatsby** folder. You will find a **public** folder there. Drag and drop this **public** folder on netlify **sites** tab.