Chapter 4 .10 .1

S1000D - Business rules document

Table of contents

1 S1000D Business rules template

1 S1000D Business rules template

1.1 Business rule decision point - BRDP-S1-00001 - Use of "I" and "O"

1.1.1 Business rule decision point is related to:

Places in specification:
Chap 1 .3 How to use the specification

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.1.2 Business rule decison point content - Use of "I" and "O"

Decide whether and when to use the alpha characters "I" and "O".

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide in which specific cases the characters "I" and "O" are allowed to be used in codes (like in model identification codes).

Value allowed: No

In case of No, consider whether there should be exceptions defined (like the use of the characters of "I" and "O" characters in model identification codes).

1.2 Business rule decision point - BRDP-S1-00002 - List of permitted CAGE codes and/or names to be used for the technical publication project

1.2.1 Business rule decision point is related to:

Places in specification:
Chap 1 .3 How to use the specification

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.2.2 Business rule decison point content - List of permitted CAGE codes and/or names to be used for the technical publication project

Create a list of permitted CAGE codes and/or names of the enterprises.

Values allowed: You may select a single value.

Value allowed: Text

A list of sets of five character codes applied to and registered by NSPA.

1.3 Business rule decision point - BRDP-S1-00003 - Issue of S1000D to be used

1.3.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.3.2 Business rule decison point content - Issue of S1000D to be used

Decide which issue or issues of S1000D to be used.

Values allowed: You may select multiple values.

Value allowed: S1000D_1-6

S1000D Issue 1.6

Value allowed: S1000D_1-7

S1000D Issue 1.7

Value allowed: S1000D_1-8

S1000D Issue 1.8

Value allowed: S1000D_1-8-1

S1000D Issue 1.8.1

Value allowed: S1000D_1-9

S1000D Issue 1.9

Value allowed: S1000D_2-0

S1000D Issue 2.0

Value allowed: S1000D_2-1

S1000D Issue 2.1

Value allowed: S1000D_2-2

S1000D Issue 2.2

Value allowed: S1000D_2-2-1

S1000D Issue 2.2.1 patch

Value allowed: S1000D_2-3

S1000D Issue 2.3

Value allowed: S1000D_2-3-1

S1000D Issue 2.3.1 patch

Value allowed: S1000D_3-0

S1000D Issue 3.0

Value allowed: S1000D_3-0-1

S1000D Issue 3.0.1 patch

Value allowed: S1000D_4-0

S1000D Issue 4.0

Value allowed: S1000D_4-0-1

S1000D Issue 4.0.1 patch

Value allowed: S1000D_4-0-2

S1000D Issue 4.0.2 patch

Value allowed: S1000D_4-1

S1000D Issue 4.1

Value allowed: S1000D_4-1-A

S1000D Issue 4.1.A patch

Value allowed: S1000D_4-2

S1000D Issue 4.2

1.4 Business rule decision point - BRDP-S1-00004 - Information sets to be used

1.4.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.4.2 Business rule decison point content - Information sets to be used

Decide which information sets, given in S1000D and/or project specific, to be used.

Values allowed: You may select a single value.

Value allowed: Text

A list of information sets chosen and defined by the given organization/project.

1.5 Business rule decision point - BRDP-S1-00005 - Publications to be produced

1.5.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package

- Update
- Wiring data
- Wiring fields

1.5.2 Business rule decison point content - Publications to be produced

Decide which publications to be produced.

Values allowed: You may select a single value.

Value allowed: Text

A list of publications to be produced by or for the given organization/project

1.6 Business rule decision point - BRDP-S1-00006 - Schemas to be used

1.6.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.6.2 **Business rule decison point content - Schemas to be used**

Decide which Schemas to be used and in which information set they are to be used.

Values allowed: You may select multiple values.

Value allowed: appliccrossreftable

Applicability cross-reference table (ACT)

Value allowed: brdoc

Business rules document data module

Value allowed: brex

Business Rules EXchange (BREX) data module

Value allowed: checklist

Maintenance checklists and inspections

Value allowed: comment

Comment

Value allowed: comrep

Common information repository (CIR)

Value allowed: condcrossreftable

Conditions cross-reference table (CCT)

Value allowed: container

Container data module

Value allowed: crew

Crew/Operator information

Value allowed: ddn

Data Dispatch Note

Value allowed: descript

Descriptive information

Value allowed: dml

Data management lists (DML)

Value allowed: fault

Fault information

Value allowed: frontmatter

Front matter

Value allowed: icnmetadata

ICN metadata file

Value allowed: ipd

Parts information (IPD)

Value allowed: learning

Learning data module

Value allowed: pm

Publication module

Value allowed: prdcrossreftable

Products cross-reference table (PCT)

Value allowed: proced

Procedural information

Value allowed: process

Process data module

Value allowed: sb

Service bulletin data module

Value allowed: schedul

Maintenance planning information

Value allowed: scocontent

SCO content data module

Value allowed: scormcontentpackage

SCORM content package module

Value allowed: update

Data update file content (CIR Update)

Value allowed: wrngdata

Wiring data

Value allowed: wrngflds

Wiring data description

1.7 Business rule decision point - BRDP-S1-00007 - Use of optional elements and attributes

1.7.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin

- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.7.2 Business rule decison point content - Use of optional elements and attributes

Decide whether and how to use each optional element and attribute in its structural context.

Values allowed: You may select a single value.

Value allowed: Text

1.8 Business rule decision point - BRDP-S1-00008 - Possible deliverables

1.8.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data

- Wiring fields

1.8.2 Business rule decison point content - Possible deliverables

Decide on the possible deliverables, such as:

- S1000D objects (eg, data modules, publication modules, illustration sheets and multimedia objects, data management lists) using file based transfer. Refer to Chap **Chap 7 .5 .1**.
- Page-oriented publications and/or interactive electronic technical publications

Values allowed: You may select a single value.

Value allowed: Text

A list of deliverable types to be produced by or for the given organization/project. This covers data both in S1000D and external formats.

1.9 Business rule decision point - BRDP-S1-00009 - Frequency of data exchanges

1.9.1 Business rule decision point is related to:

Places in specification:
Chap 2 .5 .1 Business rules - Categories and layers

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.9.2 Business rule decison point content - Frequency of data exchanges

Decide on the frequency of data exchanges.

Values allowed: You may select a single value.

Value allowed: Text

There might be a number of different frequencies of data exchange depending on the type of information to be exchanged and on the contractual documents of the organizations and other projects involved.

1.10 Business rule decision point - BRDP-S1-00010 - Zone and access point identification system

1.10.1 Business rule decision point is related to:

Places in specification:
Chap 3 .4 Information generation - Zoning and access

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.10.2 Business rule decison point content - Zone and access point identification system

Decide whether to use a zoning and access identification system.

Values allowed: You may select a single value.

Value allowed: Yes

Zoning and Access

Value allowed: No

Zoning and Access

1.11 Business rule decision point - BRDP-S1-00011 - Method for zoning and identifying access points

1.11.1 Business rule decision point is related to:

Places in specification:
Chap 3 .4 Information generation - Zoning and access

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.11.2 Business rule decison point content - Method for zoning and identifying access points

Decide which method to use for zoning and identifying access points.

Values allowed: You may select a single value.

Value allowed: Text

The method for zoning and identifying access points

1.12 Business rule decision point - BRDP-S1-00013 - Use and markings of security classifications (attribute securityClassification)

1.12.1 Business rule decision point is related to:

Places in specification:
Chap 3 .6 Information generation - Security and data restrictions

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Security classification - attribute `"securityClassificationAttRelation"`

1.12.2 Business rule decison point content - Use and markings of security classifications (attribute securityClassification)

Determine how the security classifications will be used.

Values allowed: You may select a single value.

Value allowed: Text

Textual definition of security classification values

1.13 Business rule decision point - BRDP-S1-00014 - Application of caveats

1.13.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .6 Information generation - Security and data restrictions

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- National caveat - attribute `"caveat"`

1.13.2 **Business rule decison point content - Application of caveats**

Determine if the policies that apply to security marking, instructions, etc, and decide how those markings are required to be applied within the given project.

Values allowed: You may select a single value.

Value allowed: Text

Definition if and how the certain security policies within an organization imply a caveat as alternative to particular value of the security classification. This should be reflected in the value of the attribute caveat.

1.14 **Business rule decision point - BRDP-S1-00015 - Retention of security classification changes**

1.14.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .6 Information generation - Security and data restrictions

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.14.2 Business rule decison point content - Retention of security classification changes

Decide on the retention of security classification changes.

Values allowed: You may select a single value.

Value allowed: Text

Rules on the retention of security classifications.

1.15 Business rule decision point - BRDP-S1-00016 - Marking security classifications

1.15.1 Business rule decision point is related to:

Places in specification:
Chap 3 .6 Information generation - Security and data restrictions

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange

- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.15.2 Business rule decison point content - Marking security classifications

Decide on how the security classifications will be marked and/or indicated.

Values allowed: You may select a single value.

Value allowed: Text

Definitions on how the security classifications will be marked and/or indicated, both for page-oriented publications and IETP.

1.16 Business rule decision point - BRDP-S1-00017 - Rules for quality assurance

1.16.1 Business rule decision point is related to:

Places in specification:
Chap 3 .7 Information generation - Quality assurance

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data

- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.16.2 Business rule decison point content - Rules for quality assurance

Identify the project quality assurance rules and how those rules affect the methods used to perform quality assurance of the data modules/technical publications.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the overall quality assurance rules in a project or organization.

1.17 Business rule decision point - BRDP-S1-00018 - Rules for first and second verification

1.17.1 Business rule decision point is related to:

Places in specification:
Chap 3 .7 Information generation - Quality assurance

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.17.2 Business rule decison point content - Rules for first and second verification

Decide on the rules for first and second verification. For example, such a rule might be that all data modules that have a safety related procedure must have first verification carried out "On object".

Values allowed: You may select a single value.

Value allowed: Text

Rules for the first and second verification, indicating or mapping content of various data modules to the methods and place where they must be verified. See example in the BRDP definition.

1.18 Business rule decision point - BRDP-S1-00019 - Review cycle process

1.18.1 Business rule decision point is related to:

Places in specification:
Chap 3 .7 Information generation - Quality assurance

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.18.2 Business rule decison point content - Review cycle process

Decide on the review cycle processes and procedures.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the review cycle processes and procedures.

1.19 Business rule decision point - BRDP-S1-00020 - Specify the language

1.19.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.19.2 Business rule decison point content - Specify the language

Decide which language to use for producing data modules.

Values allowed: You may select a single value.

Value allowed: Text

A list of languages and the corresponding values for the attributes languageIsoCode (coded by using the two alpha characters from International Standards Organisation (ISO) 639) and countryIsoCode (coded using the two alpha characters from ISO 3166) within the element language.

1.20 Business rule decision point - BRDP-S1-00021 - Use of ASD-STE100®

1.20.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.20.2 Business rule decison point content - Use of ASD-STE100®

When producing data modules in English, decide whether to use ASD-STE100®.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.21 Business rule decision point - BRDP-S1-00022 - Standard dictionary

1.21.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as

language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.21.2 Business rule decison point content - Standard dictionary

Decide which standard dictionary to use for producing data modules.

Values allowed: You may select a single value.

Value allowed: Text

Name of, the access data (reference where to find it, user ID and passwords, etc) to or files/books containing the standard dictionary for producing data modules.

1.22 Business rule decision point - BRDP-S1-00023 - Use of a terminology database or glossary

1.22.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.22.2 Business rule decison point content - Use of a terminology database or glossary

Decide whether to use a terminology database or a glossary. If used, agree on its content and management.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, details on the content and management of the terminology database or a glossary will be recorded here.

Value allowed: No

1.23 Business rule decision point - BRDP-S1-00024 - Use of a standard list of abbreviations

1.23.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container

- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.23.2 Business rule decison point content - Use of a standard list of abbreviations

Decide whether to use a standard list of abbreviations. If used, agree on its content and management.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, details on the content and management of the standard list of abbreviations will be recorded here.

Value allowed: No

1.24 Business rule decision point - BRDP-S1-00025 - Unit of measure

1.24.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault

- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.24.2 Business rule decison point content - Unit of measure

Identify the standard to use for both primary and secondary units of measure.

Values allowed: You may select a single value.

Value allowed: Text

List of units of measurement to be used for primary and secondary units.

1.25 Business rule decision point - BRDP-S1-00026 - Highlighting text

1.25.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .1 Authoring - General writing rules

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule

- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.25.2 Business rule decison point content - Highlighting text

Decide which method to use to highlight text.

Values allowed: You may select multiple values.

Value allowed: em01

em01 - Bold

Value allowed: em02

em02 - Italic (only for legacy data, see Chap 3.9.1)

Value allowed: em03

em03 - Underline (only for legacy data, see Chap 3.9.1)

Value allowed: em04

em04 - Overline (only for marking vectors)

Value allowed: em05

em05 - Strikethrough (not to be used to mark deleted text)

Value allowed: em51-em99

em51-em99 Available for projects

1.26 Business rule decision point - BRDP-S1-00027 - Need of printable data

1.26.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 Authoring - Illustration rules and multimedia

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange

- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.26.2 Business rule decison point content - Need of printable data

Decide which parts of the documentation (data modules and publications including IETP) need to be printable.

Values allowed: You may select a single value.

Value allowed: Text

Indication of the parts of the documentation (data modules and publications including IETP) need to be printable.

1.27 Business rule decision point - BRDP-S1-00028 - Engineering numbers and revision status within the illustration reproduction area

1.27.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .1 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew

- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.27.2 Business rule decison point content - Engineering numbers and revision status within the illustration reproduction area

Decide if schematics derived from engineering drawings include the original drawing number and revision status within the illustration reproduction area.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.28 Business rule decision point - BRDP-S1-00029 - Use of color in the final deliverable

1.28.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .1 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package

- Update
- Wiring data
- Wiring fields

1.28.2 Business rule decison point content - Use of color in the final deliverable

Decide whether to use color in the final deliverable.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.29 Business rule decision point - BRDP-S1-00030 - Use of general warnings, cautions and notes as separate data modules

1.29.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Descriptive

1.29.2 Business rule decison point content - Use of general warnings, cautions and notes as separate data modules

Decide whether to produce general warnings, cautions and notes in separate descriptive data modules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.30 Business rule decision point - BRDP-S1-00031 - Use of warning and/or caution collections

1.30.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.30.2 Business rule decison point content - Use of warning and/or caution collections

Decide whether to use warning and/or caution collections, internal or external.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.31 Business rule decision point - BRDP-S1-00032 - Use of the attribute vitalWarningFlag

1.31.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.31.2 Business rule decison point content - Use of the attribute vitalWarningFlag

Decide whether and how to use the attribute vitalWarningFlag.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute vitalWarningFlag.

Value allowed: No

1.32 Business rule decision point - BRDP-S1-00033 - Use of the attribute warningType

1.32.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.32.2 Business rule decison point content - Use of the attribute warningType

Decide whether and how to use the attribute warningType.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute warningType.

Value allowed: No

1.33 Business rule decision point - BRDP-S1-00034 - Use of the attribute cautionType

1.33.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.33.2 Business rule decison point content - Use of the attribute cautionType

Decide whether and how to use the attribute cautionType.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute cautionType.

Value allowed: No

1.34 Business rule decision point - BRDP-S1-00035 - Use of the attribute noteType

1.34.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .3 Authoring - Warnings, cautions and notes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process

- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.34.2 Business rule decison point content - Use of the attribute noteType

Decide whether and how to use the attribute noteType.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute noteType.

Value allowed: No

1.35 Business rule decision point - BRDP-S1-00037 - Use of LOEP or LOEDM

1.35.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .4 Authoring - Front matter

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.35.2 Business rule decison point content - Use of LOEP or LOEDM

Decide whether to use the LOEP or the LOEDM.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.36 Business rule decision point - BRDP-S1-00042 - Use of Highlights with updating instructions

1.36.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .4 Authoring - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.36.2 Business rule decison point content - Use of Highlights with updating instructions

Decide whether to use Highlights with updating instructions.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.37 Business rule decision point - BRDP-S1-00046 - Use of linear or hierarchically subdivided Table of contents

1.37.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .4 Authoring - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.37.2 Business rule decison point content - Use of linear or hierarchically subdivided Table of contents

Decide whether to use a linear or a hierarchically subdivided Table of contents.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.38 Business rule decision point - BRDP-S1-00049 - Definition of the issue date

1.38.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.38.2 Business rule decison point content - Definition of the issue date

Decide on the definition of the issue date.

Values allowed: You may select a single value.

Value allowed: Text

The definition of the issue date. See example in this BRDP's definition.

1.39 Business rule decision point - BRDP-S1-00052 - Allocation of the information codes and the information names

1.39.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.39.2 Business rule decison point content - Allocation of the information codes and the information names

Decide which information codes and associated information names will be used.

Values allowed: You may select a single value.

Value allowed: Text

A list mapping each information codes with an associated information name and Schema.

1.40 Business rule decision point - BRDP-S1-00053 - Data module change/revised ratio

1.40.1 Business rule decision point is related to:

Places in specification:

Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.40.2 Business rule decison point content - Data module change/revised ratio

Decide on the threshold that a data module is considered revised rather than changed.

Values allowed: You may select a single value.

Value allowed: Text

List of criteria defining the threshold when a data module is considered revised rather than changed.

1.41 Business rule decision point - BRDP-S1-00054 - Use and definitions of the attributes commercialClassification and caveat

1.41.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- National caveat - attribute `"caveat"`
- Commercial security classification - attribute `"commercialClassificationAttRelation"`

1.41.2 Business rule decison point content - Use and definitions of the attributes commercialClassification and caveat

Decide on the use and definitions of the attributes commercialClassification and caveat.

Values allowed: You may select a single value.

Value allowed: Text

Definitions of the attributes commercialClassification and caveat and description of their use

1.42 Business rule decision point - BRDP-S1-00055 - Priorities and relationships of the security attributes securityClassification, commercialClassification and caveat

1.42.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- National caveat - attribute `"caveat"`
- Commercial security classification - attribute `"commercialClassificationAttRelation"`
- Security classification - attribute `"securityClassificationAttRelation"`

1.42.2 Business rule decison point content - Priorities and relationships of the security attributes securityClassification, commercialClassification and caveat

Decide on the priorities and relationships between the attributes securityClassification, commercialClassification and caveat if they are used.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the priorities and relationships between the attributes securityClassification, commercialClassification and caveat.

1.43 Business rule decision point - BRDP-S1-00065 - Use of the element <copyright> and source of copyright information

1.43.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.43.2 **Business rule decison point content - Use of the element <copyright> and source of copyright information**

Decide whether and how to use the element <copyright>. Any copyright information must be obtained from the relevant authority.

Values allowed: You may select a single value.

Value allowed: Yes

If Yes is chosen, then this will be the definition how to use the element <copyright>. This will include any copyright information obtained from the relevant authority.

Value allowed: No

1.44 Business rule decision point - BRDP-S1-00066 - Method of populating copyright information (in each data module or in a consolidated data module)

1.44.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.44.2 Business rule decison point content - Method of populating copyright information (in each data module or in a consolidated data module)

Decide whether to populate copyright information in each data module or whether to cross-reference to a copyright data module.

Note:
While choosing the population method, assess the impact of changes to copyright information on updating of data modules.

Values allowed: You may select a single value.

Value allowed: Yes

Copyright information inside the data module.

Value allowed: No

Cross-reference to a copyright data module.

1.45 Business rule decision point - BRDP-S1-00070 - Use of the element <enterpriseName> and/or the attribute enterpriseCode for the responsible partner company

1.45.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.45.2 Business rule decison point content - Use of the element <enterpriseName> and/or the attribute enterpriseCode for the responsible partner company

Decide whether to use the element <enterpriseName> and/or the attribute enterpriseCode to capture the name and CAGE code, respectively, of the responsible partner company. If the name is used it must be done consistently and be mandatory for the project.

Values allowed: You may select a single value.

Value allowed: Text

The name(s) of the responsible partner company (companies) corresponding to the allocated CAGE codes. One name per code.

1.46 Business rule decision point - BRDP-S1-00071 - Use of the element <enterpriseName> and/or the attribute enterpriseCode for the originator

1.46.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.46.2 Business rule decison point content - Use of the element <enterpriseName> and/or the attribute enterpriseCode for the originator

Decide whether to use the element <enterpriseName> and/or the attribute enterpriseCode to capture the name and CAGE code respectively, of the originator. If the name is used it must be done consistently and be mandatory for the project.

Values allowed: You may select a single value.

Value allowed: Text

The name(s) of the originator company (companies) corresponding to the allocated CAGE codes. One name per code.

1.47 Business rule decision point - BRDP-S1-00077 - Exchange of draft data modules

1.47.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.47.2 Business rule decison point content - Exchange of draft data modules

Decide whether the project will allow the exchange of draft data modules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.48 Business rule decision point - BRDP-S1-00089 - Standard sentences for reasons for update

1.48.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.1 Common constructs - Change marking

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.48.2 **Business rule decison point content - Standard sentences for reasons for update**

Decide whether standard sentences for reasons for update are to be used.

Values allowed: You may select a single value.

Value allowed: Text

List of the project's/organization's standard sentences to be used for the reason for update. Refer to the rule and example in the definition of this BRDP.

1.49 **Business rule decision point - BRDP-S1-00090 - Use of reason for update in conjunction with the production process**

1.49.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.1 Common constructs - Change marking

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can

be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.49.2 Business rule decison point content - Use of reason for update in conjunction with the production process

Decide whether the element <reasonForUpdate> is used during the production process.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.50 Business rule decision point - BRDP-S1-00091 - Use of applicability information

1.50.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.1 Common constructs - Change marking

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container

- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.50.2 Business rule decison point content - Use of applicability information

Decide whether it is permissible to differentiate reasons for update based on Product configuration.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.51 Business rule decision point - BRDP-S1-00092 - Use of change marks for tables

1.51.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.1 Common constructs - Change marking

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.51.2 Business rule decison point content - Use of change marks for tables

Decide whether and how to use change marks for tables.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use change marks for tables.

Value allowed: No

1.52 Business rule decision point - BRDP-S1-00093 - Use of change marks for figures

1.52.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.1 Common constructs - Change marking

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.52.2 Business rule decison point content - Use of change marks for figures

Decide whether and how to use change marks for figures.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use change marks for figures.

Value allowed: No

1.53 Business rule decision point - BRDP-S1-00094 - Extent of cross-referencing

1.53.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.53.2 Business rule decison point content - Extent of cross-referencing

Decide on the extent of cross-referencing within data modules and the methods used for populating the various attributes.

Values allowed: You may select a single value.

Value allowed: Text

Decisions on the extent of cross-referencing within data modules and the methods used for populating the various attributes.

1.54 Business rule decision point - BRDP-S1-00095 - Use of the element <internalRef> in titles

1.54.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training

content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.54.2 Business rule decison point content - Use of the element <internalRef> in titles

Use of the element <internalRef> in titles is strongly discouraged. However, decide whether to use cross-references in titles.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.55 Business rule decision point - BRDP-S1-00096 - Use of the attribute targetTitle

1.55.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment

- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.55.2 Business rule decison point content - Use of the attribute targetTitle

Decide whether to use the attribute targetTitle. When used (populated), it is a tooltip in a viewer application.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.56 Business rule decision point - BRDP-S1-00097 - Presentation of the target titles in cross-references

1.56.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.56.2 Business rule decison point content - Presentation of the target titles in cross-references

Decide whether to present the target titles given in the element <title>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.57 Business rule decision point - BRDP-S1-00098 - Use of the textual content of the element <internalRef> in cross-references

1.57.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive

- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.57.2 Business rule decison point content - Use of the textual content of the element <internalRef> in cross-references

Decide whether to use the textual content of the element <internalRef>. When used (populated), it must be presented.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.58 Business rule decision point - BRDP-S1-00099 - Use of the "identifiers" given in the elements <reqSupportEquips>, <reqSupplies>, <reqSpares> or <workLocation>

1.58.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.58.2 Business rule decison point content - Use of the "identifiers" given in the elements <reqSupportEquips>, <reqSupplies>, <reqSpares> or <workLocation>

Decide whether to use any of the "identifiers" given in the elements <reqSupportEquips>, <reqSupplies>, <reqSpares> or <workLocation> as the presented link (textual content of the element <internalRef>), or as a tooltip in a viewer application (value of the attribute targetTitle).

Values allowed: You may select a single value.

Value allowed: Identifiers presented as a link

Value allowed: Identifiers as a tool tip

Value allowed: Neither

1.59 Business rule decision point - BRDP-S1-00100 - Use of the attribute internalRefTargetType

1.59.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Type of target of the internal reference - attribute `"internalRefTargetType"`

1.59.2 Business rule decison point content - Use of the attribute internalRefTargetType

Decide whether to use the attribute internalRefTargetType, which values to use and allocate suitable definitions to the values. Refer to Chap Chap 3 .9 .6 .1.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list the values of the attribute internalRefTargetType and their definitions.

Value allowed: No

1.60 Business rule decision point - BRDP-S1-00101 - Define the format of the cross-reference attributes id and internalRefId

1.60.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.60.2 Business rule decison point content - Define the format of the cross-reference attributes id and internalRefId

Decide whether the values of the cross-reference attributes id and internalRefId must be prefixed by alpha characters that identify the type of the target element. Example:

- Structure: Prefix followed by a hyphen and a four digit number to make it unique within the data module (eg, "par-0001").
- Prefixes:

- "fig" for figures and alternates
- "tab" for tables
- "mma" for multimedia and alternates
- "sup" for supplies
- "seq" for support equipment
- "spa" for spares
- "par" for levelled paragraphs and alternates
- "stp" for steps of procedure, fault isolation, etc, and alternates
- "gra" for graphics (multiple sheets)
- "mmo" for multimedia objects
- "hot" for hotspots (eg, "fig-0001-hot-0002")
- "pme" for parameters
- "zon" for zones
- "wla" for work locations
- "mat" for single material or material sets
- "msl" for material set lists
- "acp for access points

Note:
The four digit number has no connection to, for example, the figure or table number which is generated for data module presentation. For example, the value of the attribute id can be "fig-0345" for "Fig 1". Refer to Para 2.1.

Note:
Refer to Chap **Chap 3 .9 .5 .2 .1.10** for the equivalent business rule decision point regarding footnotes. Example: "ftn-0001".

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define identification format requirements.

Value allowed: No

1.61 Business rule decision point - BRDP-S1-00106 - Population of the element <refs>

1.61.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.61.2 Business rule decison point content - Population of the element <refs>

Decide if and how the element <refs> is populated. If populated, the order of items in the list must be specified.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how the element <refs> is populated, as well as of the order of items in the list.

Value allowed: No

1.62 Business rule decision point - BRDP-S1-00107 - Define the words before and after the reference elements

1.62.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.2 Common constructs - Referencing

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.62.2 Business rule decison point content - Define the words before and after the reference elements

Define the words before and after the elements <dmRef>, <pmRef> and <externalPubRef>. This is important as it has implications on the stylesheets used. Example: For one implementation, the stylesheet can automatically generate the words "Refer to data module: " when it recognizes the element <dmRef>. This will cause problems if the author has written "Refer to" within the paragraph before the element <dmRef>.

Values allowed: You may select a single value.

Value allowed: Text

The list of the words before and after the elements <dmRef>, <pmRef> and <externalPubRef>.

1.63 Business rule decision point - BRDP-S1-00117 - Inline use of captions

1.63.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.4 Common constructs - Caption groups

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Container
- Crew
- Data dispatch note
- Descriptive

- Data management list
- Fault
- Front matter
- learning
- Publication module
- Procedural
- Process
- Service bulletin
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.63.2 Business rule decison point content - Inline use of captions

Decide whether inline captions affect the text line spacing and how this is defined.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how inline captions will affect the text line spacing.

Value allowed: No

1.64 Business rule decision point - BRDP-S1-00118 - Use of the element <title>

1.64.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.5 Common constructs - Titles

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin

- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.64.2 Business rule decison point content - Use of the element <title>

Decide how to use the element <title> and on which elements.

Values allowed: You may select a single value.

Value allowed: Text

Define how to use the element <title> as a common construct, and on which elements.

1.65 Business rule decision point - BRDP-S1-00119 - Use of cross-references from titles

1.65.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.5 Common constructs - Titles

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.65.2 Business rule decison point content - Use of cross-references from titles

Decide whether to allow cross-referencing from titles.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.66 Business rule decision point - BRDP-S1-00120 - Use of titles for the elements <levelledPara> and <proceduralStep> from sublevel six thru eight for legacy data

1.66.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.5 Common constructs - Titles

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew
- Descriptive
- learning
- Procedural
- Process
- Service bulletin

1.66.2 Business rule decison point content - Use of titles for the elements <levelledPara> and <proceduralStep> from sublevel six thru eight for legacy data

Decide whether titles can be included for the elements <levelledPara> and <proceduralStep> from sublevel six thru eight when converting legacy data to S1000D.

Values allowed: You may select multiple values.

Value allowed: Level 6 <levelledPara>

Determine the maximum level allowed to include <title>

Value allowed: Level 7 <levelledPara>

Determine the maximum level allowed to include <title>

Value allowed: Level 8 <levelledPara>

Determine the maximum level allowed to include <title>

Value allowed: Level 6 <prroceduralStep>

Determine the maximum level allowed to include <title>

Value allowed: Level 7 <proceduralStep>

Determine the maximum level allowed to include <title>

Value allowed: Level 8 <proceduralStep>

Determine the maximum level allowed to include <title>

1.67 Business rule decision point - BRDP-S1-00121 - Use of standard table types

1.67.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.6 Common constructs - Tables

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.67.2 Business rule decison point content - Use of standard table types

Decide if a list of standard table types applies to the project (eg, inspection, examination) and define what the business rules are for these types in terms of their presentation requirements and certain textual values (eg, titles and heading row values). Each of these standard types must have a defined value that can be applied to the table's attribute tabstyle.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define the business rules on these standard table types.

Value allowed: No

1.68 Business rule decision point - BRDP-S1-00122 - Use of tables as graphics

1.68.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.6 Common constructs - Tables

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.68.2 Business rule decison point content - Use of tables as graphics

Decide if tables represented as graphics are allowed, and if they are, in what situations they can be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list the situations when the tables are allowed to be represented as graphics.

Value allowed: No

1.69 Business rule decision point - BRDP-S1-00123 - Use of applicability information of various table child elements - attribute applicRefId of the element <table>

1.69.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.6 Common constructs - Tables

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process

- Service bulletin
- Schedule
- SCORM content

1.69.2 Business rule decison point content - Use of applicability information of various table child elements - attribute applicRefId of the element <table>

Decide whether and how to use the attribute applicRefId of various <table> child elements. The child elements can be differentiated based on Product configuration.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute applicRefId of various <table> child elements.

Value allowed: No

1.70 Business rule decision point - BRDP-S1-00128 - Types of legends

1.70.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.7 Common constructs - Figures, multimedia and foldouts

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.70.2 Business rule decison point content - Types of legends

Decide on the strategy for legends, if used. Legends can appear as part of the illustration or as text using the element <legend>. The advantage of making the legend part of the text is that:

- the same illustration can have different legends wherever it appears (eg, in multi-language projects)
- the text of the element <legend> can be searched (this might not be the case if the legend is part

of the illustration)

- items in the illustration can be linked to the legend by the use of hotspots
- the legend in the text can save space on the illustration (particularly when the legends are long)

Values allowed: You may select a single value.

Value allowed: Text

Strategy defnition for legends.

1.71 Business rule decision point - BRDP-S1-00129 - Suitability of multimedia use

1.71.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.7 Common constructs - Figures, multimedia and foldouts

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.71.2 Business rule decison point content - Suitability of multimedia use

Decide whether using multimedia is suitable for the environment in which the project will operate.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.72 Business rule decision point - BRDP-S1-00130 - Permitted types of multimedia

1.72.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.7 Common constructs - Figures, multimedia and foldouts

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.72.2 **Business rule decison point content - Permitted types of multimedia**

Decide what types of multimedia objects are permitted.

Values allowed: You may select a single value.

Value allowed: Text

List of permitted types of multimedia objects.

1.73 **Business rule decision point - BRDP-S1-00131 - Use of foldouts**

1.73.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.7 Common constructs - Figures, multimedia and foldouts

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.73.2 Business rule decison point content - Use of foldouts

Decide whether to use the element <foldout> and, if used, where its use is allowed (eg, within specific information sets).

Note:
It is only used for page-oriented publications, as it will not have an effect in the screen view of an IETP.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list the information sets where the use of the element <foldout> is allowed.

Value allowed: No

1.74 Business rule decision point - BRDP-S1-00132 - Use of hotspots

1.74.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.8 Common constructs - Hotspots

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data

- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.74.2 Business rule decison point content - Use of hotspots

Decide whether and how to use hotspots as follows:

- If hotspots are to be used, decide whether hotspots can be used to link to graphical objects from local text.
- If hotspots are to be used, decide whether hotspots can be used to link from graphical objects to other graphical objects or local text.
- If hotspots are to be used, decide whether hotspots can be used to link from graphical objects to other data modules.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define the use of hotspots.

Value allowed: No

1.75 Business rule decision point - BRDP-S1-00133 - Use of the element <parameter>

1.75.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.8 Common constructs - Hotspots

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule

- SCORM content
- Update

1.75.2 Business rule decison point content - Use of the element <parameter>

Decide whether to use the element <parameter> and how to use it. If used, specify the attributes to be used within the project or organization.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, specify how to use the element <parameter> and its attributes.

Value allowed: No

1.76 Business rule decision point - BRDP-S1-00134 - Use of the element <preliminaryRqmts>

1.76.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Process
- Schedule

1.76.2 Business rule decison point content - Use of the element <preliminaryRqmts>

Decide whether to use the element <preliminaryRqmts> in maintenance planning, fault isolation, maintenance checklist and/or process data modules.

Values allowed: You may select a single value.

Value allowed: Element <preliminaryRqmts> is not allowed in maintenance planning, fault isolation, maintenance checklist, or process data modules.

If this value is chosen, then no other value is allowed.

Value allowed: Maintenance planning

Value allowed: Fault isolation

Value allowed: Maintenance checklist

Value allowed: Process

1.77 Business rule decision point - BRDP-S1-00135 - Use of the element <workAreaLocationGroup> in the element <preliminaryRqmts>

1.77.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.77.2 Business rule decison point content - Use of the element <workAreaLocationGroup> in the element <preliminaryRqmts>

Decide whether and how to use the element <workAreaLocationGroup>. The possibility of duplication and mismatch of data given in the maintenance planning information must be taken into account.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <workAreaLocationGroup>.

Value allowed: No

1.78 Business rule decision point - BRDP-S1-00136 - Use of the element <workLocation> in the element <preliminaryRqmts>

1.78.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process

- Schedule

1.78.2 Business rule decison point content - Use of the element <workLocation> in the element <preliminaryRqmts>

Decide whether and how to use the element <workLocation>. If used, decide the data module types with which it will be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <workLocation> and which data module types it will be used with.

Value allowed: No

1.79 Business rule decision point - BRDP-S1-00137 - Use of the element <workArea> in the element <preliminaryRqmts>

1.79.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.79.2 Business rule decison point content - Use of the element <workArea> in the element <preliminaryRqmts>

Decide whether and how to use the element <workArea>. used, decide which data module types to use it.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <workArea> and which data module types to use it with.

Value allowed: No

1.80 Business rule decision point - BRDP-S1-00138 - Use of the element <installationLocation> in the element <preliminaryRqmts>

1.80.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Common information repository
- Fault
- Illustrated parts data
- Procedural
- Process
- Schedule
- Update
- Wiring data

1.80.2 Business rule decison point content - Use of the element <installationLocation> in the element <preliminaryRqmts>

Decide whether and how to use the element <installationLocation>. If used, decide which data module types to use it.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <installationLocation> and in which data module types to use it.

Value allowed: No

1.81 Business rule decision point - BRDP-S1-00139 - Use of the element <productItem> in the element <preliminaryRqmts>

1.81.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.81.2 Business rule decison point content - Use of the element <productItem> in the element <preliminaryRqmts>

Decide whether and how to use the element <productItem>. If used, decide which data module types to use it.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <productItem> and which data module types to use it with.

Value allowed: No

1.82 Business rule decision point - BRDP-S1-00140 - Use of the attribute productItemName in the element <preliminaryRqmts>

1.82.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.82.2 Business rule decison point content - Use of the attribute productItemName in the element <preliminaryRqmts>

Decide whether and how to use the attribute productItemName.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute productItemName.

Value allowed: No

1.83 Business rule decision point - BRDP-S1-00141 - Use of the attribute productItemType in the element <preliminaryRqmts>

1.83.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job

completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

Related configurable attributes:
- Type of product item - attribute `"productItemType"`

1.83.2 Business rule decison point content - Use of the attribute productItemType in the element <preliminaryRqmts>

Decide whether and how to use the attribute productItemType.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the attribute productItemTyp.

Value allowed: No

1.84 Business rule decision point - BRDP-S1-00142 - Use of the element <taskDuration> in the element <preliminaryRqmts>

1.84.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.84.2 Business rule decison point content - Use of the element <taskDuration> in the element <preliminaryRqmts>

Decide whether and how to use the element <taskDuration>. The possibility of duplication and mismatch of data given in the maintenance planning information must be taken into account.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <taskDuration> taking into account the possibility of duplication and mismatch of data given in the maintenance planning information.

Value allowed: No

1.85 Business rule decision point - BRDP-S1-00143 - Inclusion of a circuit breaker list as part of the required conditions - (element <reqCondCircuitBreaker>)

1.85.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.85.2 Business rule decison point content - Inclusion of a circuit breaker list as part of the required conditions - (element <reqCondCircuitBreaker>)

Decide if circuit breaker lists are allowed in required conditions and thus the use of the element, or if all the circuit breaker settings must be part of the steps. In this latter case, the element <circuitBreakerDescrGroup> in steps content can be used.

Values allowed: You may select a single value.

Value allowed: Preliminary conditions

Value allowed: Steps

1.86 Business rule decision point - BRDP-S1-00144 - Use of the element <reqPersons> in the element <preliminaryRqmts>

1.86.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as

language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.86.2 Business rule decison point content - Use of the element <reqPersons> in the element <preliminaryRqmts>

Decide whether and how to use the element <reqPersons>. For example, use either the element <personnel> or <person> or use both elements.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <reqPersons>.

Value allowed: No

1.87 Business rule decision point - BRDP-S1-00145 - Values for the attribute personCategoryCode in the element <preliminaryRqmts>

1.87.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.87.2 Business rule decison point content - Values for the attribute personCategoryCode in the element <preliminaryRqmts>

Define a list of skill categories/types (eg, Airframe, Electrical, Avionic, Engine).

Values allowed: You may select a single value.

Value allowed: Text

List of categories of the person to perform the given procedure (eg, Electrician, Propulsion engineer, Maintainer).

1.88 Business rule decision point - BRDP-S1-00146 - Values for the element <trade> in the context of the element <preliminaryRqmts>

1.88.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.88.2 Business rule decison point content - Values for the element <trade> in the context of the element <preliminaryRqmts>

If trades are required, define a list of trades/trade codes.

Values allowed: You may select a single value.

Value allowed: Text

List of trades/trade codes in connection with preliminary requirements.

1.89 Business rule decision point - BRDP-S1-00147 - Use of the element <reqTechInfoGroup> in the element <preliminaryRqmts>

1.89.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.89.2 Business rule decison point content - Use of the element <reqTechInfoGroup> in the element <preliminaryRqmts>

Decide whether and how to use the element <reqTechInfoGroup>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <reqTechInfoGroup>.

Value allowed: No

1.90 Business rule decision point - BRDP-S1-00149 - Listing of standard tools in Preliminary requirements

1.90.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.90.2 Business rule decison point content - Listing of standard tools in Preliminary requirements

Decide what types of standard tools or toolkits to be identified and listed in the table "Support equipment".

Values allowed: You may select a single value.

Value allowed: Text

List the types of standard tools or toolkits to be identified and listed in the table "Support equipment".

1.91 Business rule decision point - BRDP-S1-00150 - Use of the attribute id on the element <supportEquipDescr> in the element <preliminaryRqmts>

1.91.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training

content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.91.2 Business rule decison point content - Use of the attribute id on the element <supportEquipDescr> in the element <preliminaryRqmts>

Decide whether to link from the body of the procedure to the support equipment listed in Preliminary requirements.

Note:
The attribute id on the element <supportEquipDescr> is used to establish the link between the two and will guarantee consistent use of identification throughout the procedure. The use of cross-references is encouraged.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.92 Business rule decision point - BRDP-S1-00151 - Use of the attribute materialUsage in the element <supportEquipDescr>, the element <supplyDescr> and the element <spareDescr> context

1.92.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

Related configurable attributes:
- Material usage - attribute `"materialUsage"`

1.92.2 Business rule decison point content - Use of the attribute materialUsage in the element <supportEquipDescr>, the element <supplyDescr> and the element <spareDescr> context

DDecide whether to use the attribute materialUsage in the elements <supportEquipDescr>, <supplyDescr> and <spareDescr> context and what values to be used.

Values allowed: You may select a single value.

Value allowed: Attribute materialUsage is not allowed in the elements <supportEquipDescr>, <supplyDescr> and <spareDescr>.

If this value is chosen, then no other value is allowed.

Value allowed: Elements <supportEquipDescr>

Define the list of allowed values.

Value allowed: Element <supplyDescr>

Define the list of allowed values.

Value allowed: Element <spareDescr>

Define the list of allowed values.

1.93 Business rule decision point - BRDP-S1-00152 - Use of identification elements in the element <supportEquipDescr>, the element <supplyDescr> and the element <spareDescr> context

1.93.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.93.2 Business rule decison point content - Use of identification elements in the element <supportEquipDescr>, the element <supplyDescr> and the element <spareDescr> context

Decide which of the elements <catalogSeqNumberRef>, <natoStockNumber>, <identNumber>, <toolRef>, <supplyRef>, <supplyRqmtRef>, <partRef>, <functionalItemRef> and <materialSetRef> to use for identification and how to populate these elements.

Values allowed: You may select multiple values.

Value allowed: <catalogSeqNumberRef>

When chosen, define how to populate this element.

Value allowed: <identNumber>

When chosen, define how to populate this element.

Value allowed: <materialSetRef>

When chosen, define how to populate this element.

Value allowed: <natoStockNumber>

When chosen, define how to populate this element.

Value allowed: <toolRef>

When chosen, define how to populate this element.

1.94 Business rule decision point - BRDP-S1-00155 - Use of the attribute id on the element <supplyDescr> in the element <preliminaryRqmts>

1.94.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.94.2 Business rule decison point content - Use of the attribute id on the element <supplyDescr> in the element <preliminaryRqmts>

Decide whether to use the attribute id to create cross-references from the procedure to the supplies listed in Preliminary requirements. The attribute id on the element <supplyDescr> is used to establish the link between the two and will guarantee consistent use of identification throughout the procedure. The use of cross-references is encouraged.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.95 Business rule decision point - BRDP-S1-00156 - Use of the attribute id on the element <sparesDescr> in the element <preliminaryRqmts>

1.95.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Schedule

1.95.2 Business rule decison point content - Use of the attribute id on the element <sparesDescr> in the element <preliminaryRqmts>

Decide whether to use the attribute id to create cross-references from the procedure to the spares listed in Preliminary requirements. The attribute id on the element <sparesDescr> is used to establish the link between the two and will guarantee consistent identification throughout the procedure. The use of cross-references is encouraged.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.96 Business rule decision point - BRDP-S1-00157 - Use of the element <closeRqmts> in the process data modules

1.96.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.9 Common constructs - Preliminary requirements and requirements after job completion

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Fault
- Procedural
- Process

1.96.2 Business rule decison point content - Use of the element <closeRqmts> in the process data modules

Decide whether to use the element <closeRqmts> in the process data modules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.97 Business rule decision point - BRDP-S1-00158 - Use of the attribute circuitBreakerAction in text element <circuitBreakerRef>

1.97.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.97.2 Business rule decison point content - Use of the attribute circuitBreakerAction in text element <circuitBreakerRef>

Decide whether to use the attribute circuitBreakerAction. If used, establish writing rules to ensure that authors will be consistent in the paragraph text and the value of the attribute itself.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define writing rules to ensure that authors will be consistent in the paragraph text and the value of the attribute circuitBreakerAction.

Value allowed: No

1.98 Business rule decision point - BRDP-S1-00159 - Use of the attribute checkSum in text element <circuitBreakerRef>

1.98.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.98.2 Business rule decison point content - Use of the attribute checkSum in text element <circuitBreakerRef>

Decide whether to use and how to populate the attribute checkSum.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to populate the attribute checkSum.

Value allowed: No

1.99 Business rule decision point - BRDP-S1-00160 - Types of inline significant data to markup using the attribute significantParaDataType in the text element <inlineSignificantData>

1.99.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Paragraph significant data type - attribute `"significantParaDataType"`

1.99.2 Business rule decison point content - Types of inline significant data to markup using the attribute significantParaDataType in the text element <inlineSignificantData>

Decide whether to use the attribute significantParaDataType and which types of data to mark up and in what contexts.

Note:
It must also be considered that data modules can be less portable if the paragraph significant data types are extended in the BREX file past the standard types.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list the types of data and their contexts to mark up the attribute significantParaDataType.

Value allowed: No

1.100 Business rule decision point - BRDP-S1-00163 - Use of the value (element <quantityValue>) and tolerance (element <quantityTolerance>) decomposition in the text element <quantity>

1.100.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.100.2 Business rule decison point content - Use of the value (element <quantityValue>) and tolerance (element <quantityTolerance>) decomposition in the text element <quantity>

Decide whether and how to use to use the element <quantityValue> and the element <quantityTolerance> decomposition.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use to use the element <quantityValue> and the element

<quantityTolerance> decomposition.

Value allowed: No

1.101 Business rule decision point - BRDP-S1-00164 - Unit of measure to be used

1.101.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.101.2 Business rule decison point content - Unit of measure to be used

If using the value and tolerance decomposition, decide at which level of the markup the attribute quantityUnitOfMeasure must be included. Allowable locations are on the parent element <quantityGroup> which applies to all child elements or on the individual child elements <quantityValue> and <quantityTolerance>. A consistent usage of the attribute quantityUnitOfMeasure is required to produce a consistent display or printout to the user.

Values allowed: You may select a single value.

Value allowed: Text

If the value and tolerance decomposition is used, define at which level of markup the attribute quantityUnitOfMeasure is included.

1.102 Business rule decision point - BRDP-S1-00166 - Use of the element <zoneRef>

1.102.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.102.2 Business rule decison point content - Use of the element <zoneRef>

Decide whether and how to use the element <zoneRef>, and how to use it. Consideration for duplication and mismatch of data given in the maintenance planning information has to be taken.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <zoneRef>.

Value allowed: No

1.103 Business rule decision point - BRDP-S1-00167 - Use of the element <accessPointRef>

1.103.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.103.2 Business rule decison point content - Use of the element <accessPointRef>

Decide whether and how to use the element <accessPointRef> and how to use it. Consideration for duplication and mismatch of data given in the maintenance planning information has to be taken.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the element <accessPointRef>.

Value allowed: No

1.104 Business rule decision point - BRDP-S1-00169 - Use of the text element <indexFlag>

1.104.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.104.2 Business rule decison point content - Use of the text element <indexFlag>

Decide whether a publishing index is required and to what index level.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define required index levels.

Value allowed: No

1.105 Business rule decision point - BRDP-S1-00171 - Use of the symbols

1.105.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.105.2 Business rule decison point content - Use of the symbols

Decide whether and how to use symbols using the text element <symbol>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use symbols using the text element <symbol>.

Value allowed: No

1.106 Business rule decision point - BRDP-S1-00172 - Use of footnotes

1.106.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.106.2 **Business rule decison point content - Use of footnotes**

Decide whether and how to use the text element <footnote> and when used, decide whether the use of footnotes is limited to regular text and titles (inline) and/or to tables (table footnotes).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, define how to use the text element <footnote>.

Value allowed: No

1.107 **Business rule decision point - BRDP-S1-00173 - Types of footnote markers**

1.107.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.107.2 Business rule decison point content - Types of footnote markers

Decide on the types of footnote markers (attribute footnoteMark) to use. It is recommended to use:

- only one type of footnote marker for each of the table footnotes and the inline footnotes throughout a project
- superscripted numbers for both

Values allowed: You may select multiple values.

Value allowed: num

List of types of footnote markers (attribute footnoteMark).

Value allowed: sym

List of types of footnote markers (attribute footnoteMark).

Value allowed: alpha

List of types of footnote markers (attribute footnoteMark).

1.108 Business rule decision point - BRDP-S1-00176 - Presentation of controlled content

1.108.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.11 Common constructs - Controlled content

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.108.2 Business rule decison point content - Presentation of controlled content

Decide how to present controlled content using the attributes authorityName and authorityDocument.

Values allowed: You may select a single value.

Value allowed: Text

Define the method of presentation for controlled content recorded by the attributes authorityName and authorityDocument.

1.109 Business rule decision point - BRDP-S1-00177 - Use of common information

1.109.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.12 Common constructs - Common information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.109.2 Business rule decison point content - Use of common information

Decide whether to use the element <commonInfo> in business rules exchange, common repositories, fault, maintenance checklist, maintenance planning, procedural, process, and service bulletin data modules. If decided to be used, then determine the circumstances for its use for each related data module type, and give guidance and rules that will make sure it is consistently used.

Values allowed: You may select a single value.

Value allowed: Element <commonInfo> is not allowed in business rules exchange, common repositories, fault, maintenance checklist, maintenance planning, procedural, process, and service bulletin data modules.

If this value is chosen, then no other value is allowed.

Value allowed: Business rules exchange

Value allowed: Common repositories

Value allowed: Fault

Value allowed: Maintenance checklist

Value allowed: Maintenance planning

Value allowed: Procedural

Value allowed: Process

Value allowed: Service bulletin

1.110 Business rule decision point - BRDP-S1-00178 - Markup method for common information text

1.110.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.12 Common constructs - Common information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.110.2 Business rule decison point content - Markup method for common information text

Decide which markup method to use for common information text:

- the method containing <note>, <para> and <commonInfoDescrPara>

or

- the method containing only <commonInfoDescrPara>

Values allowed: You may select a single value.

Value allowed: <note>, <para>, and <commonInfoDescrPara>

As children of <commonInfo>.

Value allowed: Only <commonInfoDescrPara>

As the only child of <commonInfo>.

1.111 Business rule decision point - BRDP-S1-00180 - Maximum number of subordinate levelled paragraphs in a descriptive data module

1.111.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .2 Content section - Descriptive information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be

treated.

Related S1000D XML Schemas:
- Descriptive

1.111.2 Business rule decison point content - Maximum number of subordinate levelled paragraphs in a descriptive data module

Decide on the maximum number of levelled paragraphs allowed in a descriptive data module. Exceeding five levels of depth is strongly discouraged in development of new data. It is recommended that additional levels are only used in a conversion effort where the existing data is authored to this depth (maximum eight levels) and restructuring of data is not feasible.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.112 Business rule decision point - BRDP-S1-00181 - Minimum levelled para occurrences

1.112.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .2 Content section - Descriptive information

Business rules categories:
Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew
- Descriptive
- learning
- Service bulletin

1.112.2 Business rule decison point content - Minimum levelled para occurrences

Decide whether to impose a minimum of two occurrences of child elements <levelledPara> and/or <levelledParaAlts>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.113 Business rule decision point - BRDP-S1-00185 - Use of the alternates concept within the element <mainProcedure>

1.113.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .3 Content section - Procedural information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Procedural
- Service bulletin

1.113.2 Business rule decison point content - Use of the alternates concept within the element <mainProcedure>

Decide whether to use the alternates concept for steps, figures and multimedia within the element <mainProcedure>. This concerns the child elements <proceduralStepAlts> (refer to Para 2.4.2), <figureAlts> (refer to Chap Chap 3 .9 .5 .2 .1.7) and <multimediaAlts> (refer to Chap Chap 3 .9 .5 .2 .1.7).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, statement listing which of the three listed constructs (steps, figures and multimedia) is to use the alternates concept within the element <mainProcedure>.

Value allowed: No

1.114 Business rule decision point - BRDP-S1-00186 - Maximum number of step levels in a procedure

1.114.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .3 Content section - Procedural information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Related S1000D XML Schemas:

- Procedural
- Process
- Service bulletin

1.114.2 Business rule decison point content - Maximum number of step levels in a procedure

Decide on the maximum number of step levels allowed in a procedure. Exceeding five levels of depth is strongly discouraged in development of new data. It is recommended that additional levels are only used in a conversion effort where the existing data is authored to this depth (maximum eight levels) and restructuring of data is not feasible.

Values allowed: You may select a single value.

Value allowed: Integer

Maximum number of step levels allowed in a procedure.

1.115 Business rule decision point - BRDP-S1-00187 - Minimum number of substeps in a step

1.115.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .3 Content section - Procedural information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Related S1000D XML Schemas:
- Procedural
- Process
- Service bulletin

1.115.2 Business rule decison point content - Minimum number of substeps in a step

Decide whether to allow for a single substep, or to insist on a minimum of two substeps in a step.

Note:
The Schema allows for a single substep.

Values allowed: You may select a single value.

Value allowed: Allow a single substep

Value allowed: Insist on a minimum of two substeps in a step

1.116 Business rule decision point - BRDP-S1-00192 - Use of correlation fault concept

1.116.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .4 Content section - Fault information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Fault

1.116.2 **Business rule decison point content - Use of correlation fault concept**

Decide whether to use the correlated fault concept.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.117 **Business rule decision point - BRDP-S1-00193 - Use of correlated fault messages and warnings**

1.117.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .4 Content section - Fault information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Fault

1.117.2 **Business rule decison point content - Use of correlated fault messages and warnings**

Decide how to populate the elements <warningMalfunction>, <assocWarningMalfunction> and <bitMessage> when using the correlated fault concept.

Values allowed: You may select a single value.

Value allowed: Text

Definition of how to populate element <warningMalfunction>, element <assocWarningMalfunction> and element <bitMessage> when using the correlated fault concept.

1.118 **Business rule decision point - BRDP-S1-00194 - Use of detection and description information elements**

1.118.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .4 Content section - Fault information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Fault

1.118.2 Business rule decison point content - Use of detection and description information elements

Decide whether the repetition of the detection and description information for the basic fault which has been correlated (elements <faultDescr> and <detectionInfo>) is used. Projects can consider that the detection and description information can for example be populated during IETP generation by picking up the information in the detected fault list data module describing the basic faults.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.119 Business rule decision point - BRDP-S1-00195 - Use of the attribute independentCheck on the elements <isolationProcedure>, <isolationStep> and <isolationProcedureEnd>

1.119.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .4 Content section - Fault information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Fault

1.119.2 Business rule decison point content - Use of the attribute independentCheck on the elements <isolationProcedure>, <isolationStep> and <isolationProcedureEnd>

Decide whether to use the attribute independentCheck, which values to use and allocate suitable definitions.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute independentCheck, and their definitions.

Value allowed: No

1.120 Business rule decision point - BRDP-S1-00197 - Values for the attribute inspectionTypeCategory

1.120.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin
- Schedule

1.120.2 Business rule decison point content - Values for the attribute inspectionTypeCategory

Decide which values to use for the attribute inspectionTypeCategory and allocate suitable definitions.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the attribute inspectionTypeCategoryand, and their definitions.

1.121 Business rule decision point - BRDP-S1-00198 - Methodology of assigning tasks into the element <taskGroup>

1.121.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Schedule

1.121.2 Business rule decison point content - Methodology of assigning tasks into the element <taskGroup>

Decide on a methodology of assigning tasks to groups.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the methodology of assigning tasks to groups.

1.122 Business rule decision point - BRDP-S1-00199 - Values for the attribute markerType

1.122.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Schedule

1.122.2 Business rule decison point content - Values for the attribute markerType

Decide which values to use for the attribute markerType and allocate suitable definitions.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list the values for the attribute markerType, and their definitions.

Value allowed: No

1.123 Business rule decision point - BRDP-S1-00202 - Values for the attribute sourceOfRqmt

1.123.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Schedule

1.123.2 Business rule decison point content - Values for the attribute sourceOfRqmt

Decide which values to use for the attribute sourceOfRqmt and allocate suitable definitions.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the attribute sourceOfRqmt and their definitions.

1.124 Business rule decision point - BRDP-S1-00204 - Use of the element <preliminaryRqmts> in the element <taskDefinition>

1.124.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Schedule

1.124.2 Business rule decison point content - Use of the element <preliminaryRqmts> in the element <taskDefinition>

Decide whether to use the element <preliminaryRqmts> in the context of task definition.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.125 Business rule decision point - BRDP-S1-00219 - Use of the element <partSegment> in the element <itemSeqNumber>

1.125.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.125.2 Business rule decison point content - Use of the element <partSegment> in the element <itemSeqNumber>

Decide whether to use the element &#60partSegment> to store the part data in the IPD data module each time the part is listed, or store the part data once externally in the part CIR data module.

Note:
The element <partSegment> must be used for S2000M IPD data modules.

Values allowed: You may select a single value.

Value allowed: Element <partSegment>

The answer will always apply for a project implementing S2000M, since it is mandatory there.

Value allowed: Part CIR data module

1.126 Business rule decision point - BRDP-S1-00221 - Use of the element <physicalSecurityPilferageCode> in the element <techData> within the element <itemSeqNumber>

1.126.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.126.2 Business rule decison point content - Use of the element <physicalSecurityPilferageCode> in the element <techData> within the element <itemSeqNumber>

Decide whether and how to use the element <physicalSecurityPilferageCode>. S2000M lists the possible codes in the data definition for physical security pilferage code (PSC).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the element <physicalSecurityPilferageCode> and define a list of values. This value applies in S2000M only for parts where it is set. The values must comply with S2000M.

Value allowed: No

1.127 Business rule decision point - BRDP-S1-00222 - Use of the attribute unitOfMeasure in the element <unitOfIssueQualificationSegment> within the element <techData>

1.127.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.127.2 Business rule decison point content - Use of the attribute unitOfMeasure in the element <unitOfIssueQualificationSegment> within the element <techData>

Decide on the range and definitions of the values for the attribute unitOfMeasure.

Note:
When the IPD data modules are created from S2000M, the list of allowed unit of measure (UOM) values must contain those defined in the data definition in S2000M. When S2000M is used, it is strongly recommended to use the S2000M UOM values throughout the project.

Values allowed: You may select a single value.

Value allowed: Text

Range and definitions of the values for the attribute unitOfMeasure.

1.128 Business rule decision point - BRDP-S1-00223 - Use of the element <optionalPart> in the element <partRefGroup> within the element <itemSeqNumber>

1.128.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.128.2 Business rule decison point content - Use of the element <optionalPart> in the element <partRefGroup> within the element <itemSeqNumber>

Decide on the method of identification of the optional part.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the method of identification of the optional part. Not used in S2000M projects

1.129 Business rule decision point - BRDP-S1-00224 - Use of the element <preferredSparePart> in the element <partRefGroup> within the element <itemSeqNumber>

1.129.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:

- Illustrated parts data

1.129.2 Business rule decison point content - Use of the element <preferredSparePart> in the element <partRefGroup> within the element <itemSeqNumber>

Decide on the method of identification of the preferred spare part.

Values allowed: You may select a single value.

Value allowed: Text

Define the method of identification of the preferred spare part and the cases when it is to be defined.

1.130 Business rule decision point - BRDP-S1-00225 - Use of the element <alteredFromPart> in the element <partRefGroup> within the element <itemSeqNumber>

1.130.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.130.2 Business rule decison point content - Use of the element <alteredFromPart> in the element <partRefGroup> within the element <itemSeqNumber>

Decide on the method of identification of the altered from part.

Values allowed: You may select a single value.

Value allowed: Text

Define the method of identification of the altered from part and the cases when it is to be defined.

1.131 Business rule decision point - BRDP-S1-00226 - Use of the element <localFabricationMaterial>

1.131.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Illustrated parts data

1.131.2 Business rule decison point content - Use of the element <localFabricationMaterial>

Decide on the method of identification of the local fabrication material.

Values allowed: You may select a single value.

Value allowed: Text

Define the method of identification of the local fabrication material and the cases when it is to be defined.

1.132 Business rule decision point - BRDP-S1-00229 - Use of the element <usableOnCodeEquip> in the element <applicabilitySegment> within the element <itemSeqNumber>

1.132.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.132.2 Business rule decison point content - Use of the element <usableOnCodeEquip> in the element <applicabilitySegment> within the element <itemSeqNumber>

Decide whether and how to use the element <usableOnCodeEquip>. If used, decide on the values and their definitions. S2000M lists the possible codes and their usage in the data definition for usable on code equipment (UCE).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, range and the definition of the values for the element <usableOnCodeEquip>. Note: the element <usableOnCodeEquip> must be used in S2000M projects for parts it applies to.

Value allowed: No

1.133 Business rule decision point - BRDP-S1-00230 - Use of the element <usableOnCodeAssy> in the element <applicabilitySegment> within the element <itemSeqNumber>

1.133.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training

content.

Related S1000D XML Schemas:
- Illustrated parts data

1.133.2 Business rule decison point content - Use of the element <usableOnCodeAssy> in the element <applicabilitySegment> within the element <itemSeqNumber>

Decide whether and how to use the element <usableOnCodeAssy>. If used, decide on the values and their definitions. S2000M lists the possible codes and their usage in the data definition for usable on code assembly (UCA).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, range and the definition of the values for the element <usableOnCodeAssy>.

Value allowed: No

1.134 Business rule decision point - BRDP-S1-00231 - Use of the element <interchangeability> in the element <applicabilitySegment> within the element <itemSeqNumber>

1.134.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.134.2 Business rule decison point content - Use of the element <interchangeability> in the element <applicabilitySegment> within the element <itemSeqNumber>

Decide whether and how to use the element <interchangeability>. If used, decide on the values and their definitions. S2000M lists the possible codes and their usage in the definition for interchangeability (ICY).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, range and the definition of the values for the element <interchangeability>.

Value allowed: No

1.135 Business rule decision point - BRDP-S1-00232 - Use of the element <service> in the element <locationRcmdSegment> within the element <itemSeqNumber>

1.135.1 Business rule decision point is related to:

Places in specification:

Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.135.2 Business rule decison point content - Use of the element <service> in the element <locationRcmdSegment> within the element <itemSeqNumber>

Decide on the values and definitions of the third character of the element <service>.

Values allowed: You may select a single value.

Value allowed: Text

Range and definitions of the values for the third character of the element <service>.

1.136 Business rule decision point - BRDP-S1-00233 - Use of the element <sourceMaintRecoverability> in the element <locationRcmdSegment> within the element <itemSeqNumber>

1.136.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.136.2 Business rule decison point content - Use of the element <sourceMaintRecoverability> in the element <locationRcmdSegment> within the element <itemSeqNumber>

Decide which values to use for the sixth character of the element <sourceMaintRecoverability> and allocate suitable definitions.

Values allowed: You may select a single value.

Value allowed: Text

List of values to use for the sixth character of the element <sourceMaintRecoverability> and their definitions.

1.137 Business rule decision point - BRDP-S1-00234 - Use of the element <modelVersion> in the element <locationRcmdSegment> within the element <itemSeqNumber>;

1.137.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.137.2 Business rule decison point content - Use of the element <modelVersion> in the element <locationRcmdSegment> within the element <itemSeqNumber>;

Decide whether and how to use the element <modelVersion>. If used, decide on the values and their definitions.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, range and the definition of the values for the element <modelVersion>.

Value allowed: No

1.138 Business rule decision point - BRDP-S1-00235 - Use of the element <effectivity> in the element <locationRcmdSegment> within the element <itemSeqNumber>

1.138.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Illustrated parts data

1.138.2 Business rule decison point content - Use of the element <effectivity> in the element <locationRcmdSegment> within the element <itemSeqNumber>

Decide whether and how to use the element <effectivity>. If used, decide on its range and the definition of the values to be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, range and the definition of the values for the element <effectivity>.

Value allowed: No

1.139 Business rule decision point - BRDP-S1-00237 - Use of BREX to define the non-S2000M elements

1.139.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .7 Content section - Parts information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Business rules exchange
- Illustrated parts data

1.139.2 Business rule decison point content - Use of BREX to define the non-S2000M elements

Decide whether to use BREX for the definition of the non-S2000M elements.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.140 Business rule decision point - BRDP-S1-00239 - Use of the element <wireType>

1.140.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .9.2 Wiring data - Wire

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Wiring data

1.140.2 Business rule decison point content - Use of the element <wireType>

Decide on the definition of wire type content/codes.

Values allowed: You may select a single value.

Value allowed: Text

Definition of wire type content/codes.

1.141 Business rule decision point - BRDP-S1-00240 - Use of the element <wireSeqNumber>

1.141.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .9.2 Wiring data - Wire

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Wiring data

1.141.2 **Business rule decison point content - Use of the element <wireSeqNumber>**

Decide whether and how to use the wire sequential number.

Note:
The element <wireSeqNumber> must be used if the wire sequential number is not given in the element <wireNumber>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the wire sequential number.

Value allowed: No

1.142 **Business rule decision point - BRDP-S1-00241 - Use of the element <electricalEquipConnection>**

1.142.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .9.4 Wiring data - Electrical equipment

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Wiring data

1.142.2 **Business rule decison point content - Use of the element <electricalEquipConnection>**

Decide whether and how to use electrical equipment connection information, in particular define the values of attribute connectionType consistently.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values of attribute connectionType and electrical equipment connection information in general.

Value allowed: No

1.143 Business rule decision point - BRDP-S1-00244 - Use of applicability for variables in process data modules

1.143.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .10.1 Process data module - Content

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Process

1.143.2 Business rule decison point content - Use of applicability for variables in process data modules

Decide on the level of applicability filtering. This is established based on viewer capability and portability of the data.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the level of applicability filtering.

1.144 Business rule decision point - BRDP-S1-00246 - Use of dialogs to declare unassigned variables in process data modules

1.144.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .10.2 Process data module - Dialogs

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Process

1.144.2 Business rule decison point content - Use of dialogs to declare unassigned variables in process data modules

Decide whether to use a dialog to assign values to an unassigned variable.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.145 Business rule decision point - BRDP-S1-00247 - Use of default values in a dialog in process data modules

1.145.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .10.2 Process data module - Dialogs

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Process

1.145.2 Business rule decison point content - Use of default values in a dialog in process data modules

Decide whether a variable default value will be displayed in a dialog.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.146 Business rule decision point - BRDP-S1-00248 - Use of the attribute variableName in the element <variable> in process data modules

1.146.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .10.3 Process data module - Expressions, variables and external applications

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:

- Process

1.146.2 Business rule decison point content - Use of the attribute variableName in the element <variable> in process data modules

Decide on naming conventions to be used in setting variable names.

Values allowed: You may select a single value.

Value allowed: Text

Naming conventions to be used in setting variable names (as in eg, programming standards).

1.147 Business rule decision point - BRDP-S1-00249 - Use of the attribute variableType in the element <variable> in process data modules

1.147.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .10.3 Process data module - Expressions, variables and external applications

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Process

1.147.2 Business rule decison point content - Use of the attribute variableType in the element <variable> in process data modules

Decide whether to use the attribute variableType and decide on the rules for selection of the defined values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute variableType and the rules for their selection.

Value allowed: No

1.148 Business rule decision point - BRDP-S1-00251 - Use of the attribute altNumber in the functional items CIR

1.148.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.1 Common information repository - Functional items

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.148.2 Business rule decison point content - Use of the attribute altNumber in the functional items CIR

Decide whether to use the attribute altNumber, which values to use and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute altNumber in the functional items CIR, and the corresponding definitions.

Value allowed: No

1.149 Business rule decision point - BRDP-S1-00252 - Use of the attribute altNumber in the circuit breakers CIR

1.149.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.2 Common information repository - Circuit breakers

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.149.2 Business rule decison point content - Use of the attribute altNumber in the circuit breakers CIR

Decide whether to use the attribute altNumber, which values to use and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute altNumber in the circuit breakers CIR, and the corresponding definitions.

Value allowed: No

1.150 Business rule decision point - BRDP-S1-00253 - Use of the attribute zoneRefType

1.150.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.4 Common information repository - Zones

Business rules categories:

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.150.2 Business rule decison point content - Use of the attribute zoneRefType

Decide which values (eg, subzones) to use for the attribute zoneRefType and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Text

List of values (eg, subzones) for the attribute zoneRefType and corresponing definitions.

1.151 Business rule decision point - BRDP-S1-00254 - Use of the attribute altNumber in the zones CIR

1.151.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.4 Common information repository - Zones

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.151.2 Business rule decison point content - Use of the attribute altNumber in the zones CIR

Decide whether to use the attribute altNumber, which values to use and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute altNumber in the zones CIR, and the corresponding definitions.

Value allowed: No

1.152 Business rule decision point - BRDP-S1-00255 - Use of the attribute accessPointRefType

1.152.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.5 Common information repository - Access points

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.152.2 Business rule decison point content - Use of the attribute accessPointRefType

Decide which values (eg, subaccess points) to use for the attribute accessPointRefType and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Text

List of values (eg, subaccess points) for the attribute accessPointRefType and and corresponing definitions.

1.153 Business rule decision point - BRDP-S1-00256 - Use of the attribute altNumber in the access points CIR

1.153.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.5 Common information repository - Access points

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.153.2 Business rule decison point content - Use of the attribute altNumber in the access points CIR

Decide whether to use the attribute altNumber, which values to use and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute altNumber in the access points CIR, and the corresponding definitions.

Value allowed: No

1.154 Business rule decision point - BRDP-S1-00260 - Use of the attribute toolRefType in the tools CIR

1.154.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.9 Common information repository - Tools

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.154.2 Business rule decison point content - Use of the attribute toolRefType in the tools CIR

Decide which values to use for the attribute toolRefType and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the attribute toolRefType and corresponing definitions.

1.155 Business rule decision point - BRDP-S1-00261 - Use of the attribute altNumber in the tools CIR

1.155.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.9 Common information repository - Tools

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:

- Common information repository
- Update

1.155.2 Business rule decison point content - Use of the attribute altNumber in the tools CIR

Decide whether to use the attribute altNumber, which values to use and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values for the attribute altNumber, and the corresponding definitions.

Value allowed: No

1.156 Business rule decision point - BRDP-S1-00262 - Use of the attribute taskCategoryCode in the tools CIR

1.156.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.9 Common information repository - Tools

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.156.2 Business rule decison point content - Use of the attribute taskCategoryCode in the tools CIR

Decide which values (eg, servicing, maintenance, overhaul, repair) to use for the attribute taskCategoryCode and allocate suitable definitions to the values.

Values allowed: You may select a single value.

Value allowed: Text

List of values (eg, servicing, maintenance, overhaul, repair) to use for the attribute taskCategoryCode and corresponding definitions.

1.157 Business rule decision point - BRDP-S1-00263 - Use of the attribute systemDiffCode in the element <functionalPhysicalAreaIdent>

1.157.1 Business rule decision point is related to:

Places in specification:

Chap 3 .9 .5 .2 .11.10 Common information repository - Functional and/or physical areas

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.157.2 Business rule decison point content - Use of the attribute systemDiffCode in the element <functionalPhysicalAreaIdent>

Decide whether to apply the system difference code in the functional and/or physical areas CIR data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.158 Business rule decision point - BRDP-S1-00264 - Use of the attributes disassyCode and disassyCodeVariant in the element <functionalPhysicalAreaIdent>

1.158.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .11.10 Common information repository - Functional and/or physical areas

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository
- Update

1.158.2 Business rule decison point content - Use of the attributes disassyCode and disassyCodeVariant in the element <functionalPhysicalAreaIdent>

Decide whether to apply the disassembly code and disassembly variant code in the functional and/or physical areas CIR data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.159 Business rule decision point - BRDP-S1-00267 - Conducting a performance analysis

1.159.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13.1 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- learning

1.159.2 Business rule decison point content - Conducting a performance analysis

Decide whether to conduct a performance analysis to determine factors that can affect performance and gaps in job performance or a training needs analysis to determine training requirements.

Values allowed: You may select a single value.

Value allowed: Performance analysis

Value allowed: Training needs analysis

1.160 Business rule decision point - BRDP-S1-00268 - Developing learning objectives

1.160.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .13.1 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- learning

1.160.2 **Business rule decison point content - Developing learning objectives**

Decide whether to develop learning objectives in accordance with task analysis items. Learning objectives ought to be developed in accordance with task analysis items that support system maintenance and operational procedures. Aligning learning objectives with task analysis items in the early content preplanning stages will foster reusable data and content alignment. Refer to Chap Chap 3 .9 .7 for content preplanning discussions.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.161 **Business rule decision point - BRDP-S1-00269 - Packaging lesson plans in SCORM content package modules**

1.161.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .13.1 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as

language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- SCORM content package

1.161.2 Business rule decison point content - Packaging lesson plans in SCORM content package modules

Decide whether to package lesson plans in SCORM content package modules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.162 Business rule decision point - BRDP-S1-00270 - Define life cycle need for performance analysis data

1.162.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13.1 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- learning

1.162.2 Business rule decison point content - Define life cycle need for performance analysis data

Define the life cycle need for analysis information and requirements resulting from a performance analysis for the client organization and human performance system affected by the product.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the life cycle need for analysis information and requirements resulting from a Performance Analysis for the client organization and human performance system affected by the product.

1.163 Business rule decision point - BRDP-S1-00271 - Define life cycle need for training needs analysis data

1.163.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13.1 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- learning

1.163.2 Business rule decison point content - Define life cycle need for training needs analysis data

Define the life cycle need for analysis information and requirements resulting from a training needs analysis for a training intervention.

Values allowed: You may select a single value.

Value allowed: Text

Defininition of the life cycle need for analysis information and requirements resulting from a Training Needs Analysis for a training intervention.

1.164 Business rule decision point - BRDP-S1-00273 - Use of the attribute weightingFactor

1.164.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13.5 Content section - Learning assessment information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- learning

1.164.2 Business rule decison point content - Use of the attribute weightingFactor

Decide whether to assign weighted values to individual interactions.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.165 Business rule decision point - BRDP-S1-00274 - Use of the attribute attempts

1.165.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13.5 Content section - Learning assessment information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- learning

1.165.2 Business rule decison point content - Use of the attribute attempts

Decide whether to allow multiple response attempts for interaction items.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.166 Business rule decision point - BRDP-S1-00279 - Define maximum number of steps levels in <checkListProcedure>

1.166.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .14 Content section - Maintenance checklists and inspections

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can

be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Crew check list

1.166.2 Business rule decison point content - Define maximum number of steps levels in <checkListProcedure>

Projects must decide the maximum number of step levels allowed.

Values allowed: You may select a single value.

Value allowed: Text

Maximum number of step levels allowed.

1.167 Business rule decision point - BRDP-S1-00280 - Use of the attribute sbTopicType in the element <sbTopic> within the element <sbRevisionInfo>

1.167.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15 Content section - Service bulletin data module

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

Related configurable attributes:
- Service bulletin topic type - attribute `"sbTopicType"`

1.167.2 Business rule decison point content - Use of the attribute sbTopicType in the element <sbTopic> within the element <sbRevisionInfo>

Decide which topic types are mandatory, which are optional, and on the sequence in which the corresponding element <sbTopic> must be given in the element <sbRevisionInfo>. Refer to Chap Chap 3 .9 .6 .1.

Values allowed: You may select a single value.

Value allowed: Text

List of mandatory and optional topic type values, and definition of the sequence in which they must be delivered in the element <sbRevisionInfo>.

1.168 Business rule decision point - BRDP-S1-00281 - Use of the attribute sbTopicType in element <sbTopic> within the element the element <sbSummary>

1.168.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15 Content section - Service bulletin data module

Business rules categories:

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

Related configurable attributes:
- Service bulletin topic type - attribute `"sbTopicType"`

1.168.2 Business rule decison point content - Use of the attribute sbTopicType in element <sbTopic> within the element the element <sbSummary>

Decide which topic types are mandatory, which are optional, and on the sequence in which the corresponding element <sbTopic> must be given in the element <sbSummary>. Refer to Chap **Chap 3 .9 .6 .1**.

Values allowed: You may select a single value.

Value allowed: Text

List of mandatory and optional topic type values, and definition of the sequence in which they must be delivered in the element <sbSummary>.

1.169 Business rule decision point - BRDP-S1-00282 - Use of the attribute sbTopicType in the element <sbTopic> within the element the element <sbPlanningInfo>

1.169.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15 Content section - Service bulletin data module

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

Related configurable attributes:
- Service bulletin topic type - attribute `"sbTopicType"`

1.169.2 Business rule decison point content - Use of the attribute sbTopicType in the element <sbTopic> within the element the element <sbPlanningInfo>

Decide which topic types are mandatory, which are optional, and on the sequence in which the corresponding element <sbTopic> must be given in the element <sbPlanningInfo>. Refer to Chap **Chap 3 .9 .6 .1**.

Values allowed: You may select a single value.

Value allowed: Text

List of mandatory and optional topic values, and definition of the sequence in which they must be delivered in the element <sbPlanningInfo>.

1.170 Business rule decision point - BRDP-S1-00283 - Use of the attribute sbTopicType in the element <sbTopic> wthin the element <sbAdditionalInfo>

1.170.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15 Content section - Service bulletin data module

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

Related configurable attributes:
- Service bulletin topic type - attribute `"sbTopicType"`

1.170.2 Business rule decison point content - Use of the attribute sbTopicType in the element <sbTopic> wthin the element <sbAdditionalInfo>

Decide which topic types are mandatory, which are optional, and on the sequence in which the corresponding element <sbTopic> must be given in the element <sbAdditionalInfo>. Refer to Chap Chap 3 .9 .6 .1.

Values allowed: You may select a single value.

Value allowed: Text

List of mandatory and optional topic type values, and definition of the sequence in which they must be delivered in the element <sbAdditionalInfo>.

1.171 Business rule decision point - BRDP-S1-00287 - Use of the element <sbProcurementInfo> in the element <sbMaterialSet>, the element <sbSupportEquipSet>, the element <sbIndividualSupportEquip>, the element <sbSupplySet>, the element: <sbIndividualSupply>, the element <sbSpareSet> and the element <sbIndividualSpare>

1.171.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15.2 Service bulletin data module - Material information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

1.171.2 Business rule decison point content - Use of the element <sbProcurementInfo> in the element <sbMaterialSet>, the element <sbSupportEquipSet>, the element <sbIndividualSupportEquip>, the element <sbSupplySet>, the element: <sbIndividualSupply>, the element <sbSpareSet> and the element <sbIndividualSpare>

Decide whether the use of the element <sbProcurementInfo> is allowed within

- the element <sbMaterialSet>
- the definitions of individual material sets (ie, <sbSupportEquipSet>, <sbSupplySet> and <sbSpareSet>)
- the definitions of individual spares, supplies and support equipment (ie, <sbIndividualSupportEquip>,<sbIndividualSupply> and <sbIndividualSpare>)

Values allowed: You may select a single value.

Value allowed: Directly within the element <sbMaterialSet>

Value allowed: Only within definitions of material sets

Value allowed: Only directly within definitions of individual spares, supplies and support equipment

1.172 Business rule decision point - BRDP-S1-00288 - Use of the element <sbIndustrySupport> in the element <sbMaterialSet>, the element <sbSupportEquipSet>, the element <sbIndividualSupportEquip>, the element <sbSupplySet>, the element <sbIndividualSupply>, the element <sbSpareSet>, the element <sbIndividualSpare>, the element <sbRemovedSpareSet>, the element <sbIndividualRemovedSpare>

1.172.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .15.2 Service bulletin data module - Material information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin

1.172.2 Business rule decison point content - Use of the element <sbIndustrySupport> in the element <sbMaterialSet>, the element <sbSupportEquipSet>, the element <sbIndividualSupportEquip>, the element <sbSupplySet>, the element <sbIndividualSupply>, the element <sbSpareSet>, the element <sbIndividualSpare>, the element <sbRemovedSpareSet>, the element <sbIndividualRemovedSpare>

Decide whether the use of the element <sbIndustrySupport> is allowed within

- the element <sbMaterialSet>
- the definitions of individual material sets (ie, <sbSupportEquipSet>, <sbSupplySet> , <sbSpareSet> and <sbRemovedSpareSet>)
- the definitions of individual spares, supplies, support equipment and removed spares (ie, <sbIndividualSupportEquip>, <sbIndividualSupply>, <sbIndividualSpare> and <sbIndividualRemovedSpare>)

Values allowed: You may select a single value.

Value allowed: Directly within <sbMaterialSet>

Value allowed: Only within definitions of material sets

Value allowed: Only directly within definitions of individual spares, supplies and support equipment

1.173 Business rule decision point - BRDP-S1-00294 - Content of the element <productIntroName>

1.173.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.173.2 Business rule decison point content - Content of the element <productIntroName>

Decide whether to use the element <productIntroName>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.174 Business rule decision point - BRDP-S1-00295 - Use of the element <productAndModel>

1.174.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and

written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.174.2 Business rule decison point content - Use of the element <productAndModel>

Decide whether and how to use the element <productAndModel> and its child elements.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <productAndModel> and its child elements.

Value allowed: No

1.175 Business rule decision point - BRDP-S1-00296 - Use of the element <dataRestrictions> in the element <frontMatterTitlePage>

1.175.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.175.2 Business rule decison point content - Use of the element <dataRestrictions> in the element <frontMatterTitlePage>

Decide whether and how to use the element <dataRestrictions> and its child elements.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <dataRestrictions> and its child elements.

Value allowed: No

1.176 Business rule decision point - BRDP-S1-00297 - Use of the element <enterpriseSpec> in the element <frontMatterTitlePage>

1.176.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.176.2 Business rule decison point content - Use of the element <enterpriseSpec> in the element <frontMatterTitlePage>

Decide whether and how to use the element <enterpriseSpec>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <enterpriseSpec>.

Value allowed: No

1.177 Business rule decision point - BRDP-S1-00298 - Use of the element <enterpriseLogo>

1.177.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.177.2 Business rule decison point content - Use of the element <enterpriseLogo>

Decide whether to use the element <enterpriseLogo> and if it is populated from the element <logo> given in the Identification and status section.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decision whether to populate the element <enterpriseLogo> from the element <logo> given in the Identification and status section.

Value allowed: No

1.178 Business rule decision point - BRDP-S1-00299 - Method of populating the element <publisherLogo>

1.178.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.178.2 Business rule decison point content - Method of populating the element <publisherLogo>

Decide whether and how to use the element <logo> in the Identification and status section to populate the element <publisherLogo>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <logo> in the Identification and status section to populate the element <publisherLogo>.

Value allowed: No

1.179 Business rule decision point - BRDP-S1-00300 - Use of the attribute barCodeSymbology

1.179.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include

page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

Related configurable attributes:
- Type of bar code - attribute `"barCodeSymbology"`

1.179.2 Business rule decison point content - Use of the attribute barCodeSymbology

Decide whether to use the attribute barCodeSymbology and which barcode symbology to be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decision on which barcode symbology to be used for the attribute barCodeSymbology.

Value allowed: No

1.180 Business rule decision point - BRDP-S1-00301 - Use of the element <frontMatterInfo>

1.180.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

Related configurable attributes:
- Type of front matter information - attribute `"frontMatterInfoType"`

1.180.2 Business rule decison point content - Use of the element <frontMatterInfo>

Decide whether and how to use the element <frontMatterInfo> including the allowed values of the attribute frontMatterInfoType and their interpretation as titles at presentation. Refer to Chap Chap 3 .9 .6 .1.

Note:
The content given in the element <title> takes precedence over the interpretation of the value of the attribute frontMatterInfoType.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <frontMatterInfo> including the allowed values of attribute frontMatterInfoType and their interpretation as titles at presentation.

Value allowed: No

1.181 Business rule decision point - BRDP-S1-00302 - Use of the element <title> in the element <frontMatterInfo>

1.181.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.181.2 Business rule decison point content - Use of the element <title> in the element <frontMatterInfo>

Decide whether to use the content of the element <title> or the interpretation of the value of the attribute frontMatterInfoType as the title of the Front matter information.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

In case of No, definition of how to interpret the values of the attribute frontMatterInfoType as the title of the Front matter information.

1.182 Business rule decision point - BRDP-S1-00303 - Use the element <reducedPara> in the element <frontMatterTableOfContent>

1.182.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.182.2 **Business rule decison point content - Use the element <reducedPara> in the element <frontMatterTableOfContent>**

Decide whether to use the introductory paragraph and on the wording of any standard phrase.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the wording of any standard phrase for the introductory paragraph.

Value allowed: No

1.183 **Business rule decision point - BRDP-S1-00305 - Data modules within a publication listed in the Table of contents**

1.183.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .4 Authoring - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.183.2 **Business rule decison point content - Data modules within a publication listed in the Table of**

Decide whether the listed publications within the Table of contents also have to be listed by their individual data modules.

Values allowed: You may select a single value.

Value allowed: By the publication only

Value allowed: By its individual data modules

1.184 Business rule decision point - BRDP-S1-00307 - Inclusion of the number of pages in the Table of contents

1.184.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .4 Authoring - Front matter

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Front matter

1.184.2 Business rule decison point content - Inclusion of the number of pages in the Table of contents

Decide whether to include the number of pages in the Table of contents entries.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decision whether the number of pages is to be presented.

Value allowed: No

1.185 Business rule decision point - BRDP-S1-00309 - Use the element <reducedPara> in the element <frontMatterList>

1.185.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can

be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.185.2 Business rule decison point content - Use the element <reducedPara> in the element <frontMatterList>

Decide whether to use the introductory paragraph and on the wording of any standard phrase for each of the front matter list.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, wording of any standard phrase for the introductory paragraph within each of the front matter list.

Value allowed: No

1.186 Business rule decision point - BRDP-S1-00310 - How to store total number of pages for S1000D publications

1.186.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.186.2 Business rule decison point content - How to store total number of pages for S1000D publications

Decide on the use of <footnoteRemarks> to store the total number of pages for a complete S1000D publication.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the use of <footnoteRemarks> to store the total number of pages for a complete S1000D publication (PM).

Value allowed: No

In case of Yes, definition of the use of <footnoteRemarks> to store the total number of pages for a complete S1000D publication (PM).

1.187 Business rule decision point - BRDP-S1-00311 - How to store total number of pages for non-S1000D publications

1.187.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .16 Content section - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Front matter

1.187.2 Business rule decison point content - How to store total number of pages for non-S1000D publications

Decide on the use of <footnoteRemarks> to store the total number of pages for a complete non-S1000D publication.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the use of <footnoteRemarks> to store the total number of pages for a complete non-S1000D publication.

1.188 Business rule decision point - BRDP-S1-00313 - Use of the element <contentDescription>in the element <scoContent>

1.188.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .17 Content section - SCO content data module

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial

provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- SCORM content

1.188.2 Business rule decison point content - Use of the element <contentDescription>in the element <scoContent>

Decide whether and how to use the element <contentDescription> (eg, to add information about the training resource).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <contentDescription> (eg, to add information about the training resource).

Value allowed: No

1.189 Business rule decision point - BRDP-S1-00314 - Use of the element <contentDescription> in the element <trainingStep>

1.189.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .17 Content section - SCO content data module

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- SCORM content

1.189.2 Business rule decison point content - Use of the element <contentDescription> in the element <trainingStep>

Decide whether and how to use the element <contentDescription> (eg, to add information about the content defined in the training step).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to use the element <contentDescription> (eg, to add information about the content defined in the training step).

Value allowed: No

1.190 Business rule decision point - BRDP-S1-00315 - Use of the element <contentDescription>

1.190.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .17 Content section - SCO content data module

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- SCORM content

1.190.2 Business rule decison point content - Use of the element <contentDescription>

Decide whether the optional element <contentDescription> must be used to add information about the content defined in the training step.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.191 Business rule decision point - BRDP-S1-00316 - Use of the element <applic> in the data module status and content

1.191.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 Data modules - Applicability

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is

broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.191.2 Business rule decison point content - Use of the element <applic> in the data module status and content

Decide how to use the element <applic> and to populate its child elements and attributes across the project or the organization.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the use the element <applic> and population of its child elements and attributes across the project.

1.192 Business rule decision point - BRDP-S1-00317 - Use of the element <displayText> in the element <applic>

1.192.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 Data modules - Applicability

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training

content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.192.2 Business rule decison point content - Use of the element <displayText> in the element <applic>

Decide whether the element <displayText> is populated by the technical author or generated from the computable branch or some other source when using the human-readable branch of applicability.

Values allowed: You may select a single value.

Value allowed: To be populated by technical author

<displayText> is populated by the technical author or generated from the computable branch or some other source when using the human readable branch of applicability.

Value allowed: To be extracted automatically using the human readable branch of applicability

<displayText> is generated from the computable branch or some other source when using the human readable branch of applicability.

1.193 Business rule decision point - BRDP-S1-00318 - Use of the attribute applicDisplayClass within the element <applic>

1.193.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 Data modules - Applicability

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.193.2 Business rule decison point content - Use of the attribute applicDisplayClass within the element <applic>

Decide whether to use the attribute applicDisplayClass when using the computable applicability annotation branch.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.194 Business rule decision point - BRDP-S1-00319 - Use of textual applicability annotations in the element <assert> in the element <evaluate>

1.194.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 Data modules - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.194.2 Business rule decison point content - Use of textual applicability annotations in the element <assert> in the element <evaluate>

Decide if textual applicability annotations are allowed in the element <assert> when using the computable applicability annotation branch or if every element <assert> must reference a declared product attribute or condition.

Values allowed: You may select a single value.

Value allowed: Textual applicability annotations are allowed in the element <assert> when using the computable applicability annotation branch.

Value allowed: Every element <assert> should reference a declared product attribute or condition.

1.195 Business rule decision point - BRDP-S1-00320 - Use of the attribute valuePattern and the element <enumeration> or to use open text when using ACT

1.195.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .1 Applicability - Applicability cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table

1.195.2 **Business rule decison point content - Use of the attribute valuePattern and the element <enumeration> or to use open text when using ACT**

Decide whether to specify the allowable values for a product attribute achieved by using both the attribute valuePattern and the element <enumeration> or to allow open text without using the attribute valuePattern and the element <enumeration>.

Values allowed: You may select a single value.

Value allowed: To specify the allowable values for a product attribute achieved by using both the attribute valuePattern and the element <enumeration>.

Value allowed: To allow open text without using the attribute valuePattern and the element <enumeration>.

1.196 **Business rule decision point - BRDP-S1-00321 - Use of the element <displayName> in the element <productAttribute> when using ACT**

1.196.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .1 Applicability - Applicability cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table

1.196.2 Business rule decison point content - Use of the element <displayName> in the element <productAttribute> when using ACT

Decide whether to use the element <displayName>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.197 Business rule decision point - BRDP-S1-00322 - Method of defining multiple values or ranges for the element <enumeration> in the ACT

1.197.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 .1 Applicability - Applicability cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table

1.197.2 Business rule decison point content - Method of defining multiple values or ranges for the element <enumeration> in the ACT

Decide whether to use a single element <enumeration> containing the entire set or to use multiple elements <enumeration> which each contains only one value or range.

Values allowed: You may select a single value.

Value allowed: Single element

Value allowed: Multiple elements

1.198 Business rule decision point - BRDP-S1-00323 - Use of the attribute valuePattern and the element <enumeration> or to use open text when using CCT

1.198.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .2 Applicability - Conditions cross-reference table

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability conditions cross reference table

1.198.2 **Business rule decison point content - Use of the attribute valuePattern and the element <enumeration> or to use open text when using CCT**

Decide whether to specify the allowable values for a product attribute achieved by using both the attribute valuePattern and the element <enumeration> or to allow open text without using the attribute valuePattern and the element <enumeration>.

Values allowed: You may select a single value.

Value allowed: To specify the allowable values for a product attribute achieved by using both the attribute valuePattern and the element <enumeration>

Value allowed: To allow open text without using the attribute valuePattern and the element <enumeration>

1.199 **Business rule decision point - BRDP-S1-00324 - Method of defining multiple values or ranges for the element <enumeration> in the CCT**

1.199.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .2 Applicability - Conditions cross-reference table

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability conditions cross reference table

1.199.2 Business rule decison point content - Method of defining multiple values or ranges for the element <enumeration> in the CCT

Decide whether to use a single element <enumeration> containing the entire set or to use multiple elements <enumeration> which each contain only one value or range.

Values allowed: You may select a single value.

Value allowed: Single element

Value allowed: Multiple elements

1.200 Business rule decision point - BRDP-S1-00325 - Use of the element <displayName> in the element <productAttribute> when using CCT

1.200.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .3 .2 Applicability - Conditions cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability conditions cross reference table

1.200.2 Business rule decison point content - Use of the element <displayName> in the element <productAttribute> when using CCT

Decide whether to use the element <displayName>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.201 Business rule decision point - BRDP-S1-00326 - Constraining conditions by use of the element <dependency> in the element <cond> in the CCT

1.201.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .2 Applicability - Conditions cross-reference table

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability conditions cross reference table

1.201.2 **Business rule decison point content - Constraining conditions by use of the element <dependency> in the element <cond> in the CCT**

Decide whether to constrain allowable conditions based on other condition values by use of the element <dependency>.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.202 **Business rule decision point - BRDP-S1-00327 - Product attributes and conditions to include in the PCT**

1.202.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .3 .3 Applicability - Products cross-reference table

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Applicability conditions cross reference table
- Applicability product cross reference table

1.202.2 Business rule decison point content - Product attributes and conditions to include in the PCT

Decide which product attributes and conditions to include in the PCT. Conditions that represent operational or environmental properties will usually not be included in the PCT as they are not associated with a product instance.

Values allowed: You may select a single value.

Value allowed: Text

List of product attributes and conditions to be included into the PCT.

1.203 Business rule decision point - BRDP-S1-00328 - Translation of the "S1000D interpretation" of configurable attribute values

1.203.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .6 Authoring - Attributes

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Access point type - attribute `"accessPointTypeValue"`
- Type of acronym or abbreviation - attribute `"acronymType"`
- Type of bar code - attribute `"barCodeSymbology"`
- Caption for Dialog cancel function - attribute `"cancelCaption"`

- National caveat - attribute "caveat"
- Check list category - attribute "checkListCategory"
- Type of circuit breaker reference - attribute "circuitBreakerRefType"
- Type of circuit breaker - attribute "circuitBreakerType"
- Caption color - attribute "color"
- Priority level of a comment - attribute "commentPriorityCode"
- Commercial security classification - attribute "commercialClassificationAttRelation"
- Type of crew member required for drill or procedural step - attribute "crewMemberType"
- Crew step condition - attribute "crewStepCondition"
- Type of aircrew drill - attribute "drillType"
- Type of emphasis - attribute "emphasisType"
- Type of front matter information - attribute "frontMatterInfoType"
- Type of front matter - attribute "frontMatterType"
- Maintenance function - attribute "function"
- Type of functional item reference - attribute "functionalItemRefType"
- Type of functional item - attribute "functionalItemType"
- Generic property type - attribute "genericPropertyType"
- Value of hazardous class - attribute "hazardousClassValue"
- Type of equipment installation - attribute "installationLocation"
- Type of target of the internal reference - attribute "internalRefTargetType"
- Item characteristic - attribute "itemCharacteristic"
- Origin of item - attribute "itemOriginator"
- Limit type - attribute "limitUnitType"
- Prefix for list items of random/unordered lists - attribute "listItemPrefix"
- Lowest authorized level - attribute "lowestLevel"
- Maintenance level code - attribute "maintLevelCode"
- Material usage - attribute "materialUsage"
- Part characteristic - attribute "partCharacteristic"
- Part status for the item sequence number - attribute "partStatus"
- Part usage code - attribute "partUsageCode"
- Publication module entry type - attribute "pmEntryType"
- Product category - attribute "productCategory"
- Type of product item - attribute "productItemType"
- Quantity type - attribute "quantityType"
- Refer To type - attribute "refType"
- Required condition category - attribute "reqCondCategory"
- Required technical information category - attribute "reqTechInfoCategory"
- Caption for Dialog reset caption - attribute "resetCaption"
- Type of response to a comment - attribute "responseTypeAttRelation"
- Service bulletin compliance category - attribute "sbComplianceCategory"
- Service bulletin impact type - attribute "sbImpactType"
- Service bulletin material type - attribute "sbMaterialType"
- Category of the service bulletin task - attribute "sbTaskCategory"
- Service bulletin time compliance type - attribute "sbTimeComplianceType"
- Service bulletin topic type - attribute "sbTopicType"
- Type of SCO entry - attribute "scoEntryType"
- Security classification - attribute "securityClassificationAttRelation"
- Paragraph significant data type - attribute "significantParaDataType"
- Personnel skill level - attribute "skillLevelCode"
- Personnel skill category - attribute "skillType"
- Source criticality - attribute "sourceCriticality"
- Source type code - attribute "sourceTypeCode"
- Caption of Dialog submit function - attribute "submitCaption"
- Supervisor level - attribute "supervisorLevelCode"
- Type of supply number - attribute "supplyNumberType"
- Task code - attribute "taskCode"
- Unit of measure for threshold interval - attribute "thresholdUnitOfMeasure"
- Update reason type for reason for update - attribute "updateReasonType"
- Style/class of verbatim text - attribute "verbatimStyle"

1.203.2 Business rule decison point content - Translation of the "S1000D interpretation" of configurable attribute values

Decide whether to translate and use the "S1000D interpretation" of configurable attribute values in the languages adopted by the project.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.204 Business rule decision point - BRDP-S1-00329 - Application of project specific values for configurable attributes

1.204.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .6 .1 Attributes - Project configurable values

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment

- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Access point type - attribute `"accessPointTypeValue"`
- Type of acronym or abbreviation - attribute `"acronymType"`
- Type of bar code - attribute `"barCodeSymbology"`
- Caption for Dialog cancel function - attribute `"cancelCaption"`
- National caveat - attribute `"caveat"`
- Check list category - attribute `"checkListCategory"`
- Type of circuit breaker reference - attribute `"circuitBreakerRefType"`
- Type of circuit breaker - attribute `"circuitBreakerType"`
- Caption color - attribute `"color"`
- Priority level of a comment - attribute `"commentPriorityCode"`
- Commercial security classification - attribute `"commercialClassificationAttRelation"`
- Type of crew member required for drill or procedural step - attribute `"crewMemberType"`
- Crew step condition - attribute `"crewStepCondition"`
- Type of aircrew drill - attribute `"drillType"`
- Type of emphasis - attribute `"emphasisType"`
- Type of front matter information - attribute `"frontMatterInfoType"`
- Type of front matter - attribute `"frontMatterType"`
- Maintenance function - attribute `"function"`
- Type of functional item reference - attribute `"functionalItemRefType"`
- Type of functional item - attribute `"functionalItemType"`
- Generic property type - attribute `"genericPropertyType"`
- Value of hazardous class - attribute `"hazardousClassValue"`
- Type of equipment installation - attribute `"installationLocation"`
- Type of target of the internal reference - attribute `"internalRefTargetType"`
- Item characteristic - attribute `"itemCharacteristic"`
- Origin of item - attribute `"itemOriginator"`
- Limit type - attribute `"limitUnitType"`
- Prefix for list items of random/unordered lists - attribute `"listItemPrefix"`
- Lowest authorized level - attribute `"lowestLevel"`
- Maintenance level code - attribute `"maintLevelCode"`
- Material usage - attribute `"materialUsage"`
- Part characteristic - attribute `"partCharacteristic"`
- Part status for the item sequence number - attribute `"partStatus"`
- Part usage code - attribute `"partUsageCode"`
- Publication module entry type - attribute `"pmEntryType"`
- Product category - attribute `"productCategory"`
- Type of product item - attribute `"productItemType"`

- Quantity type - attribute "quantityType"
- Refer To type - attribute "refType"
- Required condition category - attribute "reqCondCategory"
- Required technical information category - attribute "reqTechInfoCategory"
- Caption for Dialog reset caption - attribute "resetCaption"
- Type of response to a comment - attribute "responseTypeAttRelation"
- Service bulletin compliance category - attribute "sbComplianceCategory"
- Service bulletin impact type - attribute "sbImpactType"
- Service bulletin material type - attribute "sbMaterialType"
- Category of the service bulletin task - attribute "sbTaskCategory"
- Service bulletin time compliance type - attribute "sbTimeComplianceType"
- Service bulletin topic type - attribute "sbTopicType"
- Type of SCO entry - attribute "scoEntryType"
- Security classification - attribute "securityClassificationAttRelation"
- Paragraph significant data type - attribute "significantParaDataType"
- Personnel skill level - attribute "skillLevelCode"
- Personnel skill category - attribute "skillType"
- Source criticality - attribute "sourceCriticality"
- Source type code - attribute "sourceTypeCode"
- Caption of Dialog submit function - attribute "submitCaption"
- Supervisor level - attribute "supervisorLevelCode"
- Type of supply number - attribute "supplyNumberType"
- Task code - attribute "taskCode"
- Unit of measure for threshold interval - attribute "thresholdUnitOfMeasure"
- Update reason type for reason for update - attribute "updateReasonType"
- Style/class of verbatim text - attribute "verbatimStyle"

1.204.2 Business rule decison point content - Application of project specific values for configurable attributes

Decide whether to use any project specific attribute values, which values to use and allocate suitable definitions and interpretations.

Note:
There are specific business rules decision points for some of the configurable attributes given in the authoring chapters. Refer to Chap **Chap 3 .9 .5** and its subchapters.

Values allowed: You may select multiple values.

Value allowed: accessPointTypeValue

Access point type attribute

Value allowed: acronymType

Type of acronym or abbreviation attribute

Value allowed: actionIdentType

Classification action attribute

Value allowed: barCodeSymbology

Type of barcode attribute

Value allowed: brDecisionPointPriority

Business rule decision point priority attribute

Value allowed: brSeverityLevel

Business rule breach severity level attribute

Value allowed: brStatus

Business rule quality assurance status attribute

Value allowed: cancelCaption

Caption for Dialog cancel function attribute

Value allowed: caveat

National caveat attribute

Value allowed: checkListCategory

Check list category attribute

Value allowed: circuitBreakerRefType

Type of circuit breaker reference attribute

Value allowed: circuitBreakerType

Type of circuit breaker attribute

Value allowed: color

Caption color attribute

Value allowed: commentPriorityCode

Priority level of a comment attribute

Value allowed: commercialClassification

Commercial security classification attribute

Value allowed: crewMemberType

Type of crew member required for drill or procedural step attribute

Value allowed: crewStepCondition

Crew step condition attribute

Value allowed: defaultBrSeverityLevel

Default business rule breach severity level attribute

Value allowed: drillType

Type of aircrew drill attribute

Value allowed: emphasisType

Type of emphasis attribute

Value allowed: frontMatterInfoType

Type of front matter information attribute

Value allowed: frontMatterType

Type of front matter attribute

Value allowed: function

Maintenance function attribute

Value allowed: functionalItemRefType

Type of functional item reference attribute

Value allowed: functionalItemType

Type of functional item attribute

Value allowed: genericPropertyType

Generic property type attribute

Value allowed: hazardousClassValue

Value of hazardous class attribute

Value allowed: icnInfoItemType

Type of ICN metadata item attribute

Value allowed: icnResourceFileType

Type of resource files associated to the ICN attribute

Value allowed: icnSourceFileType

Type of source files associated to the ICN attribute

Value allowed: installationLocationType

Type of equipment install location attribute

Value allowed: internalRefTargetType

Type of target of the internal reference attribute

Value allowed: itemCharacteristic

Item characteristic attribute

Value allowed: itemOriginator

Origin of item attribute

Value allowed: limitUnitType

Limit type attribute

Value allowed: listItemPrefix

Prefix of <randomList> items attribute

Value allowed: lowestLevel

Lowest authorized level attribute

Value allowed: maintLevelCode

Maintenance level code attribute

Value allowed: materialUsage

Material usage attribute

Value allowed: operationType

Operation type attribute

Value allowed: partCharacteristic

Part characteristic attribute

Value allowed: partStatus

Part status for the item sequence number attribute

Value allowed: partUsageCode

Part usage code attribute

Value allowed: pmEntryType

Publication module entry type attribute

Value allowed: pmType

Type of publication in a publication module attribute

Value allowed: productCategory

Product category attribute

Value allowed: productItemType

Type of product item attribute

Value allowed: quantityType

Quantity type attribute

Value allowed: refType

Refer to type attribute

Value allowed: reqCondCategory

Required condition category attribute

Value allowed: reqTechInfoCategory

Required technical information category attribute

Value allowed: resetCaption

Caption for Dialog reset function attribute

Value allowed: responseType

Type of response to a comment attribute

Value allowed: sbComplianceCategory

SB compliance category attribute

Value allowed: sbImpactType

SB impact type attribute

Value allowed: sbMaterialType

SB material type attribute

Value allowed: sbTaskCategory

Category of the SB task attribute

Value allowed: sbTimeComplianceType

SB time compliance type attribute

Value allowed: sbTopicType

SB topic type attribute

Value allowed: scoEntryType

Type of SCO entry attribute

Value allowed: securityClassification

Security classification attribute

Value allowed: significantParaDataType

Paragraph significant data type attribute

Value allowed: skillLevelCode

Personnel skill level attribute

Value allowed: skillType

Personnel skill category attribute

Value allowed: softwareClassificationValue

Software classification attribute

Value allowed: softwareCustomizationStatusValue

Software customization status attribute

Value allowed: sourceCriticality

Source criticality attribute

Value allowed: sourceTypeCode

Source type code attribute

Value allowed: sourcingTypeValue

Part sourcing type attribute

Value allowed: submitCaption

Caption for Dialog submit function attribute

Value allowed: supervisorLevelCode

Supervisor level attribute

Value allowed: supplyNumberType

Type of supply number attribute

Value allowed: taskCode

Task code attribute

Value allowed: thresholdUnitOfMeasure

Unit of measure for the threshold interval attribute

Value allowed: updateReasonType

Update reason type for reason for update attribute

Value allowed: verbatimStyle

Style/class of verbatim text attribute

1.205 Business rule decision point - BRDP-S1-00330 - Application of project specific values for the attribute quantityUnitOfMeasure

1.205.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .6 .2 Attributes - Fixed values

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list

- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

Related configurable attributes:
- Quantity unit of measure - attribute `"quantityUnitOfMeasure"`

1.205.2 Business rule decison point content - Application of project specific values for the attribute quantityUnitOfMeasure

Decide whether any project specific attribute values are needed for the attribute quantityUnitOfMeasure. If needed, decide which project specific values to use for the attribute quantityUnitOfMeasure and allocate suitable project interpretations.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of the project specific values to use for the attribute quantityUnitOfMeasure and corresponding definitions.

Value allowed: No

1.206 Business rule decision point - BRDP-S1-00331 - Data module coding strategy

1.206.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 Information management - Data module code

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be

considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.206.2 Business rule decison point content - Data module coding strategy

Decide on the data module coding strategy to use for the Product and/or the project.

Values allowed: You may select a single value.

Value allowed: Text

A summary of the data module coding strategy with a diagram similar to the Chapter text in S1000D. The details on the coding are given in the subsequent BRDP.

1.207 Business rule decision point - BRDP-S1-00332 - Allocation of Product model identification code

1.207.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .1 Data module code - Model identification code

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository

- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.207.2 Business rule decison point content - Allocation of Product model identification code

Decide which model identification codes to use for the Product and/or project.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the model identification codes to be used in the given project.

1.208 Business rule decision point - BRDP-S1-00333 - Allow the use of one or several model identification codes

1.208.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .1 Data module code - Model identification code

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter

- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.208.2 Business rule decison point content - Allow the use of one or several model identification codes

Decide whether to allow the use of one or several model identification codes.

Values allowed: You may select a single value.

Value allowed: Only of one model identification code

Value allowed: Several model identification codes

1.209 Business rule decision point - BRDP-S1-00334 - Allocation of system difference code

1.209.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .2 Data module code - System difference code

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin

- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.209.2 Business rule decison point content - Allocation of system difference code

Decide which system difference code values to be used for the Product.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the system difference code to be used for the Product.

1.210 Business rule decision point - BRDP-S1-00335 - UOC as system difference code

1.210.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .2 Data module code - System difference code

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.210.2 Business rule decison point content - UOC as system difference code

Decide whether to use UOC as the system difference code.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.211 Business rule decision point - BRDP-S1-00336 - Product SNS structure

1.211.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.211.2 Business rule decison point content - Product SNS structure

Decide which SNS structure to use for the Product.

Values allowed: You may select a single value.

Value allowed: Text

Decision on which SNS structure to use for the Product.

1.212 Business rule decision point - BRDP-S1-00337 - Use of the material item category code

1.212.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.212.2 Business rule decison point content - Use of the material item category code

Decide whether to use the material item category code.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of values chosen for the material item category code from the list defined in the Specification text.

Value allowed: No

1.213 Business rule decision point - BRDP-S1-00338 - Number of characters in assembly code

1.213.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.213.2 Business rule decison point content - Number of characters in assembly code

Decide whether to use two or four characters for unit or assembly.

Values allowed: You may select a single value.

Value allowed: 2

Value allowed: 4

1.214 Business rule decision point - BRDP-S1-00339 - Responsible partner company codes for non-chapterized illustrated parts data modules

1.214.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Illustrated parts data

1.214.2 Business rule decison point content - Responsible partner company codes for non-chapterized illustrated parts data modules

Decide which responsible partner company codes to use for non-chapterized illustrated parts data modules.

Values allowed: You may select a single value.

Value allowed: Text

List of the responsible partner company codes to be used for non-chapterized illustrated parts data modules.

1.215 Business rule decision point - BRDP-S1-00340 - Responsible partner company codes for non-chapterized, non-S2000M illustrated parts data modules

1.215.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Illustrated parts data

1.215.2 Business rule decison point content - Responsible partner company codes for non-chapterized, non-S2000M illustrated parts data modules

Decide which responsible partner company codes to use for non-chapterized, non-S2000M illustrated parts data modules.

Values allowed: You may select a single value.

Value allowed: Text

List of the responsible partner company codes to use for non-chapterized, non-S2000M illustrated parts data modules.

1.216 Business rule decision point - BRDP-S1-00341 - Unique identifier for non-chapterized, non-S2000M illustrated parts data modules

1.216.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .3 Data module code - Standard numbering system

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Illustrated parts data

1.216.2 Business rule decison point content - Unique identifier for non-chapterized, non-S2000M illustrated parts data modules

Decide which unique identifiers to use for non-chapterized, non-S2000M illustrated parts data modules.

Values allowed: You may select a single value.

Value allowed: Text

Definition and list of the unique identifiers to use for non-chapterized, non-S2000M illustrated parts data modules.

1.217 Business rule decision point - BRDP-S1-00342 - Use of the disassembly code variant

1.217.1 Business rule decision point is related to:

Places in specification:
Chap 4 .3 .5 Data module code - Disassembly code variant

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

- SCORM content package
- Update
- Wiring data
- Wiring fields

1.217.2 Business rule decison point content - Use of the disassembly code variant

Decide whether to use one, two or three characters for the disassembly code variant and how to populate.

Values allowed: You may select a single value.

Value allowed: 1

Plus the rules how to populate.

Value allowed: 2

Plus the rules how to populate.

Value allowed: 3

Plus the rules how to populate.

1.218 Business rule decision point - BRDP-S1-00344 - Use of CAGE code and/or model identification code based ICN

1.218.1 Business rule decision point is related to:

Places in specification:
Chap 4 .4 Information management - Information control number

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container

- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.218.2 Business rule decison point content - Use of CAGE code and/or model identification code based ICN

Decide which method to be used for the ICN.

Values allowed: You may select a single value.

Value allowed: Model identification code based ICN

Value allowed: CAGE code based ICN

Value allowed: Both

In case both schemes are chosen, definition of the case when to use which.

1.219 Business rule decision point - BRDP-S1-00348 - Allocation of responsible partner company codes for model identification code based ICN

1.219.1 Business rule decision point is related to:

Places in specification:
Chap 4 .4 Information management - Information control number

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with

other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.219.2 Business rule decison point content - Allocation of responsible partner company codes for model identification code based ICN

Decide which values on responsible partner company codes to be used.

Values allowed: You may select a single value.

Value allowed: Text

List of values for the responsible partner company codes to be used.

1.220 Business rule decision point - BRDP-S1-00350 - Use of data management requirement list

1.220.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.220.2 Business rule decison point content - Use of data management requirement list

Decide whether to use the data management requirement list for specification and exchange of CSDB planning information.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.221 Business rule decision point - BRDP-S1-00351 - Object types to be listed in the data management requirement list

1.221.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.221.2 Business rule decison point content - Object types to be listed in the data management requirement list

Decide whether to list publication modules and/or IPD illustrations in the data management requirement list.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of the CSDB object types to be listed in the data management requirement list.

Value allowed: No

1.222 Business rule decision point - BRDP-S1-00352 - Use of CSDB status list

1.222.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the

S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.222.2 Business rule decison point content - Use of CSDB status list

Decide whether to use the CSDB status list for exchange of CSDB status information.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.223 Business rule decision point - BRDP-S1-00353 - Objects types to be tracked by the CSDB status list

1.223.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.223.2 Business rule decison point content - Objects types to be tracked by the CSDB status list

Decide what CSDB objects types must be tracked in the CSDB status list, and at a minimum these must be data modules, illustrations/multimedia objects and publication modules.

Values allowed: You may select a single value.

Value allowed: Text

List of CSDB objects types to be tracked in the CSDB status list, in addition to data modules, illustrations/multimedia objects and publication modules.

1.224 Business rule decision point - BRDP-S1-00354 - CSDB object issues to be included in the CSDB status list

1.224.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.224.2 Business rule decison point content - CSDB object issues to be included in the CSDB status list

Decide whether to include only the latest issues of CSDB objects or all issues in the CSDB status list.

Values allowed: You may select a single value.

Value allowed: Only the latest issues

Value allowed: All issues

1.225 Business rule decision point - BRDP-S1-00355 - Data management requirement list issue date

1.225.1 Business rule decision point is related to:

Places in specification:
Chap 4 .5 Information management - Data management lists

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Data management list

1.225.2 Business rule decison point content - Data management requirement list issue date

Decide whether the issue date of a data management requirement list must be the input date (the release to CSDB date), the cut-off date for the information, the planning date or some other more appropriate date.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the the issue date of a data management requirement list.

1.226 Business rule decision point - BRDP-S1-00356 - Use of the comment form

1.226.1 Business rule decision point is related to:

Places in specification:
Chap 4 .6 Information management - Comment

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Comment

1.226.2 Business rule decison point content - Use of the comment form

Decide whether to use the comment form.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.227 Business rule decision point - BRDP-S1-00359 - Allowed file types for attachments to comment forms

1.227.1 Business rule decision point is related to:

Places in specification:
Chap 4 .6 .2 Comment - Content section

Business rules categories:
Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Comment

1.227.2 Business rule decison point content - Allowed file types for attachments to comment forms

Decide which file types are allowed for attachments to comment forms.

Values allowed: You may select a single value.

Value allowed: Text

List of file types allowed for attachments to comment forms.

1.228 Business rule decision point - BRDP-S1-00360 - Raster graphic resolution

1.228.1 Business rule decision point is related to:

Places in specification:
Chap 4 .8 Information management - Interchange of data modules

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.228.2 Business rule decison point content - Raster graphic resolution

Decide which resolution to use for raster graphics.

Values allowed: You may select a single value.

Value allowed: Text

Decision on the resolution to be used for raster graphics.

1.229 Business rule decision point - BRDP-S1-00361 - Use of photographs

1.229.1 Business rule decision point is related to:

Places in specification:
Chap 4 .8 Information management - Interchange of data modules

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include

page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.229.2 Business rule decison point content - Use of photographs

Decide whether photographs will be used. If used, for what purposes.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the purposes for the use of photographs.

Value allowed: No

1.230 Business rule decision point - BRDP-S1-00365 - Use of the attribute pmIssuer

1.230.1 Business rule decision point is related to:

Places in specification:
Chap 4 .9 .2 Publication management - Coding publication modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and

written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.230.2 Business rule decison point content - Use of the attribute pmIssuer

Decide on the use of the attribute pmIssuer.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the value or values to be used for the attribute pmIssuer. Quote from S1000D: "To identify the issuing authority it is recommended to use the CAGE code. The role, responsibility and identification must be defined in the project business rules."

Value allowed: No

1.231 Business rule decision point - BRDP-S1-00367 - Use of layered BREX data modules

1.231.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .2 Information management - Business rules exchange

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as

a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.231.2 Business rule decison point content - Use of layered BREX data modules

Decide whether to apply a layered BREX data module structure. This decision is related to, but not entirely dependent on, whether a layered business rules structure applies.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.232 Business rule decision point - BRDP-S1-00368 - Applicable sets of business rules

1.232.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .2 .4 Business rules exchange - Coding the BREX data modules

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.232.2 Business rule decison point content - Applicable sets of business rules

Decide which set or sets of business rules are allowed within the given project or the organization. Accordingly, decide which BREX data modules will be used to reflect those business rules.

Values allowed: You may select a single value.

Value allowed: Text

Set or sets of business rules to be applied within the given project or the organization, and the data module codes for the corresponding BREX data modules.

1.233 Business rule decision point - BRDP-S1-00369 - Use of the BREX data module to exchange SNS

1.233.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .2 Business rules exchange - BREX data module

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.233.2 Business rule decison point content - Use of the BREX data module to exchange SNS

Decide whether to use the BREX data module for exchange of information on the applied SNS.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.234 Business rule decision point - BRDP-S1-00370 - Include restrictions in using various illustration, multimedia object or other data information formats

1.234.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .2 .2 BREX data module - Context related rules

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.234.2 Business rule decison point content - Include restrictions in using various illustration, multimedia object or other data information formats

Decide whether to use the BREX data module to impose any restrictions in the use of various formats for illustrations, multimedia objects or other data.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.235 Business rule decision point - BRDP-S1-00373 - Use of multiple instances of CSDB object

1.235.1 Business rule decision point is related to:

Places in specification:
Chap 4 .12 Information management - Multiple instances of CSDB objects

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.235.2 Business rule decison point content - Use of multiple instances of CSDB object

Decide whether to generate multiple instances of CSDB objects to generate several customized instances of any one object issue. If so, decide how the attributes extensionProducer and extensionCode must be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, rules on how the attributes extensionProducer and extensionCode must be used.

Value allowed: No

1.236 Business rule decision point - BRDP-S1-00374 - Use of the CIR concept (internal databases for common information)

1.236.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.236.2 Business rule decison point content - Use of the CIR concept (internal databases for common information)

Decide whether to use the CIR concept.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.237 Business rule decision point - BRDP-S1-00376 - Internal/External use of CIR data modules

1.237.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.237.2 Business rule decison point content - Internal/External use of CIR data modules

Decide whether the CIR data modules must be used only internally to the manufacturer or integrator, as part of the production/integration environment ("internal repositories") or if the CIR data modules are also a deliverable to the customer.

Values allowed: You may select a single value.

Value allowed: Only internally

Value allowed: Deliver to the customer

1.238 Business rule decision point - BRDP-S1-00377 - Types of CIR data modules to be used

1.238.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.238.2 Business rule decison point content - Types of CIR data modules to be used

Decide which CIR data module types to be used. In order to avoid any redundancy and inconsistency, care must be paid on some types, depending on other project specific decisions, for example tailoring of the S2000M (IPD data modules vs parts CIR data module).

Values allowed: You may select multiple values.

Value allowed: Functional items

Value allowed: Circuit breakers

Value allowed: Parts

Value allowed: Zones

Value allowed: Access points

Value allowed: Tools

Value allowed: Enterprises

Value allowed: Supplies

Value allowed: Supply requirements

Value allowed: Functional and/or physical areas

Value allowed: Controls and indicators

Value allowed: Externalized applicability annotations

Value allowed: Warnings

Value allowed: Cautions

1.239 Business rule decision point - BRDP-S1-00378 - Delivery of CIR-dependent data module

1.239.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.239.2 Business rule decison point content - Delivery of CIR-dependent data module

Decide whether CIR-dependent data modules are delivered to customer, as it implies a specific

process to retrieve the self-standing data modules from the CIR-dependent data module and the CIR data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.240 Business rule decision point - BRDP-S1-00379 - Publishing of CIR data modules

1.240.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.240.2 Business rule decison point content - Publishing of CIR data modules

Decide whether and which CIR data module types to be published.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of CIR data module types to be published. Refer to the decision on BRDP-S1-00377.

Value allowed: No

1.241 Business rule decision point - BRDP-S1-00380 - Use of one or several data modules for a CIR type

1.241.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.241.2 Business rule decison point content - Use of one or several data modules for a CIR type

Decide whether there is one single or several data modules for a dedicated type of CIR data module within a project or an organization, or for a specific model identification code.

Values allowed: You may select a single value.

Value allowed: Single data module

List of CIR types to be captured in a single dedicated data module within a Project or for a specific model identification code.

Value allowed: Several data modules

List of CIR types to be captured in several dedicated CIR data modules within a Project or for a specific model identification code.

1.242 Business rule decision point - BRDP-S1-00381 - Use of implicit or explicit reference method to CIR data module

1.242.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .1 Optimizing and reuse - Common information repository concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Common information repository

1.242.2 Business rule decison point content - Use of implicit or explicit reference method to CIR data module

Decide whether to use implicit or explicit references, or both, between content specific data elements and the CIR data modules.

Note:
It is recommended to use only one method to avoid difficulties which can appear during the publishing process.

Values allowed: You may select a single value.

Value allowed: Implicit

Value allowed: Explicit

Value allowed: Both

1.243 Business rule decision point - BRDP-S1-00382 - Use of alternates groups in data module content

1.243.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .13 .3 Optimizing and reuse - Alternates concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update
- Wiring data

1.243.2 **Business rule decison point content - Use of alternates groups in data module content**

Decide whether to use alternates group elements. If used, specify which groups and in which data modules types.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of groups and data modules types to use the alternates group elements.

Value allowed: No

1.244 **Business rule decision point - BRDP-S1-00383 - Mix of alternates groups and elements**

1.244.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .13 .3 Optimizing and reuse - Alternates concept

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update
- Wiring data

1.244.2 Business rule decison point content - Mix of alternates groups and elements

Decide whether alternates groups and elements can be mixed in a given structure.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.245 Business rule decision point - BRDP-S1-00385 - Identification of container data module

1.245.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .4 Optimizing and reuse - Container data module

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Container

1.245.2 Business rule decison point content - Identification of container data module

Decide which identification method to use for container data modules. The chosen method must be used systematically.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the identification method for container data modules.

1.246 Business rule decision point - BRDP-S1-00386 - Use of applicability within container data module content

1.246.1 Business rule decision point is related to:

Places in specification:
Chap 4 .13 .4 Optimizing and reuse - Container data module

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Container

1.246.2 Business rule decison point content - Use of applicability within container data module content

Decide whether applicability annotations are duplicated from the referenced data modules to the container data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.247 Business rule decision point - BRDP-S1-00387 - Use of applicability

1.247.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.247.2 Business rule decison point content - Use of applicability

Decide if the project or the organization will use applicability.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.248 Business rule decision point - BRDP-S1-00388 - Applicability functionality

1.248.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.248.2 **Business rule decison point content - Applicability functionality**

Define the required functionality for applicability.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the required functionality for applicability.

1.249 **Business rule decision point - BRDP-S1-00389 - Use of applicability data module types (ACT, CCT and PCT)**

1.249.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Applicability conditions cross reference table
- Applicability product cross reference table

1.249.2 Business rule decison point content - Use of applicability data module types (ACT, CCT and PCT)

If functionality is limited to print and static display, decide if applicability data module types (ACT, CCT and PCT) will be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decision on which of the three types of applicability data module types (ACT, CCT, and PCT) will be used.

Value allowed: No

1.250 Business rule decision point - BRDP-S1-00390 - Product attribute and conditions naming and identification scheme

1.250.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and

information names that describe the data module content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Applicability conditions cross reference table

1.250.2 Business rule decison point content - Product attribute and conditions naming and identification scheme

Define a consistent naming and identification scheme for product attributes and conditions, when ACT and CCT data modules are implemented.

Values allowed: You may select a single value.

Value allowed: Text

Naming and identification scheme for product attributes and conditions.

1.251 Business rule decision point - BRDP-S1-00391 - Presentation of content that is not applicable

1.251.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.251.2 Business rule decison point content - Presentation of content that is not applicable

Specify the method that content is presented which is not valid for the current maintenance context. The content can be removed, hidden or de-emphasized in some manner.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the method to present content, which is not valid for the current maintenance context. The content can be removed, hidden or de-emphasized in some manner.

1.252 Business rule decision point - BRDP-S1-00392 - Providing the human-readable part of applicability

1.252.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.252.2 Business rule decison point content - Providing the human-readable part of applicability

Decide whether to also provide the human-readable part of applicability or rely on the viewer to build the human-readable part, when providing the computer processing part of applicability.

Values allowed: You may select a single value.

Value allowed: To mandate provision of the human readable part

Value allowed: To rely on the viewer to build the human readable part

1.253 Business rule decision point - BRDP-S1-00393 - Number of ACT, CCT and PCT data module instances

1.253.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 Information management - Applicability

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is

broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Applicability conditions cross reference table
- Applicability product cross reference table

1.253.2 Business rule decison point content - Number of ACT, CCT and PCT data module instances

Decide whether to provide one instance of each data module types (ACT, CCT and PCT) or to segregate the project or the organization into multiple instances of each data module type, and the method for segregation.

Values allowed: You may select a single value.

Value allowed: One instance of each data module types (ACT, CCT and PCT)

Value allowed: Multiple instances of each data module type (ACT, CCT and PCT)

In case Segregation is chosen, the definition of the method for segregation.

1.254 Business rule decision point - BRDP-S1-00394 - Classifying product attributes and conditions in an ACT data module

1.254.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .1 Applicability - Applicability cross-reference table

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table

1.254.2 Business rule decison point content - Classifying product attributes and conditions in an ACT data module

Decide how to divide the properties of the Product into product attributes or condition types.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the criteria and rules to divide the properties of the Product into product attributes or condition types.

1.255 Business rule decision point - BRDP-S1-00395 - Configuration management of product

1.255.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .1 Applicability - Applicability cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table

1.255.2 Business rule decison point content - Configuration management of product attributes in an ACT data module

Decide on the extent of configuration management and editing access to be applied to product attributes within an ACT data module.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the extent of configuration management and editing access to be applied to product attributes within an ACT data module.

1.256 Business rule decision point - BRDP-S1-00396 - Use of the incorporation status list in a CCT data module

1.256.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .2 Applicability - Conditions crossreference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be

considered.

Related S1000D XML Schemas:
- Applicability conditions cross reference table

1.256.2 Business rule decison point content - Use of the incorporation status list in a CCT data module

Decide whether to use the incorporation status list in the CCT data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.257 Business rule decision point - BRDP-S1-00397 - Scope of the product instances in a PCT data module

1.257.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .3 Applicability - Products cross

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability product cross reference table

1.257.2 Business rule decison point content - Scope of the product instances in a PCT data module

Decide which product instances are contained in a PCT data module. Options include listing all product instances in-service or listing only the product instances within an organization.

Values allowed: You may select a single value.

Value allowed: Text

List of product instances contained in a PCT data module. Options include listing all product instances in service or listing only the product instances within an organization.

1.258 Business rule decision point - BRDP-S1-00398 - Use of a published or a temporary PCT data module

1.258.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .3 Applicability - Products cross

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability product cross reference table

1.258.2 Business rule decison point content - Use of a published or a temporary PCT data module

Decide whether to publish a static issue of the PCT data module or use the data module as a temporary input between an external system and a viewer.

Values allowed: You may select a single value.

Value allowed: To publish a static issue of the PCT data module

Value allowed: To use the PCT data module as a transient transfer mechanism between an external system and a viewer

1.259 Business rule decision point - BRDP-S1-00399 - Management of the product instance configurations in PCT data modules

1.259.1 Business rule decision point is related to:

Places in specification:

Chap 4 .14 .3 Applicability - Products cross

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability product cross reference table

1.259.2 Business rule decison point content - Management of the product instance configurations in PCT data modules

Decide how to maintain the list of product instance configuration specifications and the associated values for product attributes and conditions.

Values allowed: You may select a single value.

Value allowed: Text

Definition of how the list of product instance configuration specifications and a list of the associated values for product attributes and conditions must be maintained in the given project and/or organization.

1.260 Business rule decision point - BRDP-S1-00400 - Use of the ACT catalog data module

1.260.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .4 Applicability - Applicability cross-reference table

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table

1.260.2 Business rule decison point content - Use of the ACT catalog data module

Decide whether to use the ACT catalog data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.261 Business rule decision point - BRDP-S1-00401 - Internal or external definition of supplier applicability attributes

1.261.1 Business rule decision point is related to:

Places in specification:
Chap 4 .14 .4 Applicability - Applicability cross-reference table

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table

1.261.2 Business rule decison point content - Internal or external definition of supplier applicability attributes

Decide whether the supplier applicability attributes are defined in the ACT data module or if the supplier definition is used.

Values allowed: You may select a single value.

Value allowed: To define the supplier applicability attribute in the ACT data module

Value allowed: To use the supplier definition

1.262 Business rule decision point - BRDP-S1-00403 - Technical information object properties to be included in the data module at delivery

1.262.1 Business rule decision point is related to:

Places in specification:
Chap 4 .16 Information management - Content specific data

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table

- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.262.2 Business rule decison point content - Technical information object properties to be included in the data module at delivery

Decide which properties associated to the technical information objects (eg, names, short names) to store within the data module when delivered.

Values allowed: You may select a single value.

Value allowed: Text

List of properties associated to the technical information objects (eg, names, short names) to store within the data module when delivered.

1.263 Business rule decision point - BRDP-S1-00404 - Applicable systems for land and sea products

1.263.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .3 .1 Maintenance information - Maintenance procedures

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package

- Update
- Wiring data
- Wiring fields

1.263.2 Business rule decison point content - Applicable systems for land and sea products

Decide the applicable systems for land and sea products.

Values allowed: You may select a single value.

Value allowed: Text

List of the applicable systems for land and sea products.

1.264 Business rule decision point - BRDP-S1-00405 - How to use the element field descriptions in the wiring data description Schema

1.264.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring fields

1.264.2 Business rule decison point content - How to use the element field descriptions in the wiring data description Schema

Decide how to use the element field descriptions of the wiring data description Schema in an interactive wiring publication.

Values allowed: You may select a single value.

Value allowed: Text

Definition of how to use the element field descriptions of the wiring data description Schema in an interactive wiring publication.

1.265 Business rule decision point - BRDP-S1-00406 - Use of introduction data modules for wiring publications

1.265.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.265.2 Business rule decison point content - Use of introduction data modules for wiring publications

Decide whether to produce introduction data modules for wiring publications. If required, the scope of these introduction data modules must be defined.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the scope of these introduction data modules.

Value allowed: No

1.266 Business rule decision point - BRDP-S1-00407 - Optional descriptive information for connection units

1.266.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.266.2 Business rule decison point content - Optional descriptive information for connection units

Decide whether to produce descriptive information for connection units including illustrations and tables.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.267 Business rule decision point - BRDP-S1-00408 - Optional descriptive information for wires and harnesses

1.267.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and

information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.267.2 Business rule decison point content - Optional descriptive information for wires and harnesses

Decide whether to produce descriptive information for wires and harnesses including illustrations and tables.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.268 Business rule decision point - BRDP-S1-00409 - Wiring standard practices data modules

1.268.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Procedural

1.268.2 Business rule decison point content - Wiring standard practices data modules

Define source and scope of wiring standard practices data modules. Decide whether to prepare standard wiring practice information as procedural or descriptive data modules.

Values allowed: You may select a single value.

Value allowed: Procedural data modules

The definition of the scope of procedural data modules as wiring standard practices data modules.

Value allowed: Descriptive data modules

The definition of the scope of decscriptive data modules as wiring standard practices data modules.

1.269 Business rule decision point - BRDP-S1-00410 - Wiring diagrams in an interactive wiring publication

1.269.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.269.2 Business rule decison point content - Wiring diagrams in an interactive wiring publication

Decide whether to produce wiring diagrams for an interactive wiring publication.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.270 Business rule decision point - BRDP-S1-00411 - Harness routing drawings

1.270.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.270.2 Business rule decison point content - Harness routing drawings

Decide whether harness routing drawings are to be simplified and how their layout must look like.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition and how the simplified harness layout must look like.

Value allowed: No

1.271 Business rule decision point - BRDP-S1-00412 - Coding of harness installation drawing data modules

1.271.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that

a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.271.2 Business rule decison point content - Coding of harness installation drawing data modules

Decide whether to code harness installation drawing data modules by using zone information. If decided to use zone information for the coding, the structure of the data module code is possibly not appropriate. In this case, it must be decided on changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Value allowed: No

1.272 Business rule decision point - BRDP-S1-00413 - Harness installation information

1.272.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.272.2 Business rule decison point content - Harness installation information

Decide whether to prepare harness installation information for each major area in list form in addition to or instead of harness installation and routing drawings.

Values allowed: You may select a single value.

Value allowed: In addition to

Value allowed: Instead

1.273 Business rule decision point - BRDP-S1-00414 - Coding of harness routing drawing data modules

1.273.1 Business rule decision point is related to:

Places in specification:

Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.273.2 Business rule decison point content - Coding of harness routing drawing data modules

Decide whether to code harness routing drawing data modules by using zone information. If decided to use zone information for the coding, the structure of the data module code is possibly not appropriate. In this case, it must be decided on changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Value allowed: No

1.274 Business rule decision point - BRDP-S1-00415 - Equipment and panel location drawings

1.274.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.274.2 Business rule decison point content - Equipment and panel location drawings

Decide whether to produce separate data modules containing equipment and panel location illustrations.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.275 Business rule decision point - BRDP-S1-00416 - Production of electrical standard parts data

1.275.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring data

1.275.2 Business rule decison point content - Production of electrical standard parts data

Decide whether to produce data modules containing electrical standard parts data.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.276 Business rule decision point - BRDP-S1-00417 - Definition of required electrical equipment information

1.276.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring data

1.276.2 Business rule decison point content - Definition of required electrical equipment information

Define the required information for each electrical or electronic item of equipment that has electrical connections.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the required information for each electrical or electronic item of equipment that has electrical connections.

1.277 Business rule decision point - BRDP-S1-00418 - Coding of electrical equipment information

1.277.1 **Business rule decision point is related to:**

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring data

1.277.2 **Business rule decison point content - Coding of electrical equipment information data modules**

Decide whether to code electrical equipment information data modules by using zone information. If decided to use zone information for the coding, the structure of the data module code is possibly not appropriate. In this case, it must be decided on changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Value allowed: No

1.278 **Business rule decision point - BRDP-S1-00419 - Coding of harness data modules**

1.278.1 **Business rule decision point is related to:**

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring data

1.278.2 **Business rule decison point content - Coding of harness data modules**

Decide whether to code harness data modules by using zone information. If decided to use zone information for the coding, the structure of the data module code is possibly not appropriate. In this case, it must be decided on changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the changes of the proposed structure for the Product (eg, population of the zone information in the unit or assembly group of the SNS instead of in the subsystem/sub-subsystem group).

Value allowed: No

1.279 Business rule decision point - BRDP-S1-00420 - Generation of harness wire list data modules

1.279.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.279.2 Business rule decison point content - Generation of harness wire list data modules

Decide whether and how to generate harness wire list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate harness wire list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.280 Business rule decision point - BRDP-S1-00421 - Generation of connection list data modules

1.280.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.280.2 Business rule decison point content - Generation of connection list data modules

Decide whether and how to generate connection list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate connection list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.281 Business rule decision point - BRDP-S1-00422 - Generation of plug and receptacle list data modules

1.281.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.281.2 Business rule decison point content - Generation of plug and receptacle list data modules

Decide whether and how to generate harness plug and receptacle list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate harness plug and receptacle list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.282 Business rule decision point - BRDP-S1-00423 - Generation of terminal list data modules

1.282.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.282.2 Business rule decison point content - Generation of terminal list data modules

Decide whether and how to generate terminal list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate terminal list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.283 Business rule decision point - BRDP-S1-00424 - Generation of splice list data modules

1.283.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.283.2 Business rule decison point content - Generation of splice list data modules

Decide whether and how to generate splice list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate splice list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.284 Business rule decision point - BRDP-S1-00425 - Generation of earth point list data modules

1.284.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .4 Common information sets - Wiring data

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Wiring data

1.284.2 Business rule decison point content - Generation of earth point list data modules

Decide whether and how to generate earth point list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how to generate earth point list data modules for a page-oriented or an interactive wiring publication from the wiring data modules that are based on the wiring Schema.

Value allowed: No

1.285 Business rule decision point - BRDP-S1-00426 - Schema to be used for front matter data modules

1.285.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .1 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.285.2 Business rule decison point content - Schema to be used for front matter data modules

Decide which Schemas to be used to capture the different front matter data module types.

Values allowed: You may select a single value.

Value allowed: Text

List of Schemas to be used to capture the different front matter data module types.

Value allowed: Consolidated Front matter Schema

1.286 Business rule decision point - BRDP-S1-00427 - Level of detail to be provided in the technical descriptions in Equipment information sets

1.286.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.286.2 Business rule decison point content - Level of detail to be provided in the technical descriptions in Equipment information sets

Decide what level of detail to provide in the functional and technical descriptions.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the level of detail to provide in the functional and technical descriptions.

1.287 Business rule decision point - BRDP-S1-00428 - Use of Wiring Schema in Equipment information sets

1.287.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Wiring data
- Wiring fields

1.287.2 Business rule decison point content - Use of Wiring Schema in Equipment information sets

Decide whether the Wiring data Schema and the Wiring data description Schema are to be used or not. Interactive wiring publication functionalities are only to be made available if the Wiring Schema is used. Refer to Chap Chap 3 .9 .5 .2 .9.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.288 Business rule decision point - BRDP-S1-00429 - Level of detail to be provided in the maintenance and servicing data modules in Equipment information sets

1.288.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.288.2 Business rule decison point content - Level of detail to be provided in the maintenance and servicing data modules in Equipment information sets

Decide what level of detail to provide in the maintenance and servicing data modules.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the level of detail to provide in the maintenance and servicing data modules.

1.289 Business rule decision point - BRDP-S1-00430 - Use of consolidated lists for Support equipment, Consumables, materials, expendables, etc, in Equipment information sets

1.289.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.289.2 Business rule decison point content - Use of consolidated lists for Support equipment, Consumables, materials, expendables, etc, in Equipment information sets

Decide whether to use consolidated lists for Support equipment, Consumables, materials, expendables, etc.

Values allowed: You may select a single value.

Value allowed: Text

Definition of how to implement the lists of consumables, materials, expendables, standard SE, special SE and tools.

1.290 Business rule decision point - BRDP-S1-00431 - Use of equivalent substitutes in Equipment information sets

1.290.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.290.2 Business rule decison point content - Use of equivalent substitutes in Equipment information sets

Decide whether to allow the use equivalent substitutes for support equipment, consumables, materials and expendables.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.291 Business rule decision point - BRDP-S1-00432 - Level of detail to be provided in the IPD data modules in Equipment information setss

1.291.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .9 Common information sets - Equipment information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Illustrated parts data

1.291.2 Business rule decison point content - Level of detail to be provided in the IPD data modules in Equipment information setss

Decide what level of detail to provide in the IPD data modules.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the level of detail to provide in the IPD modules.

1.292 Business rule decision point - BRDP-S1-00433 - Separation of product frame and engine BDAR information in the BDARP

1.292.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .14 Common information sets - Battle damage assessment and repair information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.292.2 Business rule decison point content - Separation of product frame and engine BDAR information in the BDARP

Decide whether to separate the BDARP into product frame and engine BDAR information.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.293 Business rule decision point - BRDP-S1-00434 - Separate data modules for utilization degradation in BDAR information sets

1.293.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .14 Common information sets - Battle damage assessment and repair information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that

a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.293.2 Business rule decison point content - Separate data modules for utilization degradation in BDAR information sets

Decide whether to prepare separate data modules for degradation information, or to include this information in the damage assessment data modules.

Values allowed: You may select a single value.

Value allowed: Separate data modules

Value allowed: Include into the damage assessment data modules

1.294 Business rule decision point - BRDP-S1-00435 - Interactive BDARP

1.294.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .14 Common information sets - Battle damage assessment and repair information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table

- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.294.2 Business rule decison point content - Interactive BDARP

Decide whether to produce an interactive BDARP and define the required functionalities.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.295 Business rule decision point - BRDP-S1-00436 - Use of external material information in Service bulletins

1.295.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.295.2 Business rule decison point content - Use of external material information in Service bulletins

Decide whether material information must be a part of the "core" SB data module or if it can (depending on the volume) be presented in one or more referenced separate SB data modules. Refer to Fig Chap 5 .2 .1 .16.

Values allowed: You may select a single value.

Value allowed: Part of the "core" SB data module

Value allowed: One or more referenced separate SB data modules

1.296 Business rule decision point - BRDP-S1-00437 - Treatment of alert and standard Service bulletins

1.296.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.296.2 Business rule decison point content - Treatment of alert and standard Service bulletins

Decide whether or not to allow classifying Service bulletins as Alert.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.297 Business rule decision point - BRDP-S1-00438 - Service bulletin compliance categories

1.297.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.297.2 Business rule decison point content - Service bulletin compliance categories

Decide whether to use the four compliance categories or to define others.

Values allowed: You may select a single value.

Value allowed: To use the four compliance categories

Value allowed: To define other

In this case, the list of other categories.

1.298 Business rule decision point - BRDP-S1-00439 - Minimum impact on weight in Service bulletins

1.298.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.298.2 Business rule decison point content - Minimum impact on weight in Service bulletins

Decide the threshold for minimum impact on weight that must be reported in a Service bulletin.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the threshold for minimum impact on weight that must be reported in a SB.

1.299 Business rule decision point - BRDP-S1-00440 - Minimum impact on balance in Service bulletins

1.299.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.299.2 Business rule decison point content - Minimum impact on balance in Service bulletins

Decide the threshold for minimum impact on balance that must be reported in a Service bulletin.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the threshold for minimum impact on balance that must be reported in a SB.

1.300 Business rule decision point - BRDP-S1-00441 - Minimum impact on electrical load to be reported in Service bulletins

1.300.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Service bulletin

1.300.2 Business rule decison point content - Minimum impact on electrical load to be reported in Service bulletins

Decide the threshold for minimum impact on electrical load that must be reported in a Service bulletin.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the threshold for minimum impact on electrical load that must be reported in a SB.

1.301 Business rule decision point - BRDP-S1-00442 - Definitions and use of maintenance and operational publications in Service bulletins

1.301.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .16 Common information sets - Service bulletins

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault

- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.301.2 Business rule decison point content - Definitions and use of maintenance and operational publications in Service bulletins

Decide on the precise definitions of "maintenance publications" and "operational publications" and whether to separate them into different listings in the Impact on publications.

Values allowed: You may select a single value.

Value allowed: Text

Precise definitions of "maintenance publications" and "operational publications" and whether to separate them into different listings in the Impact on publications.

1.302 Business rule decision point - BRDP-S1-00445 - Use of a set of publication list data modules or a publication module for the LOAP

1.302.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin

- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.302.2 Business rule decison point content - Use of a set of publication list data modules or a publication module for the LOAP

Decide whether to use a set of publication list data modules or a publication module to list the applicable publications and other documents including individual data modules.

Values allowed: You may select a single value.

Value allowed: A set of publication list data modules

Value allowed: A publication module to list the applicable publications and other documents including individual data modules

1.303 Business rule decision point - BRDP-S1-00446 - Schema to use for the publication list data modules of the LOAP

1.303.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.303.2 Business rule decison point content - Schema to use for the publication list data modules of the LOAP

Decide whether to use the front matter Schema or the descriptive Schema for the publication list data modules.

Values allowed: You may select a single value.

Value allowed: Front matter Schema

Value allowed: Descriptive Schema

1.304 Business rule decision point - BRDP-S1-00447 - One consolidated or several separate publication list data modules for the LOAP

1.304.1 Business rule decision point is related to:

Places in specification:

Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.304.2 Business rule decison point content - One consolidated or several separate publication list data modules for the LOAP

Decide whether to deliver the publications and documents listed in one data module/publication module (with one or more lists presented as tables) or as separate data modules/publication modules (eg, by operational publications or maintenance publications).

Values allowed: You may select a single value.

Value allowed: One data module/publication module

Value allowed: Separate data modules/publication modules

1.305 Business rule decision point - BRDP-S1-00448 - Inclusion of unpublished publications and documents in the LOAP

1.305.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.305.2 Business rule decison point content - Inclusion of unpublished publications and documents in the LOAP

Decide whether to include publications and documents those are not published.

Note:
When used as a contractual document, all publications and documents, published or not, must be included.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.306 Business rule decision point - BRDP-S1-00449 - Markup of the publication entry as a link in the LOAP

1.306.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.306.2 Business rule decison point content - Markup of the publication entry as a link in the LOAP

Decide whether to markup the publication entry as a link when using the descriptive Schema.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.307 Business rule decision point - BRDP-S1-00450 - Include the manufacturer's part number or reference number in the LOAP

1.307.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.307.2 Business rule decison point content - Include the manufacturer's part number or reference number in the LOAP

Decide whether to include and present the manufacturer's part number or reference number.

Values allowed: You may select a single value.

Value allowed: To include and present the manufacturer's part number

Value allowed: To include and present the reference number

1.308 Business rule decision point - BRDP-S1-00451 - Use of language in the LOAP

1.308.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .1 .20 Common information sets - List of applicable publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive
- Front matter
- Publication module

1.308.2 Business rule decison point content - Use of language in the LOAP

Decide whether to include and present the language of the publication or document in the entries.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.309 Business rule decision point - BRDP-S1-00452 - Additional information in parts lists for engine maintenance information sets

1.309.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .4 Air specific information sets - Engine maintenance information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew check list
- Common information repository
- Fault
- Illustrated parts data

- Procedural
- Process
- Service bulletin
- Schedule
- Update

1.309.2 Business rule decison point content - Additional information in parts lists for engine maintenance information sets

Decide whether to indicate additional information under the heading of the parts list "Remarks" (eg, modification number applicable to the item).

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.310 Business rule decision point - BRDP-S1-00453 - Standards of performance data in aircrew information

1.310.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .7 Air specific information sets - Aircrew information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.310.2 Business rule decison point content - Standards of performance data in aircrew information

Decide on the standards of performance to be used in the calculation.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the standards of performance to be used in the calculation.

1.311 Business rule decision point - BRDP-S1-00455 - Select model for checklist for structures in aircrew information

1.311.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .7 Air specific information sets - Aircrew information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and

information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.311.2 Business rule decison point content - Select model for checklist for structures in aircrew information

Decide which of the two models are used to structure checklists.

Values allowed: You may select a single value.

Value allowed: Multi-data modules checklist

Value allowed: Comprehensive checklist

1.312 Business rule decision point - BRDP-S1-00456 - Order of drills in aircrew information

1.312.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .7 Air specific information sets - Aircrew information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.312.2 Business rule decison point content - Order of drills in aircrew information

Decide whether the order of drills will be project specific. Limitations and operating data required by the project must be included.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of limitations and operating data required by the project must be included.

Value allowed: No

1.313 Business rule decision point - BRDP-S1-00457 - Supplementing the order of drills in aircrew information

1.313.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .7 Air specific information sets - Aircrew information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of

chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.313.2 Business rule decison point content - Supplementing the order of drills in aircrew information

Decide whether to supplement the order of drills checklist listing.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.314 Business rule decision point - BRDP-S1-00458 - Numbering of checks within drills in aircrew information

1.314.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .2 .7 Air specific information sets - Aircrew information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.314.2 Business rule decison point content - Numbering of checks within drills in aircrew information

Decide on the numbering of checks within each drill.

Values allowed: You may select a single value.

Value allowed: Text

Decision on the numbering of checks within each drill.

1.315 Business rule decision point - BRDP-S1-00459 - Description types for Land/Sea Products for the crew/operators

1.315.1 Business rule decision point is related to:

Places in specification:
Chap 5 .2 .3 .1 Land/sea specific information sets - Crew/Operator descriptive information

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew

1.315.2 Business rule decison point content - Description types for Land/Sea Products for the crew/operators

Decide on the description types to be used: functional, physical breakdown, or external equipment.

Values allowed: You may select multiple values.

Value allowed: Functional description

Functional description (predominant descriptions of functions) of the land/sea Product.

Value allowed: Physical breakdown orientated description

Physical breakdown orientated description (descriptions of each part of a physical breakdown) of the land/sea Product.

Value allowed: External equipment description

External equipment description (descriptions of components or equipment which are outside of the defined project, for example ammunition, but for which the crew/operator must be provided information) of the land/sea Product.

1.316 Business rule decision point - BRDP-S1-00460 - Front matter to be included in page-oriented publications and IETP, respectively

1.316.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .1 Common requirements - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.316.2 Business rule decison point content - Front matter to be included in page-oriented publications and IETP, respectively

Decide which front matter is to be included (mandatory or optional) in each of the page-oriented publications and in the IETP. The decisions must be based on the rules given in Chap Chap 3 .9 .4.

Values allowed: You may select multiple values.

Value allowed: Title page

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of effective pages (LOEP)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of effective data modules (LOEDM)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Change record (CR)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Highlights (HIGH)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Access illustration

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of abbreviations (LOA)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of terms (LOT)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of symbols (LOS)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Technical standard record (TSR)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Table of contents (TOC)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of applicable specifications and documentation (LOASD)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of support equipment (normally used in front matter) (LOSE)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of supplies (normally used in front matter) (LOSU)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of spares (normally used in front matter) (LOSP)

If chosen, the indication whether it is mandatory or optional.

Value allowed: List of illustrations (normally used in front matter) (LOI)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Product crossreference table (PCT)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Conditions crossreference table (CCT)

If chosen, the indication whether it is mandatory or optional.

Value allowed: Applicability crossreference table (ACT)

If chosen, the indication whether it is mandatory or optional.

1.317 Business rule decision point - BRDP-S1-00461 - Front matter information codes

1.317.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .1 Common requirements - Front matter

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.317.2 Business rule decison point content - Front matter information codes

Decide which front matter information codes to use, the basic (eg, IC 00R) or the alternative (eg, IC 002).

Values allowed: You may select a single value.

Value allowed: The basic information codes

Value allowed: The alternative information codes

1.318 Business rule decision point - BRDP-S1-00462 - IPD as a standalone publication

1.318.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .3 Common requirements - Illustrated parts data

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Descriptive
- Illustrated parts data

1.318.2 Business rule decison point content - IPD as a standalone publication

Decide if the IPD must be produced as a stand-alone publication or the IPD data modules included in another publication (eg, an equipment maintenance publication including IPD).

Values allowed: You may select a single value.

Value allowed: A standalone publication

Value allowed: A part of another publication

1.319 Business rule decision point - BRDP-S1-00464 - Use of task sets in the CMP

1.319.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Procedural

1.319.2 Business rule decison point content - Use of task sets in the CMP

Decide whether to use task sets in the CMP.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.320 Business rule decision point - BRDP-S1-00465 - Use of placeholder data modules in the CMP

1.320.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Descriptive

1.320.2 Business rule decison point content - Use of placeholder data modules in the CMP

Decide whether "placeholder" data modules are required for those topics where data is not required or necessary.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.321 Business rule decision point - BRDP-S1-00466 - Front matter to be used in the CMP

1.321.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and

written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.321.2 Business rule decison point content - Front matter to be used in the CMP

Decide what front matter data modules to be used and their content.

Values allowed: You may select a single value.

Value allowed: Text

List of the required front matter data modules and specification of their content.

1.322 Business rule decision point - BRDP-S1-00468 - Incorporating Service bulletins into the CMP

1.322.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Service bulletin

1.322.2 Business rule decison point content - Incorporating Service bulletins into the CMP

Decide on the updating frequency for incorporating Service bulletins into the CMP.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the updating frequency for incorporating service bulletins into the CMP.

1.323 Business rule decision point - BRDP-S1-00470 - Inclusion of maintenance planning information in the CMP

1.323.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Schedule

1.323.2 Business rule decison point content - Inclusion of maintenance planning information in the CMP

Decide whether to include maintenance planning information in the CMP.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.324 Business rule decision point - BRDP-S1-00471 - Inclusion of removal and installation information in the CMP

1.324.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include

page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Procedural

1.324.2 Business rule decison point content - Inclusion of removal and installation information in the CMP

Decide whether to include removal and installation information in the CMP.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.325 Business rule decision point - BRDP-S1-00472 - Inclusion of test support data in the CMP

1.325.1 Business rule decision point is related to:

Places in specification:
Chap 5 .3 .1 .4 Common Requirements - Component maintenance publications

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Crew check list
- Fault

- Procedural

1.325.2 Business rule decison point content - Inclusion of test support data in the CMP

Decide whether to include manufacturer's test support data and, if so, decide the format of the data.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.326 Business rule decision point - BRDP-S1-00473 - Use of the S1000D standard page-oriented presentation chapters

1.326.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 Information presentation and use - Page-oriented publications

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.326.2 Business rule decison point content - Use of the S1000D standard page-oriented presentation chapters

Decide whether to use the S1000D standard page-oriented presentation given in Chap Chap 6 .2 .2 and Chap Chap 6 .2 .3 or to use any other rules for presentation to meet specific project or

organization requirements. The business rules must specify all the requirements needed to contract the desired presentation.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation

Value allowed: Other rules for presentation

1.327 Business rule decision point - BRDP-S1-00474 - Use of mirrored headers and footers

1.327.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.327.2 Business rule decison point content - Use of mirrored headers and footers

Decide whether to use mirrored headers and footers.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.328 Business rule decision point - BRDP-S1-00475 - Page size

1.328.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.328.2 Business rule decison point content - Page size

Decide which page size to be used (including sizes when foldouts are allowed) per publication.

Values allowed: You may select a single value.

Value allowed: Text

Decision on the page size (including sizes when foldouts are allowed, see below) per publication.

1.329 Business rule decision point - BRDP-S1-00476 - Presentation of foldouts in page-oriented publications

1.329.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.329.2 Business rule decison point content - Presentation of foldouts in page-oriented publications

Decide where (eg, interspersed or at the end of the publication) the foldouts must be located in page-oriented publications.

Values allowed: You may select a single value.

Value allowed: Text

List of of circumstances (eg, interspersed or at the end of the publication) when foldouts are presented in page-oriented publications.

1.330 Business rule decision point - BRDP-S1-00477 - Presentation of inwork markings

1.330.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note

- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.330.2 Business rule decison point content - Presentation of inwork markings

Decide whether to present the inwork markings. The details must be documented.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, the details on presenting the inwork markings.

Value allowed: No

1.331 Business rule decision point - BRDP-S1-00478 - Presentation of "Produced by" - "Printed in"

1.331.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning

- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.331.2 Business rule decison point content - Presentation of "Produced by" - "Printed in"

Decide whether to present the responsible producer of the page-oriented output and/or where the publication was printed.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, make an additional decision whether to show where the publication was printed.

Value allowed: No

1.332 Business rule decision point - BRDP-S1-00479 - Presentation of publication module code

1.332.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin

- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.332.2 Business rule decison point content - Presentation of publication module code

Decide whether to use the S1000D standard page-oriented presentation rules for the publication module code or to create project or organization specific rules for its positioning and style within the header.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.333 Business rule decision point - BRDP-S1-00480 - Presentation of data module code

1.333.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.333.2 Business rule decison point content - Presentation of data module code

Decide whether to use the S1000D standard page-oriented presentation rules for the data module code or to create project or organization specific rules for its positioning and style within the footer.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.334 Business rule decision point - BRDP-S1-00481 - Presentation of issue date

1.334.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.334.2 Business rule decison point content - Presentation of issue date

Decide whether to use S1000D standard page-oriented presentation rules for the issue date or to create project or organization specific rules for its positioning in the bottom of the footer.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.335 Business rule decision point - BRDP-S1-00482 - Presentation of page number

1.335.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.335.2 Business rule decison point content - Presentation of page number

Decide whether to use the S1000D standard page-oriented presentation rules for the page number or to create project or organization specific rules for its positioning in the footer.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.336 Business rule decision point - BRDP-S1-00483 - Page numbering of foldout pages

1.336.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.336.2 Business rule decison point content - Page numbering of foldout pages

Decide whether to use double numbering of pages when printed on one (right-hand) side only (eg, 11/12, 13/14).

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.337 Business rule decision point - BRDP-S1-00484 - Presentation of applicability annotation

1.337.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table

- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.337.2 Business rule decison point content - Presentation of applicability annotation

Decide whether to use the S1000D standard page-oriented presentation rules for the applicability annotation or to create project or organization specific rules for the presentation.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.338 Business rule decision point - BRDP-S1-00485 - Presentation of security markings

1.338.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning

- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.338.2 Business rule decison point content - Presentation of security markings

Decide whether to present the security markings in sentence case instead of in uppercase.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.339 Business rule decision point - BRDP-S1-00486 - Presentation of commercial classification and/or caveat as security markings

1.339.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

- SCORM content package
- Update
- Wiring data
- Wiring fields

1.339.2 Business rule decison point content - Presentation of commercial classification and/or caveat as security markings

Decide whether to use the commercial classification (value of attribute commercialClassification) and/or national caveat (value of attribute caveat) as an alternative to the security classification (value of the attribute securityClassification).

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.340 Business rule decision point - BRDP-S1-00487 - Exclude presentation of security markings for unclassified publications

1.340.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.340.2 Business rule decison point content - Exclude presentation of security markings for unclassified publications

Decide whether to exclude the presentation of security markings for unclassified publications.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.341 Business rule decision point - BRDP-S1-00488 - Presentation of safety classification

1.341.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update
- Wiring data
- Wiring fields

1.341.2 Business rule decison point content - Presentation of safety classification

Decide whether to use the S1000D standard page-oriented presentation rules for the safety classification (attribute safetyLabel of the element <productSafety>) or to create project or organization specific rules for the presentation.

Values allowed: You may select a single value.

Value allowed: S1000D standard page-oriented presentation rules

Value allowed: Project or organization specific rules

1.342 Business rule decision point - BRDP-S1-00489 - Presentation of the element <logo>

1.342.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update
- Wiring data
- Wiring fields

1.342.2 Business rule decison point content - Presentation of the element <logo>

Decide whether to present any of the logotypes given in the element <logo> and how this element is presented (eg, size, color).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of how the element <logo> must presented (eg, size, color).

Value allowed: No

1.343 Business rule decision point - BRDP-S1-00490 - Presentation of "End of data module" statement

1.343.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Wiring data
- Wiring fields

1.343.2 Business rule decison point content - Presentation of "End of data module" statement

Decide on the text that will be used to identify the end of a data module, either "End of data module" or "End of" followed by the data module title.

Values allowed: You may select a single value.

Value allowed: Use "End of data module"

Value allowed: Use "End of" followed by the data module title

1.344 Business rule decision point - BRDP-S1-00491 - Placement of the end of data module statement

1.344.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table

- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Wiring data
- Wiring fields

1.344.2 Business rule decison point content - Placement of the end of data module statement

Decide whether to present the "End of" statement in the footer or in the body of the page.

Values allowed: You may select a single value.

Value allowed: In the footer

Value allowed: In the body of the page

1.345 Business rule decision point - BRDP-S1-00492 - Use of double column text

1.345.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural

- Process
- Service bulletin
- Schedule
- SCORM content
- Wiring data
- Wiring fields

1.345.2 Business rule decison point content - Use of double column text

Decide whether to use double column text, and under what circumstances. Typography for double column page layout must be documented.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, (1) list of the circumstances when the double column text is to be used, and (2) the details of the typography for double column page layout.

Value allowed: No

1.346 Business rule decision point - BRDP-S1-00493 - Double sided printing of foldout pages

1.346.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.346.2 Business rule decison point content - Double sided printing of foldout pages

Decide whether to use double sided printing on foldout pages.

Note:
A3L paper in A3L binders are normally printed on both sides.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.347 Business rule decision point - BRDP-S1-00494 - Presentation of the procedural step titles from the element <proceduralStep>

1.347.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Procedural
- Process
- Service bulletin

1.347.2 Business rule decison point content - Presentation of the procedural step titles from the element <proceduralStep>

Decide whether to present the titles for the element <proceduralStep> and to which level.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the level to which to present the titles for the element <proceduralStep>.

Value allowed: No

1.348 Business rule decision point - BRDP-S1-00495 - Presentation of the crew drill step titles from the element <crewDrillStep>

1.348.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Crew

1.348.2 Business rule decison point content - Presentation of the crew drill step titles from the element <crewDrillStep>

Decide whether to present the titles for the element <crewDrillStep> and to which level.

Note:
Presentation of the titles for steps on level six thru level eight are not given. The use of these elements is discouraged and their use and presentation are project decisions.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the level to which to present the titles for the element <crewDrillStep> and to which level.

Value allowed: No

1.349 Business rule decision point - BRDP-S1-00496 - Presentation of the document title

1.349.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.349.2 Business rule decison point content - Presentation of the document title

Decide whether to present the document title as a Centerhead No. 1 and a Centerhead No. 2 or as a

Centerhead No. 1 only (including both element <techName> and element <infoName>).

Values allowed: You may select a single value.

Value allowed: Centerhead No. 1 and a centerhead No. 2

Value allowed: Centerhead No. 1 only

1.350 Business rule decision point - BRDP-S1-00497 - Number of sidehead levels to be presented in the Table of contents

1.350.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.350.2 Business rule decison point content - Number of sidehead levels to be presented in the Table of contents

Decide whether to present more than three sidehead levels in the table of contents. The allowed number of sidehead levels must be stated in the business rules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.351 Business rule decision point - BRDP-S1-00498 - Presentation of List of tables

1.351.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive

1.351.2 Business rule decison point content - Presentation of List of tables

Decide whether to present the List of tables.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.352 Business rule decision point - BRDP-S1-00499 - Present the prefix "Table" in the List of tables

1.352.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive

1.352.2 Business rule decison point content - Present the prefix "Table" in the List of tables

Decide whether to present the prefix "Table" before the table number in the List of tables.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.353 Business rule decision point - BRDP-S1-00500 - Presentation of List of figures

1.353.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive

1.353.2 Business rule decison point content - Presentation of List of figures

Decide whether to present the List of figures.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.354 Business rule decision point - BRDP-S1-00501 - Present the prefix "Fig" in the List of figures

1.354.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive

1.354.2 Business rule decison point content - Present the prefix "Fig" in the List of figures

Decide whether to present the prefix "Fig" before the figure number in the List of figures.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.355 Business rule decision point - BRDP-S1-00502 - Presentation (layout) of titles

1.355.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list

- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.355.2 Business rule decison point content - Presentation (layout) of titles

Decide whether to use the S1000D standard presentation rules for titles (Sidehead 1 thru Sidehead 5 or if used thru Sidehead 8) or to create project or organization specific rules such as type size, leading and justification.

Values allowed: You may select a single value.

Value allowed: S1000D standard presentation rules for titles

Value allowed: Project or organization specific rules

1.356 Business rule decision point - BRDP-S1-00503 - Presentation of the leveled para titles from the element <levelledPara> on level six thru eight

1.356.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Crew
- Descriptive
- learning
- Service bulletin

1.356.2 Business rule decison point content - Presentation of the leveled para titles from the element <levelledPara> on level six thru eight

Decide whether to present the titles for the element <levelledPara> on level six thru eight.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.357 Business rule decision point - BRDP-S1-00504 - Use of the alternative method for labeling procedural steps at presentation

1.357.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Procedural
- Process
- Service bulletin

1.357.2 Business rule decison point content - Use of the alternative method for labeling procedural steps at presentation

Decide whether to use the preferred or the alternative method for labeling procedural steps.

Values allowed: You may select a single value.

Value allowed: Preferred method

Value allowed: Alternative method

1.358 Business rule decision point - BRDP-S1-00505 - Presentation of paragraphs of text

1.358.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault

- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.358.2 Business rule decison point content - Presentation of paragraphs of text

Decide whether to use the recommended presentation rules for type size, spacing and justification.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.359 Business rule decision point - BRDP-S1-00506 - Presentation of hierarchical indented steps, when used without titles in procedural steps

1.359.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Procedural
- Process
- Service bulletin

1.359.2 Business rule decison point content - Presentation of hierarchical indented steps, when used without titles in procedural steps

Decide whether to use hierarchical indented steps, when used without titles.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.360 Business rule decision point - BRDP-S1-00507 - Prefixes to be used for random lists at presentation

1.360.1 **Business rule decision point is related to:**

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.360.2 **Business rule decison point content - Prefixes to be used for random lists at presentation**

Decide whether to use a consistent set of prefixes for random list throughout the project.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.361 **Business rule decision point - BRDP-S1-00508 - Presentation of footnote numbers**

1.361.1 **Business rule decision point is related to:**

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.361.2 Business rule decison point content - Presentation of footnote numbers

Decide whether to present the footnote markers as superscripted numbers (default) or as numbers presented within parenthesis.

Values allowed: You may select a single value.

Value allowed: Superscripted numbers (default)

Value allowed: Numbers presented within parenthesis

1.362 Business rule decision point - BRDP-S1-00509 - Presentation of inline footnotes

1.362.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.362.2 Business rule decison point content - Presentation of inline footnotes

Decide whether to present the inline footnotes at the bottom of the page (default) or at the end of the data module.

Values allowed: You may select a single value.

Value allowed: At the bottom of the page (default)

Value allowed: At the end of the data module

1.363 Business rule decision point - BRDP-S1-00510 - Presentation of table footnotes

1.363.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.363.2 Business rule decison point content - Presentation of table footnotes

Decide whether to present the footnotes on the relevant page, if the table is split over several pages. Refer to **Chap 6 .2 .2** and **Chap 6 .2 .2**.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.364 Business rule decision point - BRDP-S1-00511 - Presentation of vertical lines in formal tables

1.364.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.364.2 Business rule decison point content - Presentation of vertical lines in formal tables

Decide whether to, in exceptional cases, allow presentation of vertical lines in formal table.

Note:
The rendering of the table must be based on the elements and attributes in the XML files. The author must apply elements and attributes as defined in Chap **Chap 3 .9 .5 .2 .1.6** in order to achieve the layout described in this chapter.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.365 Business rule decision point - BRDP-S1-00512 - Use of the alternative individual numbering of multi sheet illustrations at presentation

1.365.1 **Business rule decision point is related to:**

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.365.2 **Business rule decison point content - Use of the alternative individual numbering of multi sheet illustrations at presentation**

Decide whether to use one of the alternative methods for individual numbering of multi sheet illustrations. The chosen method must be used throughout the project.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the alternative methods for individual numbering of multi sheet illustrations, which is to be used throughout the project.

Value allowed: No

1.366 **Business rule decision point - BRDP-S1-00513 - Presentation of warnings and cautions**

1.366.1 **Business rule decision point is related to:**

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:

- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.366.2 Business rule decison point content - Presentation of warnings and cautions

Decide whether to use the alternative rule to present the warnings before the step/para number.

Note:
Projects must be aware of potential hazards when allowing step numbers to follow the warning and ensure that there is a clear connection in the presentation between the warning and the associated steps.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.367 Business rule decision point - BRDP-S1-00514 - Presentation of symbols in warnings and cautions

1.367.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.367.2 Business rule decison point content - Presentation of symbols in warnings and cautions

Decide whether to present symbols in warnings and cautions. The symbols must be standardized and documented.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, list of symbols to be used in warnings and cautions, including illustrations and rules on presenting them.

Value allowed: No

1.368 Business rule decision point - BRDP-S1-00515 - Use of symbolic presentation of warnings and cautions

1.368.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content

1.368.2 Business rule decison point content - Use of symbolic presentation of warnings and cautions

Decide whether to use symbolic presentations of warnings and cautions.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.369 Business rule decision point - BRDP-S1-00516 - Use of numbered notes within a data module at presentation

1.369.1 Business rule decision point is related to:

Places in specification:

Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.369.2 Business rule decison point content - Use of numbered notes within a data module at presentation

Decide whether to use numbered notes within a data module.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.370 Business rule decision point - BRDP-S1-00517 - Display of change marks

1.370.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The

decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.370.2 Business rule decison point content - Display of change marks

Decide whether to display change marks.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.371 Business rule decision point - BRDP-S1-00518 - Presentation of change marks

1.371.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment

- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.371.2 Business rule decison point content - Presentation of change marks

Decide whether to use an alternative visual presentation as change marker.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.372 Business rule decision point - BRDP-S1-00519 - Presentation of change marking of individual table rows

1.372.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process
- Service bulletin
- Schedule

- SCORM content

1.372.2 Business rule decison point content - Presentation of change marking of individual table rows

Decide whether to present change marks for individual table rows.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.373 Business rule decision point - BRDP-S1-00520 - Presentation of data module titles in the reference table

1.373.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.373.2 Business rule decison point content - Presentation of data module titles in the reference table

Decide whether to present the data module title in the reference table ("Table 1 References").

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.374 Business rule decision point - BRDP-S1-00521 - Presentation of publication module/non-S1000D publication titles in the reference table

1.374.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.374.2 Business rule decison point content - Presentation of publication module/non-S1000D publication titles in the reference table

Decide whether to present the title (element <pmTitle#62;/<externalPubTitle#62;) or the short title (element <shortPmTitle#62;/<shortExternalPubTitle#62;), or both, in the reference table ("Table 1 References").

Values allowed: You may select a single value.

Value allowed: Only the title (element <pmTitle>/<externalPubTitle>)

Value allowed: Only the short title (element <shortPmTitle>/<shortExternalPubTitle>)

Value allowed: Both

1.375 Business rule decision point - BRDP-S1-00522 - Order of presentation of references in the reference table

1.375.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.375.2 Business rule decison point content - Order of presentation of references in the reference table

Decide in which order the referenced document is presented in the reference table ("Table 1 References"): In order of appearance, alphabetical order, data modules before publications, etc.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the order the referenced document is presented in the reference table ("Table#1##References").

1.376 Business rule decision point - BRDP-S1-00523 - Inline presentation of non-S1000D publication titles

1.376.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.376.2 Business rule decison point content - Inline presentation of non-S1000D publication titles

Decide whether to present the external publication code (element <externalPubCode>), the title (element <externalPubTitle>) or the short title (element <shortExternalPubTitle>) as the inline reference.

Values allowed: You may select a single value.

Value allowed: External publication code (element <externalPubCode>)

Value allowed: Title (element <externalPubTitle>)

Value allowed: Short title (element <shortExternalPubTitle>)

1.377 Business rule decision point - BRDP-S1-00524 - Presentation of the name of spares, supplies

1.377.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Crew check list
- Fault
- Procedural
- Process
- Service bulletin
- Schedule

1.377.2 Business rule decison point content - Presentation of the name of spares, supplies and support equipment

Decide whether to present the name (element <name>) or the abbreviated alternate name (element <shortName>), as the cross-reference in the text.

Values allowed: You may select a single value.

Value allowed: Name (element <name>)

Value allowed: Abbreviated alternate name (element <shortName>)

1.378 Business rule decision point - BRDP-S1-00525 - Use of the alternative method for presentation of applicability statements

1.378.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository

- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.378.2 Business rule decison point content - Use of the alternative method for presentation of applicability statements

Decide whether to use the preferred or the alternative method for presentation of applicability statements.

Values allowed: You may select a single value.

Value allowed: Preferred method

The S1000D standard page-oriented presentation of the applicability statement is to locate it inside a step or paragraph aligning the left type limit.

Value allowed: Alternative method

An alternative method is to present the applicability statement before the step or paragraph number to which it applies.

1.379 Business rule decision point - BRDP-S1-00526 - Decide on highlighting the applicability default heading and statement at presentation

1.379.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container

- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.379.2 Business rule decison point content - Decide on highlighting the applicability default heading and statement at presentation

Decide whether to highlight (blue and bold) the default heading and applicability statement at presentation.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.380 Business rule decision point - BRDP-S1-00527 - Elements and attributes to be presented on the Title page

1.380.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.380.2 Business rule decison point content - Elements and attributes to be presented on the Title page

Decide which elements and attributes to be presented on the Title page.

-

Note:
The decisions must be coordinated/based on the decisions taken for the Business rules decision points given in Chap **Chap 3 .9 .4** and Chap **Chap 3 .9 .5 .2 .16**.

Values allowed: You may select a single value.

Value allowed: Text

List of elements and attributes to be presented on the Title page.

1.381 Business rule decision point - BRDP-S1-00528 - Size of the product illustration on the Title page

1.381.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.381.2 Business rule decison point content - Size of the product illustration on the Title page

Decide on the height of the product illustration on the Title page, if used.

Values allowed: You may select a single value.

Value allowed: Text

Definition on the height of the product illustration on the Title page, if used.

1.382 Business rule decision point - BRDP-S1-00529 - Elements and attributes to be presented on the Table of contents page

1.382.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.382.2 Business rule decison point content - Elements and attributes to be presented on the Table of contents page

Decide which elements and attributes to be presented on the Table of contents page.

Note:
The decisions must be coordinated/based on the decisions taken for the Business rules decision points given in Chap **Chap 3 .9 .4** and Chap **Chap 3 .9 .5 .2 .16**.

Values allowed: You may select a single value.

Value allowed: Text

List of elements and attributes to be presented on the Table of contents page.

1.383 Business rule decision point - BRDP-S1-00530 - Elements and attributes to be presented on the List of effective pages

1.383.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.383.2 Business rule decison point content - Elements and attributes to be presented on the List of effective pages

Decide which elements and attributes to be presented on the List of effective pages.

Note:
The decisions must be coordinated/based on the decisions taken for the Business rules decision points given in Chap **Chap 3 .9 .4** and Chap **Chap 3 .9 .5 .2 .16**.

Values allowed: You may select a single value.

Value allowed: Text

List of elements and attributes to be presented on the List of effective pages.

1.384 Business rule decision point - BRDP-S1-00531 - Elements and attributes to be presented on the List of effective data modules

1.384.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.384.2 Business rule decison point content - Elements and attributes to be presented on the List of effective data modules

Decide which elements and attributes to be presented on the List of effective data modules.

Note:
The decisions must be coordinated/based on the decisions taken for the Business rules decision points given in Chap **Chap 3 .9 .4** and Chap **Chap 3 .9 .5 .2 .16**.

Values allowed: You may select a single value.

Value allowed: Text

List of elements and attributes to be presented on the List of effective data modules.

1.385 Business rule decision point - BRDP-S1-00532 - Elements and attributes to be presented on the Highlights data modules

1.385.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.385.2 Business rule decison point content - Elements and attributes to be presented on the Highlights data modules

Decide which elements and attributes to be presented on the Highlights data modules.

Note:
The decisions must be coordinated/based on the decisions taken for the Business rules decision points given in Chap **Chap 3 .9 .4** and Chap **Chap 3 .9 .5 .2 .16**.

Values allowed: You may select a single value.

Value allowed: Text

List of elements and attributes to be presented on the Highlights data modules.

1.386 Business rule decision point - BRDP-S1-00533 - Use of rules and guidance for IETP

1.386.1 Business rule decision point is related to:

Places in specification:
Chap 6 .3 Information presentation and use - IETP

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.386.2 Business rule decison point content - Use of rules and guidance for IETP

Decide whether to use the rules and guidance for look and feel, and printed output from an IETP detailed in Chap Chap 6 .3 .1 or an alternate output specification.

Values allowed: You may select a single value.

Value allowed: Rules and guidance in Chap 6.3.1

Value allowed: Alternate output specification

1.387 Business rule decision point - BRDP-S1-00534 - Main menu bar functions in the IETP viewer

1.387.1 Business rule decision point is related to:

Places in specification:
Chap 6 .3 .1 IETP - Output specification

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.387.2 Business rule decison point content - Main menu bar functions in the IETP viewer

Decide which, if any, of the basic set of main menu bar functions to mandate.

Values allowed: You may select a single value.

Value allowed: Text

Decision on which, if any, of the basic set of main menu bar functions to mandate.

1.388 Business rule decision point - BRDP-S1-00535 - Printing of classified data

1.388.1 Business rule decision point is related to:

Places in specification:
Chap 6 .3 .1 IETP - Output specification

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and

written within these business rules.

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.388.2 Business rule decison point content - Printing of classified data

Decide whether to allow the printing of classified data. If not allowed, the print function must be disabled when classified data is presented in the IETP viewer.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

In case of No, the definition of the instruction to disable the print function when classified data is presented in the IETP viewer

1.389 Business rule decision point - BRDP-S1-00536 - Additional information bar in the IETP viewer

1.389.1 Business rule decision point is related to:

Places in specification:
Chap 6 .3 .1 IETP - Output specification

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The

decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.389.2 Business rule decison point content - Additional information bar in the IETP viewer

Decide on the use of an additional information bar. If used, it must be decided which information to be available in the additional information bar.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of the information to be available in the additional information bar.

Value allowed: No

1.390 Business rule decision point - BRDP-S1-00537 - Use of the functionality matrix

1.390.1 Business rule decision point is related to:

Places in specification:
Chap 6 .4 .1 Functionality - Background and explanation

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.390.2 Business rule decison point content - Use of the functionality matrix

Decide whether to use the functionality matrix. If used, fill in the functionality matrix. Refer to Chap **Chap 6 .4 .2**.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, the functionality matrix filled with corresponding details on decisions made.

Value allowed: No

1.391 Business rule decision point - BRDP-S1-00538 - Modification of the functionality matrix due to selection of information sets

1.391.1 Business rule decision point is related to:

Places in specification:
Chap 6 .4 .1 Functionality - Background and explanation

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.391.2 Business rule decison point content - Modification of the functionality matrix due to selection of information sets

Decide on which modifications are needed in the functionality matrix due to the selection of information sets. Refer to Para. [4] .

Values allowed: You may select a single value.

Value allowed: Text

List of modifications in the functionality matrix due to selection of information sets

1.392 Business rule decision point - BRDP-S1-00539 - Selection of functionality using the functionality matrix

1.392.1 Business rule decision point is related to:

Places in specification:
Chap 6 .4 .1 Functionality - Background and explanation

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.392.2 Business rule decison point content - Selection of functionality using the functionality matrix

Decide on which functionality is required in the technical publications.

Values allowed: You may select a single value.

Value allowed: Text

List of functionalities required in the technical publications.

1.393 Business rule decision point - BRDP-S1-00540 - Population of the element <externalPubCode>

1.393.1 Business rule decision point is related to:

Places in specification:
Chap 7 .4 .3 Generation of publications - Inclusion of legacy information

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment

- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.393.2 Business rule decison point content - Population of the element <externalPubCode>

Decide the preferred syntax to identify legacy data by a publication code.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the preferred syntax to identify legacy data by a publication code.

1.394 Business rule decision point - BRDP-S1-00541 - Use of the attribute pubCodingScheme

1.394.1 Business rule decision point is related to:

Places in specification:
Chap 7 .4 .3 Generation of publications - Inclusion of legacy information

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor,

paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.394.2 Business rule decison point content - Use of the attribute pubCodingScheme

Decide whether to use the attribute pubCodingScheme. If used, decide on the set of allowed coding schemes and the syntax of those schemes.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, the set of allowed external publications coding schemes and the syntax of those schemes.

Value allowed: No

1.395 Business rule decision point - BRDP-S1-00542 - Method to include legacy information in an IETP

1.395.1 Business rule decision point is related to:

Places in specification:
Chap 7 .4 .3 Generation of publications - Inclusion of legacy information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container

- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.395.2 Business rule decison point content - Method to include legacy information in an IETP

Decide whether to include legacy information by encapsulating it in data modules or by referencing it as external publications using the publication module.

Values allowed: You may select a single value.

Value allowed: Encapsulate it in data modules

Value allowed: Reference it using the publication module

1.396 Business rule decision point - BRDP-S1-00543 - IETP reference format

1.396.1 Business rule decision point is related to:

Places in specification:
Chap 7 .4 .3 Generation of publications - Inclusion of legacy information

Business rules categories:
Category: 10 - Legacy data conversion, management and handling business rules

Legacy data conversion, management and handling business rules are quite separate from the other categories outlined above and can be considered (to some extent) as being outside of the scope of S1000D. They cover rules for converting data from say, an ATA iSpec 2200 project, to data modules and will vary from project to project depending on the format of the source data (word processor, paper, Standard Generalized Markup Language (SGML)), and how the target data modules must be treated.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection

criteria.

Category: 9 - Data integrity and management business rules

Data integrity and management business rules enforce the referential integrity within the CSDB. Closely coupled with the data exchange business rules they cover how data is managed by both the creator and the customer.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.396.2 Business rule decison point content - IETP reference format

Decide the syntax and semantics of the links established to reference legacy data.

Values allowed: You may select a single value.

Value allowed: Text

Description of he syntax and semantics of the links established to reference legacy data.

1.397 Business rule decision point - BRDP-S1-00544 - Use of data compression techniques

1.397.1 Business rule decision point is related to:

Places in specification:
Chap 7 .5 .1 Information interchange - File based transfer

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.397.2 Business rule decison point content - Use of data compression techniques

Decide whether to use compression techniques on files being transferred and which techniques to be used.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, definition of which compression techniques to use on files being transferred.

Value allowed: No

1.398 Business rule decision point - BRDP-S1-00545 - File formats for information objects

1.398.1 Business rule decision point is related to:

Places in specification:
Chap 4 .8 Information management - Interchange of data modules

Business rules categories:
Category: 8 - Data exchange business rules

The rules for how data must be exchanged between partners and customers are covered in business rule category 7. This includes for example the use of data dispatch notes and how data management requirement lists as well as CSDB status lists are used. The rules in this category include how the S1000D file based transfer protocol is used, the frequency of data exchanges, if unverified data are exchanged, the rules for data module and graphic issue numbers, and the acceptance and rejection criteria.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.398.2 **Business rule decison point content - File formats for information objects**

Decide which file formats to use.

Values allowed: You may select a single value.

Value allowed: Text

List of file formats, besides the S1000D standard formats, to use.

1.399 **Business rule decision point - BRDP-S1-00547 - Format of generated display text**

1.399.1 **Business rule decision point is related to:**

Places in specification:
Chap 7 .8 Information processing - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data

- Wiring fields

1.399.2 Business rule decison point content - Format of generated display text

Decide on the format for generating the displayed applicability annotation from the computable applicability annotation that will best fulfill industry and/or customer display requirements.

Values allowed: You may select a single value.

Value allowed: Text

Definition of the format for generating the displayed applicability annotation from the computable applicability annotation that will best fulfill industry and/or customer display requirements.

1.400 Business rule decision point - BRDP-S1-00548 - Modifying an assigned product attribute value in the PCT

1.400.1 Business rule decision point is related to:

Places in specification:
Chap 7 .8 Information processing - Applicability

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability product cross reference table

1.400.2 Business rule decison point content - Modifying an assigned product attribute value in the PCT

Decide if modifications to PCT assigned values are allowed.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.401 Business rule decision point - BRDP-S1-00549 - Translation of SNS titles and definitions

1.401.1 Business rule decision point is related to:

Places in specification:

Chap 8 .2 SNS, information codes and learn codes - Maintained SNS

Business rules categories:
Category: 2 - Product definition business rules

Product definition business rules cover the data module coding strategy related to how the Product is broken down (eg, physical or functional). Included is the definition of the model identification codes to be used in the Product and its subsystems. Supplier subsystems and identifications also need to be considered.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.401.2 Business rule decison point content - Translation of SNS titles and definitions

Decide whether to translate and use the SNS titles and the definitions in the languages adopted by the project.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.402 Business rule decision point - BRDP-S1-00550 - Allocation of project specific information codes

1.402.1 Business rule decision point is related to:

Places in specification:
Chap 8 .4 SNS, information codes and learn codes - Information codes

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that

a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.402.2 Business rule decison point content - Allocation of project specific information codes

Decide and agree on allocation of project specific information codes and give them short and full definitions.

Values allowed: You may select a single value.

Value allowed: Text

List of the project specific information codes mapped to their short and full definitions. Note: Be aware, that some organizations do not allow for project-specific information codes to be used. Please decide carefully whether a project specific code might be necessary. If you consider necessary to define one of the information codes marked as "Not available for projects," then this change to S1000D via a CPF (Change Proposal Form).

1.403 Business rule decision point - BRDP-S1-00551 - Translation of information code definitions

1.403.1 Business rule decision point is related to:

Places in specification:
Chap 8 .4 SNS, information codes and learn codes - Information codes

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.403.2 Business rule decison point content - Translation of information code definitions

Decide whether to translate and use the information code definitions in the languages adopted by the project.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, equivalents in the languages chosen to those defined in English.

Value allowed: No

1.404 Business rule decision point - BRDP-S1-00552 - Translation of learn code definitions

1.404.1 Business rule decision point is related to:

Places in specification:
Chap 8 .5 SNS, information codes and learn codes - Learn codes

Business rules categories:
Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial

provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.404.2 Business rule decison point content - Translation of learn code definitions

Decide whether to translate and use the learn code definitions in the languages adopted by the project.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, equivalents in the languages chosen to those defined in English.

Value allowed: No

1.405 Business rule decision point - BRDP-S1-00553 - Retention of derivative classifications changes

1.405.1 Business rule decision point is related to:

Places in specification:
Chap 3 .6 Information generation - Security and data restrictions

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.405.2 Business rule decison point content - Retention of derivative classifications changes

Decide on the retention of derivative classifications changes.

Values allowed: You may select a single value.

Value allowed: Text

Rules on the retention of derivative classifications changes.

1.406 Business rule decision point - BRDP-S1-00554 - Illustration annotations written in upper or sentence case

1.406.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .1 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter

- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.406.2 Business rule decison point content - Illustration annotations written in upper or sentence case

Decide whether to write illustration annotations in upper or lower case.

Values allowed: You may select a single value.

Value allowed: Upper case

Value allowed: Lower case

1.407 Business rule decision point - BRDP-S1-00555 - Inclusion of the ICN in the illustration

1.407.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .1 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package

- Update
- Wiring data
- Wiring fields

1.407.2 Business rule decison point content - Inclusion of the ICN in the illustration

Decide whether to allow the ICN to be included in the illustration.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.408 Business rule decision point - BRDP-S1-00556 - Use color line art

1.408.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .3 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.408.2 Business rule decison point content - Use color line art

Decide whether to allow the use of color line art.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.409 Business rule decision point - BRDP-S1-00557 - Reuse of the generic ICN title in data modules

1.409.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .2 .7 Illustration rules and multimedia - Illustrations, General

Business rules categories:
Category: 7 - Data creation business rules - Illustrations and multimedia

Illustration and multimedia creation business rules cover the creation of illustrations and multimedia objects. They are divided into style, detail and data format.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.409.2 Business rule decison point content - Reuse of the generic ICN title in data modules

Decide if the generic ICN title given in the ICN metadata file can be used to populate figure and multimedia titles in data modules.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.410 Business rule decision point - BRDP-S1-00558 - Use of the element <derivativeClassification> within data modules

1.410.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .1 Data modules - Identification and status section

Business rules categories:
Category: 4 - Security business rules

Security business rules cover all security issues and intellectual property rights. They include security classifications, copyright markings, use or disclosure restrictions, destruction instructions and any other data restrictions.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.410.2 **Business rule decison point content - Use of the element <derivativeClassification> within data modules**

Decide whether and how to use the element <derivativeClassification>.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide how to use the element <derivativeClassification>.

1.411 **Business rule decision point - BRDP-S1-00559 - Caption style guide**

1.411.1 **Business rule decision point is related to:**

Places in specification:
Chap 3 .9 .5 .2 .1.4 Common constructs - Caption groups

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Procedural
- Process
- Service bulletin
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.411.2 Business rule decison point content - Caption style guide

Decide on a project style guide to be used for captions.

Values allowed: You may select a single value.

Value allowed: Text

Specification of the project style guide to be used for captions.

1.412 Business rule decision point - BRDP-S1-00560 - Identification of parts

1.412.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .1.10 Common constructs - Text elements

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list

- Comment
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Wiring data
- Wiring fields

1.412.2 Business rule decison point content - Identification of parts

Decide whether the project can use OEM renamed part numbers instead of part numbers allocated by the part design authority in the attribute partNumberValue.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.413 Business rule decision point - BRDP-S1-00561 - Use of titles in the Learning data module

1.413.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .13 Learning data module - Learning plan information type

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Category: 3 - Maintenance philosophy and concepts of operation business rules

Maintenance philosophy and concepts of operation business rules cover the types of information that a project or an organization requires. They include for example a list or detailed specification of chosen information sets, an information codes specification which details the information codes, and information names that describe the data module content.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- learning

1.413.2 Business rule decison point content - Use of titles in the Learning data module

In the substructures of the Learning data module, decide to what extent optional occurrences of the element <title> can be used and how given titles and generated titles must be presented to achieve a readable presentation of the information.

Values allowed: You may select a single value.

Value allowed: Text

Decision to what extent optional occurrences of the element <title> can be used and how given titles and generated titles must be presented to achieve a readable presentation of the information.

1.414 Business rule decision point - BRDP-S1-00562 - Use of the top level preliminary requirements construct for maintenance inspections

1.414.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:
Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Service bulletin
- Schedule

1.414.2 Business rule decison point content - Use of the top level preliminary requirements construct for maintenance inspections

Decide whether to use the top level preliminary requirements for maintenance inspections.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.415 Business rule decision point - BRDP-S1-00563 - Use of the attribute timeLimitCategoryValue

1.415.1 Business rule decision point is related to:

Places in specification:
Chap 3 .9 .5 .2 .5 Content section - Maintenance planning information

Business rules categories:

Category: 6 - Data creation business rules - Text

Text creation business rules consist of rules and guidelines (including terminology rules such as language and dictionaries, and the order of preference) for maximizing the amount of reuse that can be achieved within technical publications, and between technical publications and supporting training content.

Related S1000D XML Schemas:
- Schedule

1.415.2 Business rule decison point content - Use of the attribute timeLimitCategoryValue

In case standard descriptions are not applicable, describe how the values "1" and "2", respectively, will be used for the attribute timeLimitCategoryValue.

Values allowed: You may select a single value.

Value allowed: Text

Description of how the values "1" and "2", respectively, will be used for the attribute timeLimitCategoryValue.

1.416 Business rule decision point - BRDP-S1-00564 - Single or multiple business rules document

1.416.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .1 Information management - Business rules exchange

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.416.2 Business rule decison point content - Single or multiple business rules document

Decide whether to use a single or multiple business rules document data module to capture business rules. If multiple data modules are needed, identify which rules will go into which data module. Refer to Chap 4 .10 .1.

Values allowed: You may select a single value.

Value allowed: A single business rules document data module

Value allowed: Multiple business rules document data modules

In case of multiple business rules document data modules, identify which rules will go into which data module.

1.417 Business rule decision point - BRDP-S1-00565 - Level of depth of business rules document

1.417.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .10 .1 Information management - Business rules exchange

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.417.2 **Business rule decison point content - Level of depth of business rules document data modules**

Decide whether to exceed five levels of depth for new data.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.418 **Business rule decision point - BRDP-S1-00566 - Identification numbering**

1.418.1 **Business rule decision point is related to:**

Places in specification:
Chap 4 .10 .1 Information management - Business rules exchange

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.418.2 **Business rule decison point content - Identification numbering**

Decide on the numbering scheme for the attribute brDecisionIdentNumber and the attribute id as applicable.

Values allowed: You may select a single value.

Value allowed: Text

Decision on what is applicable for the numbering scheme for the attribute brDecisionIdentNumber and the attribute id.

1.419 Business rule decision point - BRDP-S1-00567 - Standardized responses to describe business rules decision values

1.419.1 Business rule decision point is related to:

Places in specification:
Chap 4 .10 .1 Information management - Business rules exchange

Business rules categories:
Category: 1 - General

General business rules cover all decisions made by a project or an organization that are not covered by any of the specific business rule categories below. They serve as overall decisions for the implementation of S1000D.

Category: 5 - Business process business rules

Business process business rules cover how technical publications development is coordinated with other disciplines within an organization or within the project level at that organization or the project as a whole. For example, they describe the rules and relationships with LSA, S2000M compliant initial provisioning, engineering/design and training (eg, SCORM conformance).

Related S1000D XML Schemas:
- Business rules exchange

1.419.2 Business rule decison point content - Standardized responses to describe business rules decision values

Decide whether to use standardized sentences to describe business rules decision values or not. If the decision is to use standardized responses, decide which responses must be taken from text describing BRDP values defined in the specification or by the project/organization. It is also necessary to identify which responses must be defined beyond what is already defined within the specification. If standardized responses for business rules decision values are defined, decide whether all possible business rules decision values are covered or whether there will be cases when a business rules author will need to define text for business rules decision values during business rules production.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide which responses must be taken from text describing BRDP values defined in the specification or by the project/organization. It is also necessary to identify which responses must be defined beyond what is already defined within the specification. If standardized responses for business rules decision values are defined, decide whether all possible business rules decision values are covered or whether there will be cases when a business rules author will need to define text for business rules decision values during business rules production.

Value allowed: No

1.420 Business rule decision point - BRDP-S1-00568 - Presentation of derivative classification markings

1.420.1 Business rule decision point is related to:

Places in specification:

Chap 6 .2 .1 Page - oriented publications-Page layout, paper publications, headers and footers

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Applicability cross reference table
- Business rules exchange
- Crew check list
- Comment
- Common information repository
- Applicability conditions cross reference table
- Container
- Crew
- Data dispatch note
- Descriptive
- Data management list
- Fault
- Front matter
- Illustrated parts data
- learning
- Publication module
- Applicability product cross reference table
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- SCORM content package
- Update
- Wiring data
- Wiring fields

1.420.2 Business rule decison point content - Presentation of derivative classification markings

Decide whether to use and when to use the derivative classification (value of the <classificationAction> elements within the <classificationActionGroup> defined by the IDREF in the attribute derivativeClassificationRefId).

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide when to use the derivative classification (value of the <classificationAction> elements within the <classificationActionGroup> defined by the IDREF in the attribute derivativeClassificationRefId).

Value allowed: No

1.421 Business rule decision point - BRDP-S1-00569 - Presentation of ICN

1.421.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- Front matter
- Illustrated parts data
- learning
- Procedural
- Process
- Service bulletin
- Schedule
- SCORM content
- Update

1.421.2 Business rule decison point content - Presentation of ICN

Decide whether to present the ICN (content of attribute infoEntityIdent) for each illustration.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.422 Business rule decision point - BRDP-S1-00570 - Presentation of controlled content

1.422.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .2 Page - oriented publications-Typography and layout elements

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Business rules exchange
- Crew check list
- Common information repository
- Crew
- Descriptive
- Fault
- learning
- Procedural
- Process

- Service bulletin
- Schedule
- SCORM content

1.422.2 Business rule decison point content - Presentation of controlled content

Decide how to present controlled content using the attributes authorityName and authorityDocument.

Values allowed: You may select a single value.

Value allowed: Text

Decisions on how to present controlled content using the attributes authorityName and authorityDocument.

1.423 Business rule decision point - BRDP-S1-00571 - Number of levels in Table of contents

1.423.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .1 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.423.2 Business rule decison point content - Number of levels in Table of contents

Decide on the number of levels to be presented in Table of contents.

Values allowed: You may select a single value.

Value allowed: Text

Number of levels to be presented in Table of contents.

1.424 Business rule decision point - BRDP-S1-00572 - Presentation of data module code extension in references and tables

1.424.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .3 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive

- Front matter

1.424.2 Business rule decison point content - Presentation of data module code extension in references and tables

Decide whether and when to present the DME in references and tables.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide when to present the DME in references and tables.

Value allowed: No

1.425 Business rule decision point - BRDP-S1-00573 - Presentation of issue number of the data module or the technical publication in references and tables

1.425.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .3 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.425.2 Business rule decison point content - Presentation of issue number of the data module or the technical publication in references and tables

Decide whether and when to present the issue number of the data module or the technical publication in references and tables.

Values allowed: You may select a single value.

Value allowed: Yes

In case of Yes, decide when to present the issue number of the data module or the technical publication in references and tables.

Value allowed: No

1.426 Business rule decision point - BRDP-S1-00574 - Presentation of Production management data

1.426.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .3 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.426.2 Business rule decison point content - Presentation of Production management data

Decide whether to present Production management data.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No

1.427 Business rule decision point - BRDP-S1-00575 - Presentation of Name and Alternate name

1.427.1 Business rule decision point is related to:

Places in specification:
Chap 6 .2 .3 .3 Layout rules and examples - Front matter data modules

Business rules categories:
Category: 11 - Data output business rules

Data output business rules specify the output formats for S1000D data. These formats can include page-oriented (eg, paper, pdf) formats, IETP formats, multimedia formats and SCORM formats. The decision regarding which portion of the data will be published in what formats must be agreed and written within these business rules.

Related S1000D XML Schemas:
- Descriptive
- Front matter

1.427.2 Business rule decison point content - Presentation of Name and Alternate name

Decide whether to present only Name or both Name and Alternate name in the list of support equipment.

Note:
When an Alternate name is used, this is the name that is presented in the data module when referred to by its attribute internalRefId.

Values allowed: You may select a single value.

Value allowed: Yes

Value allowed: No