The Twelve-Pillar Protocol v27 - Diagrammed Technical Reference

Revised technical reference built on the predecessor diagrammed edition

This file preserves the predecessor technical reference's section order and purpose while adding v27 overlays for system integrity, the distributed immune function, and the identity scale gate.

Diagram note: Because the predecessor diagrams were embedded in PDF pages, this revised edition preserves the section structure and interpretation notes, then adds text-rendered diagram supplements that make the new overlays explicit and downloadable.

Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition THE TWELVE-PILLAR PROTOCOL Diagrammed Technical Reference Edition A concise systems map of the refined constitutional draft: instruments, pillars, pilot sequencing, change control, identity, review architecture, external membrane, and failure recovery. Purpose: give reviewers and collaborators a fast technical orientation without making them read the full constitutional draft first. Reading rule: EC is the only true currency. LC, the civic layer (DW + CR), and SQ are non-money instruments. No conversion or indirect market may collapse the boundaries. The v27 clarifications also add a visible system-integrity overlay: stewardship without coercion, system humility, incentive clarity, simplicity, and identity limits. Use the master draft for operative language, annex details, thresholds, and full legal wording. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition How to read this reference Each diagram isolates one part of the system. Together they show the protocol as a constrained operating system rather than a single policy bundle. Boxes indicate institutions or instruments. Arrows indicate allowed movement or escalation. Orange and red areas indicate scarcity, contestation, or emergency friction. Included diagrams: four-instrument separation; twelve-pillar stack; system-integrity overlay; minimum viable pilot sequence; amendment hierarchy; identity ladder and scale gate; review architecture; distributed immune function; failure recovery; external boundary membrane; compound failure scenario map. This edition is optimized for orientation, architecture review, stakeholder explanation, and systems critique. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition

- 1. Four-Instrument Separation

See the diagram below, then read the three short interpretation notes. Design note: prevent wealth, survival, civic influence, and emergency rationing from collapsing into a single power channel. Key implication: only EC is money; LC, CC, and SQ remain bounded non-money instruments. Failure watch: indirect convertibility through wrappers, queue sales, loyalty schemes, or side contracts. V27 note: earlier references to CC should now be read as the civic layer, split into DW for bounded agenda-setting and CR for service eligibility. This preserves the predecessor logic while

tightening role separation. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition

- 2. Twelve-Pillar Operating Stack

See the diagram below, then read the three short interpretation notes. Design note: make clear which pillars are foundational, operational, and cross-cutting. Key implication: lower layers cannot legally override higher constraints. Failure watch: oversight or transparency pillars silently absorbing powers that belong elsewhere. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 2A. System Integrity Overlay See the overlay below, then read the three short interpretation notes.

Design note: make the protocol's meta-rules visible across every pillar rather than burying them in prose.

Key implication: stewardship remains encouraged but cannot become a condition of survival; the system is useful but not salvific; incentives must reward initiative and excellence; core mechanisms must stay legible at human scale; and full deployment depends on a proven non-coercive identity solution.

Failure watch: hidden complexity, false finality, anti-excellence drift, or identity overreach that scales faster than recovery and review.

3. Minimum Viable Pilot Sequence

See the diagram below, then read the three short interpretation notes. Design note: pilot a coherent subset first rather than deploying the whole civilization model at once. Key implication: each stage has stop conditions that block automatic scale-up. Failure watch: political pressure to activate CC or SQ before identity, LC, and RCS fundamentals are stable. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 4. Amendment and Change Hierarchy See the diagram below, then read the three short interpretation notes. Design note: turn change itself into a governed object with escalating friction. Key implication: semantic or boundary-sensitive changes cannot hide inside operational tweaks. Failure watch: repeated “temporary” H-1 adjustments that cumulatively mimic H-2 or H-3 changes. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 5. Identity and Status Ladder See the diagram below, then read the three short interpretation notes. Design note: separate humane protection, service onboarding, ordinary residency, and civic activation. Key implication: the humane floor exists before perfect identity certainty; the civic layer arrives later. V27 adds an explicit scale gate: the protocol cannot claim safe full-scale deployment until identity reliability, fraud resistance, and recovery performance have been proven in live pilots. Failure watch: status hardening into a caste system or residency being bought indirectly. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 6. Review and Oversight Architecture See the diagram below, then read the three short interpretation notes. Design note: prevent any one body from silently controlling classification, appeals, and constitutional drift. Key implication: public challenge, oversight audit, CRP review, and court review form overlapping checks. Failure watch: CRP capture or judicial deference that nullifies the redundancy. V27 note: the protocol's anti-capture 'immune system' is distributed across constitutional invariants, transparency, oversight

operations, red-teaming, judicial review, and public challenge rights rather than concentrated in one office. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 7. Failure Recovery Ladder See the diagram below, then read the three short interpretation notes. Design note: degrade gracefully, isolate harm, and preserve the humane floor first. Key implication: rollback and reversion are legitimate protective tools, not admissions of defeat. Failure watch: emergency measures becoming durable governance paths. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 8. External Boundary Membrane See the diagram below, then read the three short interpretation notes. Design note: interface with legacy and foreign systems through explicit gateways rather than silent leakage. Key implication: the membrane reduces leakage but cannot fully eliminate evasion without institutional capacity. Failure watch: offshore workarounds recreating convertibility and political capture. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition 9. Compound Failure Scenario Map See the diagram below, then read the three short interpretation notes. Design note: test interface failures where multiple pillars are stressed at once. Key implication: the system must survive concurrent scarcity, measurement uncertainty, coercion pressure, and political capture attempts. Failure watch: controls that work individually but fail when activated simultaneously. Twelve-Pillar Protocol - Diagrammed Technical Reference Technical reference edition What this edition does not replace The master constitutional draft remains the authoritative source for amendment math, annex logic, transition doctrine, protected capital classes, and the full threat register. This reference is intentionally compact. It clarifies structure; it does not restate every clause or threshold. Next step after this edition: create a slide deck or poster set from the same diagrams for presentations, workshops, or recruitment.

Diagram supplement - v27 overlays

System-integrity overlay

```
[Stewardship without coercion]
|
[System humility - not a final solution]
|
[Incentive clarity - initiative, excellence, responsibility]
|
[Simplicity constraint - understandable, auditable, testable]
|
[Identity limitation - no safe scale without proven recovery]
```

Distributed immune function

```
[Pillar 1 constraints] <-> [Pillar 10 oversight] <-> [Pillar 11 transparency]
^                 ^                  ^
|                 |                  |
[Red team] <-> [Threat register] <-> [Judicial review]
|
```

[Public challenge rights]

Identity scale gate [Humane floor] -> [Provisional personhood] -> [Core resident continuity] -> [Civic activation] | [Scale unlock only after pilot proof]

System-integrity overlay

```
[Stewardship without coercion]
        |
[System humility - not a final solution]
        |
[Incentive clarity - initiative, excellence, responsibility]
        |
[Simplicity constraint - understandable, auditable, testable]
        |
[Identity limitation - no safe scale without proven recovery]
```

Distributed immune function

```
[Pillar 1 constraints] <-> [Pillar 10 oversight] <-> [Pillar 11 transparency]
        ^                  ^                  ^
        |                  |                  |
     [Red team] <-> [Threat register] <-> [Judicial review]
                         |
                 [Public challenge rights]
```

Identity scale gate

```
[Humane floor] -> [Provisional personhood] -> [Core resident continuity] -> [Civic activation]
                                                        |
                                        [Scale unlock only after pilot proof]
```

Twelve-Pillar Protocol v29 - Technical Reference Sync Addendum

No-loss technical companion bridge aligned to the current v29 master

Purpose. This addendum converts the existing diagrammed technical reference into a v29-aligned no-loss edition. The predecessor technical reference remains fully preserved. This addendum does not replace the earlier diagrams or orientation notes; it adds the hardening overlays that now matter for system review.

v29 overlays reviewers must now apply. First, a **system integrity layer** sits across the protocol: stewardship, system humility, incentive clarity, simplicity constraints, and identity limitations. Second, the anti-capture **immune function** is distributed across constitutional invariants, oversight execution, transparency, review architecture, and red-team operations rather than concentrated in a single pillar. Third, there is now an explicit **identity scale gate**: the system cannot scale safely without a proven, non-coercive identity solution with acceptable fraud control and humane recovery. Fourth, **definition governance** is now a first-order review concern; protected terms cannot drift through technical or administrative reinterpretation.

Reviewer update. When using the technical reference, reviewers should now ask four additional questions: (1) where can scalable LC-to-EC arbitrage reappear; (2) whether contribution incentives remain strong without recreating domination; (3) whether identity assurance is correctly tiered by consequence; and (4) whether a proposed change is semantically substantive even if framed as technical.

Companion document rule. The technical reference remains a quick orientation tool. It should always be read alongside the master and updated when the patch log adds a new structural mitigation that changes flows, boundaries, or review triggers.

Twelve-Pillar Protocol v29 — Technical Reference Sync

Sessions 2–4 Diagram Supplement

Purpose. This supplement extends the diagrammed technical reference with the structural changes introduced in Sessions 2–4. It follows the same format: diagram, design note, key implication, failure watch.

Reading rule. These diagrams use text-rendered flow notation. Boxes [ ] indicate institutions or decision points. Arrows -> indicate flow or escalation. Double arrows <-> indicate mutual dependency. || indicates a gate or constraint.

Diagram S2-1: Governance Throughput Flow (P-005)

Design note: prevent anti-capture protections from becoming paralysis mechanisms.

Key implication: constitutional and operational queues are separated; throughput is guaranteed by category minimum.

Failure watch: operational sub-panel capture; interim bridge scope creep; deadlock (see Diagram S3-1).

Proposal enters pipeline	
Priority score assigned (impact × urgency × reversibility)	
Intake throttle: above capacity threshold?	
NO → defer to next quarter (published reasoning)	YES → enters queue
Classification: Constitutional (H-1/H-2/H-3) or Operational (Tier 3)?	
CONSTITUTIONAL → Full CRP (11 members) → No SLA pressure from operational backlog	OPERATIONAL → 3-member rotating sub-panel → 7-day SLA
Categorical floor check: is minimum slot guaranteed? (identity / supply / enforcement / governance / unreserved — 1 each minimum)	
Cross-quarter crisis? → Interim Operational Authority activates (Ombuds + 1 CRP rotating + Regional Executive Body, joint) → Scope locked to emergency declaration → 72-hour max, provisional, cannot narrow humane floor	

Diagram S2-2: PCRP Authority Decision Tree (P-006)

Design note: close the governance vacuum between event occurrence and oracle confirmation.

Key implication: PCRP requires source independence; demand-context flag suspends solo activation.

Failure watch: oracle manipulation poisoning corroboration (→ P-012 AE2.1); PCRP scope creep ('supply shock' is protected term).

Supply disruption signal received (sentinel or operational report)	
Is sentinel structurally independent of oracle?	YES →NO → single-source PCRP only (reduced scope)
Is corroboration source structurally independent of sentinel?	YES →NO → single-source PCRP only (reduced scope)
Is demand-context flag active? (EC enforcement / mass re-verification / detection)	NO → YES → Ombuds co-certification required before activation
2+ independent sources confirmed. Is next oracle > 24 hours away?	YES →NO → wait for oracle; no PCRP needed
PCRP ACTIVATES (Regional Executive Body, joint) Permitted: 70% above-baseline issuance rate, reserve release, expedited oracle review, public notice Prohibited: full SQ, humane floor narrowing, other categories, >72h	
Oracle confirms?	YES → full SQ; PCRP supersededNO → PCRP terminates; full restoration;

Diagram S2-3: Diversity Pool Architecture (P-008)

Design note: prevent epistemic monoculture in oversight bodies; pool design is the control, not draw-moment correction.

Key implication: diversity is a pool-depth requirement; pools must be built before roles need filling.

Failure watch: pool saturation through coordinated Protected Pause (→ P-009); Ombuds Office becoming an elite formation site.

Axis	Requirement	Metric (Pillar 11)	Pool alert threshold
Institutional origin	≤30% from same employer type (gov / academic / NGO / enterprise)	Origin diversity score per body	<70% target → pool depth alert
Contribution type	≥30% primary CR from informal, care, or non-institutional categories	Category distribution of pool members	<30% informal/care → alert
Geographic	≥25% from non-urban-dense regions	Regional distribution of pool	<25% non-urban → alert
Cohort cooling	≤2 co-service cohort members sharing review authority (P-008 AC3.5) + paused members count (P-009 AF7)	Cohort overlap index	>2 simultaneous → alert
Pause saturation	≤20% of pool simultaneously in Protected Pause (P-009 AF5)	% pool in pause	≥20% → pool-health review

Diagram S2-4: Protected Pause Graduated Renewal (P-009)

Design note: exploit detection at renewal, not access deterrence at initiation.

Key implication: all qualifying hardship is approved under any review standard; only intensity of scrutiny scales.

Failure watch: CFRL must communicate this clearly or graduated renewal becomes narrative attack surface (T-011 × T-009 linkage).

Stage	Trigger	Evidence Standard	Review Body	CR Decay During

First activation	Any qualifying hardship category	Lightweight — self-declaration with one supporting evidence element	Local Review Office 3-day SLA	2% per quarter (20% of normal)
First renewal	Quarter 5	Structured — same category plus status update	Local RO + case file 5-day SLA	2% per quarter
Second renewal	Quarter 9	Mid-intensity — full evidence bundle; documentation review	Regional review board 7-day SLA	2% per quarter
Third+ renewal	Quarter 13+	High-intensity — independent panel; standard based on prior cases	Independent panel 14-day SLA Published aggregate stats	2% per quarter

CR slow-decay calibration: 4-quarter pause → ~8% CR loss (negligible for genuine users). 12-quarter rotation exploit → ~22% loss (drains high-impact thresholds). DW decay freeze unchanged — cliff-effect protection fully preserved.

Diagram S3-1: Emergency Governance Deadlock Resolution (P-012)

Design note: when multiple legitimate processes simultaneously block a mandatory decision, the humane floor must survive regardless.

Key implication: arbitration panel has no constitutional authority — only operational baseline and timeline-setting.

Failure watch: deadlock engineered deliberately to force panel arbitration (→ panel scope discipline); second-generation deadlock escalates to Level 5.

```
Mandatory emergency decision blocked by 2+ simultaneous legitimate processes

→ EMERGENCY DEADLOCK auto-declared

STEP 1: Humane Floor Bridge (immediate, unconditional)
Level 4 regional continuity provisions activate. Survival access maintained regardless of deadlock.

STEP 2: Deadlock Arbitration Panel (within 6 hours)
Composition: 1 Ombuds officer + 1 reserve CRP member (not involved in contested classification)
             + 1 regional judicial officer
Authority ONLY: (a) establish temporary operational baseline protecting humane floor
                (b) set binding resolution timeline for blocking processes

STEP 3: Scope Freeze (during deadlock)
No new SQ activations. No new PCRP activations. No power expansion.

STEP 4: Blocking processes resolve through normal channels
Sequential cap audit || CRP classification dispute || P-008 cohort staffing gap

STEP 5: Mandatory root-cause review
Which procedural rules enabled the triple-block? Amendment needed?

Second-generation deadlock (panel itself blocked) → Level 5 structural review
```

Reviewer update for Sessions 2–4. When reviewing the protocol, apply these additional questions: (1) Does this decision path have a throughput guarantee, or can it be blocked by valid competing processes? (2) Are the measurement sources for any PCRP activation structurally independent? (3) Is the diversity pool deep enough to survive a simultaneous pause-saturation event? (4) Is the hardship renewal standard graduated or uniform?