Comparison among responses from L'Aquila (Italy) and Tohoku (Japan) Earthquakes

Egidio RIZZI

April 2011

Università di Bergamo, Facoltà di Ingegneria (Dalmine), Dipartimento di Progettazione e Tecnologie, I-24044 Dalmine, Italy

> http://www.unibg.it/pers/?egidio.rizzi egidio.rizzi@unibg.it



L'Aquila Earthquake (Italy)

06 April 2009 M 5.8 AQV – WE PGA 646.1 cm/s² = 0.659 g

Tohoku Earthquake (Japan)

11 March 2011 M 9.0 MYG004 – NS PGA 2647.8 cm/s² = 2.699 g




INPUT
$$h(t) = \frac{1}{m \omega_d} e^{-\zeta \omega_I t} \sin(\omega_d t), \ \omega_d = \omega_I \sqrt{1 - \zeta^2} \quad \textbf{OUTPUT}$$
$$u(t) = \int_{+\infty}^{+\infty} h(t - \tau) f(\tau) d\tau$$

$$f(t) = -m \ a_g(t) \qquad -\infty$$

u(t) TIME DOMAIN

$$F(\omega) = \int_{-\infty}^{+\infty} f(t) e^{-i\omega t} dt$$



$$u(t) = \frac{1}{2\pi} \int_{-\infty}^{+\infty} U(\omega) e^{i\omega t} d\omega$$

$$F(\omega) = -m A_g(\omega)$$


 $U(\omega)$ FREQUENCY


$$U(\omega) = H(\omega) F(\omega)$$


$$H(\omega) = (k - \omega^{2} m + i \omega c)^{-1} = m^{-1} (\omega_{l}^{2} - \omega^{2} + i 2 \zeta \omega_{l} \omega)^{-1}$$




L'Aquila (Italy), 06 April 2009, M 5.8, AQV – WE













Tohoku (Japan), 11 March 2011, M 9.0, MYG004 – NS





L'Aquila (Italy), M 5.8 vs. Tohoku (Japan), M 9.0












Tohoku (Japan), 11 March 2011, M 9.0, MYG004 – NS



L'Aquila (Italy), M 5.8 vs. Tohoku (Japan), M 9.0

