

SDG Goal 11 Sustainable cities and communities

SDG Target 11.6 By 2030, reduce the adverse per capita environmental impact of cities,

including by paying special attention to air quality and municipal and

other waste management

SDG Indicator 11.6.2 Annual mean levels of fine particulate matter (e.g. PM_{2.5} and PM₁₀) in cities

(population weighted)

Time series Population weighted annual mean levels of fine particulate matter

1. General information on the time series

• Date of national metadata: 25 October 2023

• National data: http://sdg-indicators.de/11-6-2/

• Definition: The time series shows the average PM_{2·5} and PM₁₀ concentration per year in Germany, weighted by population.

• Disaggregation: fine particulate matter

2. Comparability with the global metadata

• Date of global metadata: March 2023

• Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-11-06-02.pdf

• The time series is not compliant with the global metadata, but provides additional information. It covers data on PM₁₀ and PM₂₋₅ concentrations. The time series is population weighted across urban and rural areas in Germany with the exclusion of highly polluted traffic and industrial sites and not only across urban areas.

3. Data description

The data is derived from the German Environment Agency (UBA). The dataset for the time series is
calculated by combining modelled data from the REM-CALGRID chemical transport model with PM₁₀
respectively PM_{2,5} data provided by the Federal States of Germany and the UBA. The data are combined
with the spatial distribution of population density and are finally distributed among the different PM₁₀
respectively PM_{2,5} concentration classes as an annual mean.

4. Access to data source

Population-weighted particulate matter exposure (PM_{2,5}):
 https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter

• Population-weighted particulate matter exposure (PM₁₀): https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter-0

5. Metadata on source data

Population-weighted particulate matter exposure (PM₂,₅):
 https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter

• Population-weighted particulate matter exposure (PM₁₀): https://www.umweltbundesamt.de/en/indicator-population-weighted-particulate-matter-0

6. Timeliness and frequency

- Timeliness: Not available.
- Frequency: Annual

Federal Statistical Office Page 1 of 4



7. Calculation method

- Unit of measurement: Micrograms per m³
- Calculation:

Complex calculation method.

Federal Statistical Office Page 2 of 4



SDG Goal 11 Sustainable cities and communities

SDG Target 11.6 By 2030, reduce the adverse per capita environmental impact of cities,

including by paying special attention to air quality and municipal and

other waste management

SDG Indicator 11.6.2 Annual mean levels of fine particulate matter (e.g. PM_{2.5} and PM₁₀) in cities

(population weighted)

Time series Population with excessive exposure to fine particulate matter

1. General information on the time series

• Date of national metadata: 6 July 2023

• National data: http://sdg-indicators.de/11-6-2/

- Definition: The time series shows the population exposed to a concentration of fine particulate matter higher than the 2021 guideline values defined by WHO.
- Disaggregation: fine particulate matter

2. Comparability with the global metadata

- Date of global metadata: March 2023
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-11-06-02.pdf
- The time series is not compliant with the global metadata, but provides additional information. It covers data on PM₁₀ and PM₂₋₅ concentrations. The time series represents data across urban and rural areas in Germany and not only across urban areas. Instead of the mean levels of fine particulate matter, it shows the population number exposed to fine particulate matter higher than the 2021 guideline values defined by the WHO.

3. Data description

• The data is provided by the German Environment Agency (UBA). The dataset for the time series is calculated by combining modelled data from the REM-CALGRID chemical transport model with PM₁₀ measurement data provided by the Federal States of Germany and the UBA and additional spatial interpolation procedures. The PM₁₀ data are first converted into PM_{2.5} concentrations and are then combined with the spatial distribution of population density.

4. Access to data source

- Population exposed to PM_{2.5} -concentrations exceeding the WHO 2021 annual mean guideline value: https://www.umweltbundesamt.de/en/data/environmental-indicators/indicator-population-exposure-to-particulate-matter
- Population exposed to PM₁₀ -concentrations exceeding the WHO 2021 annual mean guideline value: https://www.umweltbundesamt.de/en/indicator-population-exposure-to-particulate-matter

5. Metadata on source data

- Population exposed to PM_{2·5} -concentrations exceeding the WHO 2021 annual mean guideline value: https://www.umweltbundesamt.de/en/data/environmental-indicators/indicator-population-exposure-to-particulate-matter
- Population exposed to PM₁₀ -concentrations exceeding the WHO 2021 annual mean guideline value: https://www.umweltbundesamt.de/en/indicator-population-exposure-to-particulate-matter

Federal Statistical Office Page 3 of 4



6. Timeliness and frequency

• Timeliness: Not available.

• Frequency: Annual

7. Calculation method

• Unit of measurement: Million inhabitants

• Calculation:

Complex calculation method.

Federal Statistical Office Page 4 of 4