

SDG Target 6.6 By 2020, protect and restore water-related ecosystems, including

mountains, forests, wetlands, rivers, aquifers and lakes

SDG Indicator 6.6.1 Change in the extent of water-related ecosystems over time

Time series Lakes and Rivers permanent water area

1. General information on the time series

• Date of national metadata: 1 September 2022

• National data: http://sdg-indicators.de/6-6-1/

- Definition: The time series measures the extent of lakes and rivers based on the Ecosystem Extent Account. For lakes, the ecosystem classes "large, natural lakes" (B01.21) and "other, small lakes" (B01.29) have been taken into account. The ecosystem classes "large, heavily modified lakes" (B01.22) and "large, artificial lakes" (B01.23) are considered to be reservoirs following the definition in the global metadata and therefore not inlcuded here. For water courses, all ecosystem classes of the ecosystem group "water courses" (B01.1) are taken into account. These inlcude "large, natural water courses" (B01.11), "large, heavily modified water courses" (B01.12), "large, artificial water courses" (B01.13) and "other, small water courses" (B01.19).
- Disaggregation: Not available.

2. Comparability with the global metadata

- Date of global metadata: July 2021
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-06-06-01a.pdf
- The time series is compliant with the global metadata.

3. Data description

• Data stems from the Ecosystem Extent Account that is part of the Environmental-Economic Accounting for Germany.

4. Access to data source

Area balance sheet of ecosystems: Freshwater:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Tables/b01-freshwater.html

5. Metadata on source data

• Methods of the Ecosystem Extent Account:

https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/methods-ecosystem-extent-account.pdf?__blob=publicationFile

National Ecosystem Classification for Germany:
 https://www.dostatis.do/EN/Thomas/Society Environment

https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/national-ecosystem-classification-5852206219004.pdf

6. Timeliness and frequency

• Timeliness: t + 14 months

• Frequency: Every 3 years

Federal Statistical Office Page 1 of 10



7. Calculation method

- Unit of measurement: km²
- Calculation:

 $\begin{array}{lll} \textbf{Lakes and Rivers} & = & \textbf{Water Courses} \\ \textbf{permanent water area} & = & \textbf{Water Courses} \\ \textbf{(B 01.1)[km^2]} & + & \textbf{Lakes} \\ \textbf{(B 01.2)[km^2]} & - & \textbf{Large artificial} \\ \textbf{lakes (B 01.23)[km^2]} & - & \textbf{modified lakes (B 01.22)[km^2]} \\ \end{array}$

Federal Statistical Office Page 2 of 10



SDG Target 6.6 By 2020, protect and restore water-related ecosystems, including

mountains, forests, wetlands, rivers, aquifers and lakes

SDG Indicator 6.6.1 Change in the extent of water-related ecosystems over time

Time series Lakes and rivers permanent water area as a proportion of total land area

1. General information on the time series

• Date of national metadata: 1 September 2022

• National data: http://sdg-indicators.de/6-6-1/

- Definition: The time series measures the extent of lakes and rivers as a proportion of total land area based on the Ecosystem Extent Account. For lakes, the ecosystem classes "large, natural lakes" (B01.21) and "other, small lakes" (B01.29) have been taken into account. The ecosystem classes "large, heavily modified lakes" (B01.22) and "large, artificial lakes" (B01.23) are considered to be reservoirs following the definition in the global metadata and therefore not inlouded here. For water courses, all ecosystem classes of the ecosystem group "water courses" (B01.1) are taken into account. These inloude "large, natural water courses" (B01.11), "large, heavily modified water courses" (B01.12), "large, artificial water courses" (B01.13) and "other, small water courses" (B01.19). For the calculation of the total land area, all terrestrial areas (included in the ecosystem division A "Terrestrial areas") and the freshwater area (included in ecosystem group B01 "Freshwater") are taken into account.
- Disaggregation: Not available.

2. Comparability with the global metadata

- Date of global metadata: July 2021
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-06-06-01a.pdf
- The time series is compliant with the global metadata.

3. Data description

 Data stems from the Ecosystem Extent Account that is part of the Environmental-Economic Accounting for Germany.

4. Access to data source

Area balance sheet of ecosystems: Freshwater:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Tables/b01-freshwater.html

5. Metadata on source data

- Methods of the Ecosystem Extent Account: https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/methods-ecosystem-extent-account.pdf?__blob=publicationFile
- National Ecosystem Classification for Germany: https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/national-ecosystem-classification-5852206219004.pdf

Federal Statistical Office Page 3 of 10



6. Timeliness and frequency

Timeliness: t + 14 monthsFrequency: Every 3 years

7. Calculation method

• Unit of measurement: Percentage

• Calculation:

Federal Statistical Office Page 4 of 10



SDG Target 6.6 By 2020, protect and restore water-related ecosystems, including

mountains, forests, wetlands, rivers, aquifers and lakes

SDG Indicator 6.6.1 Change in the extent of water-related ecosystems over time

Time series Wetlands area

1. General information on the time series

• Date of national metadata: 1 September 2022

• National data: http://sdg-indicators.de/6-6-1/

- Definition: The time series measures the extent of wetlands based on the Ecosystem Extent Account. For wetlands, the ecosystem classes "Marshes" (A04.21), "Peatbogs with active cutting" (A04.22), "Natural or renaturalized peatbogs" (A04.23) and "Natural or renaturalized fens" (A04.24) are taken into account.
- Disaggregation: Not available.

2. Comparability with the global metadata

- Date of global metadata: July 2021
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-06-06-01a.pdf
- The time series is compliant with the global metadata.

3. Data description

 Data stems from the Ecosystem Extent Account that is part of the Environmental-Economic Accounting for Germany.

4. Access to data source

• Area balance sheet of ecosystems: Semi-natural open areas: https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Tables/a04-open-areas.html

5. Metadata on source data

• Methods of the Ecosystem Extent Account:

https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/methods-ecosystem-extent-account.pdf?__blob=publicationFile

 National Ecosystem Classification for Germany: https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/national-ecosystem-classification-5852206219004.pdf

6. Timeliness and frequency

Timeliness: t + 14 monthsFrequency: Every 3 years

Federal Statistical Office Page 5 of 10



7. Calculation method

- Unit of measurement: km²
- Calculation:

$$\begin{array}{lll} \textbf{Wetland} & = \underset{\text{(A 04.21)[km^2]}}{\textbf{Marshes}} = \underset{\text{(A 04.22)[km^2]}}{\textbf{Marshes}} & + \underset{\text{cutting}}{\textbf{eactive}} & + \underset{\text{renaturalized}}{\textbf{matural or}} & + \underset{\text{renaturalized}}{\textbf{matural or}} & + \underset{\text{renatural ized}}{\textbf{matural or}} & + \underset{\text{renatural or}}{\textbf{matural or}} & + \underset{\text{r$$

Federal Statistical Office Page 6 of 10



SDG Target 6.6 By 2020, protect and restore water-related ecosystems, including

mountains, forests, wetlands, rivers, aquifers and lakes

SDG Indicator 6.6.1 Change in the extent of water-related ecosystems over time

Time series Wetlands area as a proportion of total land area

1. General information on the time series

• Date of national metadata: 1 September 2022

• National data: http://sdg-indicators.de/6-6-1/

- Definition: The time series measures the extent of wetlands as a proportion of total land area based on the Ecosystem Extent Account. For wetlands, the ecosystem classes "Marshes" (A04.21), "Peatbogs with active cutting" (A04.22), "Natural or renaturalized peatbogs" (A04.23) and "Natural or renaturalized fens" (A04.24) are taken into account. For the calculation of the total land area, all terrestrial areas (included in the ecosystem division A "Terrestrial areas") and the freshwater area (included in ecosystem group B01 "Freshwater") are taken into account.
- Disaggregation: Not available.

2. Comparability with the global metadata

- Date of global metadata: July 2021
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-06-06-01a.pdf
- The time series is compliant with the global metadata.

3. Data description

• Data stems from the Ecosystem Extent Account that is part of the Environmental-Economic accounting for Germany.

4. Access to data source

Area balance sheet of ecosystems: Semi-natural open areas:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Tables/a04-open-areas.html

5. Metadata on source data

Methods of the Ecosystem Extent Account:

https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/methods-ecosystem-extent-account.pdf?__blob=publicationFile

• National Ecosystem Classification for Germany:

https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/national-ecosystem-classification-5852206219004.pdf

6. Timeliness and frequency


- Timeliness: t + 14 months
- Frequency: Every 3 years

Federal Statistical Office Page 7 of 10



7. Calculation method

- Unit of measurement: Percentage
- Calculation:



Federal Statistical Office Page 8 of 10



SDG Target 6.6 By 2020, protect and restore water-related ecosystems, including

mountains, forests, wetlands, rivers, aguifers and lakes

SDG Indicator 6.6.1 Change in the extent of water-related ecosystems over time

Time series Lakes and Rivers permanent water area change (compared to 2015)

1. General information on the time series

• Date of national metadata: 1 September 2022

• National data: http://sdg-indicators.de/6-6-1/

- Definition: The time series measures the change in the extent of lakes and rivers based on the Ecosystem Extent Account. For lakes, the ecosystem classes "large, natural lakes" (B01.21) and "other, small lakes" (B01.29) have been taken into account. The ecosystem classes "large, heavily modified lakes" (B01.22) and "large, artificial lakes" (B01.23) are considered to be reservoirs following the definition in the global metadata and therefore not inlcuded here. For water courses, all ecosystem classes of the ecosystem group "water courses" (B01.1) are taken into account. These inlcude "large, natural water courses" (B01.11), "large, heavily modified water courses" (B01.12), "large, artificial water courses" (B01.13) and "other, small water courses" (B01.19).
- Disaggregation: Not available.

2. Comparability with the global metadata

- Date of global metadata: July 2021
- Global metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-06-06-01a.pdf
- The time series is partly compliant with the global metadata. The baseline year against which the change is measured differs from the global metadata.

3. Data description

• Data stems from the Ecosystem Extent Account that is part of the Environmental-Economic Accounting for Germany.

4. Access to data source

Area balance sheet of ecosystems: Freshwater:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Tables/b01-freshwater.html

5. Metadata on source data

- Methods of the Ecosystem Extent Account:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/methods-ecosystem-extent-account.pdf?__blob=publicationFile
- National Ecosystem Classification for Germany:
 https://www.destatis.de/EN/Themes/Society-Environment/Environment/Environmental-Economic-Accounting/ecosystem-account/Methods/national-ecosystem-classification-5852206219004.pdf

Federal Statistical Office Page 9 of 10



6. Timeliness and frequency

Timeliness: t + 14 monthsFrequency: Every 3 years

7. Calculation method

• Unit of measurement: Percentage

• Calculation:

Lakes and Rivers Lakes and Rivers permanent water area change t Lakes and Rivers Lakes and Rivers permanent water area $[km^2]$ t area $[km^2]$ 2015 $[km^2]$ Lakes and Rivers permanent water area $[km^2]$ 2015

Federal Statistical Office Page 10 of 10