| | |
|---|---|
| SDG Goal 3 | Good health and well-being |
| SDG Target 3.4 | By 2030, reduce by one third premature mortality from non-communicable diseases through prevention and treatment and promote mental health and well-being |
| SDG Indicator 3.4.1 | Mortality rate attributed to cardiovascular disease, cancer, diabetes or chronic respiratory disease |
| Time series | Mortality rate attributed to cardiovascular disease, cancer, diabetes or chronic respiratory disease |

1. General information on the time series
   - Date of national metadata: July 16, 2026
   - National data: https://sdg-indicators.de/3-4-1
   - Definition: The time series shows the probability of dying from (a) diseases of the circulatory system, (b) malignant neoplasms, (c) diabetes mellitus, or (d) chronic respiratory diseases between the ages of 30 and just under 70.

     Classification is based on ICD-10 codes. ICD-10 is the 10th Revision of the International Statistical Classification of Diseases and Related Health Problems. In its German Modification (ICD-10-GM), it serves as the official classification system for coding diagnoses in outpatient and inpatient care in Germany.

     The following ICD-10 codes are included:
     I00-I99: (a) Diseases of the circulatory system
     COO-C97: (b) Malignant neoplasms
     E10-E14: (c) Diabetes mellitus
     J30-J98: (d) Chronic respiratory disease

   - Disaggregation: Sex, Type of disease

2. Comparability with the UN metadata
   - Date of UN metadata: December 2024
   - UN metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-03-04-01.pdf
   - The time series is compliant with the UN metadata.

3. Data description
   - The number of deaths is taken from the Federal Statistical Office's statistics on causes of death and is based on an analysis of death certificates issued by medical doctors.

     The calculation uses the retroactively calculated average population figures from the Federal Statistical Office. For the year 2010, these figures are based on the 2011 Census as well as migration, birth, and death statistics; for the years 2012 through 2021, the calculation was performed accordingly based on the 2022 Census.

4. Access to data source
   - GBE – Table: Deaths, Mortality figures [Selections: Hierarchy: ICD-10 A00-T98 (3-Steller); ICD10: C00-C97, E10-E14, I00-I99, J30-J98]; Age: 30 to under 35 years, ..., 65 to under 70 years]: https://www.gbe-bund.de/gbe/isgbe.fundstellen?p_uid=gast&p_aid=99629820&p_sprache=E&p_thema_id=3900&p_action=TRT
   - Average population: GENESIS online 12411-0041: https://www-genesis.destatis.de/genesis//online?operation=table&code=12411-0041&bypass=true&levelindex=1&levelid=1639396599054#abreadcrumb
   - Population data based on Census 2022 (only available in German): https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Bevoelkerung/Bevoelkerungsstand/_inhalt.html#sprg233540

5. Metadata on source data
   - Quality Report – Causes of death statistics (only available in German): https://www.destatis.de/DE/Methoden/Qualitaet/Qualitaetsberichte/Gesundheit/todesursachen.pdf
   - Quality Report – Microcensus (only available in German): https://www.destatis.de/DE/Methoden/Qualitaet/Qualitaetsberichte/Bevoelkerung/einfuehrung.html

6. Timeliness and frequency
   - Timeliness: t + 8.5 months
   - Frequency: Annual

7. Calculation method
   - Unit of measurement: Number in 1,000
   - Calculation:

$$\text{Mortality rate} = 1 - \prod_{x = 30;35;40;...65} (1 - q_x)$$

With:
Mortality rate per age group x = $q_x$

$$q_x = \frac{5 \cdot {}^{D_x}/_{N_x}}{1 + 2{,}5 \cdot {}^{D_x}/_{N_x}}$$

With:
Dx = Population age group x
Nx = Deaths age group x