SDG Goal 3	Good health and well-being
SDG Target 3.3	By 2030, end the epidemics of AIDS, tuberculosis, malaria and neglected tropical diseases and combat hepatitis, water-borne diseases and other communicable diseases
SDG Indicator 3.3.1	Number of new HIV infections per 1,000 uninfected population, by sex, age and key populations
Time series	New HIV infections

1. General information on the time series
   - Date of national metadata: May 7, 2026
   - National data: https://sdg-indicators.de/3-3-1
   - Definition: The time series shows the number of new HIV infections per 1,000 inhabitants.
   - Disaggregation: Sex
2. Comparability with the UN metadata
   - Date of UN metadata: March 2025
   - UN metadata: https://unstats.un.org/sdgs/metadata/files/Metadata-03-03-01.pdf
   - The time series is compliant with the UN metadata. However, it differs in the denominator, as it is calculated per total population rather than per uninfected population as specified in the UN metadata.
3. Data description
   - The Infection Protection Act (Infektionsschutzgesetz, IfSG), which came into force in January 2001, regulates the statutory notification of certain communicable diseases in Germany. Notifications are generally submitted by medical doctors and laboratories and are mandatory. Nevertheless, underreporting may occur, as not all diagnosed notifiable diseases are fully recorded within the reporting system.

     Data on new HIV infections are modelled by the Robert Koch Institute (RKI) based on HIV infections reported in accordance with Section 7 (3) of the IfSG. When estimating the number of new HIV infections for a given year, developments compared with the previous year are also taken into account; this results in revisions of the entire time series. This approach ensures comparability across individual years.

     For the calculation of HIV incidence, the numerator is the estimated average number of new HIV infections (rather than the lower and upper bounds), and the denominator is the population (in millions, rounded to one decimal place).

     The population data are taken from the population updates of the Federal Statistical Office. For the calculation of population data, the retroactively calculated average population is used. For 2010, this is based on the 2011 census as well as migration, birth, and death statistics; for the years 2012 to 2021, the calculation is based on the 2022 census.

4. Access to data source
   - HIV (only available in German): https://www.rki.de/DE/Themen/Infektionskrankheiten/Infektionskrankheiten-A-Z/H/HIV-AIDS/hiv-aids-node.html
   - Average population – GENESIS online 12411-0041: https://www-genesis.destatis.de/genesis//online?operation=table&code=12411-0041&bypass=true&levelindex=1&levelid=1639396599054#abreadcrumb
   - Population data based on Census 2022 (only available in German): https://www.destatis.de/DE/Themen/Gesellschaft-Umwelt/Bevoelkerung/Bevoelkerungsstand/_inhalt.html#sprg233540

5. Metadata on source data
   - HIV (only available in German): https://www.rki.de/DE/Themen/Infektionskrankheiten/Infektionskrankheiten-A-Z/H/HIV-AIDS/hiv-aids-node.html
   - Quality Report – Microcensus (only available in German): https://www.destatis.de/DE/Methoden/Qualitaet/Qualitaetsberichte/Bevoelkerung/einfuehrung.html

6. Timeliness and frequency
   - Timeliness: t + 11 months
   - Frequency: Annual

7. Calculation method
   - Unit of measurement: Per 1,000 inhabitants
   - Calculation: Not applicable.