# <u>Тема 2.3.1. Использование АРІ для получения данных</u> сайтов

## Вызовы АРІ

API (Application programming interface) – способ, посредством которого одна программа может взаимодействовать с другой.

Программа (например, на языке Python) может использовать API веб-приложения для запроса конкретной информации с сайта.

Далее, на основании загруженных данных можно будет построить визуализацию этих данных.

## **АРІ** веб-приложений.

API веб-приложения – это часть веб-сайта, которая может взаимодействовать с программой посредством особым образом построенного url-адреса для запроса информации. Такой запрос называется вызовом API. Например:

response = requests.get('https://example.com')

Запрашиваемые данные возвращаются в удобном формате (например, CSV или JSON).

## Библиотека Requests

Для выполнения API-запросов в Python используется библиотека Requests. Она предлагает интерфейс для синхронного выполнения HTTP-запросов. Прежде чем использовать, библиотеку Requests нужно установить (pip install requests) и импортировать в программу(import requests).

Пример построения запроса:

```
import requests
```

```
response = requests.get('https://example.com')
print(response) #<Response [200]> код 200 - признак успешного ответа
```

## Пример

Построение запроса для получения данных с сайта GitHub. Это сайт для организации совместной работы программистов над проектами.

На нем хранятся данные о версиях проектов. Данные организованы в виде репозиториев, содержащих все ресурсы, связанные с проектом.

Лучшие проекты пользователи отмечают звездой.

Запрос для выгрузки информации о самых «звездных» проектах:

# import requests

# #Создание вызова АРІ

```
url = 'https://api.github.com/search/repositories?q =
language:python&sort=stars'
headers = {'Accept':'application/vnd.github.v3+json'}
r = requests.get(url,headers=headers)
print(f"Status code:{r.status_code}") # Status code:200
```

# Сохрание ответа API в переменной response\_dict и вывод на печать

```
response_dict = r.json()
```

```
print(response_dict.keys()) # словарь ответа dict_keys(['total_count',
'incomplete_results', 'items'])
```

# Работа со словарем ответа

## # Анализ информации о репозиториях

```
repo dicts = response dict['items']
print(f"Repositories returned:{len(repo_dicts)}") # Repositories returned:30
# Анализ первого репозитория
repo dict = repo dicts[0]
print(f"\nKeys:{len(repo_dict)}") #Keys:74
print(repo dict)
for key in sorted(repo_dict.keys()):
                        # вывод всех ключей словаря
  print(key)
print("\nSelected information about first repository:")
print(f"Name:{repo_dict['name']}")
print(f"Owner:{repo dict['owner']}")
print(f"Stars:{repo dict['stargazers count']}")
print(f"Repository:{repo dict['html url']}")
print(f"Created:{repo dict['created at']}")
print(f"Updated:{repo dict['updated at']}")
print(f"Description:{repo dict['description']}")
```

#### Результат выполнения программы:

<Response [200]>

```
Status code:200
```

Total repositories:7904408

dict\_keys(['total\_count', 'incomplete\_results', 'items'])

Repositories returned:30

#### Keys:74

```
{'id': 54346799, 'node id': 'MDEwOlJlcG9zaXRvcnk1NDM0Njc5OQ==', 'name':
'public-apis', 'full name': 'public-apis/public-apis', 'private': False, 'owner': {'login':
'public-apis', 'id': 51121562, 'node id': 'MDEyOk9yZ2FuaXphdGlvbjUxMTlxNTYy',
'avatar_url': 'https://avatars.githubusercontent.com/u/51121562?v=4',
'gravatar_id': '', 'url': 'https://api.github.com/users/public-apis', 'html_url':
'https://github.com/public-apis', 'followers url':
'https://api.github.com/users/public-apis/followers', 'following url':
'https://api.github.com/users/public-apis/following{/other_user}', 'gists_url':
'https://api.github.com/users/public-apis/gists{/gist id}', 'starred url':
'https://api.github.com/users/public-apis/starred{/owner}{/repo}',
'subscriptions_url': 'https://api.github.com/users/public-apis/subscriptions',
'organizations url': 'https://api.github.com/users/public-apis/orgs', 'repos url':
'https://api.github.com/users/public-apis/repos', 'events url':
'https://api.github.com/users/public-apis/events{/privacy}',
'received_events_url': 'https://api.github.com/users/public-
apis/received events', 'type': 'Organization', 'site admin': False}, 'html url':
'https://github.com/public-apis/public-apis', 'description': 'A collective list of free
APIs', 'fork': False, 'url': 'https://api.github.com/repos/public-apis/public-apis',
'forks url': 'https://api.github.com/repos/public-apis/public-apis/forks',
'keys url': 'https://api.github.com/repos/public-apis/public-apis/keys{/key id}',
'collaborators_url': 'https://api.github.com/repos/public-apis/public-
apis/collaborators{/collaborator}', 'teams url':
'https://api.github.com/repos/public-apis/public-apis/teams', 'hooks url':
'https://api.github.com/repos/public-apis/public-apis/hooks', 'issue_events_url':
'https://api.github.com/repos/public-apis/public-apis/issues/events{/number}',
'events url': 'https://api.github.com/repos/public-apis/public-apis/events',
'assignees_url': 'https://api.github.com/repos/public-apis/public-
apis/assignees{/user}', 'branches_url': 'https://api.github.com/repos/public-
apis/public-apis/branches{/branch}', 'tags url':
'https://api.github.com/repos/public-apis/public-apis/tags', 'blobs url':
```

```
'https://api.github.com/repos/public-apis/public-apis/git/blobs{/sha}',
'git tags url': 'https://api.github.com/repos/public-apis/public-
apis/git/tags{/sha}', 'git refs url': 'https://api.github.com/repos/public-
apis/public-apis/git/refs{/sha}', 'trees_url': 'https://api.github.com/repos/public-
apis/public-apis/git/trees{/sha}', 'statuses url':
'https://api.github.com/repos/public-apis/public-apis/statuses/{sha}',
'languages_url': 'https://api.github.com/repos/public-apis/public-apis/languages',
'stargazers_url': 'https://api.github.com/repos/public-apis/public-apis/stargazers',
'contributors url': 'https://api.github.com/repos/public-apis/public-
apis/contributors', 'subscribers_url': 'https://api.github.com/repos/public-
apis/public-apis/subscribers', 'subscription_url':
'https://api.github.com/repos/public-apis/public-apis/subscription',
'commits_url': 'https://api.github.com/repos/public-apis/public-
apis/commits{/sha}', 'git_commits_url': 'https://api.github.com/repos/public-
apis/public-apis/git/commits{/sha}', 'comments url':
'https://api.github.com/repos/public-apis/public-apis/comments{/number}',
'issue_comment_url': 'https://api.github.com/repos/public-apis/public-
apis/issues/comments{/number}', 'contents url':
'https://api.github.com/repos/public-apis/public-apis/contents/{+path}',
'compare url': 'https://api.github.com/repos/public-apis/public-
apis/compare/{base}...{head}', 'merges_url':
'https://api.github.com/repos/public-apis/public-apis/merges', 'archive url':
'https://api.github.com/repos/public-apis/public-apis/{archive_format}{/ref}',
'downloads_url': 'https://api.github.com/repos/public-apis/public-
apis/downloads', 'issues url': 'https://api.github.com/repos/public-apis/public-
apis/issues{/number}', 'pulls_url': 'https://api.github.com/repos/public-
apis/public-apis/pulls{/number}', 'milestones url':
'https://api.github.com/repos/public-apis/public-apis/milestones{/number}',
'notifications_url': 'https://api.github.com/repos/public-apis/public-
apis/notifications{?since,all,participating}', 'labels url':
'https://api.github.com/repos/public-apis/public-apis/labels{/name}',
'releases_url': 'https://api.github.com/repos/public-apis/public-
apis/releases{/id}', 'deployments_url': 'https://api.github.com/repos/public-
apis/public-apis/deployments', 'created_at': '2016-03-20T23:49:42Z',
'updated_at': '2021-09-13T06:53:53Z', 'pushed_at': '2021-09-12T16:21:21Z',
'git_url': 'git://github.com/public-apis/public-apis.git', 'ssh_url':
'git@github.com:public-apis/public-apis.git', 'clone url':
'https://github.com/public-apis/public-apis.git', 'svn url':
'https://github.com/public-apis/public-apis', 'homepage': '', 'size': 3785,
```

```
'stargazers count': 156329, 'watchers count': 156329, 'language': 'Python',
'has issues': True, 'has projects': False, 'has downloads': True, 'has wiki': False,
'has pages': False, 'forks count': 17736, 'mirror url': None, 'archived': False,
'disabled': False, 'open_issues_count': 43, 'license': {'key': 'mit', 'name': 'MIT
License', 'spdx id': 'MIT', 'url': 'https://api.github.com/licenses/mit', 'node id':
'MDc6TGljZW5zZTEz'}, 'forks': 17736, 'open issues': 43, 'watchers': 156329,
'default branch': 'master', 'score': 1.0}
archive url
archived
assignees_url
blobs url
branches_url
clone url
collaborators url
comments url
commits url
compare_url
contents url
contributors_url
created at
default branch
deployments url
description
disabled
downloads url
events url
fork
forks
```

forks\_count

```
forks_url
full_name
git_commits_url
git_refs_url
git_tags_url
git_url
has\_downloads
has_issues
has_pages
has_projects
has_wiki
homepage
hooks_url
html_url
id
issue_comment_url
issue_events_url
issues_url
keys_url
labels_url
language
languages_url
license
merges_url
milestones_url
mirror_url
name
```

```
node_id
notifications_url
open_issues
open_issues_count
owner
private
pulls_url
pushed_at
releases_url
score
size
ssh_url
stargazers_count
stargazers_url
statuses_url
subscribers\_url
subscription\_url
svn_url
tags_url
teams_url
trees_url
updated_at
url
watchers
watchers_count
```

Selected information about first repository:

```
Name:public-apis
```

```
Owner:{'login': 'public-apis', 'id': 51121562, 'node_id':

'MDEyOk9yZ2FuaXphdGlvbjUxMTIxNTYy', 'avatar_url':

'https://avatars.githubusercontent.com/u/51121562?v=4', 'gravatar_id': '', 'url':

'https://api.github.com/users/public-apis', 'html_url': 'https://github.com/public-apis', 'followers_url': 'https://api.github.com/users/public-apis/followers',

'following_url': 'https://api.github.com/users/public-apis/following{/other_user}',

'gists_url': 'https://api.github.com/users/public-apis/gists{/gist_id}', 'starred_url':

'https://api.github.com/users/public-apis/starred{/owner}{/repo}',

'subscriptions_url': 'https://api.github.com/users/public-apis/orgs', 'repos_url':

'https://api.github.com/users/public-apis/repos', 'events_url':

'https://api.github.com/users/public-apis/events{/privacy}',

'received_events_url': 'https://api.github.com/users/public-apis/received_events', 'type': 'Organization', 'site_admin': False}
```

Stars:156329

Repository:https://github.com/public-apis/public-apis

Created:2016-03-20T23:49:42Z

Updated:2021-09-13T06:53:53Z

Description: A collective list of free APIs

### Получение данных наиболее популярных репозиториев

Вывод информации о каждом репозитории, возвращаемом вызовом АРІ:

```
# Анализ информации о репозиториях repo_dicts=response_dict['items'] print(f"Repositories returned:{len(repo_dicts)}") print("\nSelected information about first repository:") for repo_dict in repo_dicts: print(f"Name:{repo_dict['name']}")
```

```
print(f"Owner:{repo dict['owner']}")
  print(f"Stars:{repo_dict['stargazers_count']}")
  print(f"Repository:{repo dict['html url']}")
  print(f"Created:{repo_dict['created_at']}")
  print(f"Updated:{repo dict['updated at']}")
  print(f"Description:{repo dict['description']}")
Результат выполнения программы:
<Response [200]>
Status code:200
Total repositories:7911026
dict_keys(['total_count', 'incomplete_results', 'items'])
Repositories returned:30
Selected information about first repository:
Name:public-apis
Owner:{'login': 'public-apis', 'id': 51121562, 'node_id':
'MDEyOk9yZ2FuaXphdGlvbjUxMTlxNTYy', 'avatar url':
'https://avatars.githubusercontent.com/u/51121562?v=4', 'gravatar id': '', 'url':
'https://api.github.com/users/public-apis', 'html_url': 'https://github.com/public-
apis', 'followers url': 'https://api.github.com/users/public-apis/followers',
'following url': 'https://api.github.com/users/public-apis/following{/other user}',
'gists url': 'https://api.github.com/users/public-apis/gists{/gist id}', 'starred url':
'https://api.github.com/users/public-apis/starred{/owner}{/repo}',
'subscriptions url': 'https://api.github.com/users/public-apis/subscriptions',
'organizations url': 'https://api.github.com/users/public-apis/orgs', 'repos url':
'https://api.github.com/users/public-apis/repos', 'events url':
'https://api.github.com/users/public-apis/events{/privacy}',
'received events url': 'https://api.github.com/users/public-
apis/received_events', 'type': 'Organization', 'site_admin': False}
Stars:156329
```

Repository:https://github.com/public-apis/public-apis

Created:2016-03-20T23:49:42Z

Updated:2021-09-13T06:53:53Z

Description: A collective list of free APIs

```
Name:system-design-primer
```

Owner:{'login': 'donnemartin', 'id': 5458997, 'node\_id':

'MDQ6VXNlcjU0NTg5OTc=', 'avatar\_url':

'https://avatars.githubusercontent.com/u/5458997?v=4', 'gravatar id': '', 'url':

'https://api.github.com/users/donnemartin', 'html\_url':

'https://github.com/donnemartin', 'followers url':

'https://api.github.com/users/donnemartin/followers', 'following url':

'https://api.github.com/users/donnemartin/following{/other\_user}', 'gists\_url':

'https://api.github.com/users/donnemartin/gists{/gist id}', 'starred url':

'https://api.github.com/users/donnemartin/starred{/owner}{/repo}',

'subscriptions\_url': 'https://api.github.com/users/donnemartin/subscriptions',

'organizations url': 'https://api.github.com/users/donnemartin/orgs', 'repos url':

'https://api.github.com/users/donnemartin/repos', 'events url':

'https://api.github.com/users/donnemartin/events{/privacy}',

'received events url':

'https://api.github.com/users/donnemartin/received events', 'type': 'User',

'site admin': False}

Stars:144000

Repository:https://github.com/donnemartin/system-design-primer

Created:2017-02-26T16:15:28Z

Updated:2021-09-13T06:59:34Z

Description:Learn how to design large-scale systems. Prep for the system design interview. Includes Anki flashcards.

#### Name:Python

Owner: ('login': 'The Algorithms', 'id': 20487725, 'node id':

'MDEyOk9yZ2FuaXphdGlvbjlwNDg3NzI1', 'avatar\_url':

'https://avatars.githubusercontent.com/u/20487725?v=4', 'gravatar id': ", 'url':

'https://api.github.com/users/TheAlgorithms', 'html url':

```
'https://github.com/TheAlgorithms', 'followers_url':
'https://api.github.com/users/TheAlgorithms/followers', 'following_url':
'https://api.github.com/users/TheAlgorithms/following{/other_user}', 'gists_url':
'https://api.github.com/users/TheAlgorithms/gists{/gist_id}', 'starred_url':
'https://api.github.com/users/TheAlgorithms/starred{/owner}{/repo}',
'subscriptions_url': 'https://api.github.com/users/TheAlgorithms/subscriptions',
'organizations_url': 'https://api.github.com/users/TheAlgorithms/orgs',
'repos_url': 'https://api.github.com/users/TheAlgorithms/repos', 'events_url':
'https://api.github.com/users/TheAlgorithms/events{/privacy}',
'received_events_url':
'https://api.github.com/users/TheAlgorithms/received_events', 'type':
'Organization', 'site_admin': False}
```

Stars:118010

Repository:https://github.com/TheAlgorithms/Python

Created:2016-07-16T09:44:01Z

Updated:2021-09-13T07:12:39Z

Description: All Algorithms implemented in Python

.....и. т.д.