

HIGHWAYS REPRESENTATION

NO OBJECTION SUBJECT TO CONDITIONS

Planning Reference:	25/01315/FUL
Location:	Land Adjacent 3 Brickfield Cottages, East Cowes Road, East Cowes, PO32 6NH
Proposal:	Proposed detached dwelling and garage
Road Status:	Unclassified publicly maintainable highway
Date of Site Visit:	12 September 2025
Date of Report:	17 September 2025
Planning Case Officer:	Hayley Byrne

History

Planning permission 21/02386/FUL was granted on the 8 August 2022 for removal of caravan and proposed dwelling.

12# planning conditions were attached of which the following relates to highways and transportation:

Condition 5

The dwelling hereby approved shall not be brought into use until sight lines have been provided in accordance with the visibility splays shown on the approved plan PL02-003 Rev. D, dated May 2022. Nothing that may cause an obstruction to visibility when taken at a height of 1.0m above the adjacent carriageway / public highway shall at any time be placed or be permitted to remain within that visibility splay.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

Condition 6.

The dwelling hereby approved shall not be brought into use until the means of vehicular access thereto has been constructed and drained in accordance with details to be submitted and

approved in writing by the Local Planning Authority based on the layout as detailed on drawing number PL02-003 Rev. D, dated May 2022.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

Condition 7.

Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (or any Order revoking and re-enacting that Order with or without modification), no gates shall be erected other than those expressly authorised by this permission/other than gates that are set back a minimum distance of 5.0 metres from the edge of the carriageway of the adjoining highway and open into the site only.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

A Highway Report was issued by this Office on the 1 June 2022 raising no objection subject to the following recommended planning conditions:

VISIBILITY AND SIGHT LINES

The development / dwelling hereby approved shall not be occupied / brought into use until sight lines have been provided in accordance with the visibility splays shown on the approved plan PL02-003 Rev. D, dated May 2022. Nothing that may cause an obstruction to visibility when taken at a height of 1.0m above the adjacent carriageway / public highway shall at any time be placed or be permitted to remain within that visibility splay.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

VEHICULAR ACCESS

The development / dwelling hereby approved shall not be occupied / brought into use until the means of vehicular access thereto has been constructed and drained in accordance with details to be submitted and approved in writing by the Local Planning Authority based on the layout as detailed on drawing number PL02-003 Rev. D, dated May 2022.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

J38 Set back of gates

Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (or any Order revoking and re-enacting that Order with or without modification), no gates shall be erected other than those expressly authorised by this permission/other than gates that are set back a minimum distance of 5.0 metres from the edge of the carriageway of the adjoining highway and open into the site only.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

The highway assessment was carried out on the basis that the proposed gates as shown on submitted plan no PL02-003 rev. D were proposed with a setback of 5.0m from the carriageway edge, that the access visibility splay Y distances would be 27.5 meters to the north-east and 147.0 meters to the south-west from an X point 2.0m back from the carriageway edge and that complaint parking and turning facilities could be provided within the site.

Location

East Cowes Road, East Cowes is an unclassified public highway governed by the national speed limit of 60mph at the point in question.

The carriageway is approximately 7.0m wide and no footways are provided on either side of the carriageway in the vicinity of the site. Street lighting is not provided.

Visibility


Visibility splays should be provided in accordance with the relevant national standards as set out in either the Manuals for Streets or the Design Manual for Roads and Bridges depending on the location.

The Y distance is based on the Sight Stopping Distance (SSD) with an additional allowance for the distance between the driver and the front of the vehicle. The SSD can be determined by either:

- the 'design speed' of the road;
- the measured 85thile wet weather speed of traffic using the road;' or
- from other robust evidence, including the national vehicle speed compliance statistics

In the absence of any speed survey data submitted with the submission, this Office would normally revert to Table 2.5 in CD 109 Revision 1 of the Design Manual for Roads and Bridges.

However, the history of the site is a material consideration and it has previously been accepted by this Office that betterment to visibility would outweigh any potential harm caused by non-compliance with current standards. The degree of improvement is shown below on approved plan no. PL01-003 rev D:



Plan no. PL01-003 rev D


As previously agreed, this Office has accepted that speeds would be more reflective of a 50mph environment due to the alignment of the carriageway and Y distances of 147m were accepted. A 5m set back for gates was also accepted. In accordance with design standards (Design Manual for Roads and Bridges) any new or existing vehicle access forming a junction with this part of the highway network at which the proposed development would have a material impact (i.e. increase flows by 10% or more) should provide minimum junction/access visibility splay distance of 147m.

It has previously been accepted by this Office that visibility splays of 27.5m to the north-east and 147.0m to the south-west measured from an X point 2.0m back from the carriageway edge would be acceptable.

The visibility sight line distance (Y) is measured from the X point at a height of 1.05m, central to the access and to the Y point on the near kerb line (kerb on development side) between


the heights of 0.6m and 2.0m above the carriageway The splays must be achievable within land under your control or/and the limit of the adopted highway.

The visibility sight lines have been shown to be achievable as shown on submitted plan no. 398-05 rev A.




Plan no. 398-05 rev A

It should be noted that there is no recorded highway verge on the southern side of East Cowes Road:




(c) Crown copyright and database rights 2024 Ordnance Survey AC0000815248

Both splays will fall outside the extents of publicly maintainable highway and the land under the control of the Applicant:



Extent of visibility splay on third party land to the west of the access



Extent of visibility splay on third party land to the east of the access

I can confirm that this proposal can be made in compliance with this standard subject to a pre-commencement condition being attached.

Parking and Turning

Whilst it is recognised that Manual for Street recommends that for echelon or perpendicular parking, individual bays will need to be '*about 2.4m wide and a minimum of 4.2m long*' and that the Guidelines for Parking Provision as Part of New Developments SPD (January 2017) states that all parking provision is to be provided in conformity with the standards set out in the Manual for Streets, the more recent British Parking Association Car Park design guidance (October 2022) recommends bay sizes of 5.0m long and 2.6m wide.

It should also be noted that the ICE in their Car Park Designers Handbook use a Standard Design Vehicle of 2.0m wide and 4.8m long.

Part M The Building Regulations recommends that at least one car parking space within the curtilage of a dwelling should be capable of being widened to 3.3m and if designed for wheelchair users should be 3.6m wide and 6.0m long.

Space should be provided within the confines of the site for the parking of the ICE Car Park Designers Handbook Standard Design Vehicle and where deemed necessary for highway safety reason (i.e. access onto roads with high volumes of traffic) with on-site turning facilities so a vehicle may enter and exit the public highway in forward gear.

All proposed parking bays must provide for minimum dimensions of 2.60m by 5.00m.

I can confirm that this proposal is in compliance with this standard.

Drainage (to avoid excess storm water entering the highway)

The proposal will need to include for an associated drainage system in order to minimise the risk of surface water runoff onto the public highway.

I can confirm that a suitably worded planning condition can be attached to any decision notice requiring details to be submitted and approved.

Access onto the highway

The access should be located a minimum of 11.0m from any adjacent road junction and in accordance with relevant design guidance.

I can confirm that this proposal is in compliance with this standard.

Gates

Should the access be gated, a minimum gate setback of 5.0m from the edge of the adjacent carriageway should be provided.

I can confirm that this proposal is in compliance with this standard.

Notes

Impact on existing highway infrastructure

Should the proposal bring about the need to relocate existing street furniture and an appropriate location be available, all associated costs will need to be met by the applicant.

Drainage

No construction or drainage details have been provided as part of this submission, but should the LPA seek to grant consent then this could be covered by way of imposed condition. Any positive drainage would need to be connected to the private surface water drainage system or if using infiltration methods would need to be backed up by permeability test results from the site to BRE365.

Parking Provision

This site fall within Zone 2 as defined within the Guidelines for Parking Provision as Part of New Developments SPD January 2017 forming part of the Island Plan. In accordance with the guidance set out within Table 1, a development of this nature should typically provide 1# vehicle parking space, 1# long stay covered and secure cycle parking space, 1# cycle stand and bin storage.

On evaluation, the applicant proposes to provide 2# car parking spaces and is therefore compliant with the above policy.

Accident Data

On review of accident data, there have been no recorded accidents in the last 3 years within the vicinity of this site that are relevant to the proposal.

Materials Consideration

There are no materials considerations for this application.

Mitigation Measures / Offsite Improvements

There are no mitigation measures or offsite highway improvement works required as a result of this application, over and above the formation of the proposed vehicle access and the tie in the public highway (East Cowes Road).

Construction Impact

The proposals envisaged in this application are not deemed to generate any significant implications during the construction phase.

Maintainability Assessment

The proposals do not result in any changes to the project network.

Applicant Obligations

The Applicant's Highway Contractor will be required to apply for a vehicle crossover application under Section 171 of the Highways Act 1980 to secure the tie in of the proposed access into the carriageway of East Cowes Road..

The Applicant's Highway Contractor is required to submit an application to Island Roads Street Works Team in order to gain permission to work on the highway network. Traffic control methods will be identified as a result of this process.

The applicant is required to make a formal application to Island Roads, St Christopher House, 42 Daish Way, Newport, Isle of Wight, PO30 5XJ, in accordance with the Town Improvement Clause Act 1987 Sections 64 & 65 and the Public Health Act 1925 Section 17 before addressing and erecting a property name / number or street name in connection with any planning approval.

Conclusion

The proposals envisaged in this application have implications affecting the highway network and therefore in order to comply with policies DM2 (Design Quality for New Development), DM13 (Green Infrastructure), DM17 (Sustainable Travel) and SP7 (Travel) of the Island Plan Core Strategy I recommend the following conditions are imposed: -

Visibility Sight Lines

The development hereby approved shall not commence until sight lines have been provided in accordance with the visibility splays shown on the approved plan 398-05 rev A. Nothing that may cause an obstruction to visibility when taken at a height of 1.0m above the adjacent carriageway / public highway shall at any time be placed or be permitted to remain within the visibility splays.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

Access

The dwelling hereby approved shall not be brought into use until the means of vehicular access thereto has been constructed and drained in accordance with details to be submitted and approved in writing by the Local Planning Authority based on the layout as detailed on drawing number 398-05 rev A.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

Gates

Notwithstanding the provisions of the Town and Country Planning (General Permitted Development) (England) Order 2015 (or any Order revoking and re-enacting that Order with or without modification), no gates shall be erected other than those expressly authorised by this permission/other than gates that are set back a minimum distance of 5.0 metres from the edge of the carriageway of the adjoining highway and open into the site only.

Reason: In the interests of highway safety and to comply with policy DM2 (Design Quality for New Development) of the Island Plan Core Strategy.

On behalf of the Local Highway Authority – Neil Troughton - Development Control Manager,
Ringway Island Roads
