



Build Studios, London, SE1 7ER

Planning Department
London Borough of Barnet
2 Bristol Avenue
Colindale
NW9 4EW

14 November 2025

Dear Sir/Madam

Re: 30 Allandale Avenue, London, N3 3PJ
Planning Application LPA Ref: 25/0574/RCU - Use of the Existing Swimming Pool
Building for Commercial Operations (Retrospective Application)
Objection on behalf of the Occupiers of 28 and 32 Allandale Avenue, NR3 3PJ

I write as the agent representing Mr and Mrs Berman and Mr and Mrs Hakimi who are the owner/occupiers of 28 and 32 Allandale Avenue respectively and the immediate neighbours on either side of the above commercial business for which retrospective planning permission is presently sought. The planning application is due to be considered at a forthcoming Committee and is to be recommended for refusal by Officers.

My clients fully support and endorse the proposed recommendation for refusal.

Preamble

As the immediate neighbours to this commercial business my clients are able to speak with full knowledge and first-hand evidence of the way this business has adversely affected the amenity of nearby neighbours and can highlight how the business has '*toned down*' its operations since enforcement inquiries have begun. Fundamentally, the application submission is misleading and inaccurate. My clients have therefore instructed me to submit this formal objection on their behalf based on their direct and ongoing observations to the retrospective planning application seeking consent for the commercial use of an existing swimming pool at a residential dwelling.

My clients are very conscious that since the publication of their objections to this application, they have been subject to intimidation and anti-social behaviour (including but not limited to littering in their front and back gardens).

An image of the site in relation to our clients' respective properties is below:




Figure 1– Google 3D Imagery of the Application Site and Neighbouring Properties

Impact on Residential Amenity

The Applicant is seeking retrospective permission for a commercial business operating in a residential area. Policy CDH01 of the Barnet Local Plan seeks to ensure that development proposals do not create adverse noise impacts on the surrounding environment. Similarly, Policy D14 of the London Plan states that development proposals should avoid adverse noise impacts on health and quality of life. These policies are supported by Paragraph 135 of the NPPF.

The ‘*agent of change*’ principle as set out at Paragraph 200 of the NPPF is also relevant. This requires Applicants to provide sufficient information to show that the impacts arising on neighbours or neighbouring businesses from a development proposal are sufficiently mitigated. The Applicant has failed to achieve this as evidenced by the recommendation for refusal by Officers and the significant criticisms by the Council’s EHO in respect of the Applicant’s submitted Noise Report. My clients have commissioned a review of the Applicant’s Noise Statement by ES Acoustics which is attached to this letter and which is referenced below. This review fully endorses the Council’s Environmental Health Officer views and confirms the noise evidence submitted by the Applicant is “*not fit for purpose*”.

The commercial use of the swimming pool at 30 Allandale Avenue has resulted in a sustained impact on the residential amenity of neighbouring properties, particularly Nos. 28 and 32 Allandale Avenue. The pool is accessed by external clients via a side passage that runs directly alongside 28 Allandale Avenue. The entrance to this passage is via a side gate that has no ‘*soft closing mechanism*’ and is left to ‘*bang*’ shut. This gate is directly connected to the side wall of 28 Allandale Avenue and as such the “*clashing*” of the gate shutting is heard throughout the neighbouring property. Despite being aware of my client’s concerns in this regard the Applicant has made no attempt to reduce this noise.

The swimming pool is in use throughout the day including in the early morning and evening and thus visitors, including children, parents, families and previously groups attending parties, pass in close proximity to habitable rooms and gardens causing repeated disruption. Sessions frequently occur during evenings and on Sundays, which are times when residents reasonably expect peace and quiet and wish to enjoy their gardens. These antisocial hours have the greatest impact on residential amenity. Unless explicitly restricted, such as prohibiting weekends, bank holidays, and evening operations, the harm will persist and likely intensify. It is also noted that the pool is divided into two or three sections during lessons to maximise capacity, meaning multiple groups are taught simultaneously. This significantly increases the number of people present and amplifies noise levels, further harming residential amenity.

The pool has openable windows (skylights), as well as doors, which are, from our clients' observations, are invariably kept open during sessions and which allow sound to travel freely and loud voices, including screaming and shouting, including of the instructors, can be clearly heard from neighbouring properties. It is also often the case that parents bringing their children to the swimming lessons will, weather dependent, then sit in the garden often with siblings of the child swimming which then means the garden area effectively becomes an open play area during the time that the swimming lessons occur. The frequency and timing of these sessions, often early in the morning and late into the evening, has a significant and ongoing impact on the quiet enjoyment of the adjacent homes which my client should be able to enjoy.

Despite a complete absence of reference within the supporting application documents, it should be noted that the commercial business has been used to host pool parties (as advertised locally on Facebook etc), which hugely intensify the level of activity and noise occurring on site. It is the case that since the commencement of enforcement proceedings by the Council that the Applicant has ceased the pool parties (and removed all the adverts online) which were a significant noise generator host up to some 10 children at a time. However, should permission be granted it must be assumed that such pool parties will recommence.

It is also important to highlight that No. 30 and No. 32 Allandale Avenue are detached properties. This physical connection exacerbates the transmission of internal noise. Residents at No. 32 report hearing the repetitive thud of kicking in the water during lessons, as well as mechanical noise and rattling against the shared wall.

The operation of the swimming pool has had a clear impact on highway safety. Residents have witnessed children exiting vehicles on the opposite side of the road directly into the road, which presents a safety risk. Parking is also a concern as visitors frequently occupying spaces along Allandale Avenue.

Allandale Avenue is already used as a cut-through and experiences regular congestion. When the pool is operating at full capacity, traffic volume rises significantly, exacerbating these existing pressures.

The cumulative effect of increased traffic movements, unsafe drop-offs, and the frequent noise from arriving and departing guests adds to the overall disruption and further harms residential amenity.

In addition to noise and activity, there are concerns about environmental harm arising from the operation of the pool. Residents at No. 32 have observed intermittent runoff from the application site's roof area into their garden. Whilst not addressed in the application, this raises concerns about maintenance and environmental impact.

Residents at No. 32 have installed taller fencing in an attempt to deter overlooking and maintain privacy. However, this has not prevented littering or intrusive behaviour. Customers have been observed looking into neighbouring gardens and sneering at residents at No. 32 in the street. These behaviours are unacceptable and further erode the sense of safety and privacy in the area.

Furthermore, my clients have serious concerns regarding security. When the proper owners of the application site are away on holiday, the commercial business continues to operate, meaning multiple individuals have access codes to the property. This provides adverse impacts to the residents, where the neighbouring residents do not feel safe in their own homes, and has resulted in instances where individuals have jumped over the fence into our clients' garden. Such circumstances are unacceptable in a residential setting and further demonstrate that the proposed use is incompatible with the character of the area.

The ongoing disturbance as a result of the development has had a detrimental impact on the health and wellbeing of my clients. In particular, one of our clients has experienced a marked deterioration in their medical condition since the commencement of the commercial operations. Medical data is available to support this claim.

It is not considered that the application proposal is compliant with Policy CDH01 of the Barnet Local Plan, Policy D14 of the London Plan and National Planning Guidance as it results in demonstrable harm to residential amenity. It should be noted that this is not a hypothetical or suggested impact and assertion rather as this is a retrospective application where the impacts of the proposal have already been demonstrated and felt.

Review of Applicant's Planning Statement

A Planning Statement has been prepared to support the application.

The Planning Statement states the proposed operational hours include:

14:00 to 20:00 on Mondays to Wednesdays
09:30 to 16:00 on Fridays
08:30 to 17:30 on Sundays

It is stated that the site will not conduct lessons on Thursdays and Saturdays. However residents living on either side of the property can confirm (and are willing to sign sworn declarations to this effect) that the listed hours and days are inaccurate. Lessor operate outside these times, including on Thursdays and Saturdays.

Furthermore, the supporting Statement ignores any reference to the pool parties. The absence from the Applicant's submission of any reference to the pool parties is both misleading and disingenuous. These have already occurred, with some starting as early as 8:00 am, as noted by local residents.

Paragraph 5.23 of the supporting Statement claims that the loss would drastically impact minority groups that use the site; it is unclear which '*minority groups*' the agent is referring to? However, as referenced later within this letter, there are many alternative swimming pools in close proximity, which offer SEND swimming lessons.

The Applicant refers to "*natural sound insulation*" in their submission. It is unclear what this term refers to and no technical evidence has been provided to support effectiveness. Residents from No.32 report clearly hearing noise from the swimming pool in their kitchen, bedroom, and lounge, the latter being furthest from the shared wall.

The supporting Statement claims that the parking area and driveway at the front of the dwelling provide space for visitors to park safely within the site. This is obviously incorrect. During the pool parties the Applicant has organised it is estimated that there have been up to 10 children attending. Given the very low PTAL of the site, customers understandably arrive by car. The resultant effect of this is that visitors park further down Allandale Avenue (away from the site).

The Statement also refers to College Farm opposite the application site, suggesting that it already brings impacts to the local community and that the proposal will cause similar impacts. Such comments are irrelevant. Furthermore our clients, as residents of Allandale Avenue, can confirm that College Farm creates no adverse impact on residents and there is no concern about residents in respect to this use. The Applicant's argued reasoning that this is a reason to support the application is contrived and misunderstood.

The Applicant refers to other home-based businesses such as a make-up studio and a solicitor's office nearby. These comparisons are inappropriate. Such businesses typically operate with one client at a time and do not generate noise or disturbance. In contrast, the swimming pool hosts multiple clients simultaneously, including children and families, resulting in sustained noise and activity. The character and impact of these uses are not comparable.

Various appeal decisions are referenced throughout the Applicant's Statement, including cases in Solihull, Market Harborough and Wokingham. However, each application must be assessed on its own merits, with full regard to its specific context and the nature of the proposed use. Whilst those decisions confirm that residential amenity is a key consideration in such cases, the current proposal on Allandale Avenue presents demonstrable and sustained harm to neighbouring properties, which materially distinguishes it from the cited precedents.

The appeal at Solihull (APP/Q4625/W/23/3333804) involved a detached property in a rural Green Belt location, with no immediate neighbours and well-separated from other properties. The Inspector explicitly referenced the "generous verdant nature" of the site.

site and assessed the proposal under Green Belt policy, where the Fr supports rural business growth in areas with limited public transport. This ratio does not apply to Allandale Avenue, which is not in the Green Belt and is situated in a tightly spaced suburban street with semi-detached dwellings and direct noise transmission into adjoining homes. Furthermore, unlike Meriden, the London council offers multiple nearby swimming facilities, including those with SEND provision. The strategic setting, physical layout and operational impacts are fundamentally different, and the Meriden decision cannot reasonably be relied upon to justify the retrospective commercial use now proposed.

The appeal at Market Harborough (APP/F2415/W/22/3309050) similarly involved detached property with greater separation from neighbours, where strictly regulated 1:1 swimming lessons were permitted subject to enforceable acoustic mitigation. The Inspector noted that traffic noise was a dominant background feature, which helped mask operational sounds. In contrast, the Allandale Avenue site operates with multiple concurrent lessons, has previously hosted pool parties, and features a shared side wall and narrow side access directly adjacent to habitable rooms. Unlike Market Harborough, the London Borough of Barnet is well served by SEND-friendly swimming facilities, further undermining any claimed locational justification. The Inspector's conclusions in Sandringham Way were based on a materially different context, scale and use model, and cannot be used to support the current proposal.

The Wokingham appeal (APP/X0360/C/20/3247007 & APP/X0360/W/20/3247237) is also not directly comparable. That site comprised large detached property with a long rear garden, high hedging and a purpose-built pool building located at the far end of the plot. The Inspector found that internal noise was well contained and thatcomings and goings were limited to weekday (10:00 – 14:00). In contrast, the Allandale Avenue site is semi-detached with a shared side wall, narrow side access adjacent to habitable rooms, a history of group sessions and pool parties, and weekend and evening use. The Inspector's conclusions in Edgefield were based on a materially different physical layout, operational scale and acoustic context. The suggestion that Allandale Avenue would have a "lesser impact" supported by the lived experience of neighbouring residents or by the documentary evidence of sustained noise and disturbance.

Review of Noise Impact Assessment

A Noise Impact Assessment has been prepared by Impact Acoustics Ltd to support the application. This report has significant flaws and fails to reflect the actual noise environment experienced by the neighbouring residents. The Council's Environmental Health Officer raises serious concerns regarding the methodology and conclusions of the report, which was based on days when the site was in use, but also on a limited three-hour monitoring period conducted on a day when the pool was not in use (according to the application documents of when the site is operational). Therefore, the assessment does not account for the actual impact of the poolside noise when sessions are on, where shouting and screaming are common, and the Environmental Health team acknowledge this to be "*far greater disturbance than simple averaged noise levels*".

A revised version of the Noise Impact Assessment has since been submitted, along with a rebuttal letter from the Applicant. In response, our clients commissioned ES Acoustic Ltd to undertake a technical review of both documents. Their findings fully endorse the concerns raised by the Council's Environmental Health Officer and confirm that the revised NIA is not fit for purpose as a planning noise impact assessment.

It is also noted that the Applicant's noise monitoring device was positioned on the boundary with a neighbouring property (as shown by the yellow dot in the submitted photograph), rather than adjacent to the property where the swimming pool is located and where the open skylights are positioned. This location is materially less exposed to direct noise breakout. The decision to monitor from this point undermines the credibility of the report's findings.

Residents at 28 and 32 Allandale Avenue have provided evidence that noise from the facility can begin as early as 8:00 am with the sound of children screaming and shouting clearly audible by the swimming pool open windows and doors and travelling into private gardens. This noise can also be heard inside the neighbouring properties, with their windows/doors both open and closed. These instances are not occasional but occur regularly.

Furthermore, in addition to the lessons, the facility has also hosted pool parties, further exacerbating the noise impact than only swimming lessons. These matters have not been addressed as part of the application, and the NIA fails to acknowledge and respond to these lived experiences as the noise element occurring on this site is a fundamental error.

The revised Noise Impact Assessment submitted by the Applicant is fundamentally flawed in its methodology. The report relies on British Standard 4142:2014+A1:2019, which is designed for assessing industrial and commercial sound. The scope of the standard relates to sound from industrial processes, fixed mechanical installations, loading and unloading activities, and mobile plant intrinsic to industrial sites. It does not apply to recreational activities or sound generated by people, both of which are central to the swimming pool's operations. The standard itself states that it is intended to assess sound from recreational activities, music, people, or public address systems. Swimming lessons and pool parties clearly fall within these categories. ES Acoustics confirm that the use of BS 4142 in this context is inappropriate and therefore invalidates the submitted NIA report's conclusions.

The revised NIA also assumes that all doors and skylights of the swimming pool are closed during its operations. This does not reflect the actual conditions observed by neighbouring residents, who report that skylights and doors are frequently open during lessons. This omission significantly undermines the reliability of the noise breakout calculations and fails to reflect the real impacts on residential amenity.

In addition to the above, the NIA does not include data to assess other noise related impacts, including slamming doors or shouting, which is deemed a "*crucial oversight*" by the Environmental Health Officer. As has been stated earlier in this objection, in addition to the general noise and disturbance occurring at the back a key element of noise is the clanging/clattering of the side entrance gate which is allowed to bang shut.

causing noise. This is directly adjacent to habitable rooms of our client's property being separated only by the outside wall. This is a key generator of noise considered within the Applicant's submission. This is either a fundamental oversight or alternatively is an omission based on the fact that the results would be (as evidenced by our clients) wholly unacceptable. The submitted NIA also fails to assess noise from arrivals and departures, many of which involve car journeys, adding to the noise disturbance. The EHO notes that noise levels more than doubled during the assessment period, casting further doubt on the reliability of the report's conclusion.

Further concerns have been raised regarding the timing of the noise monitoring strongly suspected that the Applicant selected a quiet week for the assessment may have deliberately reduced activity during the monitoring period. The methodology fails to account for typical operational conditions. Residents recorded instances of significant noise disturbance. These recordings provide a more accurate reflection of the lived experience than the Applicant's controlled assessment.

ES Acoustics also highlight that the report lacks transparency in its calculation provides sound reduction values for building elements without specifying construction details, materials or data sources. Key modelling inputs such as distances, line of sight, and verification of results are absent, meaning the conclusions cannot be independently replicated or verified.

The report also misuses BS 8233:2014 to justify internal noise levels, despite standard being intended for steady external sources such as traffic, not intermittent, variable human activity. No clear methodology is presented for assessing swimming pool noise, and the conclusion of "*low impact*" is unsupported and arbitrary.

Noise breakout from the swimming pool is of key concern and despite the submitted NIA's conclusions, it is evident from local residents' comments that such noise is clearly audible and is the primary source of complaints and concern. The EHO has also stated that it would be impractical to impose enforceable noise conditions, reinforcing the view that the proposed use is incompatible with the residential character of the area.

In addition, the submitted NIA makes no reference to or includes any assessment of the children's pool parties which have occurred previously on site, which have included up to 10 children at a time. As a key activity previously promoted by the Applicant (which the Applicant ceased whilst this application is the subject of consultation assessment) it is assumed that the Applicant will wish to recommence such activities should planning permission be granted. In this respect, the submitted NIA should have included an assessment of such activities. No such assessment has been included. This is a further fundamental failing of the submitted noise report.

The proposed operational hours are wholly inappropriate for a residential area, and provides unreasonable restrictions on the neighbouring properties and the use of their gardens. Furthermore, residents have confirmed that swimming pool sessions are operated outside the hours and days listed above. The use itself is already inappropriate, but the proposed hours intensify the impact, as they coincide with times when residents are most likely to be at home and seeking rest, particularly in the evenings and at weekends. The lack of a traditional weekday schedule

suggests that the facility is not designed to align with the needs of the surrounding community.

In conclusion, the application proposal fails to adequately address the real and ongoing noise impacts experienced by neighbouring residents. The combination of a flawed noise assessment, extended operational hours, and the nature of the activities proposed results in unacceptable harm to local residential amenity. The application is therefore not compliant with Policy CDH01 of the Barnet Local Plan, Policy D14 of the London Plan, and Paragraph 135 of the NPPF, all of which require developments to avoid adverse noise impacts and protect the amenity of existing and future users. The application should therefore be refused.

Alternative Facilities Nearby

Understandably the Applicant seeks to conjure a 'need' case to justify the application proposal. However, the justification put forward does not stand up to detailed scrutiny. There are ten swimming pools within two miles of the application site. These are listed below:

Poolside Manor – 0.65 miles away – offers SEND swimming lessons
 Swim Tank Hampstead Garden Suburb – 1.1 miles away – offers SEND swimming lessons
 Virgin Active Club (Mill Hill) – 1.11 miles away
 Nuffield Health Hendon – 1.23 miles away – offers SEND swimming lessons
 Barnet Copthall Leisure Centre – 1.35 miles away – offers SEND swimming lessons
 Laboratory Spa and Health Club (Mill Hill) – 1.5 miles away – offers SEND swimming lessons
 Finchley Lido Leisure Centre – 1.53 miles away
 Woodside Park Swimming Pool – 1.54 miles away – offers SEND swimming lessons
 David Lloyd Club (Finchley) – 1.54 miles away
 Hendon Leisure Centre – 2 miles away

There are thus suitable alternatives nearby, including at least six facilities that cater specifically to children with SEND. These facilities are purpose-built and operate in appropriate settings, such as leisure centres and health clubs, which are designed to accommodate higher levels of activity without causing harm to residential amenity.

Policy CHW01 of the Barnet Local Plan supports and recognises the need for increased swimming provision within the Borough. However, paragraph 8.5.3 of the supporting text makes clear that to meet this demand, growth areas and town centres are preferred locations, as they offer better access to public transport and are more suitable for accommodating community infrastructure. The application site does not meet this criterion. It is not located within a designated growth area or town centre and it has a PTAL rating of only 2, which indicates poor connectivity and has no public parking.

The proposed use of a residential property for commercial swimming activities is thus inconsistent with this strategic approach. The application site is situated in a quiet residential street with limited public transport access, and its operation has already resulted in adverse impacts on residential amenity. The presence of multiple suitable alternatives nearby further reinforces that this location is not appropriate for commercial swimming use.

Review of Local Representations

As appreciated from the public comments submitted to the LPA, objections have been raised by residents who either live close to the property or are familiar with the site and its conditions. These objections are based on direct experience of the impacts arising from the commercial use of the swimming pool.

Objections from Allandale Avenue include:

- 28 Allandale Avenue – traffic and noise concerns (represented by the submission)
- 32 Allandale Avenue – traffic and noise concerns (represented by the submission)
- 34 Allandale Avenue – traffic and noise concerns
- 36 Allandale Avenue – traffic and noise concerns
- 38 Allandale Avenue – noise concerns

A review of the supportive comments which appear to be predominantly from users of the facility indicates that many of the residents who submitted them have access to alternative swimming facilities nearby, including those that cater to children with SEND. An assessment of the first 60 representations in support of the application has been undertaken in respect to the address of the supporters and their proximity to their nearest swimming pools. Thirty six of the first 60 supporters have one or more swimming pools located closer to them than the application site. In the remaining cases the difference in distance is marginal. This equates to 60%. This further weakens the argument that there is a specific ‘need’ for the proposed commercial use at this location. The table is attached at the end of this letter for reference.

In respect to the comments which have been submitted in support of the application, this volume of representation demonstrates the scale of the commercial operation. Many of the supportive comments refer to multiple children attending from the same household. For a quiet residential street, this level of activity is wholly inappropriate and more akin to a commercial facility than a modest home based business. Residents have already been advised that noise levels cannot be effectively policed. If permission is granted, the risk of intensification is considerable.

Summary

The application proposal results in unreasonable and unjustified adverse impacts, disturbing residential amenity through noise and loss of privacy. As demonstrated above, there are other swimming pools nearby, some of which offer SEND lessons. The application site is located in a residential area, and the proposed use is not appropriate in this context.


Importantly, the proposed operational hours listed in the application do not reflect the actual use of the site. Residents have observed lessons taking place outside the stated hours and on days that are claimed to be non-operational, including Thursdays and Saturdays. This discrepancy further undermines the credibility of the application and raises concerns about future compliance.

Furthermore, there is no reference within the submitted application or any of the supporting reports in respect to the significant number of children's pool parties that have been held on site, being attended by up to 10 children at a time, and which were a regular occurrence on site prior to the instigation of enforcement enquiries by the Council.

The submitted noise report also contains several flaws and does not consider all noise related impacts arising from the proposal, including cumulative disturbance from arrivals and departures. The submitted NIA is confirmed to be "*not fit for purpose*" due to its deficiencies.

Based on the above, it is considered that the application causes harmful impacts to residential amenity, and on this basis, the application should be refused.

Yours faithfully



Julian Sutton
JMS Planning & Development
Encs

CC – Members of Barnet Planning Committee



Build Studios, London, SE17FR

NEAREST POOLS TO THE SUPPORTERS OF THE APPLICATION AT 30 ALLANDALE AVENUE

Supporter Address	Distance to Planning Site	Nearest Public Swimming Pool – Name and Distance	Nearest SEND-Accessible Pool – Name and Distance
Alternative Closer than Application Site			
6 Windsor Road N3 3SS	0.4 miles	Poolside Manor 0.36 miles	Poolside Manor 0.36 miles
32 East End Road N3 3QU	0.8 miles	Poolside Manor 0.65 miles	Poolside Manor 0.65 miles
10 Village Road N3 1TL	0.8 miles	Poolside Manor 0.26 miles	Poolside Manor 0.26 miles
43 Green Lane NW4 2AG	0.9 miles	Nuffield health Hendon 0.54 miles	Nuffield Health 0.54 miles
48 Princes Park Avenue NW11 0JT	0.9 miles	Nuffield Health Hendon 0.84 miles	Nuffield Health Hendon 0.84 miles
48 Downage London NW4 1AH	1 mile	Laboratory Spa & Health Club (Mill Hill) 0.67 miles	Laboratory Spa & Health Club (Mill Hill) 0.67 miles
25 Oakwood Road	1 mile	Swim Tank Hampstead Garden Suburb 0.5 miles	Swim Tank Hampstead Garden Suburb 0.5 miles
10 Parkway NW11 0EX	1 mile	Nuffield Health Hendon 0.89 miles	Nuffield Health Hendon 0.89 miles
5 Brentwood Lodge Holmdale Gardens NW4 2LY	1.1 miles	Nuffield Health Hendon 0.6 miles	Nuffield Health Hendon 0.6 miles
21 Highcroft Gardens NW11 0LY	1.2 miles	Nuffield Health Hendon 1.13 miles	Nuffield Health Hendon 1.13 miles
39 Dukes Avenue Finchley	1.3 miles	David Lloyd Club (Finchley)	Poolside Manor 0.69 miles

Supporter Address	Distance to Planning Site	Nearest Public Swimming Pool – Name and Distance	Nearest SEND-Accessible Pool – Name and Distance
London N3 2DE		0.65 miles	
23 St Andrews Road London NW 11 0PH	1.3 miles	Nuffield Health Hendon 1.17 miles	Nuffield Health Hendon 1.17 miles
28 Litchfield Way NW 11 6NJ	1.3 miles	Mallinson Sports Centre 1.17 miles	Poolside Manor 1.62 miles
Flat 22 Gloucester Court Golders Green Road NW 11 9AE	1.4 miles	Nuffield Health Hendon 1.09 miles	Nuffield Health Hendon 1.09 miles
Flat 7 32 ai Court Sinclair Grove NW11 9JG	1.4 miles	Nuffield Health Hendon 0.64 miles	Nuffield Health Hendon 0.64 miles
109 Woodlands NW 11 9JG	1.4 miles	Nuffield Health 0.64 miles	Nuffield Health 0.64 miles
41 Kingsley Way London N2 0EH	1.5 miles	Mallinson Sports Centre 1.09 miles	Poolside Manor 1.69 miles
25 The Grove London NW 11 9SJ	1.6 miles	Nuffield Health Hendon 0.96 mi	Nuffield Health Hendon 0.96 mi
9 Glebe Road N3 2BA	1.7 miles	Finchley Lido Leisure Centre 0.22 miles	Poolside Manor 1.25 miles
2 The Paddocks Fritt Lane NW 7 1PS	1.7 miles	Woodside Park Swimming Pool 0.23 miles	Woodside Park Swimming Pool 0.23 miles
54 Deansway N2 0JE	1.9 miles	Manor Health & Leisure Club (Muswell Hill) 0.76 miles	Poolside Manor 1.86 miles
22 Maurice Brown Avenue NW 7 1BZ	1.9 miles	Woodside Park swimming pool 0.33 miles	Woodside Park swimming pool 0.33 miles
101 North End Road London NW 11 7TA	1.9 miles	Virgin active club (Cricklewood) 1.21 miles	Nuffield Health Hendon 1.84 miles
3 Trobridge Parade Grahame Park Way London NW 9 4AJ	2.1 miles	Laboratory Spa and Health Club (Mill Hill) 0.34 miles	Laboratory Spa and Health Club (Mill Hill) 0.34 miles
25 Church Vale London N2 9PB	2.4 miles	Manor Health & Leisure Club (Muswell Hill) 0.3 miles	Poolside Manor 2.03 miles
101 Platts Lane NW 3 7NH	2.5 miles	Ucs Active 0.72 miles	Nuffield Health Hendon

Supporter Address	Distance to Planning Site	Nearest Public Swimming Pool – Name and Distance	Nearest SEND-Accessible Pool – Name and Distance
			2.08 miles
75 Laurel Way London N20 8HT	3 miles	Woodside Park Swimming Pool 0.85 miles	Woodside Park Swimming Pool 0.85 miles
4 Tretawn Gardens London NW7 4NR	3.2 miles	Fairway And Northway Prima School 0.55 miles	Laboratory Spa & Health Club (Mill Hill) 1.64 miles
36 Hill Crescent N20 8HD	3.3 miles	Woodside Park Swimming Pool 1.31 miles	Woodside Park Swimming Pool 1.31 miles
95 Wood Vale London N10 3DL	3.3 miles	Park Road Pools and Fitness 0.49 miles	Virgin Active Club (Crouch End) 0.72 miles
15 Elmstead Close London N20 8ER	3.5 miles	Woodside Park Swimming Pool 1 mile	Woodside Park Swimming Pool 1 mile
66 Fitzjohn's Avenue	3.5 miles	Usc Active 0.29 miles	Virgin Active Club (Swiss Cottage) 0.33 miles
14 Glasslyn Road N8 8RH	3.8 miles	Park Road Pools and Fitness 0.08 miles	Laboratory Spa and Health Club 1 mile
17 Elliott Square London NW3 3SU	4.5 miles	Marriot Leisure Club (London's Regents Park) 0.16 miles	Virgin Active Club (Swiss Cottage) 0.73 miles
7 Leighton Gardens London NW10 3PX	4.9 miles	Moberly Sports Centre 0.3 miles	Virgin Active Club (Notting Hill) 1.51 miles
107 The Ridgeway Enfield EN2 8NH	7.9 miles	Nuffield Health Enfield 1.31 miles	Nuffield Health Enfield 1.31 miles
Alternative Not Closer than Application Site			
12 Allandale / London N3 3PJ	381 ft	Poolside Manor 0.66 miles	Poolside Manor 0.66 miles
1A Allandale Avenue London N3 3PJ	0.1 miles	Poolside Manor 0.68 miles	Poolside Manor 0.68 miles
3A Allandale Avenue London N3 3PJ	0.1 miles	Poolside Manor 0.69 miles	Poolside Manor 0.69 miles
47 Allandale Avenue London N3 3PY	0.1 miles	Poolside Manor 0.57 miles	Poolside Manor 0.57 miles

Supporter Address	Distance to Planning Site	Nearest Public Swimming Pool – Name and Distance	Nearest SEND-Accessible Pool – Name and Distance
6 Ashbourne Avenue London NW11 0DR	0.1 miles	Poolside Manor 112 miles	Poolside Manor 112 miles
55 Fitzalan Road N3 3PG	0.3 miles	Poolside Manor 0.54 miles	Poolside Manor 0.54 miles
26 Highview Gardens N3 3EX	0.4 miles	Poolside Manor 0.76 miles	Poolside Manor 0.76 miles
15 Holly Park N3 3JB	0.4 miles	Poolside Manor 0.72 miles	Poolside Manor 0.72 miles
14 Parklands Drive London N3 3HA	0.4 miles	Poolside Manor 0.79 miles	Poolside Manor 0.79 miles
180 Regents Park Road London N3 3HR	0.4 miles	Poolside Manor 0.51 miles	Poolside Manor 0.51 miles
41 Beechwood Avenue London N3 3BB	0.5 miles	Poolside Manor 0.84 miles	Poolside Manor 0.84 miles
33 Holders Hill Avenue London NW4 1ES	0.5 miles	Poolside Manor 0.63 miles	Poolside manor 1.16 miles
14 Albaron Gardens NW11 0AG	0.6 miles	Poolside Manor 1.04 miles	Poolside Manor 1.04 miles
28 Monkville Avenue NW11 0AH	0.6 miles	Poolside Manor 0.98 miles	Poolside Manor 0.98 miles
31 Tenterden Garden Hendon NW4 1TG	0.6 mile	Nuffield Health Hendon 0.81 miles	Nuffield Health Hendon 0.81 miles
58 Addison Way London NW11 6QP	0.7 mile	Poolside Manor 1.09 miles	Poolside Manor 1.09 miles
29 Ashbourne Avenue NW 11 0 DP	0.9 mile	Nuffield Health Hendon 1.07 miles	Nuffield Health Hendon 1.07 miles
39 Asmunds Hill	0.9 mile	Poolside Manor 1.21 miles	Poolside Manor 1.21 miles
5 Brookland Close London NW11 6DJ	0.9 mile	Poolside manor 1.16 miles	Poolside manor 1.16 miles
69 Bridge Lane London NW11 0EE	0.9 mile	Nuffield Health Hendon 0.99 miles	Nuffield Health Hendon 0.99 miles
2 Denman Drive London NW11 6RG	1 mile	Poolside Manor 1.31 miles	Poolside Manor 1.31 miles



Supporter Address	Distance to Planning Site	Nearest Public Swimming Pool – Name and Distance	Nearest SEND-Accessible Pool – Name and Distance
14 Hampstead Gardens London NW 11 7EU	1.2 miles	Nuffield Health Hendon 1.31 miles	Nuffield Health Hendon 1.31 miles
62 Litchfield Way London NW11 6NG	1.2 miles	Mallinson Sports Centre 1.32 miles	Nuffield Health Hendon 1.85 miles
19 Thornton Way London NW11 6SL	1.3 miles	Mallinson Sports Centre 1.31 miles	Poolside Manor 1.54 miles