

RD_JUMPSUIT_KNIT_200 gm

Product Attributes

Product ID Status

PID-WP5M5

PROTOTYPE

Brand Department

Cat & Jack 31:INFANT/TODDLER GIRL

Division Class NIT APPAREL :

Primary Material FAB-0258

Secondary Material

Vendor Style Number

R & D SAMPLE GS223027 GIRLSSPR22 Additional Product Details

System Tags

New

Tags

Workspace Details

Workspace Name

C122 D31 CJ ITG Romper/Jump suits /Sweaters -Product Workspace ID

WRK-4Y48

Design Cycle

Set Dates

C1 2022

Copyright 2020 Target Corporation. This document and the contents within are the property of Target Corporation and its subsidiaries (collectively "Target"). They are for the sole use of designated employees of Target as well as certain authorized business partners and shall not be reproduced, disseminated, or disclosed in any form to any party whatsoever without the express written consent of Target.

Tables of Contents

Section	Page Title
OVERVIEW	RD_JUMPSUIT_KNIT_200 gm
BILL OF MATERIALS	1 bill of materials
MEASUREMENTS	1 measurements
PRODUCT DETAILS	1 product details
ATTACHMENTS	1 attachments
SAMPLES	3 samples

Updated on Sep 17, 2021 01:11 by Selina Kim

BOM

Sections

FABRIC	FABRIC								
Component Or Location	Material Type	Description	Supplier	Facility	Laundry	Size	Quantity	Comments	
ALL BODY & DRAWCORD	Fabric	JERSEY, 60/40 BCI CTTN/RECYCLED POLY, 200GSM	SEWANG KOREA FAB-7KXMY / FAS-YR94W	N/A	N/A		g/m^2 (grams per square meter)		

TRIM	TRIM								
Component Or Location	Material Type	Description	Supplier	Facility	Laundry	Size	Quantity	Comments	
CENTER BACK	Trim	HEAT TRANSFER LABEL	Merchandise Vendors CJ15_08B01	N/A	N/A		PIECE (piece)		
SIDE SEAM	Trim	CARE LABEL	Merchandise Vendors TA05_05A1	N/A	N/A		PIECE (piece)		
SIDE SEAM	Trim	DPCI LABEL	Merchandise Vendors TNB16_03F01	N/A	N/A		PIECE (piece)		
ALL BODY	Trim	SPUN POLYESTER / T30	Merchandise Vendors T30	N/A	N/A				
ALL BODY	Trim	TEXTURED POLYESTER / T18	Merchandise Vendors T18	N/A	N/A				
WAISTBAND & SLEEVE HEM	Trim	T15371, STANDARDIZED TD Braided Elastic 37G, Knit	Merchandise Vendors	N/A	N/A	3/8"			
LEG OPENING	Trim	T15371, STANDARDIZED TD Braided Elastic 37G, Knit	Merchandise Vendors	N/A	N/A	7/8"			
ARMHOLE SHIRRING	Trim	MOBILON TAPE, #0612 (1/4")	Merchandise Vendors #0612	N/A	N/A	1/4"			
CB/INSEAM SNAP	Trim	INTERLINING #3059	Merchandise Vendors #3059	N/A	N/A				
СВ	Trim	SNAP 16L, 3PCS/GARMENT, FOR ALL SIZE	Merchandise Vendors 16L	N/A	N/A		PIECE (piece)		
LEG INSEAM	Trim	SNAP 16L, 12M/18M: 8PCS/GARMENT, 2T/3T: 10PCS/GARMENT (ONLY FOR 12M/18/2T/3T)	Merchandise Vendors 16L	N/A	N/A		PIECE (piece)		
≯ 12-13 on next page	▼ 12-13 on next page								

Updated on Sep 17, 2021 01:11 by Selina Kim

TRIM								
Component Or Location	Material Type	Description	Supplier	Facility	Laundry	Size	Quantity	Comments
HANGTAG	Trim	RFID HANGTAG for JUMPSUIT, OPT#3, RECYCLED POLYESTER	Merchandise Vendors CJ17_50A01	N/A	N/A		PIECE (piece)	
TAG PIN	Trim	TAG PIN for RFID HANGTAG ATTACHMENT	Merchandise Vendors	N/A	N/A	1"		

Updated on Sep 17, 2021 01:11 by Selina Kim

Impressions

FABRIC			
Component Or Location	Description	C122CJGAOP104-2 MUSTARD FLORAL	C122CJGSF702-1 BLUE TIE DYE
ALL BODY & DRAWCORD	JERSEY, 60/40 BCI CTTN/RECYCLED POLY, 200GSM	C122CJGAOP104-2	C122CJGSF702-1

TRIM			
Component Or Location	Description	C122CJGAOP104-2 MUSTARD FLORAL	C122CJGSF702-1 BLUE TIE DYE
CENTER BACK	HEAT TRANSFER LABEL	HOT SAUCE	HOT SAUCE
SIDE SEAM	CARE LABEL		
SIDE SEAM	DPCI LABEL		
ALL BODY	SPUN POLYESTER / T30	DTM TO SUN ECLIPSE BSD	DTM TO ALMOND CREAM BSD
ALL BODY	TEXTURED POLYESTER / T18	DTM TO SUN ECLIPSE BSD	DTM TO ALMOND CREAM BSD
WAISTBAND & SLEEVE HEM	T15371, STANDARDIZED TD Braided Elastic 37G, Knit	WHITE	WHITE
LEG OPENING	T15371, STANDARDIZED TD Braided Elastic 37G, Knit	WHITE	WHITE
ARMHOLE SHIRRING	MOBILON TAPE, #0612 (1/4")	CLEAR	CLEAR
CB/INSEAM SNAP	INTERLINING #3059	WHITE	WHITE
СВ	SNAP 16L, 3PCS/GARMENT, FOR ALL SIZE	SHEEL PINK	EASYGOING BLUE
LEG INSEAM	SNAP 16L, 12M/18M: 8PCS/GARMENT, 2T/3T: 10PCS/GARMENT (ONLY FOR 12M/18/2T/3T)	SHEEL PINK	EASYGOING BLUE
HANGTAG	RFID HANGTAG for JUMPSUIT, OPT#3, RECYCLED POLYESTER	LIGHT MUSTARD	LIGHT BLUE TIE DYE
≯ 12-13 on next page ≯		•	

TRIM			
Component Or Location	Description	C122CJGAOP104-2 MUSTARD FLORAL	C122CJGSF702-1 BLUE TIE DYE
↑ 1-12 on previous page	*		
TAG PIN	TAG PIN for RFID HANGTAG ATTACHMENT	1" ORANGE TAG PIN	1" ORANGE TAG PIN

Updated on Sep 17, 2021 01:11 by Selina Kim

MST-2MY8Z measurement set ACTIVE

Updated on Sep 15, 2021 08:24 by Yoonie Lee

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance	- Tolerance	12 Months	18 Months	2T	3T	4T	5T
Neck	NECK WIDTH EDGE POM-N8RN ● A15E.R		in inch	0.375	0.375	4.75	4.875	5.125	5.25	5.375	5.5
Neck	FRT NECK DROP EDGE POM-JLR5 ● A25FE.R	Use for neck drop above mid armhole	in inch	0.25	0.25	2	2	2.125	2.25	2.375	2.5
Neck	BK NECK DROP EDGE POM-JZ9M ● A35BE.R		in inch	0.25	0.25				1.125		
Chest	BUST/CHEST BELOW A/H POM-N9KG ● B15.R		in inch	0.75	0.75	20	21	22	23	24	25
Waist	HPS TO FRT WAIST POSITION POM-JR0G ◆ C01.R		in inch	0.5	0.5	9.5	10	10.5	11	11.5	12
Waist	WAIST BODICE TOP POM-JK59 ● C15.R		in inch	0.75	0.75	18	19	20	21	22	23
Sleeve	A/H DROP FRM HPS POM-NG14 ● H15.R		in inch	0.25	0.25	4.875	5.125	5.25	5.5	5.75	5.875
Shoulder	ACROSS BK SHOULDER POM-J31W ● F02.R		in inch	0.375	0.375	7.875	8.25	8.625	9	9.875	10.25
Sleeve	CB TO SLEEVE EDGE- Short Sleeve POM-N9YZ • G01.SS		in inch	0.5	0.5	7	7.5	8	8.5	9.125	9.75
Sleeve	SLEEVE OPENING HEM- Short Sleeve POM-J6L5 ● L02.SS		in inch	0.5	0.5	6	6.25	6.5	6.75	7	7.25
Hip Critical	HIP POSITION, CROTCH POINT UP POM-J53G • D03.R		in inch	0.25	0.25	3.5	3.5	3.5	3.5	3.5	3.5
Hip Critical	LOW HIP, FROM CB POM-NW1G ● D16.R		in inch	0.75	0.75	23	24	25	26	27	28
Length Critical	VERTICAL TRUNK POM-NZ6E ● M35.R		in inch	1.0	1.0	36.5	38.5	40.5	41.5	42	43.5
Rise Critical	FRT RISE POM-Z9LE ● R02.R	including placket	in inch	0.25	0.25	8.375	8.875	9.125	9.375	8.875	9.375
Rise Critical	BK RISE POM-W9W5 ● R03.R	excluding placket	in inch	0.25	0.25	9.625	10.125	10.375	10.625	10.125	10.625

MST-2MY8Z measurement set ACTIVE

Updated on Sep 15, 2021 08:24 by Yoonie Lee

Section	Point Of Measure Name	Special Instructions	UOM	+ Tolerance		12 Months	18 Months	2T	3T	4T	5T
Length Critical	INSEAM LENGTH POM-1056 ● X01.R		in inch	0.375	0.375	7.75	9.5	11.25	13	15.375	17.625
Leg	LEG OPENING POM-YRP0 ◆ V01.R		in inch	0.5	0.5	5.625	6	6.375	6.75	7.125	7.5

PDTL-MGG0 Construction ACTIVE

Updated on Sep 15, 2021 09:09 by Yoonie Lee

Category	Section	Detail	Special Instructions
Construction Soft Product	SPI	12,+2/-1 DTL-J36G	
Construction Soft Product	Binding	Clean top and raw bottom DTL-J6WN	at neck binding
Construction Soft Product	Other Details	Shirring - fullness to be evenly distributed DTL-N71Z	1.75 to 1 at sleeve cap spot shirring, 1.7 to 1 at sleeve opening and 1.3 to 1 at leg opening
Construction Soft Product	Topstitch	301 Lockstitch, all topstitching unless otherwise specified and all kinds of tacking (New Detail)	all kinds of tacking
Construction Soft Product	Topstitch	401 Chainstitch (New Detail)	at WB TS, sleeve opening and leg opening
Construction Soft Product	Topstitch	406 2 needle coverstitch, 0.125inch all topstitching unless otherwise specified (New Detail)	at neck binding
Construction Soft Product	Seams	512 Mock Safety/514, Double Needle Overlock 2 needle, 4 thread overlock DTL-J69Z	
Construction Soft Product	Topstitch	bartack (New Detail)	at pocket top and bottom edge
Labeling Requirements Critical	Care	VENDOR IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH CARE LABELING REGULATIONS AND GUIDANCE – If appropriate for the product, Target prefers that owned brand products use the following care labeling instructions – "Machine Wash-Tumble Dry". VENDOR provides settings per FTC Reg + Bleach/Iron. See https://www.ftc.gov/tips-advice/business-center/guidance/clothes-captioning-complying-care-labeling-rule#writing. If product's care labeling deviates from "machine wash tumble dry", VENDOR must contact Target TD.	
Labeling Requirements	Care	Care instructions must begin with Wash before Wear DTL-N7ZJ	
Reference Requirements Critical	Soft Product	Review Garment Standards and A&A Construction Guides from POL specific to division, fabrication and silhouette. DTL-N60W	
Reference Requirements Critical	Soft Product	Childrens Apparel - For questions about Safe Childrens Design or Functionality - Please reference POL - Target Childrens Product Development Guide. For all children's garments, contact 3rd party lab for latest version of requirements. DTL-JZ9M	

1 Attachments


Preview	File Name	Date Uploaded
and the second s	WP5M5 sketch.ai Sketch	Sep 15, 2021 09:59 by Yoonie Lee
		PRODUCT

WP5M5 sketch.ai

Sketch

Sep 15, 2021 09:59 by Yoonie Lee

PRODUCT



3 Samples

Sample Type	Sample ID	Sample Description	Evaluation Status
3D Product	SMP-Z93G3Y		APPROVED May 07, 2021 at 09:54 AM by Allyson Dvorak Target
3D Product	SMP-W983KP	Colorways - BLUE TIE DYE_AOP	APPROVED Jun 21, 2021 at 14:47 PM by Allyson Dvorak Target
3D Product	SMP-M9ZG77	Colorways - C122CJGAOP104-2	APPROVED Jun 24, 2021 at 08:19 AM by Allyson Dvorak Target