

ULIP Integration Requirement Document

Version No.: 5.0

Date: 11/06/2026

Project Name: ULIP

This document contains proprietary information of NLDSL. Unauthorized access, copying and replication are prohibited. This document must not be copied in whole or part by any means, without the written authorization of NLDSL, Noida, India.

ULIP Integration Requirement Document

Revision History

Version	Date	Author	Reviewer	Significant Changes
1.0	05/07/2021	Hasan Mhad Khan	Nayab Ali	Baseline Version
2.0	24/05/2022	Akshay Singh	Nayab Ali	Update response
3.0	04/08/2022	Akshay Singh	Nayab Ali	Update response
4.0	30/09/2024	Girish Chander	Nayab Ali	Updated
5.0	11/06/2026	Sudhanshu Singh	Nayab Ali	Sarathi/02 Api

ULIP Integration Requirement Document

Table of Contents

Introduction	4
1.1 Purpose	4
The Overall Description	4
1.2 Data Integration between SARATHI System and ULIP application	4
1.3 SARATHI/01	4
1.3.1 Technical Approach.....	5
1.4 SARATHI/02	8
1.4.1 Technical Approach.....	8
1.5 Data Transmission & Authentication Mechanism	12

Introduction

1.1 Purpose

The purpose of this document is to define and provide details for accessing API for driving license information from ULIP system.

This document details the following points:

1. **Data Integration between SARATHI and ULIP web service:** Identification of operational points where data integration between SARATHI and ULIP web service will be needed.
2. **Technical Approach** for performing Data Integration

The Overall Description

Users will share information such as **driving license number and date of birth** based on data send by user ULIP system will call respective **SARATHI** API for accessing information.

Following is the point for accessing vehicle information: -

1. This API will share driving license data based on information provided by users.
2. ULIP will expose API for getting data from SARATHI API.
3. **SARATHI/01** API will take driving license and date of birth from user and get data from SARATHI API.
4. **SARATHI/02** API will take driving license from user and get data from SARATHI API

1.2 Data Integration between SARATHI System and ULIP application

Users will share information to ULIP system based on data shared ULIP will provide data to user.

1.3 SARATHI/01

This API will take driving license number and connect with SARATHI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	dlnumber	Driving license Number as available in SARATHI system.	(([A-Z]{2})(-)[0-9]{2}) ([A-Z]{2}[0-	Required	16

ULIP Integration Requirement Document

			9]{2})((19 20)[0-9][0-9])[0-9]{7}\$		
2	dob	Date of birth as available in SARATHI system.	yyyy-mm-dd	Required	10

1.3.1 Technical Approach

1. All the data will be shared through rest web services.
2. ULIP system will provide **driving license number and date of birth** for which detail is required.
3. SARATHI API will share details of driving license information which exist in SARATHI system in JSON format.
4. ULIP system will provide the data in JSON Object format in response body.

Example:

Driving license Number **GJ04 20120005008** and date of birth **1987-05-26** is shared by ULIP system, then SARATHI-integration will make a request to SARATHI API.

Request:

The request must be of the following format, where driving license number and date of birth is passed within the URL body in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/01>

```
{
  "dlnumber": "GJ04 20120005008",
  "dob": "1987-05-26"
}
```

Curl URL

```
curl -X POST \
  https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/01 \
  -H 'accept: application/json' \
  -H 'authorization: Bearer eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsIm1hdCI6MTYyNTQ2Mjg0MCwiYXBwcyI6ImRh dGFwdXNoIn0.1trNBEuh-BGPjV_ooeY5Is2RkQK7tz41N4LEfbrV5cwTtiGfjq4tjwMBaUqyvHkeX6P7qPTgV5JDRu0SrTq7jg ' \
```

ULIP Integration Requirement Document

```
-H 'content-type: application/json' \  
-d '{  
  "dlnumber": "GJ04 20120005008",  
  "dob": "1987-05-26"  
'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/SARATHI/01>

```
{  
  "dlnumber": "GJ04 20120005008",  
  "dob": "1987-05-26"  
}
```

Curl URL

```
curl -X POST \  
  https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/SARATHI/01 \  
  -H 'accept: application/json' \  
  -H 'authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsIm1hdCI6MTYyNTQ2Mjg0MCwiYXBwcyI6ImRh  
dGFwdXNoIn0.1trNBEuh-  
BGPjV_ooeY5Is2RkQK7tz41N4LEfbrV5cwTtiGfjq4tjwMBaUqyvHkeX6P7qPTgV5JDRu0SrTq7jg  
' \  
  -H 'content-type: application/json' \  
  -d '{  
    "dlnumber": "GJ04 20120005008",  
    "dob": "1987-05-26"  
  }'
```

For obtaining authentication token, refer [Section 1.5](#)

Response

To acknowledge the above request, ULIP will send the below response -

a) In case of invalid format

1. Invalid dl number

```
{
```

ULIP Integration Requirement Document

```
"response": null,
"error": "true",
"code": "400",
"message": "Data format failed OR wrong value entered at:  dlnumber.
Format should follow  (([A-Z]{2}(-)[0-9]{2})|([A-Z]{2}[0-9]{2} ))((19|20)[0-
9][0-9])[0-9]{7}$"
}
```

2. Invalid dob

```
{
  "response": null,
  "error": "true",
  "code": "400",
  "message": "Data format failed OR wrong value entered at:  dob. Format
should follow  ^\\d{4}\\-(0[1-9]|1[012])\\-(0[1-9]|[12][0-9]|3[01])$"
}
```

b) In case of DL does not exist in SARATHI system

```
{
  "response": [
    {
      "response": {
        "dlDetObj": [
          {
            "transReqObj": null,
            "dlTest": null,
            "dlEndorsementObj": null,
            "objections": null,
            "psvBadgeIssued": null,
            "dbLoc": "National Register",
            "dlHzHillObj": null,
            "errorcd": -1,
            "dlCovHistObj": null,
            "dlcovs": null,
            "bioObj": null,
            "idIdpIssuedpPojo": null,
            "dlobj": null,
            "erormsg": "No Details are available.",
            "biolmgObj": null,
            "dlHistObj": null
          }
        ]
      }
    }
  ],
}
```

ULIP Integration Requirement Document

```

    "responseStatus": "SUCCESS"
  }
],
"error": "false",
"code": "200",
"message": "Success"
}

```

c) In case DL exist

For response format, please check the attached word file.



Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

1.4 SARATHI/02

This API will take driving license number and connect with SARATHI API to get data.

S. No.	Field Name	Field Description	Format	Required/Not – Required	Length
1	dlnumber	Driving license Number as available in SARATHI system.	((([A-Z]{2})(-)[0-9]{2}))([A-Z]{2}[0-9]{2}))((19 20)[0-9][0-9])[0-9]{7}\$	Required	16

1.4.1 Technical Approach

- All the data will be shared through rest web services.
- ULIP system will provide **driving license number** for which detail is required.
- SARATHI API will share details of driving license information which exist in SARATHI system in JSON format.
- ULIP system will provide the data in JSON Object format in response body.

Example:

ULIP Integration Requirement Document

Driving license Number **UP9620110001440** is shared by ULIP system, then SARATHI-integration will make a request to SARATHI API.

Request:

The request must be of the following format, where driving license number is passed within the URL body in JSON format.

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/02>

```
{  
  "dlnumber": "UP9620110001440"  
}
```

Curl URL

```
curl --location 'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/02' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3  
ODEwNjkwMTV9.b1ReCxMiiIB2Hep0vtlCKXCo3ecAiq2hTmd_mUHPBComCJ1e6gCNE -  
5ZQklVecV9oBXIbWIMYNl-d3_LLWiwDA' \  
--header 'Content-Type: application/json' \  
--header 'Accept: application/json' \  
--data '{  
  "dlnumber": "UP9620110001440"  
}'
```

For Staging:

<https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/SARATHI/02>

```
{  
  "dlnumber": "AP01620210000019"  
}
```

Curl URL

```
curl --location 'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/SARATHI/02' \  
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJhcHBzIjoieXBpR2F0ZXdheSIsInN1YiI6InVsaXAiLCJpYXQiOiJlE3
```

ULIP Integration Requirement Document

```
ODExNTIzNDR9.qqVP-x97eB0tj4yHjhDP-ywTYpRyp-  
Ch8Df4zmHgS6uuR6Wv_vcAtmgvq_8TBR0r4Lftp7fFjBpW6ukpXsUow' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data '{  
  "dlnumber": "AP01620210000019"  
}'
```

For obtaining authentication token, refer [Section 1.5](#)

Response

To acknowledge the above request, ULIP will send the below response -

d) In case of invalid format

3. Invalid dl number

```
{  
  "response": null,  
  "error": "true",  
  "code": "400 BAD_REQUEST",  
  "message": "Data format failed OR wrong value entered at: dlnumber.  
Format should follow ^.{1,25}$"  
}
```

e) In case of DL does not exist in SARATHI system

```
{  
  "response": [  
    {  
      "response": {  
        "errormessage": "Details not Found For Given DLNumber",  
        "errorcode": -1  
      },  
      "responseStatus": "SUCCESS",  
      "message": null  
    }  
  ],  
  "error": "false",  
}
```

ULIP Integration Requirement Document

```
{  
  "code": "200",  
  "message": "Success"  
}
```

f) In case DL exist

```
{  
  "response": [  
    {  
      "response": {  
        "DLinformation": {  
          "Classofcovs": [  
            {  
              "CovDiscription": "Motor Cycle with Gear(Non Transport)",  
              "CovCode": 3  
            },  
            {  
              "CovDiscription": "LIGHT MOTOR VEHICLE",  
              "CovCode": 4  
            },  
            {  
              "CovDiscription": "Transport Vehicle-M/HMV (Goods and Passenger)",  
              "CovCode": 10  
            }  
          ],  
          "NonTransportValidityTodate": "27-04-2031",  
          "TransportValidityTodate": "16-02-2028",  
          "DL_Holder_FullName": "RAMSANEHI",  
          "DL_status": "Active."  
        }  
      },  
      "responseStatus": "SUCCESS",  
      "message": null  
    }  
  ],  
  "error": "false",  
  "code": "200",  
  "message": "Success"  
}
```

Status Code 200: vehicle data response

Status Code 400: Bad request (Invalid json syntax, invalid json key)

Status Code 401 or 403: Unauthenticated or Unauthorized

Status Code 500: Some internal server error occurred

Status Code 502: Server is not responding.

ULIP Integration Requirement Document

1.5 Data Transmission & Authentication Mechanism

All data exchange would be done over secure HTTP (HTTPS). Request from ULIP's system would be made in SARATHI system through a data exchange URL that has following form:

For Production:

<https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/01>

Body:

```
{
  "dlnumber": "GJ04 20120005008",
  "dob": "1987-05-26"
}
```

Access to above data exchange URL would be authorized by use of a security mechanism implemented by the ULIP system. It is as follows:

- First time access: It would require a username and password [which would be shared with user beforehand]. Once user hit with valid user id and password, ULIP system will return a basic authorization token to user, using that token user will communicate with ULIP system until token will not get expired.

Brief summary of HTTP Basic Authentication is as follows:

First time when User will hit ULIP secured API through username and password for access token as follow-

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/user/Login' \
  --header 'Accept: application/json' \
  --header 'Content-Type: application/json' \
  --data-raw '{
    "username": "test1",
    "password": "ulip@123"
  }'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2MTc1NywiYXBwcyI6ImRh
dGFwdXNoIn0.06h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RwmdDvDx4UYRoUeJ8
yfPZYNBxhTPoQZ-uUzgTg'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30

ULIP Integration Requirement Document

minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl --location --request POST
'https://www.ulip.dpiit.gov.in/ulip/v1.0.0/SARATHI/01' \
--header 'Authorization: Bearer
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2Mjc1NywiYXBwcyI6ImRh
dGFwdXNoIn0.o6h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RWmdDvDx4UYRoUeJ8
yfPZyNBxhTPoQZ-uUzgTg' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "dlnumber": "GJ04 20120005008",
  "dob": "1987-05-26"
}'
```

For Staging-

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/user/Login' \
--header 'Accept: application/json' \
--header 'Content-Type: application/json' \
--data-raw '{
  "username": "test1",
  "password": "ulip@123"
}'
```

Authorization:

Bearer

```
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2Mjc1NywiYXBwcyI6ImRh
dGFwdXNoIn0.o6h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RWmdDvDx4UYRoUeJ8
yfPZyNBxhTPoQZ-uUzgTg'
```

Upon successful authentication, the user would be logged into the ULIP system and get an access token. Though this token user can communicate with ULIP. This token has expiry time which represent user session. The session time out for the same to be fixed hour, generally it is for 30 minutes. If there is no request coming from user for 30 minutes, then session (token) will be expired and user need to re authenticate.

Using The above token, user can request ULIP system for vehicle details as follow -

```
curl --location --request POST
'https://www.ulipstaging.dpiit.gov.in/ulip/v1.0.0/SARATHI/01' \
```

ULIP Integration Requirement Document

```
--header 'Authorization: Bearer  
eyJhbGciOiJIUzUxMiJ9.eyJzdWIiOiJ0ZXN0MSIsImIhdCI6MTYzMDU2MTc1NywiYXBwcyI6ImRh  
dGFwdXNoIn0.06h4916NwL81GPvjFDUgeEHLnMWhAh_NdW3okMOa6Q2ddw89RWmdDvDx4UYRoUeJ8  
yfPZyNBxhTPoQZ-uUzgTg' \  
--header 'Accept: application/json' \  
--header 'Content-Type: application/json' \  
--data-raw '{  
  "dlnumber": "GJ04 20120005008",  
  "dob": "1987-05-26"  
}'
```