




(b)

Γ_{max}	η_{mol}^*	N	ε_g (%)	$\varepsilon_j/J_{\text{tol}}$	$\varepsilon_u/U_{\text{tol}}$	$\varepsilon_v/V_{\text{tol}}$	$\ \tilde{\Gamma}\ _{\infty}/\ \tilde{\nu}\ _{\infty}$	$\ \tilde{\Gamma}\ _{\infty}/\ \tilde{\nu}\ _{\infty}$
0.4	0.0111	100	0.043 P	1.7	0.831	1.91	2.5e-06/2.55	5.5e-04/675
0.8	0.0231	100	0.0916 P	3.85	2.47	0.634	7.2/8.23	982/1.09e+03
1.6	0.0502	100	0.205 P	9.24	4.35	0.839	72.3/71.3	6.18e+03/6.1e+03
3.2	0.0407	100	0.0436 P	1.73	4	0.074	167/239	1.2e+04/2.2e+04
6.4	0.305	100	0.557 P	65.2	4.14	0.588	137/136	6.22e+03/6.19e+03
12.8	0.641	100	1.04 F	295	3	1.28	601/647	6.6e+04/1.1e+05
25.6	1.38	100	1.86 F	1.12e+03	16.9	2.76	616/614	1.3e+05/1.3e+05
51.2	1.94	100	1.04 F	716	3.79	4.51	612/573	1.8e+04/1.8e+04
102.4	3.8e-07	100	8.5e-07 P	7.08e+03	0.0787	1.41	0.772/0.727	18.5/17

$\varepsilon_g = |J_{m, 2N-1} - J_{m, N}| / \max(|J_{m, 2N-1}|, y_{\text{floor}})$; P/F at 1%. $\varepsilon_j/J_{\text{tol}}$, $\varepsilon_u/U_{\text{tol}}$, $\varepsilon_v/V_{\text{tol}} < 1$: stable. η_{mol}^* : 10^{-21} m^{-3} ; $\tilde{\Gamma}$: $\text{MHz } \mu\text{s}^{-1}$; $\tilde{\nu}$: $\text{MHz } \mu\text{s}^{-2}$.

