# Tech PDC — Universal Coaching Intake API

Integration Guide — for any partner or internal system submitting coaching events

*Owner: Tim Michael, Field Standards, Quality & Performance Leader | Sears Home Services / Transformco |*
*Updated August 4, 2026*

## 1. Overview

This single API lets any authorized external or internal system create a coaching record in Tech PDC — the same kind of record created through the internal Coaching Intake form — and later check its status. It is source-agnostic: any number of systems can use it side by side, each with its own API key, without interfering with one another.

Two operations are supported:

- Submit a new coaching event (POST).
- Check the status of a previously submitted event (GET), including the outcome if it was resolved or returned.

## 2. Getting Access

Each connecting system is issued its own unique API key, tied to a named source identity (e.g. “AHS Command Center,” “VRS,” “B2B Client Requirements”). Contact Tim Michael to request a key for your system. Your key determines which source your submissions are recorded under — you never need to (and cannot) specify this yourself in the request.

## 3. Submitting a Coaching Event

```
POST https://tech-pdc.replit.app/api/external/coaching-intake
X-API-Key: <your assigned key>
Content-Type: application/json

{
  "enterpriseId": "WTAYL",
  "technicianName": "Walt Taylor",
  "department": "PABA",
  "incidentDate": "2026-07-15",
  "primaryCategory": "Professionalism",
  "severity": "Critical",
  "impactAreas": ["Customer Satisfaction", "Brand Reputation"],
  "rootCause": "Intentional Misconduct",
  "incidentDescription": "1-star survey on 2026-07-15 ... Member verbatim: \"...\"",
  "sourceSystem": "Your System Name",
  "surveyId": "<your-own-ticket-or-case-id>"
}
```

### 3.1 Field Notes

- surveyId is NOT something Tech PDC assigns to you — it's YOUR OWN existing identifier for this event, whatever your system already uses (a ticket number, case ID, survey ID, etc.). Send whatever you already have; there's nothing to request from us. If you submit the same surveyId again, Tech PDC returns the existing record instead of creating a duplicate — safe to retry after a timeout. surveyId is scoped per source: two different systems may use overlapping ID schemes without conflict.
- Field values are case-insensitive, and spaces / “&” / “/” are normalized to underscores, so you can send the display labels shown below exactly as written.

- sourceSystem is a free-text label for your own records (e.g. your system's name) — it does not affect routing; routing is determined by which API key authenticated the request.

### 3.2 Enterprise ID Validation

enterpriseId is validated directly against Tech PDC's HR roster on every submission:

- Valid, active enterpriseId: the submission is accepted. Tech PDC populates the technician's name, Team Lead, and district directly from the roster — this OVERRIDES whatever you send in technicianName. You do not need to send a perfectly accurate technicianName for an accepted submission; enterpriseId is what matters once it's valid.
- enterpriseId belongs to a technician on an approved leave of absence: the submission is still accepted, with a flag noting the technician is currently on leave (returned in the create response and on the status lookup) — coaching may still be relevant even if it can't happen immediately.
- enterpriseId belongs to a technician who has been terminated: the submission is REJECTED (HTTP 400). No record is created.
- enterpriseId does not match anyone in the roster at all: the submission is REJECTED (HTTP 400). No record is created.
- The rejection message for any of the above is intentionally generic ("Enterprise ID was not recognized as a coachable technician in the HR roster") and does not distinguish terminated vs. unknown vs. otherwise ineligible — this is deliberate, not something to troubleshoot on your end.
- If enterpriseId is omitted entirely and only technicianName is sent: Tech PDC attempts a name match. If no confident match is found, the record is still created and held for manual assignment by a Tech PDC admin — it is never dropped. This is the only case where an unmatched submission still results in a created record; whenever enterpriseId IS present, it must validate or the submission is rejected outright.

## 4. Valid Field Values

Sending a value not on these lists returns an HTTP 400 with details on exactly which field failed.

### 4.1 department

| department |
|---|
| PABA |
| MSO |
| Escalations |
| Billing |
| Other |

### 4.2 severity

| severity |
|---|
| Low |
| Moderate |
| High |
| Critical |

### 4.3 primaryCategory

| primaryCategory |
|---|
| Attendance |
| Communication |
| Customer Satisfaction |
| Documentation |
| Policy Compliance |
| Professionalism |
| Quality of Work |
| Safety |
| Sales Performance |
| Timeliness |
| Other |

### 4.4 rootCause

| rootCause |
|---|
| Intentional Misconduct |
| Judgment Error |
| Knowledge Gap |
| Miscommunication |
| Negligence |
| Process Gap |
| System Issue |
| Training Gap |
| Other |

## 5. Checking Status

Once submitted, you can check an event's current status at any time using your own surveyId. You can only look up records your own key submitted — querying a surveyId that belongs to a different source, or that doesn't exist, returns 404.

```
GET https://tech-pdc.replit.app/api/external/coaching-intake/<your-own-ticket-or-case-id>/status
X-API-Key: <your assigned key>

{
```

```
  "surveyId": "<your-own-ticket-or-case-id>",
  "intakeId": 18,
  "status": "RETURNED_POLICY_COMPLIANT",
  "statusLabel": "Returned (Technician Acted According to Policy)",
  "technicianName": "Walt Taylor",
  "enterpriseId": "WTAYL",
  "needsManualAssignment": false,
  "submittedAt": "2026-08-04T11:30:06.700Z",
  "sourceSystem": "Your System Name",
  "returned": {
    "explanation": "Tech followed policy; no coaching needed.",
    "returnedByName": "Jane Hayes",
    "returnedAt": "2026-08-04T15:12:00.000Z"
  }
}
```


Possible status values:

| Status | Meaning |
|---|---|
| PENDING / NEW | Submitted, not yet reviewed. |
| IN_PROGRESS | A Team Lead or Admin is actively working the item. |
| COMPLETE | Coaching was documented and completed. |
| RETURNED_POLICY_COMPLIANT | Reviewed and returned — the technician acted according to policy; no coaching was needed. See the returned object for the reviewer's explanation. |
| CANCELLED | Withdrawn; no further action. |

If the item was completed, the response includes a completed block with the completion date and outcome:


```
{
  "surveyId": "<a-different-example-id>",
  "intakeId": 19,
  "status": "COMPLETE",
  "statusLabel": "Completed",
  "technicianName": "Walt Taylor",
  "enterpriseId": "WTAYL",
  "needsManualAssignment": false,
  "submittedAt": "2026-08-01T09:00:00.000Z",
  "sourceSystem": "Your System Name",
  "completed": {
    "completedAt": "2026-08-03T14:22:00.000Z",
    "outcome": "RESOLVED"
  }
}
```


Note: completed responses include the outcome and completion date only — internal coaching notes and follow-up detail are not exposed through this API, since that content is about an individual employee and is intended for internal Tech PDC users only.

## 6. Responses

| Status | Meaning |
|---|---|
| 201 | Created. Response: { "intakeId": "<id>", "status": "created" } |
| 200 | Duplicate surveyId (same source) — existing record returned instead of creating a new one. |
| 400 | Validation failed. This includes field-level errors (per-field detail provided) AND enterpriseId rejections (unrecognized or terminated technician — see Section 3.2, generic message, no per-field detail). |
| 401 | Missing or incorrect X-API-Key header. |
| 404 | (Status lookup only) No record found for that surveyId under your source. |
| 409 | surveyId collision across two different sources — choose a different identifier. |
| 503 | The endpoint is temporarily disabled on our side. Not expected in normal operation — contact us if seen. |

## 7. What Happens After Submission

- If enterpriseId is present and valid (see Section 3.2), the record enters Tech PDC's normal coaching review queue, with technician identity populated from the roster.
- If enterpriseId is omitted and technicianName resolves to exactly one active technician, same as above. If no name match is found, the record is still created but held for manual assignment by a Tech PDC admin.
- If enterpriseId IS present but doesn't validate (unrecognized or terminated technician), the submission is rejected outright — no record is created at all.
- Every submitted event — regardless of source — is visible to Tech PDC administrators in one unified view, alongside coaching events submitted through the internal form.
- A Team Lead may document coaching normally, or, if the technician's actions were fully compliant with policy, return the item with a required explanation — which you will see reflected in the status endpoint's returned block.

## 8. Questions

For access requests, integration questions, or anything unexpected, contact Tim Michael directly.