

Technical Report No.: 713295213

Date: 2023-03-13

Applicant: VARTA Storage GmbH
Nürnberger Straße 65
86720 Nördlingen, Germany

Factory location: VARTA Microbattery SRL
Bulvardul Grivitei 1X
Brasov 500177
Romania

Product: Li Ion Battery
Test object: VARTA
Model: 56654 799 096
56654 799 092

Test specification: **IEC 62619:2022**
EN 1175:2020 Annex C.2.4

Purpose of examination: Test according to the test specification.

Test result: The test results show that the presented product is in compliance with the specified requirements.

Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question. It does not imply a general statement regarding the quality of products from regular production. For further details please see testing and certification regulation, chapter A-3.4.

1. Description of the test object

1.1 Function

Rechargeable Lithium-Ion Battery 56656 799 092. The Nominal charge voltage is 58.1 VDC with the maximum charge voltage of 58.5 VDC. The nominal capacity is 32 Ah. The maximum charge current is 31 A, the maximum discharge current is 60 A. The temperature range for charge is 0 to +45 °C. The temperature range for discharge is -20 °C to +55 °C.

Rechargeable Lithium-Ion Battery 56656 799 096. The Nominal charge voltage is 25.9 VDC with the maximum charge voltage of 29.4 VDC. The nominal capacity is 64 Ah. The maximum charge current is 60 A, the maximum discharge current is 60 A. The temperature range for charge is 0 to +45 °C. The temperature range for discharge is -20 °C to +55 °C.

1.2 Consideration of the foreseeable use

- Covered by the applied risk analysis

1.3 Technical Data

56654 799 096

25.9 V, 64 Ah, 1.652 Wh

56654 799 092

51.8 V; 32 Ah; 1,652 Wh

2. Order

2.1 Date of Purchase Order, Customer's Reference

2023-02-28, 5010363530

2.2 Test Sample

- Reception date(s):
2023-01-30 (battery pack at VARTA Storage GmbH)
2023-03-02 (documentation at TÜV SÜD Product Service GmbH)
- Condition of test sample(s): New

2.3 Date(s) of Testing 2023-01-30 (physical testing of the battery pack)
2023-03-02 until 2023-03-07 (review of documentation)

Kiwa Primara GmbH
Gewerbestraße 28
87600 Kaufbeuren

2.4 Location(s) of Testing

VARTA Storage GmbH
Nürnberger Straße 65
86720 Nördlingen

TÜV SÜD Product Service GmbH
Ridlerstraße 65
80339 München



3. Test Results

3.1 Positive Test Results

Test specification(s)	Report no. / Rev. No.	Date	Remark
Electrical safety:	713295213_TRF_e	2023-03-13	Pass

Conditions of acceptability:

- The battery pack shall be supplied with the specified rated voltages according to the user manual.
- The battery pack fulfils the requirements of the tested standards only if it is operated according to the user manual.
- The battery pack must be installed and serviced by qualified personnel only in accordance with the manual.
- The battery pack shall only be charged with the chargers listed in the CDF.
- EMC requirements have to be evaluated in the end application.
- 7.2.3.3 requirements have to be evaluated in the end application
- The end application must prevent a deeply discharged battery from being recharged.

3.2 Points of Non-Compliance according to the test specification

- None

4. Remarks

4.1 General

The user manual has been examined according to the minimum requirements described in the product standard. The manufacturer is responsible for the accuracy of further particulars as well as of the composition and layout.

4.2 Factory surveillance cycle

Certification was not included

4.3 Additional information for routine tests to be performed by the factory(ies)

Certification was not included

5. Documentation

"713295213_TRF_e" includes all supporting documents for this technical report, dtd. on 2023-03-13

6. Summary

The test results show that the presented product is in compliance with the specified requirements.

TÜV SÜD Product Service GmbH

Tested by:



Benedikt Pulver, Project Manager

printed name, function & signature

Approved by:



Alaa Biadse, Technical Reviewer

printed name, function & signature