

Request examples

Here you can find /routes and /quote cURL request examples for Solana

Routes Request

Jupiter

Solana swaps:

```
curl --request POST \  
  --url https://li.quest/v1/advanced/routes \  
  --header 'accept: application/json' \  
  --header 'content-type: application/json' \  
  --data '  
{  
  "fromChainId": "SOL",  
  "fromAmount": "10000000000",  
  "toChainId": "SOL",  
  "fromTokenAddress": "EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v",  
  "toTokenAddress": "DezXAZ8z7PnrynRJz3wXBoRgixCa6xjnB7YaB1pPB263",  
  "fromAddress": "YOUR_SOL_WALLET",  
  "toAddress": "YOUR_SOL_WALLET"  
}'
```

Mayan

From EVM to SOL:

```
curl --request POST \
  --url https://li.quest/v1/advanced/routes \
  --header 'accept: application/json' \
  --header 'content-type: application/json' \
  --data '
{
  "fromChainId": "ARB",
  "fromAmount": "10000000000",
  "toChainId": "SOL",
  "fromTokenAddress": "0xaf88d065e77c8cC2239327C5EDb3A432268e5831",
  "toTokenAddress": "7vfCXTUXx5WJV5JADk17DUJ4ksgau7utNKj4b963voxs",
  "fromAddress": "YOUR_EVM_WALLET",
  "toAddress": "YOUR_SOL_WALLET"
}'
```

From SOL to EVM:

```
curl --request POST \
  --url https://li.quest/v1/advanced/routes \
  --header 'accept: application/json' \
  --header 'content-type: application/json' \
  --data '
{
  "fromChainId": "SOL",
  "fromAmount": "10000000000",
  "toChainId": "ARB",
  "fromTokenAddress": "7vfCXTUXx5WJV5JADk17DUJ4ksgau7utNKj4b963voxs",
  "toTokenAddress": "0xaf88d065e77c8cC2239327C5EDb3A432268e5831",
  "fromAddress": "YOUR_SOL_WALLET",
  "toAddress": "YOUR_EVM_WALLET"
}'
```

AllBridge

From EVM to SOL:

- the routes request without requesting the gas on the destination chain:

```
curl --request POST \
--url https://li.quest/v1/advanced/routes \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '
{
  "fromChainId": 137,
  "fromAmount": "20000000",
  "fromTokenAddress": "0x2791bca1f2de4661ed88a30c99a7a9449aa84174",
  "toChainId": "SOL",
  "toTokenAddress": "EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v",
  "fromAddress": "YOUR_EVM_WALLET",
  "toAddress": "YOUR_SOL_WALLET",
  "options":
  {
    "slippage": 0.03
  }
}
```

- the routes request with the gas on the destination chain:

```
curl --request POST \
--url https://li.quest/v1/advanced/routes \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '
{
  "fromChainId": "POL",
  "fromAmount": "20000000",
  "fromTokenAddress": "0x2791bca1f2de4661ed88a30c99a7a9449aa84174",
  "toChainId": 1151111081099710,
  "toTokenAddress": "EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v",
  "fromAddress": "YOUR_EVM_WALLET",
  "toAddress": "YOUR_SOL_WALLET",
  "fromAmountForGas": 284126,
  "options":
  {
    "slippage": 0.03
  }
}
```

From SOL to EVM:

- the routes request without requesting the gas on the destination chain:

```
curl --request POST \
--url https://li.quest/v1/advanced/routes \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '
{
  "fromChainId": "SOL",
  "fromAmount": "20000000",
  "fromTokenAddress": "EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v",
  "toChainId": 137,
  "toTokenAddress": "0x2791bca1f2de4661ed88a30c99a7a9449aa84174",
  "fromAddress": "YOUR_SOL_WALLET",
  "toAddress": "YOUR_EVM_WALLET",
  "options":
  {
    "slippage": 0.03
  }
}
```

- the routes request with the gas on the destination chain:

```
curl --request POST \
--url https://li.quest/v1/advanced/routes \
--header 'accept: application/json' \
--header 'content-type: application/json' \
--data '
{
  "fromChainId": 11511111081099710,
  "fromAmount": "20000000",
  "fromTokenAddress": "EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v",
  "toChainId": "POL",
  "toTokenAddress": "0x2791bca1f2de4661ed88a30c99a7a9449aa84174",
  "fromAddress": "YOUR_SOL_WALLET",
  "toAddress": "YOUR_EVM_WALLET",
  "fromAmountForGas": 37376,
  "options":
  {
    "slippage": 0.03
  }
}
```

Quote Request

Jupiter

Solana swaps:

```
curl --request GET \  
  --url  
  'fromChain=SOL&toChain=SOL&fromToken=EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGG  
kZwyTDt1v&toToken=DezXAZ8z7PnRnRJjz3wXBoRgixCa6xjnb7YaB1pPB263&fromAddre  
ss=YOUR_SOL_WALLET&toAddress=YOUR_SOL_WALLET&fromAmount=1000000000' \  
  --header 'accept: application/json'
```

Mayan

From EVM to SOL:

```
curl --request GET \  
  --url 'https://li.quest/v1/quote?  
fromChain=ARB&toChain=SOL&fromToken=0xaf88d065e77c8cC2239327C5EDb3A43226  
8e5831&toToken=7vfCXTUXx5WJv5JADk17DUJ4ksgau7utNKj4b963voxs&fromAddress=  
YOUR_EVM_WALLET&toAddress=YOUR_SOL_WALLET&fromAmount=1000000000' \  
  --header 'accept: application/json'
```

From SOL to EVM:

```
curl --request GET \  
  --url 'https://li.quest/v1/quote?  
fromChain=SOL&toChain=ARB&fromToken=7vfCXTUXx5WJv5JADk17DUJ4ksgau7utNKj4  
b963voxs&toToken=0xaf88d065e77c8cC2239327C5EDb3A432268e5831&fromAddress=  
YOUR_SOL_WALLET&toAddress=YOUR_EVM_WALLET&fromAmount=1000000000' \  
  --header 'accept: application/json'
```

AllBridge

From EVM to SOL:

- the quote request without requesting the gas on the destination chain:

```
curl --request GET \
  --url 'https://li.quest/v1/quote?
fromChain=POL&toChain=1151111081099710&fromToken=0x2791bca1f2de4661ed88a
30c99a7a9449aa84174&toToken=EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v
&fromAddress=YOUR_EVM_WALLET&toAddress=YOUR_SOL_WALLET&fromAmount=200000
0&slippage=0.03' \
  --header 'accept: application/json'
```

- the routes request with the gas on the destination chain:

```
curl --request GET \
  --url 'https://li.quest/v1/quote?
fromChain=137&toChain=SOL&fromToken=0x2791bca1f2de4661ed88a30c99a7a9449a
a84174&toToken=EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v&fromAddress=
YOUR_EVM_WALLET&toAddress=YOUR_SOL_WALLET&fromAmount=20000000&slippage=0.
03&fromAmountForGas=284126' \
  --header 'accept: application/json'
```

From SOL to EVM:

- the quote request without requesting the gas on the destination chain:

```
curl --request GET \
  --url 'https://li.quest/v1/quote?
fromChain=1151111081099710&toChain=POL&toToken=0x2791bca1f2de4661ed88a30
c99a7a9449aa84174&fromToken=EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v
&toAddress=YOUR_EVM_WALLET&fromAddress=YOUR_SOL_WALLET&fromAmount=200000
0&slippage=0.03' \
  --header 'accept: application/json'
```

- the routes request with the gas on the destination chain:

```
curl --request GET \
  --url 'https://li.quest/v1/quote?
fromChain=1151111081099710&toChain=POL&toToken=0x2791bca1f2de4661ed88a30
c99a7a9449aa84174&fromToken=EPjFWdd5AufqSSqeM2qN1xzybapC8G4wEGGkZwyTDt1v
&toAddress=YOUR_EVM_WALLET&fromAddress=YOUR_SOL_WALLET&fromAmount=200000
0&slippage=0.03&fromAmountForGas=37376' \
  --header 'accept: application/json'
```