

Cucumber Report

14 sept 2023, 13:06:00

Start : sept 14, 1:05:45.291 p. m.

End : sept 14, 1:05:58.477 p. m.

Duration : 13.186 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 4

SKIPPED - 0

PASSED - 0




FAILED - 9

SKIPPED - 0

PASSED - 16

FAILED - 9


SKIPPED - 16




| Feature | | Scenario | | | | Step | | | |
|---------------------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Delete employee endpoint</u> | 8.063 s | 2 | 0 | 2 | 0 | 10 | 4 | 2 | 4 |
| <u>Get employee endpoints</u> | 2.090 s | 3 | 0 | 3 | 0 | 13 | 5 | 3 | 5 |
| <u>Post employee endpoint</u> | 1.617 s | 2 | 0 | 2 | 0 | 9 | 3 | 2 | 4 |
| <u>Put employee endpoint</u> | 1.284 s | 2 | 0 | 2 | 0 | 9 | 4 | 2 | 3 |

| # | Feature Name | Scenario Name |
|---|---------------------------------|---|
| 1 | <u>Delete employee endpoint</u> | <u>/delete should not delete an employee</u> |
| 2 | | <u>/delete should delete an employee</u> |
| 3 | <u>Get employee endpoints</u> | <u>/employees should return all the employees</u> |
| 4 | | <u>/employees/{id} should not return an employee according the id</u> |
| 5 | | <u>/employees/{id} should return an employee according the id</u> |
| 6 | <u>Post employee endpoint</u> | <u>/create should create an employee</u> |
| 7 | | <u>/create should not create an employee</u> |
| 8 | <u>Put employee endpoint</u> | <u>/update should not update an employee</u> |
| 9 | | <u>/update should update an employee</u> |

| TAG | Scenario | | | | Feature | | | |
|---------------------------------------|-----------------|----------|----------|----------|----------------|----------|----------|----------|
| Name | T | P | F | S | T | P | F | S |
| @DeleteEmployeeWithIncorrectNumericID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @DeleteEmployeeWithCorrectID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GetAll | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GetByIdWithNonNumericID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @GetByIdWithCorrectID | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PostWithCorrectValues | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PostWithLessFieldsRequired | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PutWithLessFieldsRequired | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @PutWithCorrectValues | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|---------------------------------|---|---|---|---|----------|
| 1 | <u>Delete employee endpoint</u> | 2 | 0 | 2 | 0 | 8.063 s |
| 2 | <u>Get employee endpoints</u> | 3 | 0 | 3 | 0 | 2.090 s |
| 3 | <u>Post employee endpoint</u> | 2 | 0 | 2 | 0 | 1.617 s |
| 4 | <u>Put employee endpoint</u> | 2 | 0 | 2 | 0 | 1.284 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---------------------------------|---|---|---|---|---|----------|
| 1 | <u>Delete employee endpoint</u> | <u>/delete should not delete an employee</u> | 5 | 2 | 1 | 2 | 6.811 s |
| 2 | | <u>/delete should delete an employee</u> | 5 | 2 | 1 | 2 | 1.189 s |
| 3 | <u>Get employee endpoints</u> | <u>/employees should return all the employees</u> | 4 | 1 | 1 | 2 | 0.660 s |
| 4 | | <u>/employees/{id} should not return an employee according the id</u> | 5 | 2 | 1 | 2 | 0.698 s |
| 5 | | <u>/employees/{id} should return an employee according the id</u> | 4 | 2 | 1 | 1 | 0.696 s |
| 6 | <u>Post employee endpoint</u> | <u>/create should create an employee</u> | 5 | 1 | 1 | 3 | 0.965 s |
| 7 | | <u>/create should not create an employee</u> | 4 | 2 | 1 | 1 | 0.631 s |
| 8 | <u>Put employee endpoint</u> | <u>/update should not update an employee</u> | 4 | 2 | 1 | 1 | 0.640 s |
| 9 | | <u>/update should update an employee</u> | 5 | 2 | 1 | 2 | 0.629 s |

Delete employee endpoint

| | | | | | |
|--|---------------------------|-----------|---|------------|---|
| FAILED | DURATION - 8.063 s | Scenarios |  | Steps |  |
| / 1:05:45.291 p. m. // 1:05:53.354 p. m. / | | Total - 2 | | Total - 10 | |
| | | Pass - 0 | | Pass - 4 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 4 | |



/delete should not delete an employee

| | | | |
|---|--|---|---|
| <div>FAILED</div> <div>DURATION - 6.811 s</div> |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> |  |
| <div>/ 1:05:45.304 p. m. // 1:05:52.115 p. m. /</div> | | | |
| <div>Delete employee endpoint</div> | | | |
| <div>@DeleteEmployeeWithIncorrectNumericID</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a DELETE to delete the employee with id "1000000000000" | PASSED | 5.220 s |
| 2 | Then I verify that the body does not have size 0 | PASSED | 1.405 s |
| 3 | And I verify that the value of data is null <pre> java.lang.AssertionError: 1 expectation failed. JSON path data doesn't match. Expected: null Actual: 1000000000000 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallConstructor(CallSiteArray.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:263) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) </pre> | FAILED | 0.134 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | <pre> at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at stepDefinitions.EmployeeSteps.verifyEmployeeResponseDataIsNull(EmployeeSteps.java:104) at ?.I verify that the value of data is null(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Delete.feature:8) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And I verify status code 404 is returned | SKIPPED | 0.001 s |
| 5 | And I verify that the message returned is different that "Successfully! Record has been deleted" | SKIPPED | 0.001 s |



/delete should delete an employee

| | | | | |
|---|-------------------------------|--|---|---|
| <div>FAILED</div> | <div>DURATION - 1.189 s</div> | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 1:05:52.164 p. m. // 1:05:53.353 p. m. /</div> | | | | |
| <div>Delete employee endpoint</div> | | | | |
| <div>@DeleteEmployeeWithCorrectID</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a DELETE to delete the employee with id "1" | PASSED | 0.923 s |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.168 s |
| 3 | And I verify status code 200 is returned | FAILED | 0.090 s |
| | <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeeSteps.verifyStatusCode(EmployeeSteps.java:39) at ?.I verify status code 200 is returned(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Delete.feature:16) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And I verify that the value of data is "1" | SKIPPED | 0.001 s |
| 5 | And I verify that the message returned is "Successfully! Record has been deleted" | SKIPPED | 0.000 s |

Get employee endpoints

| | | | | | |
|--|---------------------------|-----------|---|------------|---|
| FAILED | DURATION - 2.090 s | Scenarios | | Steps | |
| / 1:05:53.446 p. m. // 1:05:55.536 p. m. / | | Total - 3 |  | Total - 13 |  |
| | | Pass - 0 | | Pass - 5 | |
| | | Fail - 3 | | Fail - 3 | |
| | | Skip - 0 | | Skip - 5 | |



/employees should return all the employees

| | | | |
|---|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.660 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| <div>/ 1:05:53.449 p. m. // 1:05:54.109 p. m. /</div> | | | |
| <div>Get employee endpoints</div> | | | |
| <div>@GetAll</div> | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET the employees endpoint | PASSED | 0.647 s |
| 2 | Then I verify status code 200 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeeSteps.verifyStatusCode(EmployeeSteps.java:39) at ?.I verify status code 200 is returned(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Get.feature:7) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.004 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 3 | And I verify that the body does not have size 0 | SKIPPED | 0.000 s |
| 4 | And I verify that the message returned is "Successfully! All records has been fetched." | SKIPPED | 0.000 s |



/employees/{id} should not return an employee according the id

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.698 s</div> | | <div></div> | <div>Steps</div> <div>Total - 5</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 2</div> | <div></div> |
| / 1:05:54.121 p. m. // 1:05:54.819 p. m. / | | | | |
| Get employee endpoints | | | | |
| @GetByIdWithNonNumericID | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET with id "sebas" to obtain an employee | PASSED | 0.622 s |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.036 s |
| 3 | And I verify that the value of data is null java.lang.AssertionError: 1 expectation failed. XML path data doesn't match. Expected: null Actual: <nullnullToo Many Requestsnullnull html, body { background-color: #fff; color: #636b6f; font-family: 'Nunito', sans-serif; font-weight: 100; height: 100vh; margin: 0; } .full-height { height: 100vh; } .flex-center { align-items: center; display: flex; justify-content: center; } .position-ref { position: relative; } .code { border-right: 2px solid; font-size: 26px; padding: 0 15px 0 15px; text-align: center; } .message { font-size: 18px; text-align: center; } 429 Too Many Requests > at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) | FAILED | 0.035 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at stepDefinitions.EmployeeSteps.verifyEmployeeResponseDataIsNull(EmployeeSteps.java:104) at ?.I verify that the value of data is null(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Get.feature:15) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And I verify status code 404 is returned | SKIPPED | 0.001 s |
| 5 | And I verify that the message returned is different that "Successfully! Record has been fetched." | SKIPPED | 0.001 s |



/employees/{id} should return an employee according the id

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 0.696 s</div> | | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 1:05:54.840 p. m. // 1:05:55.536 p. m. /</div> | | | | |
| <div>Get employee endpoints</div> | | | | |
| <div>@GetByIdWithCorrectID</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform a GET with id "1" to obtain an employee | PASSED | 0.664 s |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.027 s |
| 3 | And I verify status code 200 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) </pre> | FAILED | 0.002 s |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeeSteps.verifyStatusCode(EmployeeSteps.java:39) at ?.I verify status code 200 is returned(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Get.feature:23) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And I verify that the message returned is "Successfully! Record has been fetched." | SKIPPED | 0.001 s |

Post employee endpoint



| | | | | | |
|--|--------------------|-----------|--|-----------|--|
| FAILED | DURATION - 1.617 s | Scenarios |  | Steps |  |
| / 1:05:55.561 p. m. // 1:05:57.178 p. m. / | | Total - 2 | | Total - 9 | |
| | | Pass - 0 | | Pass - 3 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 4 | |

/create should create an employee

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.965 s</div> | |  | <div>Steps</div> <div>Total - 5</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 3</div> |  |
| / 1:05:55.561 p. m. // 1:05:56.526 p. m. / | | | | |
| Post employee endpoint | | | | |
| @PostWithCorrectValues | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| 1 | Given I perform a POST to create the endpoint with the following data Diego 26 3500 | PASSED | 0.950 s |
| 2 | Then I verify status code 200 is returned <pre> java.lang.AssertionError: 1 expectation failed. Expected status code <200> but was <429>. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:135) at io.restassured.specification.ResponseSpecification\$statusCode\$1.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.statusCode(ResponseSpecificationImpl.groovy:143) at io.restassured.internal.ValidatableResponseOptionsImpl.statusCode(ValidatableResponseOptionsImpl.java:89) at stepDefinitions.EmployeeSteps.verifyStatusCode(EmployeeSteps.java:39) at ?.I verify status code 200 is returned(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Post.feature:8) * Not displayable characters are replaced by '?'. </pre> | FAILED | 0.007 s |
| 3 | And I verify that the body does not have size 0 | SKIPPED | 0.001 s |
| 4 | And I verify the following data in the body response Diego 26 3500 | SKIPPED | 0.001 s |
| 5 | And I verify that the message returned is "Successfully! Record has been added." | SKIPPED | 0.001 s |



/create should not create an employee

| | | | | |
|---|-------------------------------|---|---|--|
| <div>FAILED</div> | <div>DURATION - 0.631 s</div> | <div></div> | <div>Steps</div> <div>Total - 4</div> <div>Pass - 2</div> <div>Fail - 1</div> <div>Skip - 1</div> | <div></div> |
| <div>/ 1:05:56.547 p. m. // 1:05:57.178 p. m. /</div> | | | | |
| <div>Post employee endpoint</div> | | | | |
| <div>@PostWithLessFieldsRequired</div> | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a wrong POST to create an employee with the following data <div>TestName</div> | PASSED | 0.574 s |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.033 s |
| 3 | And I verify that the message returned is different that "Successfully! Record has been updated." <pre> java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: <not "Successfully! Record has been updated."> Actual: Too Many Attempts. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) </pre> | FAILED | 0.022 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at stepDefinitions.EmployeeSteps.verifyResponseMessageIsDifferent(EmployeeSteps.java:109) at ?.I verify that the message returned is different that "Successfully! Record has been updated."(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Post.feature:19) * Not displayable characters are replaced by '?'. | | |
| 4 | And I verify status code 400 is returned | SKIPPED | 0.000 s |

Put employee endpoint

| | | | | | |
|--|--------------------|-----------|---|-----------|---|
| FAILED | DURATION - 1.284 s | Scenarios | | Steps | |
| / 1:05:57.193 p. m. // 1:05:58.477 p. m. / | | Total - 2 |  | Total - 9 |  |
| | | Pass - 0 | | Pass - 4 | |
| | | Fail - 2 | | Fail - 2 | |
| | | Skip - 0 | | Skip - 3 | |

/update should not update an employee

| | | | | |
|--|--------------------|---|-----------|---|
| FAILED | DURATION - 0.640 s |  | Steps |  |
| / 1:05:57.193 p. m. // 1:05:57.833 p. m. / | | | Total - 4 | |
| Put employee endpoint | | | Pass - 2 | |
| @PutWithLessFieldsRequired | | | Fail - 1 | |
| | | | Skip - 1 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given I perform a wrong PUT to update the employee with the following data | PASSED | 0.587 s |
| | 1 TestName | | |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.031 s |
| 3 | And I verify that the message returned is different that "Successfully! Record has been updated." | FAILED | 0.018 s |
| | java.lang.AssertionError: 1 expectation failed. JSON path message doesn't match. Expected: <not "Successfully! Record has been updated."> Actual: Too Many Attempts. at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | <pre> at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73) at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512) at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696) at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198) at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source) at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117) at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244) at stepDefinitions.EmployeeSteps.verifyResponseMessageIsDifferent(EmployeeSteps.java:109) at ?.I verify that the message returned is different that "Successfully! Record has been updated."(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Put.feature:9) * Not displayable characters are replaced by '?'. </pre> | | |
| 4 | And I verify status code 400 is returned | SKIPPED | 0.000 s |

/update should update an employee

| | | | |
|--|--|--|--|
| FAILED DURATION - 0.629 s / 1:05:57.848 p. m. // 1:05:58.477 p. m. / Put employee endpoint @PutWithCorrectValues | | Steps Total - 5 Pass - 2 Fail - 1 Skip - 2 | |
|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given I perform PUT to update the employee with the following data | PASSED | 0.564 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | 1 TestName 20 10000 | | |
| 2 | Then I verify that the body does not have size 0 | PASSED | 0.030 s |
| 3 | And I verify the following data in the body response | FAILED | 0.030 s |
| | TestName 20 10000 | | |
| | <p>java.lang.AssertionError: 1 expectation failed. JSON path data.name doesn't match. Expected: TestName Actual: null</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)</p> <p>at org.codehaus.groovy.reflection.CachedConstructor.invoke(CachedConstructor.java:73)</p> <p>at org.codehaus.groovy.runtime.callsite.ConstructorSite\$ConstructorSiteNoUnwrapNoCoerce.callConstructor(ConstructorSite.java:108)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callConstructor(AbstractCallSite.java:277)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure.validate(ResponseSpecificationImpl.groovy:512)</p> <p>at io.restassured.internal.ResponseSpecificationImpl\$HamcrestAssertionClosure\$validate\$1.call(Unknown Source)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.validateResponseIfRequired(ResponseSpecificationImpl.groovy:696)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.this\$2\$validateResponseIfRequired(ResponseSpecificationImpl.groovy)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:578)</p> <p>at org.codehaus.groovy.runtime.callsite.PlainObjectMetaMethodSite.doInvoke(PlainObjectMetaMethodSite.java:43)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite\$PogoCachedMethodSiteNoUnwrapNoCoerce.invoke(PogoMetaMethodSite.java:198)</p> <p>at org.codehaus.groovy.runtime.callsite.PogoMetaMethodSite.callCurrent(PogoMetaMethodSite.java:62)</p> <p>at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:185)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:270)</p> <p>at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source)</p> <p>at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49)</p> <p>at io.restassured.specification.ResponseSpecification\$body\$0.callCurrent(Unknown Source)</p> <p>at io.restassured.internal.ResponseSpecificationImpl.body(ResponseSpecificationImpl.groovy:117)</p> <p>at io.restassured.internal.ValidatableResponseOptionsImpl.body(ValidatableResponseOptionsImpl.java:244)</p> <p>at stepDefinitions.EmployeeSteps.verifyEmployeeResponseData(EmployeeSteps.java:97)</p> <p>at ?.I verify the following data in the body response(file:///D:/Sebas/Semestre%202-2023/Certificación%20II/RestAssuredExample/src/test/resources/Put.feature:17)</p> <p>* Not displayable characters are replaced by '?'. </p> | | |
| 4 | And I verify that the message returned is "Successfully! Record has been updated." | SKIPPED | 0.000 s |
| 5 | And I verify status code 200 is returned | SKIPPED | 0.000 s |