

it is part of

123456789

PCB specification

For this drawing we reserve ourselves all rights  
+ Pay attention to protection note according to DIN ISO 16016  
Changes from the supplier need the previous approval by TDE

Handwritten remarks are not allowed

base material

hole


top copper


bottom copper


toleranced Din.	tolerance	change index	num- ber	modification		05.03.2014	S.Kulik	XXXXX		
thread according to DIN					scale:	Date	editor	certifi- cated	Appr.	Index
surface:					material type:	substitution for				
german projection					material:	dimensions w/o tolerance:				
					Multi HUTSHIENE POE					
semi finished product					project version	1				
material consumption:					TDE	10008				
weight:					format: DIN A 3		10			
number of pieces per package:					Classing:					

Supporting regulations which apply

mailing: V: ZV:







it is part of

123456789

A

B

C

D

E

F

G

H

For this drawing we reserve ourselves all rights  
+ Pay attention to protection note according to DIN ISO 16016  
Changes from the supplier need the previous approval by TDE


Handwritten remarks are not allowed

Top paste mask

Gerber: Multi\_HITSCHIENE\_POE.GTP

toleranced Din.	tolerance	change index	num- ber	modification		05.03.2014	S.Kulik	XXXXX		
thread according to DIN					scale:	Date	editor	certifi- cated	Appr.	Index
surface:					material type:	substitution for				
german projection					material:	dimensions w/o tolerance:				
					Multi HUTSHIENE POE					
semi finished product					project version	5				
material consumption:					TDE	10008				
weight:					format: DIN A 3		10			
number of pieces per package:					Classing:					

mailing: V: ZV:



it is part of

123456789

A

B

C

D

E

F

G

H

Bottom solder mask

For this drawing we reserve ourselves all rights  
+ Pay attention to protection note according to DIN ISO 16016  
Changes from the supplier need the previous approval by TDE


Handwritten remarks are not allowed

Gerber: Multi\_HITSCHIENE\_POE.GBS

toleranced Din.	tolerance	change index	num- ber	modification		05.03.2014	S.Kulik	XXXXX		
thread according to DIN					scale:	Date	editor	certifi- cated	Appr.	Index
surface:					material type:	substitution for				
german projection					material:	dimensions w/o tolerance:				
					Multi HUTSHIENE POE					
semi finished product					project version	7				
material consumption:					TDE	10008				
weight:					format: DIN A 3		10			
number of pieces per package:					Classing:					


mailing: V: ZV:

Gerber: Multi\_HITSCHIENE\_POE.GD1

toleranced Dim.	tolerance	change Index	num- ber	modification		05.03.2014	S.Kulik	XXXXX				
thread according to DIN surface:					scale:		Date	editor	certifi- cated	Appr.	Inde	
							substitution for					
german projection					material:		material type:					
							dimensions w/o tolerance:					
					Multi HUTSHIENE POE							
					project version							
semi finished product					TDE		10008		8			
material consumption:												
weight:									10			
number of pieces per package:					format: DIN A 3		Classing:					

mailing:	V:	ZV:		
----------	----	-----	--	--





it is part of

123456789

A

B

C

D

E

F

G

H

For this drawing we reserve ourselves all rights  
+ Pay attention to protection note according to DIN ISO 16016  
Changes from the supplier need the previous approval by TDE

Handwritten remarks are not allowed

Silk screen bottom

JP7

JP3

Gerber: Multi\_HITSCHIENE\_POE.GBO

toleranced Din.	tolerance	change index	num- ber	modification		05.03.2014	S.Kulik	XXXXX		
thread according to DIN					scale:	Date	editor	certifi- cated	Appr.	Index
surface:					material type:	substitution for				
german projection					material:	dimensions w/o tolerance:				
					Multi HUTSHIENE POE					
semi finished product					project version	10				
material consumption:					TDE	10008				
weight:					format: DIN A 3		Classing:			
number of pieces per package:					mailing: V:		ZV:			