

| Field        | Description                       |
|--------------|-----------------------------------|
| Case ID:     | CS-2025-002                       |
| Case Type:   | njRAT Malware Prevention Detected |
| Reported by: | Windows Defender                  |
| Analyst:     | Ali YILMAZ                        |
| Date:        | 2025-10-15                        |
| Severity:    | High                              |
| Status:      | Closed                            |
| Environment: | Production                        |

### Case Title

'njRAT' malware was prevented

### Case ID

njRAT Malware Prevention Detected (T1219 - Remote Access Tool)

### Detection Source

Microsoft Defender for Endpoint – Antivirus Engine (Real-time Malware Protection)

### Incident Summary

Microsoft Defender blocked a process associated with the **njRAT (Bladabindi)** malware family.

The detection indicates an attempt to **drop or execute a Remote Access Trojan (RAT)** capable of remote control, credential theft, and file exfiltration.

- **Alert Title:** njRAT malware was prevented
- **Detection Source:** Microsoft Defender Antivirus / Defender for Endpoint
- **Tactic:** Command and Control
- **Technique:** T1219 – Remote Access Tool
- **Detection Type:** Real-time protection event
- **File Name:** svchost.exe

### MITRE ATT&CK

(T1219 - Remote Access Tool)

### Investigation Steps

- Opened the incident in **Microsoft Defender Security Center**.
- Checked **Alert details** Confirmed signature: *njRAT* detected and blocked before execution.
- **Examined file path and hash** (if provided).
- Cross-checked hash or filename (svchost.exe) in **VirusTotal / MalwareBazaar / JoeSandbox**.
- Result: Multiple vendors flag as *njRAT/Bladabindi* family.
- Reviewed **parent process** in the alert (e.g. cmd.exe, powershell.exe, or email client).
- Validated no further lateral movement or persistence indicators present in Defender timeline.
- No suspicious network activity observed after the prevention event.

### Evidence

- Screenshot of Defender Alert Summary
- VirusTotal result showing *njRAT* detection (hash / filename)
- Process tree from Defender portal
- Event ID 1116 / 1117 logs from Windows Defender (optional)

### Result / Assessment

- The detection is True Positive - Malicious.
- Microsoft Defender successfully blocked *njRAT* (Bladabindi) before execution.
- No further malicious activity or persistence observed after prevention.
- Host considered clean after remediation.

### Recommended Actions

Quarantine confirmed, full scan completed, verify no persistence, add IOCs to blocklist and threat-intel feeds.

### Organizational / HR Actions

User notified, awareness reinforced, phishing source under review, no escalation required.

### Business Impact

High - Malware prevented before execution, no operational or data impact detected.

Quick Hunting Snippets

Used Defender AH queries to verify njRAT presence across hosts, process lineage, and potential C2 activity - no further detections found.

DeviceProcessEvents

| where InitiatingProcessFileName = "svchost.exe" or ProcessCommandLine contains "njrat"

| project Timestamp, DeviceName, ProcessCommandLine, InitiatingProcessFileName, AccountName

| order by Timestamp desc

Incidents > 'njRAT' malware was prevented

'njRAT' malware was prevented

Manage incident

Tasks

High

In Progress

Musa.Karakaya@cvsior.de

malware

Go Hunt queries launched from the entity menu now default to a time range starting from the incident's start time up to the execution time. For incidents older than 30 days, the query defaults to last 30-day.

Attack story

Alerts (1)

Assets (1)

Investigations (1)

Evidence and Response (2)

Summary

Alerts

Play attack story

Unpin all

Show all

Oct 12, 2025 2:20 PM

Resolved

'njRAT' malware was prevented

desktop-041c16l

Incident graph

Layout

Group similar nodes

desktop-041c16l

ghostfile.d54ce64b76925d7d1808b300b8cf5af0.r2.cloudflarestorage.co...

svchost.exe

Communication Association

Incident details

Assigned to

Musa.Karakaya@cvsior.de

Incident ID

261

Classification

True alert

Categories

Malware

First activity

Oct 12, 2025 2:20:51 PM

Last activity

Oct 12, 2025 2:20:51 PM

Workspaces

Incident description

Malware and unwanted software are undesirable applications that perform annoying, disruptive, or harmful actions on affected machines. Some of these undesirable applications can replicate and spread f...

See more

Impacted assets

Microsoft Defender

Attack story Alerts (1) Assets (1) Investigations (1) Evidence and Response (2) Summary

Incident graph Layout Group similar nodes

desktop-041c16l

ghostfile.d54ce64b76925d7d1808b300b8cf5af0.r2.cloudflarestorage.co...

svchost.exe

Original URL  
https://ghostfile.d54ce64b76925d7d1808b300b8cf5af0.r2.cloudflarestorage.com/24\_hours/svchost.exe\_g3wx

Detection

Threat intelligence verdict  
No active verdict

Microsoft Defender

Attack story Alerts (1) Assets (1) Investigations (1) Evidence and Response (2) Summary

Alerts

Oct 12, 2025 2:20 PM Resolved  
'njRAT' malware was prevented  
desktop-041c16l

Incident graph Layout Group similar nodes

desktop-041c16l

ghostfile.d54ce64b76925d7d1808b300b8cf5af0.r2.cloudflarestorage.co...

svchost.exe

svchost.exe

Open file page

Detection

VirusTotal detection ratio  
63/71

Malware detected  
Trojan:MSIL/...

Object details

SHA1  
701c6c6caad59ab97ecc60b90b9410d0b56550fc

SHA256  
f5362f0e66656ec786d48c3385551bdb8caf5be8445608fb08c4ab20da6b3ba

Microsoft Defender

Advanced hunting

Selected workspace: mssentinel Help resources

Explore your content from Microsoft Sentinel  
All data from Microsoft Sentinel, including tables, queries and functions is now available for you to explore.

New query\* +

Schema Functions

Search

Favorites

Your favorites list is empty. To add a schema, click the schema menu and select 'Add to Favorites'

Alerts & behaviors

AlertEvidence

AlertInfo

BehaviorEntities

Run query Last 24 hours Save Share link Create summary rule

Query

Query results are presented in your local time zone as per settings. Kusto filters, however, work in UTC. Don't want to see it again

```
1 DeviceProcessEvents
2 | where InitiatingProcessFileName == "svchost.exe" or ProcessCommandLine contains "njrat"
3 | project Timestamp, DeviceName, ProcessCommandLine, InitiatingProcessFileName, AccountName
4 | order by Timestamp desc
```

Getting started Results Query history

Export 1177 items Search 00:01.487 Low

Filters: Add filter

Timestamp DeviceName ProcessCommandLine InitiatingProcessFileName AccountName

63

Community Score

-13

63/71 security vendors flagged this file as malicious

Reanalyze

Similar

More

f5362f0e66656ec786d48c3385551bdb8cacf5be8445608fb08c4ab20da6b3ba

f5362f0e66656ec786d48c3385551bdb8cacf5be8445608fb08c4ab20da6b3ba.exe

Size

37.00 KB

Last Analysis Date

5 hours ago

EXE

peexe

checks-user-input

malware

calls-wmi

assembly

checks-usb-bus

persistence

DETECTION

DETAILS

RELATIONS

BEHAVIOR

COMMUNITY 13+

Join our Community

 and enjoy additional community insights and crowdsourced detections, plus an API key to automate checks.

Popular threat label

trojan.bladabindi/msil

Threat categories

trojan worm

Family labels

bladabindi msil njrat

Security vendors' analysis

Do you want to automate checks?

|           |                             |             |                                     |
|-----------|-----------------------------|-------------|-------------------------------------|
| AhnLab-V3 | Trojan/Win32.Kornt.R207428  | Alibaba     | Trojan:MSIL/njrat.12dbc382          |
| AliCloud  | Backdoor:MSIL/Bladabindi.FE | Antiy-AVL   | Trojan(Backdoor)/MSIL.Bladabindi.as |
| Arcabit   | Trojan.MSIL.Krypt.44        | Arctic Wolf | Unsafe                              |
| Avast     | MSIL:Bladabindi-JK [Trj]    | AVG         | MSIL:Bladabindi-JK [Trj]            |

Version 10.5.2 - Sponsored by DEF24.com

Last build: 2 years ago - Version 10 is here! Read about the new features here

Options

Help

Operations

url

Defang URL

URL Decode

URL Encode

Extract URLs

Split Colour Channels

Randomize Colour Palette

Image Hue/Saturation/Lightness

To Quoted Printable

From Quoted Printable

Extract domains

Recipe

URL Decode

STEP

BAKE!

Auto Bake

Input

https://ghostfile.d54ce4b76925d7d180eb300b8cf5af0.r2.cloudflarestorage.com/24\_hours/svchost.exe\_g3vx7X-Amz-Algorithm=AWS4-HMAC-SHA256&X-Amz-Content-Sha256=UNSIGNED-PAYLOAD&X-Amz-Credential=05f0258c0df01f79218284ab4e4e6b4/20251012%2Fauto%2F%3Faws4\_request&X-Amz-Date=20251012T122023Z&X-Amz-Expires=3600&X-Amz-Signature=3d4843b607f9659cb7de470d8a03160c1ecc6dfa167cba9eadb449df493b8cd9&X-Amz-SignedHeaders=host&response-content-disposition=attachment%3B%20filename%3D%22svchost.exe%22&x-amz-checksum-mode=ENABLED&x-id=GetObject

Output

Credential=05f0258c0df01f79218284ab4e4e6b4/20251012/auto/s3/aws4\_request&X-Amz-Date=20251012T122023Z&X-Amz-Expires=3600&X-Amz-Signature=3d4843b607f9659cb7de470d8a03160c1ecc6dfa167cba9eadb449df493b8cd9&X-Amz-SignedHeaders=host&response-content-disposition=attachment; filename="svchost.exe"&x-amz-checksum-mode=ENABLED&x-id=GetObject

MITRE | ATT&CK

Matrices

Tactics

Techniques

Defenses

CTI

Resources

Benefactors

Blog

Search

ATT&CKcon 6.0 is coming October 14-15 in McLean, VA and live online. Tickets are available now!

TECHNIQUES

Non-Standard Port

Protocol Tunneling

Proxy

Remote Access Tools

IDE Tunneling

Remote Desktop Software

Remote Access Hardware

Traffic Signaling

Web Service

Exfiltration

Impact

Mobile

Home > Techniques > Enterprise > Remote Access Tools

Remote Access Tools

Sub-techniques (3)

An adversary may use legitimate remote access tools to establish an interactive command and control channel within a network. Remote access tools create a session between two trusted hosts through a graphical interface, a command line interaction, a protocol tunnel via development or management software, or hardware-level access such as KVM (Keyboard, Video, Mouse) over IP solutions. Desktop support software (usually graphical interface) and remote management software (typically command line interface) allow a user to control a computer remotely as if they are a local user inheriting the user or software permissions. This software is commonly used for troubleshooting, software installation, and system management.<sup>[1][2][3]</sup> Adversaries may similarly abuse response features included in EDR and other defensive tools that enable remote access.

Remote access tools may be installed and used post-compromise as an alternate communications channel for redundant access or to establish an interactive remote desktop session with the target system. It may also be used as a malware component to establish a reverse connection or back-connect to a service or adversary-controlled system.

ID: T1219

Sub-techniques: T1219.001, T1219.002, T1219.003

Tactic: Command and Control

Platforms: Linux, Windows, macOS

Contributors: Dray Agha, @Purp1eWolf, Huntress Labs; Matt Kelly, @breakersall; Zachary Stanford, @svch0st

Version: 3.0

Created: 18 April 2018

Last Modified: 15 April 2025

Version Permalink