

Kaplan-Meier Curve of Cholangiocarcinoma by Albumin_3.5




Kaplan-Meier Curve of Cholangiocarcinoma by LMR_2.1 100% 75% Survival Probability LMR < 2.1 (N = 10)50% LMR >= 2.1 (N = 28)25% Log-Rank p-value: 2.51e-01 Hazard Ratio: 5.52e-01 0% 3 6 12 15 18 21 24 0 Time (Months)

Kaplan–Meier Curve of Cholangiocarcinoma by MON_0.8




Kaplan–Meier Curve of Cholangiocarcinoma by LY_1.5



0%

Time (Months)




Time (Months)


Kaplan–Meier Curve of Cholangiocarcinoma by ANC_8 100% 75% Survival Probability ANC < 8 (N =27) 50% ANC >= 8 (N = 11)25% Log-Rank p-value: 1.23e-03 Hazard Ratio: 5.9e+00 0% 6 12 15 18 21 24 0 Time (Months)

Kaplan–Meier Curve of Cholangiocarcinoma by NLR_3 100% 75% Survival Probability NLR < 3 (N = 17)50% NLR >= 3 (N = 21)25% Log-Rank p-value: 1.98e-03 Hazard Ratio: 8.06e+00 0% 6 12 15 18 21 24 0 3 Time (Months)


Kaplan-Meier Curve of Cholangiocarcinoma by NLR_5




Kaplan-Meier Curve of Cholangiocarcinoma by PLT_300




Kaplan–Meier Curve of Cholangiocarcinoma by Alk_Phos_135



Kaplan-Meier Curve of Cholangiocarcinoma by Alk_Phos_200



Kaplan–Meier Curve of Cholangiocarcinoma by Age_60



Time (Months)

Kaplan-Meier Curve of Cholangiocarcinoma by Age_65 100% 75% Survival Probability Age < 65 (N =14) 50% Age >= 65 (N = 24)25% Log-Rank p-value: 6.68e-01 Hazard Ratio: 1.25e+00 0%

6

0

12

Time (Months)

15

18

21

Kaplan-Meier Curve of Cholangiocarcinoma by Age_70 100% 75% Survival Probability Age < 70 (N =22) 50% Age >= 70 (N = 16)25% Log-Rank p-value: 2.75e-01 Hazard Ratio: 1.79e+00 0%

6

0

12

Time (Months)

15

18

21

Kaplan–Meier Curve of Cholangiocarcinoma by Cancer_Status

