
■ AudioVideo (With Icon)



■ Development (With Icon)



OpenJDK 21 for x86_64 Monitoring & Management Console (21(RFM).6-2.fc42.x86_64) Monitor and manage OpenJDK applications

■ Education (With Icon)



Qur'In Hadith (Snap)
Qur'In Hadith is an Online reader with fashion interface, smooth performance and more features. It sharpens your focus on what you

■ GNOME (With Icon)



Files Access and organize files

(RPM)



Document Scanner Make a digital copy of your photos and documents

(RPM)



Disks Manage Drives and Media (RPM)



GParted Create, reorganize, and delete partitions (RPM)



Tkphone





Character Map Insert special characters into documents

(RPM)



Graphics Tablet (RPM) Set button mappings and adjust stylus sensitivity for graphics tablets

■ GTK (With Icon)



Screenshot (RPM) Take screenshots of the entire screen, of the active window or of a region



Xarchiver (RPM)
Create, extract and modify archives



Leafpad (RPM) Simple text editor



GChemCalc (RPM)
A simple calculator for chemistry



GChemTable (RPM)
A Mendeleiev table of the chemical elements



LXTerminal (RPM)
Use the command line



Parental Controls
Set parental controls and monitor usage by users

(RPM)



GChemPaint (RPM) Edit chemical 2D structures



Color Color management settings



Display Change resolution and position of monitors and projectors

(RPM)



Network Network settings

(RPM)



Icon Browser Inspect GTK Icon Theme

(RPM)



Geany A fast and lightweight IDE using GTK+

(RPM)

■ Game (With Icon)



PPSSPP (Snap)
PlayStation Portable Simulator Suitable for Playing Portably (PPSSPP)



Nestopia Accurate NES Emulator

(RPM)



DOSBox Staging DOS/x86 emulator focusing on ease of use

(RPM)



WineMine Wine Minesweeper

■ Graphics (With Icon)



mtPaint Painting program to create pixel art and manipulate digital photos

(RPM)



Luminance HDR Create and tonemap HDR images

(RPM)



Rawstudio Read, manipulate and convert digital camera raw-images (RPM)

■ Network (With Icon)



Tokodon Client for the Mastodon (RPM)



NeoChat Chat on Matrix

(RPM)



Kasts Mobile Podcast Application



Firefox Browse the Web



FileZilla Download and upload files via FTP, FTPS and SFTP

(RPM)



Chromium Web Browser Access the Internet (RPM)

■ Office (With Icon)



LibreOffice Writer (RPM)
Create and edit text and graphics in letters, reports, documents and Web pages.



LibreOffice Impress (RPM) Create and edit presentations for slideshows, meetings and Web pages.



LibreOffice Calc (RPM) Perform calculations, analyze information and manage lists in spreadsheets.




LibreOffice Base (RPM)
Manage databases, create queries and reports to track and manage your information.




LibreOffice Draw Create and edit drawings, flow charts and logos.

■ Other (With Icon)




■ Qt (With Icon)

Marknote Markdown Note Management Tool	(RPM)
Settings Settings for Plasma	(RPM)
Weather View real-time weather forecasts and other information	(RPM)
Angelfish Mobile web browser	(RPM)
Arianna	(RPM)
Photos An Image gallery application	(RPM)



Qrca Scan and create QR-Codes

(RPM)



(RPM)

Clock Set alarms and timers, use a stopwatch, and manage world clocks (RPM)

(RPM) Open source media player built with Qt/QML and libmpv



Calculator (RPM) A feature rich calculator



Terminal Command line access (RPM)



Kamoso Use your webcam to take pictures or make videos (RPM)



Kdenlive (RPM) Nonlinear video editor by KDE



KStars (RPM) Desktop Planetarium



Krita Digital Painting



(RPM)

(RPM)

(RPM)



Emoji Selector Copy emojis to the clipboard (RPM)



Info Center Centralized and convenient overview of system information (RPM)



Spacebar Instant Messenger (RPM)



Dolphin (RPM)



Qt6 Assistant Shows Qt5 documentation and examples (RPM)



Qt6 Designer Design GUIs for Qt6 applications (RPM)



Qt6 Linguist Add translations to Qt5 applications



Spectacle Screenshot capture utility

(RPM)



digiKam (RPM) Manage your photographs like a professional with the power of open source



showFoto (RPM) Manage your photographs like a professional with the power of open source



Okular Universal document viewer

(RPM)

■ Science (With Icon)




Siril Astronomical image (pre-)processing program

(RPM)

■ Settings (With Icon)



Rygel Preferences






Font Selection Configure system fonts



General Miscellaneous Cinnamon preferences





Screensaver Manage screen lock settings

Cinnamon privacy settings

(RPM)



Startup Applications Manage your startup applications


Sound

Manage sound settings

(RPM)

(RPM)

(RPM)



Window Tiling Manage window tiling preferences

(RPM)



Accessibility Configure accessibility features

(RPM)



Account details Change your user preferences and password

(RPM)



Windows Manage window preferences

(RPM)



Workspaces Manage workspace preferences

(RPM)



System Settings Control Center

(RPM)



Online Accounts Connect to your data in the cloud

■ System (With Icon)



■ Utility (With Icon)



Disk Space Saver Disk Space Analyzer that saves hundreds of gigabytes!



Virtual keyboard Turn on-screen keyboard on or off (RPM)

(Snap)

■ X-WayDroid-App (With Icon)



Waydroid

(RPM)

■ X-Wine (With Icon)



Notepad Text Editor

(RPM)



Wine OLE View Windows OLE View

(RPM)



Regedit Wine registry editor (RPM)



Wine Software Uninstaller Interface to uninstall software

(RPM)



Wine Boot Simulate restart

(RPM)



Wine Configuration Interface to set wine parameters



Wine File Wine File Browser



Wine Help Windows Help Browser

(RPM)



Wine Wordpad Text Editor

(RPM)

■ CLI Only (No Icon)



2to3

(PATH)



2to3-3.10

(PATH)



2to3-3.11

(PATH)



7z

(PATH)




GET


(PATH)




HEAD


(PATH)







> _	abrt-action-check-oops-for-hw-error	(PATH)
> _	abrt-action-find-bodhi-update	(PATH)
> _	abrt-action-generate-backtrace	(PATH)
> _	abrt-action-generate-core-backtrace	(PATH)
>_	abrt-action-list-dsos	(PATH)
>_	abrt-action-notify	(PATH)
>_	abrt-action-save-package-data	(PATH)
>_	abrt-action-trim-files	(PATH)
>_	abrt-auto-reporting	(PATH)
>_	abrt-bodhi	(PATH)
> _	abrt-cli	(PATH)






































> _	autoupdate	(PATH)
> _	av1encode	(PATH)
> _	avahi-browse	(PATH)
> _	avahi-browse-domains	(PATH)
> _	avahi-daemon	(PATH)
> _	avahi-publish	(PATH)
> _	avahi-publish-address	(PATH)
> _	avahi-publish-service	(PATH)
> _	avahi-resolve	(PATH)
> _	avahi-resolve-address	(PATH)
>_	avahi-resolve-host-name	(PATH)













































> _	cinnamon-control-center	(PATH)
> _	cinnamon-dbus-command	(PATH)
> _	cinnamon-desktop-editor	(PATH)
> _	cinnamon-file-dialog	(PATH)
>_	cinnamon-hover-click	(PATH)
> _	cinnamon-install-spice	(PATH)
> _	cinnamon-json-makepot	(PATH)
> _	cinnamon-killer-daemon	(PATH)
> _	cinnamon-launcher	(PATH)
> _	cinnamon-looking-glass	(PATH)
> _	cinnamon-menu-editor	(PATH)


>_	cinnamon-preview-gtk-theme	(PATH)
> _	cinnamon-screensaver	(PATH)
> _	cinnamon-screensaver-command	(PATH)
>_	cinnamon-screensaver-lock-dialog	(РАТН)
>_	cinnamon-session	(PATH)
>_	cinnamon-session-cinnamon	(PATH)
>_	cinnamon-session-cinnamon2d	(PATH)
>_	cinnamon-session-quit	(PATH)
>_	cinnamon-settings	(РАТН)
>_	cinnamon-settings-users	(РАТН)
>_	cinnamon-slideshow	(РАТН)

































> _	dbus-binding-tool	(PATH)
>_	dbus-broker	(PATH)
> _	dbus-broker-launch	(PATH)
> _	dbus-cleanup-sockets	(PATH)
> _	dbus-daemon	(PATH)
> _	dbus-launch	(PATH)
> _	dbus-monitor	(PATH)
> _	dbus-run-session	(PATH)
> _	dbus-send	(PATH)
> _	dbus-test-tool	(PATH)
> _	dbus-update-activation-environment	(PATH)





















































































































































































































> _	indi_lx200gps	(PATH)
> _	indi_lx200pulsar2	(PATH)
> _	indi_lx200ss2000pc	(PATH)
> _	indi_lx200zeq25	(PATH)
> _	indi_lynx_focus	(PATH)
> _	indi_manual_wheel	(PATH)
> _	indi_mbox_weather	(PATH)
> _	indi_meta_weather	(PATH)
> _	indi_microtouch_focus	(PATH)
> _	indi_moonlite_focus	(PATH)
>_	indi_moonlitedro_focus	(PATH)


> _	indi_myDewControllerPro	(PATH)
> _	indi_mydcp4esp32	(PATH)
> _	indi_myfocuserpro2_focus	(PATH)
> _	indi_nexdome_beaver	(PATH)
>_	indi_nfocus	(PATH)
> _	indi_nframe_rotator	(PATH)
> _	indi_nightcrawler_focus	(PATH)
> _	indi_nstep_focus	(PATH)
> _	indi_onfocus_focus	(PATH)
> _	indi_openweathermap_weather	(PATH)
>_	indi_optec_wheel	(PATH)


> _	indi_paramount_telescope	(PATH)
> _	indi_pegasus_flatmaster	(PATH)
>_	indi_pegasus_focuscube	(PATH)
>_	indi_pegasus_focuscube3	(PATH)
>_	indi_pegasus_ppb	(PATH)
>_	indi_pegasus_ppba	(PATH)
>_	indi_pegasus_prodigyMF	(PATH)
>_	indi_pegasus_scopsoag	(PATH)
>_	indi_pegasus_spb	(РАТН)
>_	indi_pegasus_uch	(PATH)
>_	indi_pegasus_upb	(PATH)

> _	indi_pegasusindigo_wheel	(PATH)
>_	indi_perfectstar_focus	(PATH)
> _	indi_planewave_deltat	(PATH)
> _	indi_planewave_telescope	(PATH)
> _	indi_pmc8_telescope	(PATH)
> _	indi_pyxis_rotator	(PATH)
> _	indi_qhycfw1_wheel	(PATH)
> _	indi_qhycfw2_wheel	(PATH)
>_	indi_qhycfw3_wheel	(PATH)
> _	indi_quantum_wheel	(PATH)
>_	indi_rainbow_telescope	(PATH)




























































































































































> _	mariadb-conv	(PATH)
> _	mariadb-convert-table-format	(PATH)
> _	mariadb-dump	(PATH)
> _	mariadb-dumpslow	(PATH)
>_	mariadb-find-rows	(PATH)
> _	mariadb-fix-extensions	(PATH)
> _	mariadb-hotcopy	(PATH)
> _	mariadb-import	(PATH)
> _	mariadb-install-db	(PATH)
> _	mariadb-plugin	(PATH)
> _	mariadb-secure-installation	(PATH)


> _	mariadb-service-convert	(PATH)
> _	mariadb-setpermission	(PATH)
>_	mariadb-show	(PATH)
>_	mariadb-slap	(PATH)
>_	mariadb-tzinfo-to-sql	(PATH)
>_	mariadb-upgrade	(PATH)
>_	mariadb-waitpid	(PATH)
>_	mariadbd	(PATH)
>_	mariadbd-multi	(PATH)
>_	mariadbd-safe	(PATH)
>_	mariadbd-safe-helper	(PATH)




























































































>_	nl-link-ifindex2name	(PATH)
>_	nl-link-list	(PATH)
> _	nl-link-name2ifindex	(PATH)
> _	nl-link-release	(PATH)
>_	nl-link-set	(PATH)
> _	nl-link-stats	(PATH)
> _	nl-list-caches	(PATH)
> _	nl-list-sockets	(PATH)
> _	nl-monitor	(PATH)
> _	nl-neigh-add	(PATH)
>_	nl-neigh-delete	(PATH)












































































> _	pktsetup	(PATH)
>_	pkttyagent	(PATH)
> _	plasma-activities-cli6	(PATH)
> _	plasma-apply-colorscheme	(PATH)
> _	plasma-apply-cursortheme	(PATH)
> _	plasma-apply-desktoptheme	(PATH)
> _	plasma-apply-lookandfeel	(PATH)
> _	plasma-apply-wallpaperimage	(PATH)
> _	plasma-browser-integration-host	(PATH)
> _	plasma-discover	(PATH)
> _	plasma-emojier	(PATH)


> _	plasma-interactiveconsole	(PATH)
> _	plasma-mobile-envmanager	(PATH)
> _	plasma-mobile-initial-start	(PATH)
>_	plasma-open-settings	(PATH)
>_	plasma-settings	(PATH)
>_	plasma-shutdown	(PATH)
>_	plasma_session	(PATH)
>_	plasma_waitforname	(PATH)
>_	plasmashell	(PATH)
>_	plasmawindowed	(PATH)
>_	play	(PATH)


























































































































































































































> _	tpm2_evictcontrol	(PATH)
> _	tpm2_flushcontext	(PATH)
> _	tpm2_getcap	(PATH)
> _	tpm2_getcommandauditdigest	(PATH)
> _	tpm2_geteccparameters	(PATH)
> _	tpm2_getekcertificate	(PATH)
> _	tpm2_getpolicydigest	(PATH)
> _	tpm2_getrandom	(РАТН)
> _	tpm2_getsessionauditdigest	(PATH)
> _	tpm2_gettestresult	(PATH)
>_	tpm2_gettime	(РАТН)








> _	tpm2_pcrread	(PATH)
> _	tpm2_pcrreset	(PATH)
> _	tpm2_policyauthorize	(PATH)
>_	tpm2_policyauthorizenv	(PATH)
>_	tpm2_policyauthvalue	(PATH)
>_	tpm2_policycommandcode	(PATH)
> _	tpm2_policycountertimer	(PATH)
>_	tpm2_policycphash	(PATH)
>_	tpm2_policyduplicationselect	(PATH)
>_	tpm2_policylocality	(PATH)
>_	tpm2_policynamehash	(PATH)




































>_	update-desktop-database	(PATH)
> _	update-gtk-immodules	(PATH)
> _	update-mime-database	(PATH)
> _	update-patterndb	(PATH)
> _	update-pciids	(PATH)
> _	update-smart-drivedb	(PATH)
> _	updatedb	(PATH)
> _	upgrade_get_document	(PATH)
> _	upload-system-info	(PATH)
> _	upower	(PATH)
>_	uptime	(PATH)

