

```
root@kali:~/Downloads/bigbangtheory-master# ./sheldon1
Welcome to my fiendish little bomb. You have 6 phases with
which to blow yourself up. Have a nice day!

ls

BOOM!!!
The bomb has blown up.
root@kali:~/Downloads/bigbangtheory-master#
```

```
BOOM!!!
The bomb has blown up.
root@kali:~/Downloads/bigbangtheory-master# gdb sheldon1
GNU gdb (Debian 8.1-4+b1) 8.1
Copyright (C) 2018 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law. Type "show copying"
and "show warranty" for details.
This GDB was configured as "x86_64-linux-gnu".
Type "show configuration" for configuration details.
For bug reporting instructions, please see:
<http://www.gnu.org/software/gdb/bugs/>.
Find the GDB manual and other documentation resources online at:
<http://www.gnu.org/software/gdb/documentation/>.
For help, type "help".
Type "apropos word" to search for commands related to "word"...
Reading symbols from sheldon1...done.
(gdb) disass sheldon1
No symbol "sheldon1" in current context.
(gdb) set disassembly -flavor intel
Undefined item: "-flavor intel".
(gdb) disassemble main
Dump of assembler code for function main:
```

```
root@kali: ~/Downloads/bigbangtheory-master
File Edit View Search Terminal Help
0x08048a0b <+91>: call 0x8048850 <exit@plt>
0x08048a10 <+96>: add $0xffffffff8,%esp
0x08048a13 <+99>: mov (%ebx),%eax
0x08048a15 <+101>: push %eax
0x08048a16 <+102>: push $0x804963f
0x08048a1b <+107>: call 0x8048810 <printf@plt>
0x08048a20 <+112>: add $0xffffffff4,%esp
0x08048a23 <+115>: push $0x8
0x08048a25 <+117>: call 0x8048850 <exit@plt>
0x08048a2a <+122>: lea 0x0(%esi),%esi
0x08048a30 <+128>: call 0x8049160 <initialize_bomb>
0x08048a35 <+133>: add $0xffffffff4,%esp
0x08048a38 <+136>: push $0x8049660
---Type <return> to continue, or q <return> to quit---r
0x08048a3d <+141>: call 0x8048810 <printf@plt>
0x08048a42 <+146>: add $0xffffffff4,%esp
0x08048a45 <+149>: push $0x80496a0
0x08048a4a <+154>: call 0x8048810 <printf@plt>
0x08048a4f <+159>: add $0x20,%esp
0x08048a52 <+162>: call 0x80491fc <read_line>
0x08048a57 <+167>: add $0xffffffff4,%esp
0x08048a5a <+170>: push %eax
0x08048a5b <+171>: call 0x8048b20 <phase_1>
0x08048a60 <+176>: call 0x804952c <phase_defused>
```

```

0x08048aab <+251>: add    $0xffffffff4,%esp
0x08048aae <+254>: push   $0x804973f
0x08048ab3 <+259>: call  0x8048810 <printf@plt>
0x08048ab8 <+264>: add    $0x20,%esp
0x08048abb <+267>: call  0x80491fc <read_line>
0x08048ac0 <+272>: add    $0xffffffff4,%esp
0x08048ac3 <+275>: push   %eax
0x08048ac4 <+276>: call  0x8048ce0 <phase_4>
0x08048ac9 <+281>: call  0x804952c <phase_defused>
0x08048ace <+286>: add    $0xffffffff4,%esp
0x08048ad1 <+289>: push   $0x8049760
0x08048ad6 <+294>: call  0x8048810 <printf@plt>
0x08048adb <+299>: add    $0x20,%esp
0x08048ade <+302>: call  0x80491fc <read_line>
0x08048ae3 <+307>: add    $0xffffffff4,%esp
0x08048ae6 <+310>: push   %eax
0x08048ae7 <+311>: call  0x8048d2c <phase_5>
0x08048aec <+316>: call  0x804952c <phase_defused>
---Type <return> to continue, or q <return> to quit---
0x08048af1 <+321>: add    $0xffffffff4,%esp
0x08048af4 <+324>: push   $0x80497a0
0x08048af9 <+329>: call  0x8048810 <printf@plt>
0x08048afe <+334>: add    $0x20,%esp
0x08048b01 <+337>: call  0x80491fc <read_line>
0x08048b06 <+342>: add    $0xffffffff4,%esp
0x08048b09 <+345>: push   %eax
0x08048b0a <+346>: call  0x8048d98 <phase_6>
0x08048b0f <+351>: call  0x804952c <phase_defused>
0x08048b14 <+356>: xor     %eax,%eax
0x08048b16 <+358>: mov     -0x18(%ebp),%ebx
0x08048b19 <+361>: mov     %ebp,%esp
0x08048b1b <+363>: pop     %ebp
0x08048b1c <+364>: ret

```

End of assembler dump.

(gdb) x 0x804952c

0x804952c <phase_defused>: 0x83e58955

(gdb) break * 0x83e58955

Breakpoint 1 at 0x83e58955

(gdb) █


```

End of assembler dump.
(gdb) x 0x804952c
0x804952c <phase_defused>:      0x83e58955
(gdb) break * 0x83e58955
Breakpoint 1 at 0x83e58955
(gdb) x/32xw $esp
No registers.
(gdb) run AAAAA
Starting program: /root/Downloads/bigbangtheory-master/sheldon1 AAAAA
Warning:
Cannot insert breakpoint 1.
Cannot access memory at address 0x83e58955

(gdb) x/32xw $esp
0xfffffd300:      0x00000002      0xfffffd492      0xfffffd4c0      0x00000000
0xfffffd310:      0xfffffd4c6      0xfffffdaa8      0xfffffdabf      0xfffffdace
0xfffffd320:      0xffffdadf      0xffffdaf4      0xffffdb03      0xffffdb0e
0xfffffd330:      0xffffdb3d      0xffffdb51      0xffffdb5f      0xffffdb6a
0xfffffd340:      0xffffdb90      0xffffdba1      0xffffdbab      0xffffdbc1
0xfffffd350:      0xffffdc17      0xffffdc40      0xffffdc49      0xffffdc54
0xfffffd360:      0xffffdc6b      0xffffdc7d      0xffffdc90      0xffffdca5
0xfffffd370:      0xffffdce2      0xffffdcfc      0xffffdd51      0xffffdd6d
(gdb) run AAAAA
The program being debugged has been started already.
Start it from the beginning? (y or n) y
Starting program: /root/Downloads/bigbangtheory-master/sheldon1 AAAAA
Warning:
Cannot insert breakpoint 1.
Cannot access memory at address 0x83e58955

```

```

root@kali:~/Downloads/bigbangtheory-master# gdb sheldon1
GNU gdb (Debian 8.1-4+b1) 8.1
Copyright (C) 2018 Free Software Foundation, Inc.
License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>
This is free software: you are free to change and redistribute it.
There is NO WARRANTY, to the extent permitted by law. Type "show copying"
and "show warranty" for details.
This GDB was configured as "x86_64-linux-gnu".
Type "show configuration" for configuration details.
For bug reporting instructions, please see:
<http://www.gnu.org/software/gdb/bugs/>.
Find the GDB manual and other documentation resources online at:
<http://www.gnu.org/software/gdb/documentation/>.
For help, type "help".
Type "apropos word" to search for commands related to "word"...
Reading symbols from sheldon1...done.
(gdb) break phase_1
Breakpoint 1 at 0x804b626
(gdb) run
Starting program: /root/Downloads/bigbangtheory-master/sheldon1
Welcome to my fiendish little bomb. You have 6 phases with
which to blow yourself up. Have a nice day!

test string
Breakpoint 1, 0x0804b626 in phase_1 ()
(gdb) p/x $eax
$1 = 0x804b680
(gdb) x/25c 0x804b680
0x804b680 <input_strings>: 116 't' 101 'e' 115 's' 116 't' 32 ' ' 115 's' 116 't' 114 'r'
0x804b688 <input_strings+8>: 105 'i' 110 'n' 103 'g' 0 '\000' 0 '\000' 0 '\000' 0 '\000' 0 '\000'
0x804b690 <input_strings+16>: 0 '\000' 0 '\000' 0 '\000' 0 '\000' 0 '\000' 0 '\000' 0 '\000'
0x804b698 <input_strings+24>: 0 '\000'
(gdb) x/25c 0x80497c0
0x80497c0: 80 'P' 117 'u' 98 'b' 108 'l' 105 'i' 99 'c' 32 ' ' 115 's'
0x80497c8: 112 'p' 101 'e' 97 'a' 107 'k' 105 'i' 110 'n' 103 'g' 32 ' '
0x80497d0: 105 'i' 115 's' 32 ' ' 118 'v' 101 'e' 114 'r' 121 'y' 32 ' '
0x80497d8: 101 'e'
(gdb)

```

```
nobo
%s: Error: Couldn't open %s
Usage: %s [<input_file>]
Welcome to my fiendish little bomb. You have 6 phases with
which to blow yourself up. Have a nice day!
Phase 1 defused. How about the next one?
That's number 2. Keep going!
Halfway there!
So you got that one. Try this one.
Good work! On to the next...
Public speaking is very easy.
%d %c %d
giants
Wow! You've defused the secret stage!
whitefish.cmcl.cs.cmu.edu
warmouth.cmcl.cs.cmu.edu
walleye.cmcl.cs.cmu.edu
sturgeon.cmcl.cs.cmu.edu
striper.cmcl.cs.cmu.edu
sockeye.cmcl.cs.cmu.edu
sheepshead.cmcl.cs.cmu.edu
shad.cmcl.cs.cmu.edu
sauger.cmcl.cs.cmu.edu
salmon.cmcl.cs.cmu.edu
pumpkinseed.cmcl.cs.cmu.edu
pike.cmcl.cs.cmu.edu
pickerel.cmcl.cs.cmu.edu
perch.cmcl.cs.cmu.edu
paddlefish.cmcl.cs.cmu.edu
muskie.cmcl.cs.cmu.edu
minnow.cmcl.cs.cmu.edu
inconnu.cmcl.cs.cmu.edu
grayling.cmcl.cs.cmu.edu
gobi.cmcl.cs.cmu.edu
flier.cmcl.cs.cmu.edu
chum.cmcl.cs.cmu.edu
char.cmcl.cs.cmu.edu
bluegill.cmcl.cs.cmu.edu
bass.cmcl.cs.cmu.edu
So you think you can stop the bomb with ctrl-c, do you?
Well...
```

```
root@kali:~/Downloads/bigbangtheory-master# ./sheldon1
Welcome to my fiendish little bomb. You have 6 phases with
which to blow yourself up. Have a nice day!
Public speaking is very easy.
Phase 1 defused. How about the next one?
```

```
root@kali:~/Downloads/bigbangtheory-master# ./sheldon2
```

/ / / /
/ / / /

HOURS

/ / / /
/ / / /

MINUTES

/ / / /
/ / / /

SECONDS

DR. VON NOIZEMAN'S NUCLEAR BOMB
/!\ AUTHORIZED ACCESS ONLY - KEEP OUT /!\

[1] YELLOW [2] GREEN [3] BLUE [4] RED

MENU SELECTION: ls


PRESS ENTER TO RETURN TO MENU

KABOOM

^ ^
- - / . . . , , - \ - -
< | | | | >
| | | |
.-=| | | |=-
'-#%&%\$#=-'
| ; :|
_____. , -#%&\$@%#&#~ , . ____

Segmentation fault

```
root@kali:~/Downloads/bigbangtheory-master# ls
```



```
_____. , -#%&$@%#&#~ , . ____  
Segmentation fault  
root@kali:~/Downloads/bigbangtheory-master# ls  
learnord_win.exe  README.md  sheldon1  sheldon2  
root@kali:~/Downloads/bigbangtheory-master# gdb sheldon2  
GNU gdb (Debian 8.1-4+b1) 8.1  
Copyright (C) 2018 Free Software Foundation, Inc.  
License GPLv3+: GNU GPL version 3 or later <http://gnu.org/licenses/gpl.html>  
This is free software: you are free to change and redistribute it.  
There is NO WARRANTY, to the extent permitted by law. Type "show copying"  
and "show warranty" for details.  
This GDB was configured as "x86_64-linux-gnu".  
Type "show configuration" for configuration details.  
For bug reporting instructions, please see:  
<http://www.gnu.org/software/gdb/bugs/>.  
Find the GDB manual and other documentation resources online at:  
<http://www.gnu.org/software/gdb/documentation/>.  
For help, type "help".  
Type "apropos word" to search for commands related to "word"..  
Reading symbols from sheldon2...done.  
(gdb) █
```