

Security Findings of Project "broker-core"

Analysis Date: 2020-06-13 08:42:00

Analyzed Workspace:

Packages:	83	Total LOC:	188,719
Classes:	2,264	No. of Bytecode Instructions:	580,608


Computed Call Graph:

Classes not in Call Graph:	453	Methods not in Call Graph:	634
----------------------------	-----	----------------------------	-----

Findings in List:


All Findings:	371	Problematic Findings:	273
---------------	-----	-----------------------	-----

Finding Problem Types:



- Hard-Coded Credential...: 59
- Usage: Privileged Ac...: 51
- Cryptography: Crypto...: 44
- Privacy Leak: Output...: 32
- Other: 87

Finding Classifications:



- High risk: 190
- No risk: 98
- Neutral: 83

Finding Ratings:




- High risk: 112
- Medium risk: 117
- Low risk: 44


OWASP Top 10 2017



Hot Spots (Packages)



Hot Spots (Classes)



Findings List

Finding ID:	356	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):43		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

Finding ID:	355	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):156		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'passwordWithColon'		

Finding ID:	346	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):52		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	347	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):53		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD_B64MD5HASHED'		

Findings List

Finding ID:	342	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):179		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

Finding ID:	343	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):198		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_B64MD5HASHED_PASSWORD'		

Finding ID:	344	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):307		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

Finding ID:	345	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):331		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD_HASH'		

Findings List

Finding ID:	334	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'testPassword'		

Finding ID:	336	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):52		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

Finding ID:	351	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileKeyStore.java (<Source Code>/org/apache/qpid/server/security):40		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	357	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileTrustStore.java (<Source Code>/org/apache/qpid/server/security):39		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Findings List

Finding ID:	339	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	340	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):39		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'B64_ENCODED_PASSWORD'		

Finding ID:	335	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

Finding ID:	337	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):43		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_PASSWORD'		

Findings List

Finding ID:	331	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):95		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

Finding ID:	332	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):257		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

Finding ID:	352	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	349	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

Findings List

Finding ID:	350	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

Finding ID:	341	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):51		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

Finding ID:	338	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):47		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'SEARCH_PASSWORD'		

Finding ID:	354	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'USER_1_PASSWORD'		

Findings List

Finding ID:	353	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SubjectCreatorTest.java (<Source Code>/org/apache/qpid/server/security):56		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	348	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):40		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'MANAGEMENT_MODE_PASSWORD'		

Finding ID:	333	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	User.java (<Source Code>/org/apache/qpid/server/model):28		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	301	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):965		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		

Findings List

Finding ID:	302	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):966		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'updatingUser'		

Finding ID:	303	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1022		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'user'		

Finding ID:	304	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1089		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		

Finding ID:	329	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):42		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Findings List

Finding ID:	327	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):128		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithColon'		

Finding ID:	328	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):149		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	330	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AnonymousAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):44		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'ANONYMOUS_USERNAME'		

Finding ID:	299	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):55		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'PRINCIPAL_USERNAME'		

Findings List

Finding ID:	298	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):197		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

Finding ID:	274	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'testUsername'		

Finding ID:	326	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectJacksonModuleTest.java (<Source Code>/org/apache/qpid/server/model):52		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	278	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ConnectionLogSubjectTest.java (<Source Code>/org/apache/qpid/server/logging/subjects):39		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER'		

Findings List

Finding ID:	285	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 50		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

Finding ID:	286	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 52		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

Finding ID:	287	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 53		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERNAME'		

Finding ID:	293	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):42		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_DN'		

Findings List

Finding ID:	294	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):43		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

Finding ID:	295	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):44		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME_NO_CN_DC'		

Finding ID:	317	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

Finding ID:	318	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

Findings List

Finding ID:	319	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

Finding ID:	275	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

Finding ID:	276	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

Finding ID:	277	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

Findings List

Finding ID:	310	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):43		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_username'		

Finding ID:	311	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):77		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	312	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):91		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithQuote'		

Finding ID:	313	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):127		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithParenthesis'		

Findings List

Finding ID:	314	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):163		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_usernameWithAtSign'		

Finding ID:	315	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):196		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	296	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

Finding ID:	309	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):60		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

Findings List

Finding ID:	321	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	LogSubjectFormat.java (<Source Code>/org/apache/qpid/server/logging/subjects):67		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_FORMAT'		

Finding ID:	279	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):57		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

Finding ID:	280	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

Finding ID:	283	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ManagedUser.java (<Source Code>/org/apache/qpid/server/security/auth/manager):41		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGED_USER_TYPE'		

Findings List

Finding ID:	273	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):89		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

Finding ID:	290	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):44		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

Finding ID:	272	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):100		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

Finding ID:	320	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

Findings List

Finding ID:	316	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PreferenceFactoryTest.java (<Source Code>/org/apache/qpid/server/model/preferences):40		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	284	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):54		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	281	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):62		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	282	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):64		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME2'		

Findings List

Finding ID:	305	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):65		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

Finding ID:	306	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

Finding ID:	307	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

Finding ID:	308	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):68		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_NAME'		

Findings List

Finding ID:	297	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):50		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

Finding ID:	292	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):46		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'SEARCH_USERNAME'		

Finding ID:	322	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):134		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERS_DN'		

Finding ID:	323	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):138		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_NAME'		

Findings List

Finding ID:	324	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_PASSWORD'		

Finding ID:	325	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):140		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_DN'		

Finding ID:	300	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):70		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGEMENT_MODE_USER_NAME'		

Finding ID:	288	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):57		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1'		

Findings List

Finding ID:	289	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):58		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_2'		

Finding ID:	291	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):61		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MYUSER'		

Finding ID:	156	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):1087		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName()		

Finding ID:	153	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):264		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

Findings List

Finding ID:	154	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):269		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

Finding ID:	151	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):150		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

Finding ID:	152	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):155		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

Findings List

Finding ID:	157	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	KerberosUtilities.java (<Source Code>/org/apache/qpid/server/test):69		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

Finding ID:	155	Problem Type:	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	MultiVersionProtocolEngine.java (<Source Code>/org/apache/qpid/server/transport):174		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName()		

Finding ID:	214	Problem Type:	Cryptography: Check that only allowed hash algorithms are used (Protocol Check Findings)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Check that only allowed hash algorithms are used'. The protocol check detected something wrong when encountering symbol 'AnyAlgorithm_MessageDigestGetInstance'. Violated protocol: Check Allowed Hash Algorithms Protocol description: Allow only a given set of hash algorithm names where algorithm names are expected. The algorithm names are configured via constant value constraint variables. Names to be checked against can be found here: https://docs.oracle.com/javase/8/docs/technotes/guides/security/StandardNames.html Matching pattern in protocol check kind 'AnyAlgorithm_MessageDigestGetInstance': static java.security.MessageDigest java.security.MessageDigest.getInstance(java.lang.String, ***)		

Findings List

Finding ID:	215	Problem Type:	Cryptography: Construction of Secure Random Numbers (Protocol Check Findings)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):334		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified location for problem type 'Cryptography: Construction of Secure Random Numbers'. The RNG being used has not been properly constructed.</p> <p>Violated protocol: Construction of Strong Random Numbers Protocol description: Constructing strong random numbers.</p> <p>Matching pattern in protocol check kind 'GenerateStronglyRandomBits': void java.security.SecureRandom.nextBytes(byte[])</p>		

Finding ID:	183	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):73		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)</p>		

Finding ID:	184	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):74		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': java.security.spec.**ParameterSpec(**)</p>		

Findings List

Finding ID:	185	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):97		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	186	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):99		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': javax.crypto.spec.**ParameterSpec(**, **, **)		

Finding ID:	187	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': java.security.spec.**ParameterSpec(**)		

Findings List

Finding ID:	164	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.KeyGenerator		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	172	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.SecretKeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	192	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	193	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	194	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	195	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	163	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	170	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):115		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	171	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):146		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	160	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	203	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	175	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	177	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	167	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	182	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	173	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	166	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	181	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	201	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	158	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertificateFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	174	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	159	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	161	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

Finding ID:	162	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

Findings List

Finding ID:	178	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	179	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	180	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	197	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	198	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	199	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	200	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	188	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	189	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	168	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	169	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	190	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	191	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	176	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	202	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	165	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	204	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	196	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	77	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):73		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	78	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):97		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	58	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.KeyGenerator Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	66	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.SecretKeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	83	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	84	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	85	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	86	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	57	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	64	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 115		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	65	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 146		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	54	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	94	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	69	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	71	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	61	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	76	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	67	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	60	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	75	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	92	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	52	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertificateFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	68	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	53	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	55	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	56	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	72	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	73	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	74	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	88	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SaslUtilTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	89	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	90	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	91	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	79	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	80	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	62	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	63	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	81	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	82	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	70	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	93	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	59	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	95	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: java.security.KeyStore</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <pre>static java.security.** java.security.**.getInstance(java.lang.String)</pre>		

Finding ID:	87	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	1.00	Reviewed State:	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: java.security.cert.CertPathBuilder</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <pre>static java.security.** java.security.**.getInstance(java.lang.String)</pre>		

Finding ID:	231	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):502 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	<p>An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'</p> <p>Matching pattern in taint source kind 'Privacy Leak':</p> <pre>** **.get*Pass?ord()</pre> <p>Matching pattern in taint sink kind 'Privacy Leak':</p> <pre>java.lang.Throwable(java.lang.String, java.lang.Throwable)</pre>		

Findings List

Finding ID:	230	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):510 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	222	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1870 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	243	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):57 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	240	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):80 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	246	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):104 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	235	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):128 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	239	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):152 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	245	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):260 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	234	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):296 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Findings List

Finding ID:	247	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):332 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	229	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):369 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	237	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):557 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	232	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):625 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	228	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	236	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	226	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	225	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	ServerScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):39 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	233	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):137 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	241	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):271 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	242	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):291 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	223	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):300 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	227	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):33 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	244	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):40 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	224	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	238	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	7.50	Reviewed State:	Not Reviewed
Location:	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	217	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	6.50	Reviewed State:	Not Reviewed
Location:	ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	219	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	6.50	Reviewed State:	Not Reviewed
Location:	MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	220	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	6.50	Reviewed State:	Not Reviewed
Location:	RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	216	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	6.50	Reviewed State:	Not Reviewed
Location:	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	218	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	6.50	Reviewed State:	Not Reviewed
Location:	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	221	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248 <- AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** java.security.Key.getEncoded() Matching pattern in taint sink kind 'System Output': void java.io.OutputStream.write(byte[])		

Finding ID:	358	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	ConnectionBuilder.java (<Source Code>/org/apache/qpid/server/util):129		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)		

Finding ID:	359	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):314		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	360	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):320		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	361	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):335		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)		

Finding ID:	370	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):57		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	371	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):78		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	366	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):60		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	367	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):77		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	362	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	SNITest.java (<Source Code>/org/apache/qpid/server/transport):179		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	363	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	SNITest.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	368	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):342		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	369	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	364	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):67		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	365	Problem Type:	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):103		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	205	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):152		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Finding ID:	206	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):162		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Finding ID:	207	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):172		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Findings List

Finding ID:	208	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):197		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Finding ID:	209	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):207		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Finding ID:	210	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):218		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

Findings List

Finding ID:	211	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):250		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

Finding ID:	212	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):260		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

Finding ID:	213	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):270		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

Findings List

Finding ID:	248	Problem Type:	Path Traversal: Manipulated File System Access (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):185 <- CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):102		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access' Matching pattern in taint source kind 'Property and Environment Input': static java.lang.String java.lang.System.getProperty(java.lang.String) Matching pattern in taint sink kind 'Manipulated File System Instantiation Access': java.io.File(java.lang.String)		

Finding ID:	249	Problem Type:	Path Traversal: Manipulated File System Access (Taint Paths)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):130 <- KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access' Matching pattern in taint source kind 'Property and Environment Input': static java.lang.String java.lang.System.getProperty(java.lang.String) Matching pattern in taint sink kind 'Manipulated File System Instantiation Access': java.io.File(java.lang.String)		

Finding ID:	127	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):796		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.transport.AbstractAMQPConnection\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	116	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1973		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$16\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	121	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2890		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	122	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2904		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	96	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3298		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$27 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	131	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):976		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	136	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):999		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID: 142 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 08:42:00 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1036
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$6

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 97 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 08:42:00 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1058
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$7

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 119 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 08:42:00 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1097
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$8

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID:	135	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractStandardVirtualHostNode.java (<Source Code>/org/apache/qpid/server/virtualhostnode):111		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhostnode.AbstractStandardVirtualHostNode\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	141	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractVirtualHost.java (<Source Code>/org/apache/qpid/server/virtualhost):694		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhost.AbstractVirtualHost\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	123	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):80		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	109	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):100		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	145	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):975		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	126	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):1101		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	118	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):208		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	130	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):253		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	139	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerTestHelper.java (<Source Code>/org/apache/qpid/server/model):295		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerTestHelper\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	133	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):114		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	146	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):175		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	101	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):120		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.store.preferences.PreferencesRecovererTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	105	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):320		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	124	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):393		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	113	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):411		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	137	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):430		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	117	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):487		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	120	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):524		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	140	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):564		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$7 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	114	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):614		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$8 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	128	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):663		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$9 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	103	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):712		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$10 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	110	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):762		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$11 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	104	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):777		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$12 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	98	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):824		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$13 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	100	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):877		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$14 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	102	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):931		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$15 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	112	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):993		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$16 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	107	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1066		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$17 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	125	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1122		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$18 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	144	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1176		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$19 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	134	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1262		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$20 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	129	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1275		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$21 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	132	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	ProducerFlowControlOverflowPolicyHandlerTest.java (<Source Code>/org/apache/qpid/server/queue):181		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.queue.ProducerFlowControlOverflowPolicyHandlerTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	115	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SuppressingInheritedAccessControlContextThreadFactory.java (<Source Code>/org/apache/qpid/server/pool):53		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactory\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	111	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SuppressingInheritedAccessControlContextThreadFactoryTest.java (<Source Code>/org/apache/qpid/server/pool):72		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactoryTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	108	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	TaskExecutorImpl.java (<Source Code>/org/apache/qpid/server/configuration/updater):411		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.configuration.updater.TaskExecutorImpl\$ImmediateSelfSameThreadExecutor\$1\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	106	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):107		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	99	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):129		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	143	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):158		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	138	Problem Type:	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):190		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	147	Problem Type:	Usage: PrintStackTrace (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adaptor):218		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace()		

Finding ID:	148	Problem Type:	Usage: PrintStackTrace (Special Code)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adaptor):264		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace()		

Findings List

Finding ID:	255	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):246		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.FileOutputStream(java.io.File)		

Finding ID:	254	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabase.java (<Source Code>/org/apache/qpid/server/security/auth/database):224		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.FileReader(java.io.File)		

Finding ID:	252	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

Finding ID:	253	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

Findings List

Finding ID:	250	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

Finding ID:	251	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

Finding ID:	270	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

Finding ID:	271	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

Findings List

Finding ID:	268	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	269	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	266	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	267	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Findings List

Finding ID:	256	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	257	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	258	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	259	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Findings List

Finding ID:	260	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	261	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	262	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	263	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Findings List

Finding ID:	264	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	265	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):247		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.Socket javax.net.SocketFactory.createSocket()		

Finding ID:	6	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):489		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	7	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):493		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		

Findings List

Finding ID:	8	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):497		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	9	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1526		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	37	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3832		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	1	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):135		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	2	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):137		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	36	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1192		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	32	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1216		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	34	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1348		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	3	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1391		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	41	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):237		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	40	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):281		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	38	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):460		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	39	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):507		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	10	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredAutomatedAttribute.java (<Source Code>/org/apache/qpid/server/model):207		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	4	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredDerivedInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):178		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	49	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectCustomSerialization.java (<Source Code>/org/apache/qpid/server/model):199		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	51	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectInjectedOperation.java (<Source Code>/org/apache/qpid/server/model):159		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	42	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectInjectedStatistic.java (<Source Code>/org/apache/qpid/server/model):121		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	5	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectMethodAttributeOrStatistic.java (<Source Code>/org/apache/qpid/server/model):68		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	35	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectMethodOperation.java (<Source Code>/org/apache/qpid/server/model):125		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	12	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):349		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	13	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):1033		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Finding ID:	11	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	ConfiguredSettableInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):244		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	30	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):210		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		

Findings List

Finding ID:	33	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):248		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Finding ID:	50	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	LDAPSSLSocketFactoryGeneratorTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):92		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	44	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):648		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	45	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):669		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	46	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):698		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	47	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):701		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	48	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):754		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	43	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	QueueEntryImplTestBase.java (<Source Code>/org/apache/qpid/server/queue):262		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Finding ID:	14	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):995		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	15	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):996		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	16	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):997		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	17	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):999		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	20	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1005		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	18	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	19	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Findings List

Finding ID:	21	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	22	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	23	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	24	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1022		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Findings List

Finding ID:	25	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1023		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	27	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1024		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	26	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1025		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	29	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1029		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	28	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1031		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	31	Problem Type:	Usage: Java Reflection (Special Code)
Classification:	Information	Date:	2020-06-13 08:42:00 - new
Rating:	0.00	Reviewed State:	Not Reviewed
Location:	UUIDs.java (<Source Code>/org/apache/qpid/server/util):46		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.Class Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.Class.newInstance()		

Finding ID:	150	Problem Type:	Usage: java.util.Random (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):163		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		

Finding ID:	149	Problem Type:	Usage: java.util.Random (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 08:42:00 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):36		
Tags:	no tags assigned		
Comment:	<i>no comment</i>		
Description:	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		

Findings List