Security Findings of Project "broker-core"

Analysis Date: 2020-06-13 17:26:57

Analyzed Workspace:

Packages:	83	Total LOC:	188,721
Classes:	2,264	No. of Bytecode Instructions:	580,586

Computed Call Graph:

|			
Classes not in Call Graph:	453	Methods not in Call Graph:	634

Findings in List:

All Findings:	372	Problematic Findings:	274

Finding Problem Types:

- Hard-Coded Credentia...: 59
- Usage: Privileged Ac...: 51
- Cryptography: Crypto...: 45
- Privacy Leak: Output...: 32
- Other: 87

Finding Classifications:

- High risk: 191
- No risk: 98
- Neutral: 83

Finding Ratings:

- High risk: 112
- Medium risk: 117
- Low risk: 45

OWASP Top 10 2017

- A 1: Injection: 0
- A 2: Broken Authentication and Session ....
- A 3: Sensitive Data Exposure: 102
- A 4: XXE: 0
- A 5: Broken Access Control: 53
- A 6: Security Misconfiguration: 0
- A 7: XSS: 0
- A 8: Insecure Deserialization: 0
- A 9: Using Components with Known Vulner…
- A 10: Insufficient Logging & Monitoring: 2

Hot Spots (Packages)

- org.apache.qpid.server.model.testmodels.…
- org.apache.qpid.server.security.auth.man...
- org.apache.qpid.server.model: 24
- org.apache.qpid.server.security.auth.dat.…
- Other: 170

Hot Spots (Classes)

- org.apache.qpid.server.ssl.TrustManagerT…
- org.apache.qpid.server.security.auth.dat.…
- org.apache.qpid.server.security.auth.sas.…..
- org.apache.qpid.server.model.preferences…
- Other: 243

Findings List

Finding ID:	357	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

Finding ID:	356	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):156		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'passwordWithColon'		

Finding ID:	347	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):52		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	348	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):53		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD_B64MD5HASHED'		

Findings List

Finding ID:	**343**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/ security/auth/database):179		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

Finding ID:	**344**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/ security/auth/database):198		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_B64MD5HASHED_PASSWORD'		

Finding ID:	**345**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/ security/auth/database):307		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

Finding ID:	**346**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/ security/auth/database):331		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD_HASH'		

Findings List

Finding ID:	335	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):192		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'testPassword'		

Finding ID:	337	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 52		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

Finding ID:	352	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileKeyStore.java (<Source Code>/org/apache/qpid/server/security):40		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	358	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileTrustStore.java (<Source Code>/org/apache/qpid/server/security):39		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Findings List

Finding ID:	**340**	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	**341**	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):39		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'B64_ENCODED_PASSWORD'		

Finding ID:	**336**	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

Finding ID:	**338**	**Problem Type:**	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_PASSWORD'		

Finding ID:	332	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):95		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

Finding ID:	333	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):257		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

Finding ID:	353	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	350	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

Finding ID:	351	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

Finding ID:	342	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):51		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

Finding ID:	339	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):47		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'SEARCH_PASSWORD'		

Finding ID:	355	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'USER_1_PASSWORD'		

Findings List

Finding ID:	**354**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SubjectCreatorTest.java (<Source Code>/org/apache/qpid/server/security):56		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	**349**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):40		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'MANAGEMENT_MODE_PASSWORD'		

Finding ID:	**334**	Problem Type:	Hard-Coded Credentials: Password in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	User.java (<Source Code>/org/apache/qpid/server/model):28		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

Finding ID:	**302**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):965		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		

Finding ID:	**303**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):966		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'updatingUser'		

Finding ID:	**304**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):1022		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'user'		

Finding ID:	**305**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):1089		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		

Finding ID:	**330**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/ auth/database):42		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Findings List

Finding ID:	328	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/ auth/database):128		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithColon'		

Finding ID:	329	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/ auth/database):149		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	331	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	AnonymousAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):44		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'ANONYMOUS_USERNAME'		

Finding ID:	300	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/ security/auth/database):55		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'PRINCIPAL_USERNAME'		

Findings List

Finding ID:	299	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):197		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

Finding ID:	275	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):192		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'testUsername'		

Finding ID:	327	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectJacksonModuleTest.java (<Source Code>/org/apache/qpid/server/model):52		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	279	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ConnectionLogSubjectTest.java (<Source Code>/org/apache/qpid/server/logging/subjects):39		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER'		

Findings List

Finding ID:	**286**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 50		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

Finding ID:	**287**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 52		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

Finding ID:	**288**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 53		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERNAME'		

Finding ID:	**294**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):42		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_DN'		

Findings List

Finding ID:	295	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

Finding ID:	296	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):44		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME_NO_CN_DC'		

Finding ID:	318	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

Finding ID:	319	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

Findings List

Finding ID:	**320**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

Finding ID:	**276**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

Finding ID:	**277**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

Finding ID:	**278**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

Findings List

Finding ID:	**311**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_username'		

Finding ID:	**312**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):77		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	**313**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):91		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithQuote'		

Finding ID:	**314**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):127		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithParenthesis'		

Findings List

Finding ID:	315	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):163		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_usernameWithAtSign'		

Finding ID:	316	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):196		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

Finding ID:	297	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

Finding ID:	310	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	8.00	Reviewed State:	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):60		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

Findings List

Finding ID:	322	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	LogSubjectFormat.java (<Source Code>/org/apache/qpid/server/logging/subjects):67		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_FORMAT'		

Finding ID:	280	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):57		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

Finding ID:	281	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

Finding ID:	284	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ManagedUser.java (<Source Code>/org/apache/qpid/server/security/auth/manager):41		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGED_USER_TYPE'		

Findings List

Finding ID:	**274**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):89		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

Finding ID:	**291**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):44		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

Finding ID:	**273**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):100		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

Finding ID:	**321**	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

Findings List

Finding ID:	317	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PreferenceFactoryTest.java (<Source Code>/org/apache/qpid/server/model/preferences):40		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	285	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):54		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	282	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):62		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

Finding ID:	283	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):64		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME2'		

Findings List

Finding ID:	306	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):65		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

Finding ID:	307	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

Finding ID:	308	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

Finding ID:	309	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):68		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_NAME'		

Findings List

Finding ID:	**298**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):50		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

Finding ID:	**293**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):46		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'SEARCH_USERNAME'		

Finding ID:	**323**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):134		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERS_DN'		

Finding ID:	**324**	Problem Type:	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):138		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_NAME'		

Findings List

Finding ID:	325	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_PASSWORD'		

Finding ID:	326	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):140		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_DN'		

Finding ID:	301	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):70		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGEMENT_MODE_USER_NAME'		

Finding ID:	289	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):57		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1'		

Findings List

Finding ID:	290	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):58		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_2'		

Finding ID:	292	**Problem Type:**	Hard-Coded Credentials: Username in Variables (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	8.00	**Reviewed State:**	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):61		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MYUSER'		

Finding ID:	157	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):1087		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName()		

Finding ID:	154	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):264		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

Findings List

Finding ID:	**155**	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):269		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

Finding ID:	**152**	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):150		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

Finding ID:	**153**	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):155		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

Findings List

Finding ID:	**158**	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	KerberosUtilities.java (<Source Code>/org/apache/qpid/server/test):69		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Usage: Reverse DNS Resolution'.
Declared in: java.net.InetAddress

Matching pattern in special code kind 'Usage: Reverse DNS Resolution':
java.lang.String java.net.InetAddress.getCanonicalHostName()

Finding ID:	**156**	**Problem Type:**	Usage: Reverse DNS Resolution (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	MultiVersionProtocolEngine.java (<Source Code>/org/apache/qpid/server/transport):174		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Usage: Reverse DNS Resolution'.
Declared in: java.net.InetSocketAddress

Matching pattern in special code kind 'Usage: Reverse DNS Resolution':
java.lang.String java.net.InetSocketAddress.getHostName()

Finding ID:	**215**	**Problem Type:**	Cryptography: Check that only allowed hash algorithms are used (Protocol Check Findings)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Check that only allowed hash algorithms are used'.
The protocol check detected something wrong when encountering symbol 'AnyAlgorithm_MessageDigestGetInstance'.

Violated protocol: Check Allowed Hash Algorithms
Protocol description:
Allow only a given set of hash algorithm names where algorithm names are expected.

The algorithm names are configured via constant value constraint variables.

Names to be checked against can be found here: https://docs.oracle.com/javase/8/docs/technotes/guides/security/StandardNames.html

Matching pattern in protocol check kind 'AnyAlgorithm_MessageDigestGetInstance':
static java.security.MessageDigest java.security.MessageDigest.getInstance(java.lang.String, ***)

Findings List

Finding ID:	**216**	**Problem Type:**	Cryptography: Construction of Secure Random Numbers (Protocol Check Findings)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):334		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Construction of Secure Random Numbers'. The RNG being used has not been properly constructed.

Violated protocol: Construction of Strong Random Numbers
Protocol description:
Constructing strong random numbers.

Matching pattern in protocol check kind 'GenerateStronglyRandomBits':
void java.security.SecureRandom.nextBytes(byte[])

Finding ID:	**185**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project':
static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)

Finding ID:	**186**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):72		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project':
java.security.spec.**ParameterSpec(**)

Findings List

Finding ID:	**187**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	**188**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):97		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': javax.crypto.spec.**ParameterSpec(**, **, **)		

Finding ID:	**165**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.KeyGenerator Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**173**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.SecretKeyFactory

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Finding ID:	**193**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):129		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Finding ID:	**194**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):168		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

Finding ID:	**195**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)

Finding ID:	**196**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	**164**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)

Findings List

Finding ID:	**171**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 115		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**172**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 146		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**161**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**204**	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**177**	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 309		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**179**	Problem Type:	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**168**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**184**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**174**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):71		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**175**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):74		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**167**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**183**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	202	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	159	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertificateFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	176	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**160**

Finding ID:	**160**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**162**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

Finding ID:	**163**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

Findings List

Finding ID:	**180**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**181**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**182**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID: **198**	**Problem Type:** Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification: Information	**Date:** 2020-06-13 17:26:57 - new
Rating: 0.00	**Reviewed State:** Not Reviewed
Location: SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57	
Tags: no tags assigned	
Comment: *no comment*	
Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)	

Finding ID: **199**	**Problem Type:** Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification: Information	**Date:** 2020-06-13 17:26:57 - new
Rating: 0.00	**Reviewed State:** Not Reviewed
Location: SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59	
Tags: no tags assigned	
Comment: *no comment*	
Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)	

Finding ID: **200**	**Problem Type:** Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification: Information	**Date:** 2020-06-13 17:26:57 - new
Rating: 0.00	**Reviewed State:** Not Reviewed
Location: SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77	
Tags: no tags assigned	
Comment: *no comment*	
Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)	

Findings List

Finding ID:	**201**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	**189**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**190**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**169**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**170**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	**191**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**192**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**178**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**203**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**166**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**205**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**197**	**Problem Type:**	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	78	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	79	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	58	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.KeyGenerator Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	66	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: javax.crypto.SecretKeyFactory

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)

Finding ID:	84	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	85	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Findings List

Finding ID:	86	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	87	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	57	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**64**	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 115		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**65**	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 146		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**54**	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	95	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: java.security.KeyStore

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	70	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 309		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	72	Problem Type:	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.
Declared in: java.security.MessageDigest

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Findings List

Finding ID:	61	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	77	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	67	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):71		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	68	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):74		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	60	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	76	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	93	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore		

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	52	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertificateFactory		

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Finding ID:	69	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore		

Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':
static java.security.** java.security.**.getInstance(java.lang.String)

Findings List

Finding ID:	53	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	55	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	56	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	73	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	74	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	75	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	89	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	90	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	91	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	92	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	80	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	81	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	**62**	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	**63**	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Finding ID:	**82**	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

Findings List

Finding ID:	83	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	71	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	94	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	59	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	96	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Finding ID:	88	**Problem Type:**	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	1.00	**Reviewed State:**	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

Findings List

Finding ID:	232	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):502
<-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String, java.lang.Throwable)

Finding ID:	231	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):510
<-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String, java.lang.Throwable)

Finding ID:	223	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1870
<-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Findings List

Finding ID:	244	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):57
   <-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	241	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):80
   <-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	247	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):104
   <-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Findings List

Finding ID:	**236**	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):128 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	**240**	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):152 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	**246**	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):260 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String, java.lang.Throwable)

Findings List

Finding ID:	235	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):296 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	248	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):332 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Finding ID:	230	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):369 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

Findings List

Finding ID:	238	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):557 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	233	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):625 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	229	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	237	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	227	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	226	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	ServerScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):39 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String, java.lang.Throwable)

Findings List

Finding ID:	234	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):137 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	242	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):271 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	243	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):291 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Findings List

Finding ID:	224	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	Strings.java (<Source Code>/org/apache/qpid/server/util):300 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	228	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):33 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Finding ID:	245	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed
Location:	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):40 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

Findings List

Finding ID:	225	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30
<-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	239	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	7.50	**Reviewed State:**	Not Reviewed

Location: VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35
<-
SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.get*Pass?ord()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	218	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	6.50	**Reviewed State:**	Not Reviewed

Location: ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28
<-
AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.getPrivate?redentials()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Findings List

Finding ID:	220	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	6.50	Reviewed State:	Not Reviewed

Location: MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27
    <-
AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.getPrivate?redentials()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	221	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	6.50	Reviewed State:	Not Reviewed

Location: RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134
    <-
AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.getPrivate?redentials()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	217	Problem Type:	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	6.50	Reviewed State:	Not Reviewed

Location: VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30
    <-
AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286

Tags: no tags assigned

Comment: *no comment*

Description: An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'

Matching pattern in taint source kind 'Privacy Leak':
** **.getPrivate?redentials()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Findings List

Finding ID:	219	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	6.50	**Reviewed State:**	Not Reviewed
Location:	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		

Matching pattern in taint source kind 'Privacy Leak':
** **.getPrivate?redentials()

Matching pattern in taint sink kind 'Privacy Leak':
java.lang.Throwable(java.lang.String)

Finding ID:	222	**Problem Type:**	Privacy Leak: Output of Confidential Data (Taint Paths)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248 <- AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		

Matching pattern in taint source kind 'Privacy Leak':
** java.security.Key.getEncoded()

Matching pattern in taint sink kind 'System Output':
void java.io.OutputStream.write(byte[])

Finding ID:	359	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	ConnectionBuilder.java (<Source Code>/org/apache/qpid/server/util):129		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation':
boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)

Finding ID:	**360**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):314		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**361**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):320		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**362**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):335		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)		

Findings List

Finding ID:	371	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):57		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	372	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):78		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	367	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):60		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	**368**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):77		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)

Finding ID:	**363**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	SNITest.java (<Source Code>/org/apache/qpid/server/transport):179		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)

Finding ID:	**364**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	SNITest.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)

Findings List

Finding ID:	**369**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):342		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**370**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**365**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):67		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		
	Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	**366**	**Problem Type:**	SSL/TLS Validation: Suspicious Implementation (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):103		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation':
void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)

Finding ID:	**206**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):152		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':
void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)

Finding ID:	**207**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):162		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':
void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)

Findings List

Finding ID:	**208**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):172		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**209**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):197		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**210**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):207		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	**211**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):218		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**212**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):250		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Finding ID:	**213**	**Problem Type:**	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	4.00	**Reviewed State:**	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):260		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

Findings List

Finding ID:	214	Problem Type:	SSL/TLS Validation: Suspicious Usage (Special Code)
Classification:	Manual Review Required	Date:	2020-06-13 17:26:57 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):270		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager		

Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':
void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)

Finding ID:	249	Problem Type:	Path Traversal: Manipulated File System Access (Taint Paths)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):185 <- CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):102		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access'		

Matching pattern in taint source kind 'Property and Environment Input':
static java.lang.String java.lang.System.getProperty(java.lang.String)

Matching pattern in taint sink kind 'Manipulated File System Instantiation Access':
java.io.File(java.lang.String)

Finding ID:	250	Problem Type:	Path Traversal: Manipulated File System Access (Taint Paths)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	4.00	Reviewed State:	Not Reviewed
Location:	KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):130 <- KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
Tags:	no tags assigned		
Comment:	no comment		
Description:	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access'		

Matching pattern in taint source kind 'Property and Environment Input':
static java.lang.String java.lang.System.getProperty(java.lang.String)

Matching pattern in taint sink kind 'Manipulated File System Instantiation Access':
java.io.File(java.lang.String)

Findings List

Finding ID:	**128**
Classification:	Manual Review Required
Rating:	5.00
Location:	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):796
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Usage: Privileged Action (Special Code)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.transport.AbstractAMQPConnection$4

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**117**
Classification:	Manual Review Required
Rating:	5.00
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1973
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Usage: Privileged Action (Special Code)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.AbstractConfiguredObject$16$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**122**
Classification:	Manual Review Required
Rating:	5.00
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2890
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Usage: Privileged Action (Special Code)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.AbstractConfiguredObject$24$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID:	**123**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2904		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject$24$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**97**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3298		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject$27 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**132**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):976		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**137**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):999		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**143**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):1036		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**98**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/ singleton):1058		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest$7 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**120**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1097		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest$8 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**136**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractStandardVirtualHostNode.java (<Source Code>/org/apache/qpid/server/virtualhostnode):111		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhostnode.AbstractStandardVirtualHostNode$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**142**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AbstractVirtualHost.java (<Source Code>/org/apache/qpid/server/virtualhost):694		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhost.AbstractVirtualHost$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**124**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):80		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**110**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):100		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**146**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):975		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**127**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):1101		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**119**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):208		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**131**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):253		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**140**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	BrokerTestHelper.java (<Source Code>/org/apache/qpid/server/model):295		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerTestHelper$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**134**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):114		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**147**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):175		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**102**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):120		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.store.preferences.PreferencesRecovererTest$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**106**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):320		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**125**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):393		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**114**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):411		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**138**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):430		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**118**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):487		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**121**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):524		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**141**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):564		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$7 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**115**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):614		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$8 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**129**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):663		
Tags:	no tags assigned		
Comment:	*no comment*		

Description:
An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$9

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**104**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):712		
Tags:	no tags assigned		
Comment:	*no comment*		

Description:
An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$10

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**111**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):762		
Tags:	no tags assigned		
Comment:	*no comment*		

Description:
An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$11

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID:	**105**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):777		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$12 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**99**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):824		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$13 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**101**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):877		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$14 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**103**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):931		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$15 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**113**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):993		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$16 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**108**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1066		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$17 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**126**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1122		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$18 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**145**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1176		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$19 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**135**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1262		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$20 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	130	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1275		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest$21 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	133	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	ProducerFlowControlOverflowPolicyHandlerTest.java (<Source Code>/org/apache/qpid/server/queue):181		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.queue.ProducerFlowControlOverflowPolicyHandlerTest$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	116	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SuppressingInheritedAccessControlContextThreadFactory.java (<Source Code>/org/apache/qpid/server/pool):53		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactory$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	**112**
Classification:	Manual Review Required
Rating:	5.00
Location:	SuppressingInheritedAccessControlContextThreadFactoryTest.java (<Source Code>/org/apache/qpid/server/pool):72
Tags:	no tags assigned
Comment:	*no comment*

Problem Type:	Usage: Privileged Action (Special Code)
Date:	2020-06-13 17:26:57 - new
Reviewed State:	Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in:
org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactoryTest$2

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**109**
Classification:	Manual Review Required
Rating:	5.00
Location:	TaskExecutorImpl.java (<Source Code>/org/apache/qpid/server/configuration/updater):411
Tags:	no tags assigned
Comment:	*no comment*

Problem Type:	Usage: Privileged Action (Special Code)
Date:	2020-06-13 17:26:57 - new
Reviewed State:	Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in:
org.apache.qpid.server.configuration.updater.TaskExecutorImpl$ImmediateIfSameThreadExecutor$1$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID:	**107**
Classification:	Manual Review Required
Rating:	5.00
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):107
Tags:	no tags assigned
Comment:	*no comment*

Problem Type:	Usage: Privileged Action (Special Code)
Date:	2020-06-13 17:26:57 - new
Reviewed State:	Not Reviewed

Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID:	**100**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):129		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**144**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):158		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Finding ID:	**139**	**Problem Type:**	Usage: Privileged Action (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):190		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

Findings List

Finding ID:	148
Classification:	Warning
Rating:	5.00
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):218
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Usage: PrintStackTrace (Special Code)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified location for problem type 'Usage: PrintStackTrace'.
Declared in: java.lang.Exception

Matching pattern in special code kind 'Usage: PrintStackTrace':
public void java.lang.Throwable.printStackTrace()

Finding ID:	149
Classification:	Warning
Rating:	5.00
Location:	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):264
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Usage: PrintStackTrace (Special Code)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified location for problem type 'Usage: PrintStackTrace'.
Declared in: java.lang.Exception

Matching pattern in special code kind 'Usage: PrintStackTrace':
public void java.lang.Throwable.printStackTrace()

Finding ID:	256
Classification:	Warning
Rating:	5.00
Location:	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):246
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Resource Leak: IO Stream Resource Leak (Resource Leaks)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified Resource Leak: IO Stream Resource Leak

Matching pattern in open resource kind 'IO Stream Opened':
java.io.FileOutputStream(java.io.File)

Finding ID:	255
Classification:	Warning
Rating:	5.00
Location:	AbstractPasswordFilePrincipalDatabase.java (<Source Code>/org/apache/qpid/server/security/auth/database):224
Tags:	no tags assigned
Comment:	*no comment*

Problem Type: Resource Leak: IO Stream Resource Leak (Resource Leaks)
Date: 2020-06-13 17:26:57 - new
Reviewed State: Not Reviewed

Description: An identified Resource Leak: IO Stream Resource Leak

Matching pattern in open resource kind 'IO Stream Opened':
java.io.FileReader(java.io.File)

Findings List

Finding ID:	253	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

Finding ID:	254	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

Finding ID:	251	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

Finding ID:	252	Problem Type:	Resource Leak: IO Stream Resource Leak (Resource Leaks)
Classification:	Warning	Date:	2020-06-13 17:26:57 - new
Rating:	5.00	Reviewed State:	Not Reviewed
Location:	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

Findings List

Finding ID:	271	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

Finding ID:	272	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

Finding ID:	269	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	270	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Findings List

Finding ID:	**267**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**268**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**257**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**258**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Findings List

Finding ID:	**259**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		

Matching pattern in open resource kind 'Socket Opened':
java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()

Finding ID:	**260**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		

Matching pattern in open resource kind 'Socket Opened':
java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()

Finding ID:	**261**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		

Matching pattern in open resource kind 'Socket Opened':
java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()

Finding ID:	**262**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		

Matching pattern in open resource kind 'Socket Opened':
java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()

Findings List

Finding ID:	**263**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**264**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**265**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

Finding ID:	**266**	Problem Type:	Resource Leak: Socket Resource Leak (Resource Leaks)
Classification:	Warning	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):247		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket javax.net.SocketFactory.createSocket()		

Findings List

Finding ID:	**6**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):489		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**7**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):493		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		

Finding ID:	**8**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):497		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**9**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1526		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	37	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3832		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	1	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):135		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	2	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):137		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	36	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1192		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	**32**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1216		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**34**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1348		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**3**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1391		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**41**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):237		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	**40**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):281		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**38**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):460		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**39**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):507		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**11**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredAutomatedAttribute.java (<Source Code>/org/apache/qpid/server/model):207		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	4	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredDerivedInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):178		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	49	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectCustomSerialization.java (<Source Code>/org/apache/qpid/server/model):199		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	51	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectInjectedOperation.java (<Source Code>/org/apache/qpid/server/model):159		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	42	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectInjectedStatistic.java (<Source Code>/org/apache/qpid/server/model):121		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	**5**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectMethodAttributeOrStatistic.java (<Source Code>/org/apache/qpid/server/model):68		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**35**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectMethodOperation.java (<Source Code>/org/apache/qpid/server/model):125		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**28**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):349		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**29**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):1033		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field		
	Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Findings List

Finding ID:	**10**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	ConfiguredSettableInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):244		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**30**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):210		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		

Finding ID:	**33**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):248		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Findings List

Finding ID:	**50**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	LDAPSSLSocketFactoryGeneratorTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):92		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**44**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):648		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**45**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):669		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**46**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):698		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method		
	Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	47	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):701		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	48	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):754		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	43	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	QueueEntryImplTestBase.java (<Source Code>/org/apache/qpid/server/queue):262		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

Finding ID:	12	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):995		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Findings List

Finding ID:	**13**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):996		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**14**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):997		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**15**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):999		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**18**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1005		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	**16**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**17**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**19**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**20**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Findings List

Finding ID:	**21**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**22**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1022		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**23**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1023		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**25**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1024		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Findings List

Finding ID:	**24**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1025		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**27**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1029		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

Finding ID:	**26**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1031		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

Finding ID:	**31**	**Problem Type:**	Usage: Java Reflection (Special Code)
Classification:	Information	**Date:**	2020-06-13 17:26:57 - new
Rating:	0.00	**Reviewed State:**	Not Reviewed
Location:	UUIDs.java (<Source Code>/org/apache/qpid/server/util):46		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.Class Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.Class.newInstance()		

Findings List

Finding ID:	**151**	**Problem Type:**	Usage: java.util.Random (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):163		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		

Finding ID:	**150**	**Problem Type:**	Usage: java.util.Random (Special Code)
Classification:	Manual Review Required	**Date:**	2020-06-13 17:26:57 - new
Rating:	5.00	**Reviewed State:**	Not Reviewed
Location:	StringUtil.java (<Source Code>/org/apache/qpid/server/util):36		
Tags:	no tags assigned		
Comment:	*no comment*		
Description:	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		