

Security Findings of Project "broker-core"

Analysis Date: 2020-06-13 09:21:02

Analyzed Workspace:

| | | | |
|-----------|-------|-------------------------------|---------|
| Packages: | 83 | Total LOC: | 188,721 |
| Classes: | 2,264 | No. of Bytecode Instructions: | 580,589 |


Computed Call Graph:

| | | | |
|----------------------------|-----|----------------------------|-----|
| Classes not in Call Graph: | 453 | Methods not in Call Graph: | 634 |
|----------------------------|-----|----------------------------|-----|


Findings in List:

| | | | |
|---------------|-----|-----------------------|-----|
| All Findings: | 370 | Problematic Findings: | 273 |
|---------------|-----|-----------------------|-----|


Finding Problem Types:



Finding Classifications:




Finding Ratings:




OWASP Top 10 2017



Hot Spots (Packages)



Hot Spots (Classes)



Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 355 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):43 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 354 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):156 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'passwordWithColon' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 345 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):52 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 346 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):53 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD_B64MD5HASHED' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 341 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):179 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 342 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):198 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_B64MD5HASHED_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 343 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):307 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 344 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):331 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD_HASH' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 333 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'testPassword' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 335 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):52 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USERPASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 350 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileKeyStore.java (<Source Code>/org/apache/qpid/server/security):40 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 356 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileTrustStore.java (<Source Code>/org/apache/qpid/server/security):39 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 338 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 339 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):39 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'B64_ENCODED_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 334 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_USER_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 336 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_PASSWORD' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 330 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):95 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 331 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):257 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 351 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 348 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_USER_PASSWORD' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 349 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USER_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 340 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):51 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 337 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):47 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'SEARCH_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 353 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'USER_1_PASSWORD' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 352 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SubjectCreatorTest.java (<Source Code>/org/apache/qpid/server/security):56 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 347 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SystemConfig.java (<Source Code>/org/apache/qpid/server/model):40 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'MANAGEMENT_MODE_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 332 | Problem Type: | Hard-Coded Credentials: Password in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | User.java (<Source Code>/org/apache/qpid/server/model):28 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 300 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):965 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 301 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):966 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'updatingUser' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 302 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1022 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'user' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 303 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1089 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 328 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):42 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 326 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):128 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithColon' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 327 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):149 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 329 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | AnonymousAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):44 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'ANONYMOUS_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 298 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):55 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'PRINCIPAL_USERNAME' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 297 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):197 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 273 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'testUsername' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 325 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectJacksonModuleTest.java (<Source Code>/org/apache/qpid/server/model):52 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 277 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ConnectionLogSubjectTest.java (<Source Code>/org/apache/qpid/server/logging/subjects):39 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 284 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 50 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 285 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 52 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERPASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 286 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 53 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERNAME' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 292 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):42 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_DN' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 293 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 294 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):44 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME_NO_CN_DC' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 316 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):42 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 317 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 318 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):44 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 274 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):42 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 275 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 276 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):44 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 309 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_username' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 310 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):77 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 311 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):91 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithQuote' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 312 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):127 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithParenthesis' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 313 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):163 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_usernameWithAtSign' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 314 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):196 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 295 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 308 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):60 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 320 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | LogSubjectFormat.java (<Source Code>/org/apache/qpid/server/logging/subjects):67 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_FORMAT' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 278 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):57 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 279 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 282 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedUser.java (<Source Code>/org/apache/qpid/server/security/auth/manager):41 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGED_USER_TYPE' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 272 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):89 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 289 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):44 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 271 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):100 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 319 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 315 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PreferenceFactoryTest.java (<Source Code>/org/apache/qpid/server/model/preferences):40 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 283 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):54 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 280 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):62 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 281 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):64 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME2' | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 304 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):65 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 305 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 306 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_PASSWORD' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 307 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):68 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_NAME' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 296 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):50 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 291 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):46 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'SEARCH_USERNAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 321 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):134 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERS_DN' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 322 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):138 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_NAME' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 323 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_PASSWORD' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 324 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):140 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_DN' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 299 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | SystemConfig.java (<Source Code>/org/apache/qpid/server/model):70 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGEMENT_MODE_USER_NAME' | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 287 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):57 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1' | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 288 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):58 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_2' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 290 | Problem Type: | Hard-Coded Credentials: Username in Variables (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 8.00 | Reviewed State: | Not Reviewed |
| Location: | UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):61 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MYUSER' | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 156 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):1087 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 153 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):264 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName() | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 154 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):269 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 151 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):150 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 152 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):155 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName() | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 157 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | KerberosUtilities.java (<Source Code>/org/apache/qpid/server/test):69 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 155 | Problem Type: | Usage: Reverse DNS Resolution (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | MultiVersionProtocolEngine.java (<Source Code>/org/apache/qpid/server/transport):174 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 213 | Problem Type: | Cryptography: Check that only allowed hash algorithms are used (Protocol Check Findings) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | StringUtil.java (<Source Code>/org/apache/qpid/server/util):100 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Check that only allowed hash algorithms are used'. The protocol check detected something wrong when encountering symbol 'AnyAlgorithm_MessageDigestGetInstance'. Violated protocol: Check Allowed Hash Algorithms Protocol description: Allow only a given set of hash algorithm names where algorithm names are expected. The algorithm names are configured via constant value constraint variables. Names to be checked against can be found here: https://docs.oracle.com/javase/8/docs/technotes/guides/security/StandardNames.html Matching pattern in protocol check kind 'AnyAlgorithm_MessageDigestGetInstance': static java.security.MessageDigest java.security.MessageDigest.getInstance(java.lang.String, ***) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 214 | Problem Type: | Cryptography: Construction of Secure Random Numbers (Protocol Check Findings) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):334 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Construction of Secure Random Numbers'. The RNG being used has not been properly constructed.</p> <p>Violated protocol: Construction of Strong Random Numbers Protocol description: Constructing strong random numbers.</p> <p>Matching pattern in protocol check kind 'GenerateStronglyRandomBits': void java.security.SecureRandom.nextBytes(byte[])</p> | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 183 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)</p> | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 184 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):72 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': java.security.spec.**ParameterSpec(**)</p> | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 185 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 186 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):97 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': javax.crypto.spec.**ParameterSpec(**, **, **) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 164 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.KeyGenerator | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 172 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.SecretKeyFactory | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 191 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 192 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 193 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 194 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 163 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 170 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 115 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 171 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 146 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 160 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 202 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 175 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 177 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 167 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 182 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 173 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 166 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 181 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 200 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 158 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertificateFactory | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 174 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 159 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 161 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 162 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 178 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 179 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 180 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 196 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 197 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 198 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 199 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 187 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 188 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 168 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 169 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 189 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 190 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 176 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 201 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 165 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | StringUtil.java (<Source Code>/org/apache/qpid/server/util):100 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 203 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 195 | Problem Type: | Cryptography: Cryptographic Algorithms Used in Project (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 77 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher | | |
| | Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 78 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 58 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.KeyGenerator Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 66 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.SecretKeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 83 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: java.security.MessageDigest</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <pre>static java.security.** java.security.**.getInstance(java.lang.String)</pre> | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 84 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: java.security.MessageDigest</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <pre>static java.security.** java.security.**.getInstance(java.lang.String)</pre> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 85 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: javax.crypto.Mac</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <pre>static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)</pre> | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 86 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 57 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 64 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):115 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 65 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):146 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 54 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 94 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 69 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 71 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 61 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 76 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 67 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 60 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 75 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 92 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 52 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertificateFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 68 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 53 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 55 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 56 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 72 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):244 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 73 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):263 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 74 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):267 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 88 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 89 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 90 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 91 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 79 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 80 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 62 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 63 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 81 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 82 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 70 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 93 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 59 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | StringUtil.java (<Source Code>/org/apache/qpid/server/util):100 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 95 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 87 | Problem Type: | Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 1.00 | Reviewed State: | Not Reviewed |
| Location: | TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'.</p> <p>Declared in: java.security.cert.CertPathBuilder</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider':</p> <p>static java.security.** java.security.**.getInstance(java.lang.String)</p> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 231 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | <p>AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):502</p> <p><-</p> <p>SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613</p> | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'</p> <p>Matching pattern in taint source kind 'Privacy Leak':</p> <p>** **.get*Pass?ord()</p> <p>Matching pattern in taint sink kind 'Privacy Leak':</p> <p>java.lang.Throwable(java.lang.String, java.lang.Throwable)</p> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 230 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | <p>AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):510</p> <p><-</p> <p>SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613</p> | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'</p> <p>Matching pattern in taint source kind 'Privacy Leak':</p> <p>** **.get*Pass?ord()</p> <p>Matching pattern in taint sink kind 'Privacy Leak':</p> <p>java.lang.Throwable(java.lang.String, java.lang.Throwable)</p> | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 221 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1870 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 241 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):57 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 239 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):80 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 244 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):104 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 233 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):128 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 238 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ArithmeticExpression.java (<Source Code>/org/apache/qpid/server/filter):152 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 242 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):260 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 234 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):296 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 245 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):332 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 226 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):369 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 237 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):557 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 229 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):625 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass*ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 228 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 235 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 225 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 224 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | ServerScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):39 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 232 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | Strings.java (<Source Code>/org/apache/qpid/server/util):137 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 240 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | Strings.java (<Source Code>/org/apache/qpid/server/util):271 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 246 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | Strings.java (<Source Code>/org/apache/qpid/server/util):291 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 222 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | Strings.java (<Source Code>/org/apache/qpid/server/util):300 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 227 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):33 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 243 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):40 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 223 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 236 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 7.50 | Reviewed State: | Not Reviewed |
| Location: | VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' | | |
| | Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord() | | |
| | Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 216 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 6.50 | Reviewed State: | Not Reviewed |
| Location: | ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 218 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 6.50 | Reviewed State: | Not Reviewed |
| Location: | MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 219 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 6.50 | Reviewed State: | Not Reviewed |
| Location: | RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 215 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 6.50 | Reviewed State: | Not Reviewed |
| Location: | VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 217 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 6.50 | Reviewed State: | Not Reviewed |
| Location: | VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials() Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 220 | Problem Type: | Privacy Leak: Output of Confidential Data (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248 <- AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data' Matching pattern in taint source kind 'Privacy Leak': ** java.security.Key.getEncoded() Matching pattern in taint sink kind 'System Output': void java.io.OutputStream.write(byte[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 357 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | ConnectionBuilder.java (<Source Code>/org/apache/qpid/server/util):129 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 358 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):314 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 359 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):320 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 360 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):335 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 369 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):57 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 370 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):78 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 365 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):60 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 366 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):77 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 361 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | SNITest.java (<Source Code>/org/apache/qpid/server/transport):179 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 362 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | SNITest.java (<Source Code>/org/apache/qpid/server/transport):184 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 367 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):342 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 368 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):348 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 363 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):67 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 364 | Problem Type: | SSL/TLS Validation: Suspicious Implementation (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):103 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'. Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 204 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):152 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'. Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 205 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):162 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p> | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 206 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):172 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p> | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 207 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):197 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p> | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 208 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):207 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 209 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):218 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 210 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):250 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre> | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 211 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):260 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre> | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 212 | Problem Type: | SSL/TLS Validation: Suspicious Usage (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):270 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre> | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 247 | Problem Type: | Path Traversal: Manipulated File System Access (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):185 <- CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):102 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | <p>An identified taint path for the problem type 'Path Traversal: Manipulated File System Access'</p> <p>Matching pattern in taint source kind 'Property and Environment Input':</p> <pre>static java.lang.String java.lang.System.getProperty(java.lang.String)</pre> <p>Matching pattern in taint sink kind 'Manipulated File System Instantiation Access':</p> <pre>java.io.File(java.lang.String)</pre> | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 248 | Problem Type: | Path Traversal: Manipulated File System Access (Taint Paths) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 4.00 | Reviewed State: | Not Reviewed |
| Location: | KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):130 <- KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified taint path for the problem type 'Path Traversal: Manipulated File System Access' Matching pattern in taint source kind 'Property and Environment Input': static java.lang.String java.lang.System.getProperty(java.lang.String) Matching pattern in taint sink kind 'Manipulated File System Instantiation Access': java.io.File(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 127 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):796 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.transport.AbstractAMQPConnection\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 116 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1973 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$16\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 121 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2890 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 122 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2904 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 96 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3298 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$27 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

Finding ID: 131 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):976
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$4

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 136 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):999
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$5

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 142 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1036
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$6

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID: 97 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1058
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$7

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 119 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1097
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$8

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 135 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: AbstractStandardVirtualHostNode.java (<Source Code>/org/apache/qpid/server/virtualhostnode):111
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.virtualhostnode.AbstractStandardVirtualHostNode\$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 141 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractVirtualHost.java (<Source Code>/org/apache/qpid/server/virtualhost):694 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhost.AbstractVirtualHost\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 123 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):80 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 109 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):100 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 145 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):975 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 126 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):1101 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 118 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):208 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapters.BrokerImplTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 130 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):253 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 139 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerTestHelper.java (<Source Code>/org/apache/qpid/server/model):295 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerTestHelper\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 133 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):114 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 146 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):175 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 101 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):120 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.store.preferences.PreferencesRecovererTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 105 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):320 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 124 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):393 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 113 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):411 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$3 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 137 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):430 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 117 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):487 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$5 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 120 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):524 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$6 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 140 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):564 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$7 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 114 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):614 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$8 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 128 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):663 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$9 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 103 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):712 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$10 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 110 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):762 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$11 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 104 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):777 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$12 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 98 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):824 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$13 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 100 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):877 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$14 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 102 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):931 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$15 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 112 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):993 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$16 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

Finding ID: 107 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1066
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$17

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 125 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1122
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$18

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 144 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1176
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$19

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

Finding ID: 134 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1262
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$20

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 129 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1275
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$21

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 132 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: ProducerFlowControlOverflowPolicyHandlerTest.java (<Source Code>/org/apache/qpid/server/queue):181
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.queue.ProducerFlowControlOverflowPolicyHandlerTest\$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 115 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SuppressingInheritedAccessControlContextThreadFactory.java (<Source Code>/org/apache/qpid/server/pool):53 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactory\$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 111 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SuppressingInheritedAccessControlContextThreadFactoryTest.java (<Source Code>/org/apache/qpid/server/pool):72 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactoryTest\$2 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 108 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | TaskExecutorImpl.java (<Source Code>/org/apache/qpid/server/configuration/updater):411 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.configuration.updater.TaskExecutorImpl\$ImmediateIfSameThreadExecutor\$1 \$1 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

Findings List

Finding ID: 106 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):107
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$1

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 99 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):129
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$2

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Finding ID: 143 **Problem Type:** Usage: Privileged Action (Special Code)
Classification: Manual Review Required **Date:** 2020-06-13 09:21:02 - new
Rating: 5.00 **Reviewed State:** Not Reviewed
Location: UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):158
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Privileged Action'.
Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$3

Matching pattern in special code kind 'Usage: Privileged Action':
** java.security.PrivilegedAction.run()

Findings List

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 138 | Problem Type: | Usage: Privileged Action (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):190 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$4 Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run() | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 147 | Problem Type: | Usage: PrintStackTrace (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):218 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace() | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 148 | Problem Type: | Usage: PrintStackTrace (Special Code) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):264 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace() | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 254 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):246 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.FileOutputStream(java.io.File) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 253 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractPasswordFilePrincipalDatabase.java (<Source Code>/org/apache/qpid/server/security/auth/database):224 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.FileReader(java.io.File) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 251 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String) | | |

| | | | |
|------------------------|---|------------------------|---|
| Finding ID: | 252 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String) | | |

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 249 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream() | | |

Findings List

| | | | |
|------------------------|--|------------------------|---|
| Finding ID: | 250 | Problem Type: | Resource Leak: IO Stream Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: IO Stream Resource Leak Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 267 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 268 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 269 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 270 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 265 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 266 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 255 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 256 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 257 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 258 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 259 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

Findings List

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 260 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 261 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 262 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 263 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified Resource Leak: Socket Resource Leak | | |
| | Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket() | | |

Findings List

| | | | |
|------------------------|--|------------------------|--|
| Finding ID: | 264 | Problem Type: | Resource Leak: Socket Resource Leak (Resource Leaks) |
| Classification: | Warning | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):247 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified Resource Leak: Socket Resource Leak Matching pattern in open resource kind 'Socket Opened': java.net.Socket javax.net.SocketFactory.createSocket() | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 6 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):489 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 7 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):493 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 8 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):497 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 9 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1526 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 37 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3832 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 1 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):135 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 2 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):137 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 36 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1192 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 32 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1216 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 34 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1348 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 3 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1391 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 41 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):237 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 40 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):281 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 38 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):460 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 39 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):507 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 10 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredAutomatedAttribute.java (<Source Code>/org/apache/qpid/server/model):207 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 4 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredDerivedInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):178 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 49 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectCustomSerialization.java (<Source Code>/org/apache/qpid/server/model):199 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 51 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectInjectedOperation.java (<Source Code>/org/apache/qpid/server/model):159 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 42 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectInjectedStatistic.java (<Source Code>/org/apache/qpid/server/model):121 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 5 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectMethodAttributeOrStatistic.java (<Source Code>/org/apache/qpid/server/model):68 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 35 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectMethodOperation.java (<Source Code>/org/apache/qpid/server/model):125 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 29 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):349 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

Finding ID: 28 **Problem Type:** Usage: Java Reflection (Special Code)
Classification: Information **Date:** 2020-06-13 09:21:02 - new
Rating: 0.00 **Reviewed State:** Not Reviewed
Location: ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):1033
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Java Reflection'.
Declared in: java.lang.reflect.Field

Matching pattern in special code kind 'Usage: Java Reflection':
** java.lang.reflect.Field.get*(java.lang.Object)

Finding ID: 11 **Problem Type:** Usage: Java Reflection (Special Code)
Classification: Information **Date:** 2020-06-13 09:21:02 - new
Rating: 0.00 **Reviewed State:** Not Reviewed
Location: ConfiguredSettableInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):244
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Java Reflection'.
Declared in: java.lang.reflect.Method

Matching pattern in special code kind 'Usage: Java Reflection':
java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])

Finding ID: 30 **Problem Type:** Usage: Java Reflection (Special Code)
Classification: Information **Date:** 2020-06-13 09:21:02 - new
Rating: 0.00 **Reviewed State:** Not Reviewed
Location: LDAPSSLSSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):210
Tags: no tags assigned
Comment: no comment
Description: An identified location for problem type 'Usage: Java Reflection'.
Declared in: java.lang.reflect.Field

Matching pattern in special code kind 'Usage: Java Reflection':
void java.lang.reflect.Field.set*(java.lang.Object, **)

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 33 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):248 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 50 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | LDAPSSLSocketFactoryGeneratorTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):92 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 44 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):648 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 45 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):669 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 46 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):698 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 47 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):701 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 48 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):754 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 43 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | QueueEntryImplTestBase.java (<Source Code>/org/apache/qpid/server/queue):262 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 12 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):995 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 13 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):996 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 14 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):997 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 15 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):999 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 18 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1005 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 16 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 17 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 19 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013 | | |
| Tags: | no tags assigned | | |
| Comment: | no comment | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 20 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 21 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 22 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1022 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 23 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1023 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 25 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1024 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 24 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1025 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|---|------------------------|---------------------------------------|
| Finding ID: | 27 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1029 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[]) | | |

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 26 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1031 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[]) | | |

Findings List

| | | | |
|------------------------|--|------------------------|---------------------------------------|
| Finding ID: | 31 | Problem Type: | Usage: Java Reflection (Special Code) |
| Classification: | Information | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 0.00 | Reviewed State: | Not Reviewed |
| Location: | UUIDs.java (<Source Code>/org/apache/qpid/server/util):46 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.Class Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.Class.newInstance() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 150 | Problem Type: | Usage: java.util.Random (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):163 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random() | | |

| | | | |
|------------------------|---|------------------------|--|
| Finding ID: | 149 | Problem Type: | Usage: java.util.Random (Special Code) |
| Classification: | Manual Review Required | Date: | 2020-06-13 09:21:02 - new |
| Rating: | 5.00 | Reviewed State: | Not Reviewed |
| Location: | StringUtil.java (<Source Code>/org/apache/qpid/server/util):40 | | |
| Tags: | no tags assigned | | |
| Comment: | <i>no comment</i> | | |
| Description: | An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random() | | |