

## Security Findings of Project "broker-core"

**Analysis Date:** 2020-06-13 11:04:19

### Analyzed Workspace:

Packages:	83	Total LOC:	188,719
Classes:	2,264	No. of Bytecode Instructions:	580,580


### Computed Call Graph:

Classes not in Call Graph:	453	Methods not in Call Graph:	635
----------------------------	-----	----------------------------	-----

### Findings in List:


All Findings:	365	Problematic Findings:	268
---------------	-----	-----------------------	-----

#### Finding Problem Types:



- Hard-Coded Credential...: 59
- Usage: Privileged Ac...: 51
- Cryptography: Crypto...: 44
- Hard-Coded Credential...: 27
- Other: 87

#### Finding Classifications:




- High risk: 185
- No risk: 97
- Neutral: 83

#### Finding Ratings:




- High risk: 107
- Medium risk: 117
- Low risk: 44


#### OWASP Top 10 2017



#### Hot Spots (Packages)



#### Hot Spots (Classes)



## Findings List

<b>Finding ID:</b>	<b>350</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

<b>Finding ID:</b>	<b>349</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):156		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'passwordWithColon'		

<b>Finding ID:</b>	<b>340</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):52		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>341</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):53		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD_B64MD5HASHED'		

## Findings List

<b>Finding ID:</b>	<b>336</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):179		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

<b>Finding ID:</b>	<b>337</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):198		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_B64MD5HASHED_PASSWORD'		

<b>Finding ID:</b>	<b>338</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):307		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

<b>Finding ID:</b>	<b>339</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):331		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD_HASH'		

## Findings List

<b>Finding ID:</b>	<b>328</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'testPassword'		

<b>Finding ID:</b>	<b>330</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):52		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

<b>Finding ID:</b>	<b>345</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileKeyStore.java (<Source Code>/org/apache/qpid/server/security):40		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>351</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileTrustStore.java (<Source Code>/org/apache/qpid/server/security):39		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

## Findings List

<b>Finding ID:</b>	<b>333</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>334</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):39		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'B64_ENCODED_PASSWORD'		

<b>Finding ID:</b>	<b>329</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

<b>Finding ID:</b>	<b>331</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_PASSWORD'		

## Findings List

<b>Finding ID:</b>	<b>325</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):95		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'CREATED_PASSWORD'		

<b>Finding ID:</b>	<b>326</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):257		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'NEW_PASSWORD'		

<b>Finding ID:</b>	<b>346</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):38		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>343</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

## Findings List

<b>Finding ID:</b>	<b>344</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

<b>Finding ID:</b>	<b>335</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):51		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'TEST_PASSWORD'		

<b>Finding ID:</b>	<b>332</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):47		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'SEARCH_PASSWORD'		

<b>Finding ID:</b>	<b>348</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'USER_1_PASSWORD'		



## Findings List

<b>Finding ID:</b>	<b>347</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SubjectCreatorTest.java (<Source Code>/org/apache/qpid/server/security):56		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>342</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):40		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'MANAGEMENT_MODE_PASSWORD'		

<b>Finding ID:</b>	<b>327</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Password in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	User.java (<Source Code>/org/apache/qpid/server/model):28		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Password in Variables'. Literal credential in field 'PASSWORD'		

<b>Finding ID:</b>	<b>295</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):965		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		



## Findings List

<b>Finding ID:</b>	<b>296</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):966		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'updatingUser'		

<b>Finding ID:</b>	<b>297</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1022		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'user'		

<b>Finding ID:</b>	<b>298</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1089		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'creatingUser'		

<b>Finding ID:</b>	<b>323</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):42		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

## Findings List

<b>Finding ID:</b>	<b>321</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):128		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithColon'		

<b>Finding ID:</b>	<b>322</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):149		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

<b>Finding ID:</b>	<b>324</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AnonymousAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):44		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'ANONYMOUS_USERNAME'		

<b>Finding ID:</b>	<b>293</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):55		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'PRINCIPAL_USERNAME'		

## Findings List

<b>Finding ID:</b>	<b>292</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Base64MD5PasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):197		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

<b>Finding ID:</b>	<b>268</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapters):192		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'testUsername'		

<b>Finding ID:</b>	<b>320</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectJacksonModuleTest.java (<Source Code>/org/apache/qpid/server/model):52		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

<b>Finding ID:</b>	<b>272</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConnectionLogSubjectTest.java (<Source Code>/org/apache/qpid/server/logging/subjects):39		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER'		

## Findings List

<b>Finding ID:</b>	<b>279</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 50		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

<b>Finding ID:</b>	<b>280</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 52		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERPASSWORD'		

<b>Finding ID:</b>	<b>281</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5): 53		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USERNAME'		

<b>Finding ID:</b>	<b>287</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):42		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_DN'		

## Findings List

<b>Finding ID:</b>	<b>288</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

<b>Finding ID:</b>	<b>289</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ExternalNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/external):44		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME_NO_CN_DC'		

<b>Finding ID:</b>	<b>311</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

<b>Finding ID:</b>	<b>312</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

## Findings List

<b>Finding ID:</b>	<b>313</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseCaseInsensitiveTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

<b>Finding ID:</b>	<b>269</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):42		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER1'		

<b>Finding ID:</b>	<b>270</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER2'		

<b>Finding ID:</b>	<b>271</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileGroupDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/group):44		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER3'		

### Findings List

<b>Finding ID:</b>	<b>304</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_username'		

<b>Finding ID:</b>	<b>305</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):77		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

<b>Finding ID:</b>	<b>306</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):91		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithQuote'		

<b>Finding ID:</b>	<b>307</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):127		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'usernameWithParenthesis'		



## Findings List

<b>Finding ID:</b>	<b>308</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):163		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field '_usernameWithAtSign'		

<b>Finding ID:</b>	<b>309</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	GenericPrincipalTest.java (<Source Code>/org/apache/qpid/server/model/preferences):196		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'username'		

<b>Finding ID:</b>	<b>290</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HashedUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

<b>Finding ID:</b>	<b>303</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):60		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

## Findings List

<b>Finding ID:</b>	<b>315</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	LogSubjectFormat.java (<Source Code>/org/apache/qpid/server/logging/subjects):67		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_FORMAT'		

<b>Finding ID:</b>	<b>273</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):57		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

<b>Finding ID:</b>	<b>274</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedAuthenticationManagerTestBase.java (<Source Code>/org/apache/qpid/server/security/auth/manager):58		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_PASSWORD'		

<b>Finding ID:</b>	<b>277</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedUser.java (<Source Code>/org/apache/qpid/server/security/auth/manager):41		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGED_USER_TYPE'		

## Findings List

<b>Finding ID:</b>	<b>267</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):89		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER_NAME'		

<b>Finding ID:</b>	<b>284</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/plain):44		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USERNAME'		

<b>Finding ID:</b>	<b>266</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainPasswordFilePrincipalDatabaseTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):100		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'CREATED_USERNAME'		

<b>Finding ID:</b>	<b>314</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PlainUserTest.java (<Source Code>/org/apache/qpid/server/security/auth/database):37		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERNAME'		

## Findings List

<b>Finding ID:</b>	<b>310</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferenceFactoryTest.java (<Source Code>/org/apache/qpid/server/model/preferences):40		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

<b>Finding ID:</b>	<b>278</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):54		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

<b>Finding ID:</b>	<b>275</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):62		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME'		

<b>Finding ID:</b>	<b>276</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):64		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USERNAME2'		

## Findings List

<b>Finding ID:</b>	<b>299</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):65		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_NAME'		

<b>Finding ID:</b>	<b>300</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):66		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'VALID_USER_PASSWORD'		

<b>Finding ID:</b>	<b>301</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):67		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_PASSWORD'		

<b>Finding ID:</b>	<b>302</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):68		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'INVALID_USER_NAME'		

## Findings List

<b>Finding ID:</b>	<b>291</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):50		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'TEST_USER'		

<b>Finding ID:</b>	<b>286</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):46		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'SEARCH_USERNAME'		

<b>Finding ID:</b>	<b>316</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):134		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USERS_DN'		

<b>Finding ID:</b>	<b>317</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):138		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_NAME'		

## Findings List

<b>Finding ID:</b>	<b>318</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):139		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_PASSWORD'		

<b>Finding ID:</b>	<b>319</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SimpleLDAPAuthenticationManagerTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):140		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1_DN'		

<b>Finding ID:</b>	<b>294</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SystemConfig.java (<Source Code>/org/apache/qpid/server/model):70		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MANAGEMENT_MODE_USER_NAME'		

<b>Finding ID:</b>	<b>282</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):57		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_1'		



## Findings List

<b>Finding ID:</b>	<b>283</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UUIDGeneratorTest.java (<Source Code>/org/apache/qpid/server/model):58		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'USER_2'		

<b>Finding ID:</b>	<b>285</b>	<b>Problem Type:</b>	Hard-Coded Credentials: Username in Variables (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	8.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):61		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Hard-Coded Credentials: Username in Variables'. Literal credential in field 'MYUSER'		

<b>Finding ID:</b>	<b>156</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):1087		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName()		

<b>Finding ID:</b>	<b>153</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):264		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

## Findings List

<b>Finding ID:</b>	<b>154</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):269		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

<b>Finding ID:</b>	<b>151</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):150		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getHostName()		

<b>Finding ID:</b>	<b>152</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HostNameAliasImpl.java (<Source Code>/org/apache/qpid/server/virtualhostalias):155		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

## Findings List

<b>Finding ID:</b>	<b>157</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	KerberosUtilities.java (<Source Code>/org/apache/qpid/server/test):69		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetAddress.getCanonicalHostName()		

<b>Finding ID:</b>	<b>155</b>	<b>Problem Type:</b>	Usage: Reverse DNS Resolution (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	MultiVersionProtocolEngine.java (<Source Code>/org/apache/qpid/server/transport):174		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Reverse DNS Resolution'. Declared in: java.net.InetSocketAddress  Matching pattern in special code kind 'Usage: Reverse DNS Resolution': java.lang.String java.net.InetSocketAddress.getHostName()		

<b>Finding ID:</b>	<b>213</b>	<b>Problem Type:</b>	Cryptography: Check that only allowed hash algorithms are used (Protocol Check Findings)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Check that only allowed hash algorithms are used'. The protocol check detected something wrong when encountering symbol 'AnyAlgorithm_MessageDigestGetInstance'.  Violated protocol: Check Allowed Hash Algorithms Protocol description: Allow only a given set of hash algorithm names where algorithm names are expected.  The algorithm names are configured via constant value constraint variables.  Names to be checked against can be found here: <a href="https://docs.oracle.com/javase/8/docs/technotes/guides/security/StandardNames.html">https://docs.oracle.com/javase/8/docs/technotes/guides/security/StandardNames.html</a>  Matching pattern in protocol check kind 'AnyAlgorithm_MessageDigestGetInstance': static java.security.MessageDigest java.security.MessageDigest.getInstance(java.lang.String, ***)		

## Findings List

<b>Finding ID:</b>	<b>214</b>	<b>Problem Type:</b>	Cryptography: Construction of Secure Random Numbers (Protocol Check Findings)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):334		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	<p>An identified location for problem type 'Cryptography: Construction of Secure Random Numbers'. The RNG being used has not been properly constructed.</p> <p>Violated protocol: Construction of Strong Random Numbers Protocol description: Constructing strong random numbers.</p> <p>Matching pattern in protocol check kind 'GenerateStronglyRandomBits': void java.security.SecureRandom.nextBytes(byte[])</p>		

<b>Finding ID:</b>	<b>183</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)</p>		

<b>Finding ID:</b>	<b>184</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):72		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	<p>An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec</p> <p>Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': java.security.spec.**ParameterSpec(**)</p>		

### Findings List

<b>Finding ID:</b>	<b>185</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Cipher		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	186	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):97		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.spec.IvParameterSpec		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': javax.crypto.spec.**ParameterSpec(**, **, **)		

<b>Finding ID:</b>	<b>164</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.KeyGenerator		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>172</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.SecretKeyFactory		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>191</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>192</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>193</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>194</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>163</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>170</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 115		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>171</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager): 146		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>160</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>202</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	175	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	177	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>167</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>182</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>173</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>166</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>181</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>200</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>158</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertificateFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>174</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>159</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>161</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>162</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.KeyFactory java.security.KeyFactory.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>178</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):246		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>179</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):265		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>180</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):269		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	196	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>197</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>198</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>199</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>187</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>188</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>168</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>169</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>189</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: javax.crypto.Mac		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>190</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>176</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>201</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>165</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.MessageDigest		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

### Findings List

<b>Finding ID:</b>	<b>203</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.KeyStore		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>195</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms Used in Project (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms Used in Project'. Declared in: java.security.cert.CertPathBuilder		
	Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms Used in Project': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	77	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):71		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>78</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypter.java (<Source Code>/org/apache/qpid/server/security/encryption):95		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Cipher  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>58</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):243		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.KeyGenerator  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>66</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):104		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.SecretKeyFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>83</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>84</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):168		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>85</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):247		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>86</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractScramAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):272		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>57</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractTrustStore.java (<Source Code>/org/apache/qpid/server/security):347		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>64</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):115		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>65</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacher.java (<Source Code>/org/apache/qpid/server/security/auth/manager):146		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>54</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):330		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>94</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AutoGeneratedSelfSignedKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):371		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>69</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CramMd5NegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/crammd5):309		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>71</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Deserializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):43		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>61</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	FileTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):510		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>76</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HashedUser.java (<Source Code>/org/apache/qpid/server/security/auth/database):88		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>67</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	MD5AuthenticationProvider.java (<Source Code>/org/apache/qpid/server/security/auth/manager):69		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>60</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ManagedPeerCertificateTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):107		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>75</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonJavaKeyStoreImpl.java (<Source Code>/org/apache/qpid/server/security):243		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>92</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonJavaTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):143		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>52</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):133		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertificateFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>68</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):393		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>53</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):434		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>55</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):557		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>56</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):564		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyFactory  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>72</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):246		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>73</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):265		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>74</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtilTest.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):269		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>88</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):57		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>89</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):59		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>90</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):77		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>91</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SaslUtil.java (<Source Code>/org/apache/qpid/server/security/auth/sasl):92		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>79</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):377		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>80</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramNegotiatorTest.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):426		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>62</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):197		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>63</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServer.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):266		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>81</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):79		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: javax.crypto.Mac  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static javax.crypto.** javax.crypto.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>82</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ScramSaslServerSourceAdapter.java (<Source Code>/org/apache/qpid/server/security/auth/sasl/scram):135		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>70</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Serializer.java (<Source Code>/org/apache/qpid/server/store/serializer/v1):41		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>93</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):306		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>59</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	StringUtil.java (<Source Code>/org/apache/qpid/server/util):90		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.MessageDigest  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>95</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TCPandSSLTransportTest.java (<Source Code>/org/apache/qpid/server/transport):254		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.KeyStore  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>87</b>	<b>Problem Type:</b>	Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	1.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):150		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider'. Declared in: java.security.cert.CertPathBuilder  Matching pattern in special code kind 'Cryptography: Cryptographic Algorithms w/o Specified Crypto-Provider': static java.security.** java.security.**.getInstance(java.lang.String)		

<b>Finding ID:</b>	<b>230</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):502 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

<b>Finding ID:</b>	<b>229</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):510 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** **.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

## Findings List

<b>Finding ID:</b>	<b>221</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1870 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>240</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):260 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

<b>Finding ID:</b>	<b>233</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):296 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

## Findings List

<b>Finding ID:</b>	<b>241</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):332 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

<b>Finding ID:</b>	<b>228</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):369 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

<b>Finding ID:</b>	<b>235</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):557 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'		
	Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()		
	Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>231</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeConverter.java (<Source Code>/org/apache/qpid/server/model):625 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>227</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>234</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>225</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>224</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ServerScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):39 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String, java.lang.Throwable)		

<b>Finding ID:</b>	<b>232</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Strings.java (<Source Code>/org/apache/qpid/server/util):137 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>237</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Strings.java (<Source Code>/org/apache/qpid/server/util):271 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>238</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Strings.java (<Source Code>/org/apache/qpid/server/util):291 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>222</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	Strings.java (<Source Code>/org/apache/qpid/server/util):300 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>226</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):33 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>239</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UnknownConfiguredObjectException.java (<Source Code>/org/apache/qpid/server/model):40 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>223</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>236</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	7.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- SimpleLDAPAuthenticationManagerImpl.java (<Source Code>/org/apache/qpid/server/security/auth/ manager):613		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.get*Pass?ord()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>216</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	6.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConnectionScopedRuntimeException.java (<Source Code>/org/apache/qpid/server/util):28 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>218</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	6.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	MessageUnacceptableException.java (<Source Code>/org/apache/qpid/server/queue):27 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** *.getPrivate?redentials()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>219</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	6.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	RejectPolicyHandler.java (<Source Code>/org/apache/qpid/server/queue):134 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>215</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	6.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):30 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

<b>Finding ID:</b>	<b>217</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	6.50	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	VirtualHostUnavailableException.java (<Source Code>/org/apache/qpid/server/virtualhost):35 <- AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3286		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** **.getPrivate?redentials()  Matching pattern in taint sink kind 'Privacy Leak': java.lang.Throwable(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>220</b>	<b>Problem Type:</b>	Privacy Leak: Output of Confidential Data (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248 <- AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):248		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Privacy Leak: Output of Confidential Data'  Matching pattern in taint source kind 'Privacy Leak': ** java.security.Key.getEncoded()  Matching pattern in taint sink kind 'System Output': void java.io.OutputStream.write(byte[])		

<b>Finding ID:</b>	<b>352</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConnectionBuilder.java (<Source Code>/org/apache/qpid/server/util):129		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)		

<b>Finding ID:</b>	<b>353</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):314		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>354</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):320		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>355</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	OAuth2AuthenticationProviderImplTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/oauth2):335		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': boolean javax.net.ssl.HostnameVerifier.verify(java.lang.String, javax.net.ssl.SSLSession)		

<b>Finding ID:</b>	<b>364</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):57		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		



## Findings List

<b>Finding ID:</b>	<b>365</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidMultipleTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):78		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>360</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):60		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>361</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidPeersOnlyTrustManager.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):77		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		



### Findings List

<b>Finding ID:</b>	<b>356</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SNITest.java (<Source Code>/org/apache/qpid/server/transport):179		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>357</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SNITest.java (<Source Code>/org/apache/qpid/server/transport):184		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>362</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):342		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>363</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):348		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>358</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):67		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)		

<b>Finding ID:</b>	<b>359</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Implementation (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustAnchorValidatingTrustManager.java (<Source Code>/org/apache/qpid/server/security):103		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'SSL/TLS Validation: Suspicious Implementation'.  Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Implementation': void javax.net.ssl.X509TrustManager.checkServerTrusted(java.security.cert.X509Certificate[], java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>204</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):152		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

<b>Finding ID:</b>	<b>205</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):162		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

<b>Finding ID:</b>	<b>206</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):172		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage': void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</p>		

## Findings List

<b>Finding ID:</b>	<b>207</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):197		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

<b>Finding ID:</b>	<b>208</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):207		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

<b>Finding ID:</b>	<b>209</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):218		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

## Findings List

<b>Finding ID:</b>	<b>210</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):250		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

<b>Finding ID:</b>	<b>211</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):260		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

<b>Finding ID:</b>	<b>212</b>	<b>Problem Type:</b>	SSL/TLS Validation: Suspicious Usage (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TrustManagerTest.java (<Source Code>/org/apache/qpid/server/ssl):270		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	<p>An identified location for problem type 'SSL/TLS Validation: Suspicious Usage'.</p> <p>Declared in: org.apache.qpid.server.transport.network.security.ssl.QpidMultipleTrustManager</p> <p>Matching pattern in special code kind 'SSL/TLS Validation: Suspicious Usage':</p> <pre>void javax.net.ssl.X509TrustManager.checkClientTrusted(java.security.cert.X509Certificate[], java.lang.String)</pre>		

## Findings List

<b>Finding ID:</b>	<b>242</b>	<b>Problem Type:</b>	Path Traversal: Manipulated File System Access (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):185 <- CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):102		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access'  Matching pattern in taint source kind 'Property and Environment Input': static java.lang.String java.lang.System.getProperty(java.lang.String)  Matching pattern in taint sink kind 'Manipulated File System Instantiation Access': java.io.File(java.lang.String)		

<b>Finding ID:</b>	<b>243</b>	<b>Problem Type:</b>	Path Traversal: Manipulated File System Access (Taint Paths)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	4.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):130 <- KerberosAuthenticationManager.java (<Source Code>/org/apache/qpid/server/security/auth/manager):129		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified taint path for the problem type 'Path Traversal: Manipulated File System Access'  Matching pattern in taint source kind 'Property and Environment Input': static java.lang.String java.lang.System.getProperty(java.lang.String)  Matching pattern in taint sink kind 'Manipulated File System Instantiation Access': java.io.File(java.lang.String)		

<b>Finding ID:</b>	<b>127</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractAMQPConnection.java (<Source Code>/org/apache/qpid/server/transport):796		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.transport.AbstractAMQPConnection\$4  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>116</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1973		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$16\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>121</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2890		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>122</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):2904		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$24\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		



## Findings List

<b>Finding ID:</b>	<b>96</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3298		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.AbstractConfiguredObject\$27  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>131</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):976		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$4  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>136</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):999		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$5  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

**Finding ID:** 142 **Problem Type:** Usage: Privileged Action (Special Code)  
**Classification:** Manual Review Required **Date:** 2020-06-13 11:04:19 - new  
**Rating:** 5.00 **Reviewed State:** Not Reviewed  
**Location:** AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1036  
**Tags:** no tags assigned  
**Comment:** no comment  
**Description:** An identified location for problem type 'Usage: Privileged Action'.  
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$6  
  
Matching pattern in special code kind 'Usage: Privileged Action':  
\*\* java.security.PrivilegedAction.run()

**Finding ID:** 97 **Problem Type:** Usage: Privileged Action (Special Code)  
**Classification:** Manual Review Required **Date:** 2020-06-13 11:04:19 - new  
**Rating:** 5.00 **Reviewed State:** Not Reviewed  
**Location:** AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1058  
**Tags:** no tags assigned  
**Comment:** no comment  
**Description:** An identified location for problem type 'Usage: Privileged Action'.  
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$7  
  
Matching pattern in special code kind 'Usage: Privileged Action':  
\*\* java.security.PrivilegedAction.run()

**Finding ID:** 119 **Problem Type:** Usage: Privileged Action (Special Code)  
**Classification:** Manual Review Required **Date:** 2020-06-13 11:04:19 - new  
**Rating:** 5.00 **Reviewed State:** Not Reviewed  
**Location:** AbstractConfiguredObjectTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1097  
**Tags:** no tags assigned  
**Comment:** no comment  
**Description:** An identified location for problem type 'Usage: Privileged Action'.  
Declared in: org.apache.qpid.server.model.testmodels.singleton.AbstractConfiguredObjectTest\$8  
  
Matching pattern in special code kind 'Usage: Privileged Action':  
\*\* java.security.PrivilegedAction.run()

## Findings List

<b>Finding ID:</b>	<b>135</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractStandardVirtualHostNode.java (<Source Code>/org/apache/qpid/server/virtualhostnode):111		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhostnode.AbstractStandardVirtualHostNode\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>141</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractVirtualHost.java (<Source Code>/org/apache/qpid/server/virtualhost):694		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.virtualhost.AbstractVirtualHost\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>123</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):80		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>109</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AuthenticationResultCacherTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager):100		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.security.auth.manager.AuthenticationResultCacherTest\$3  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>145</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):975		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$5  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>126</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImpl.java (<Source Code>/org/apache/qpid/server/model):1101		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerImpl\$6  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>118</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):208		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>130</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adapter):253		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.adapter.BrokerImplTest\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>139</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerTestHelper.java (<Source Code>/org/apache/qpid/server/model):295		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.BrokerTestHelper\$3  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>133</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):114		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$3  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>146</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	HttpManagementActorTest.java (<Source Code>/org/apache/qpid/server/logging/actors):175		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.logging.actors.HttpManagementActorTest\$5  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>101</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesRecovererTest.java (<Source Code>/org/apache/qpid/server/store/preferences):120		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.store.preferences.PreferencesRecovererTest\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>105</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):320		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>124</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):393		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>113</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):411		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$3  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		



## Findings List

<b>Finding ID:</b>	<b>137</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):430		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$4  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>117</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):487		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$5  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>120</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):524		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$6  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>140</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):564		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$7  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>114</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):614		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$8  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>128</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):663		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$9  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>103</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):712		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$10  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>110</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):762		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$11  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>104</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):777		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$12  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>98</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):824		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$13  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>100</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):877		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$14  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>102</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):931		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$15  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>112</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):993		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$16  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>107</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1066		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$17  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>125</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1122		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$18  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>144</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1176		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$19  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>134</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1262		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$20  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>129</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	PreferencesTest.java (<Source Code>/org/apache/qpid/server/model/testmodels/singleton):1275		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.testmodels.singleton.PreferencesTest\$21  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>132</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ProducerFlowControlOverflowPolicyHandlerTest.java (<Source Code>/org/apache/qpid/server/queue):181		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.queue.ProducerFlowControlOverflowPolicyHandlerTest\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>115</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SuppressingInheritedAccessControlContextThreadFactory.java (<Source Code>/org/apache/qpid/server/pool):53		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactory\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>111</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SuppressingInheritedAccessControlContextThreadFactoryTest.java (<Source Code>/org/apache/qpid/server/pool):72		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.pool.SuppressingInheritedAccessControlContextThreadFactoryTest\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		



## Findings List

<b>Finding ID:</b>	<b>108</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	TaskExecutorImpl.java (<Source Code>/org/apache/qpid/server/configuration/updater):411		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.configuration.updater.TaskExecutorImpl\$ImmediateSelfSameThreadExecutor\$1\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>106</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):107		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$1  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>99</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):129		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$2  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

## Findings List

<b>Finding ID:</b>	<b>143</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):158		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$3  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>138</b>	<b>Problem Type:</b>	Usage: Privileged Action (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UserPreferencesTest.java (<Source Code>/org/apache/qpid/server/model/preferences):190		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Privileged Action'. Declared in: org.apache.qpid.server.model.preferences.UserPreferencesTest\$4  Matching pattern in special code kind 'Usage: Privileged Action': ** java.security.PrivilegedAction.run()		

<b>Finding ID:</b>	<b>147</b>	<b>Problem Type:</b>	Usage: PrintStackTrace (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adaptor):218		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception  Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace()		

<b>Finding ID:</b>	<b>148</b>	<b>Problem Type:</b>	Usage: PrintStackTrace (Special Code)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerImplTest.java (<Source Code>/org/apache/qpid/server/model/adaptor):264		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: PrintStackTrace'. Declared in: java.lang.Exception  Matching pattern in special code kind 'Usage: PrintStackTrace': public void java.lang.Throwable.printStackTrace()		

## Findings List

<b>Finding ID:</b>	<b>249</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterFactory.java (<Source Code>/org/apache/qpid/server/security/encryption):246		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.FileOutputStream(java.io.File)		

<b>Finding ID:</b>	<b>248</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractPasswordFilePrincipalDatabase.java (<Source Code>/org/apache/qpid/server/security/auth/database):224		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.FileReader(java.io.File)		

<b>Finding ID:</b>	<b>246</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

<b>Finding ID:</b>	<b>247</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	CommonProperties.java (<Source Code>/org/apache/qpid/server/configuration):221		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.lang.Class.getResourceAsStream(java.lang.String)		

## Findings List

<b>Finding ID:</b>	<b>244</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

<b>Finding ID:</b>	<b>245</b>	<b>Problem Type:</b>	Resource Leak: IO Stream Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreTest.java (<Source Code>/org/apache/qpid/server/security):348		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: IO Stream Resource Leak		
	Matching pattern in open resource kind 'IO Stream Opened': java.io.InputStream java.net.Socket.getInputStream()		

<b>Finding ID:</b>	<b>264</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

<b>Finding ID:</b>	<b>265</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonBlockingConnection.java (<Source Code>/org/apache/qpid/server/transport):166		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.Socket java.nio.channels.SocketChannel.socket()		

## Findings List

<b>Finding ID:</b>	<b>262</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>263</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	NonBlockingNetworkTransport.java (<Source Code>/org/apache/qpid/server/transport):123		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>260</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>261</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):184		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

## Findings List

<b>Finding ID:</b>	<b>250</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>251</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>252</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):443		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>253</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

## Findings List

<b>Finding ID:</b>	<b>254</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):451		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>255</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>256</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):491		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>257</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak		
	Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		



## Findings List

<b>Finding ID:</b>	<b>258</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SelectorThread.java (<Source Code>/org/apache/qpid/server/transport):504		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak  Matching pattern in open resource kind 'Socket Opened': java.net.ServerSocket java.nio.channels.ServerSocketChannel.socket()		

<b>Finding ID:</b>	<b>259</b>	<b>Problem Type:</b>	Resource Leak: Socket Resource Leak (Resource Leaks)
<b>Classification:</b>	Warning	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SiteSpecificTrustStoreImpl.java (<Source Code>/org/apache/qpid/server/security):247		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified Resource Leak: Socket Resource Leak  Matching pattern in open resource kind 'Socket Opened': java.net.Socket javax.net.SocketFactory.createSocket()		

<b>Finding ID:</b>	<b>6</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):489		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>7</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):493		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field  Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		

## Findings List

<b>Finding ID:</b>	8	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):497		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	9	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):1526		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	37	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractConfiguredObject.java (<Source Code>/org/apache/qpid/server/model):3832		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	1	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):135		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>2</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AbstractContainer.java (<Source Code>/org/apache/qpid/server/model):137		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>36</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1192		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>32</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1216		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>34</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1348		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>3</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AttributeValueConverter.java (<Source Code>/org/apache/qpid/server/model):1391		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>41</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):237		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>40</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):281		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>38</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):460		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>39</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	BrokerAttributeInjector.java (<Source Code>/org/apache/qpid/server/model):507		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>11</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredAutomatedAttribute.java (<Source Code>/org/apache/qpid/server/model):207		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>4</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredDerivedInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):178		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>49</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectCustomSerialization.java (<Source Code>/org/apache/qpid/server/model):199		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>51</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectInjectedOperation.java (<Source Code>/org/apache/qpid/server/model):159		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>42</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectInjectedStatistic.java (<Source Code>/org/apache/qpid/server/model):121		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>5</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectMethodAttributeOrStatistic.java (<Source Code>/org/apache/qpid/server/model):68		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>35</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectMethodOperation.java (<Source Code>/org/apache/qpid/server/model):125		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>29</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):349		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>12</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredObjectTypeRegistry.java (<Source Code>/org/apache/qpid/server/model):1033		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field  Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

<b>Finding ID:</b>	<b>10</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	ConfiguredSettableInjectedAttribute.java (<Source Code>/org/apache/qpid/server/model):244		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>30</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):210		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field  Matching pattern in special code kind 'Usage: Java Reflection': void java.lang.reflect.Field.set*(java.lang.Object, **)		



## Findings List

<b>Finding ID:</b>	<b>33</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	LDAPSSLSocketFactoryGenerator.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):248		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field  Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

<b>Finding ID:</b>	<b>50</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	LDAPSSLSocketFactoryGeneratorTest.java (<Source Code>/org/apache/qpid/server/security/auth/manager/ldap):92		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>44</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):648		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>45</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):669		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>46</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):698		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>47</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):701		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>48</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QpidByteBufferTest.java (<Source Code>/org/apache/qpid/server/bytebuffer):754		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>43</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	QueueEntryImplTestBase.java (<Source Code>/org/apache/qpid/server/queue):262		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Field  Matching pattern in special code kind 'Usage: Java Reflection': ** java.lang.reflect.Field.get*(java.lang.Object)		

<b>Finding ID:</b>	<b>13</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):995		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>14</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):996		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>15</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):997		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	no comment		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>16</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):999		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>19</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1005		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>17</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>18</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1006		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>20</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>21</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>22</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1013		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>23</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1022		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>24</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1023		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>26</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1024		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>25</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1025		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

<b>Finding ID:</b>	<b>28</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1029		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Method  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Method.invoke(java.lang.Object, java.lang.Object[])		

## Findings List

<b>Finding ID:</b>	<b>27</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	SSLUtil.java (<Source Code>/org/apache/qpid/server/transport/network/security/ssl):1031		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.reflect.Constructor  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.reflect.Constructor.newInstance(java.lang.Object[])		

<b>Finding ID:</b>	<b>31</b>	<b>Problem Type:</b>	Usage: Java Reflection (Special Code)
<b>Classification:</b>	Information	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	0.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	UUIDs.java (<Source Code>/org/apache/qpid/server/util):46		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: Java Reflection'. Declared in: java.lang.Class  Matching pattern in special code kind 'Usage: Java Reflection': java.lang.Object java.lang.Class.newInstance()		

<b>Finding ID:</b>	<b>150</b>	<b>Problem Type:</b>	Usage: java.util.Random (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	AESKeyFileEncrypterTest.java (<Source Code>/org/apache/qpid/server/security/encryption):163		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random  Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		

<b>Finding ID:</b>	<b>149</b>	<b>Problem Type:</b>	Usage: java.util.Random (Special Code)
<b>Classification:</b>	Manual Review Required	<b>Date:</b>	2020-06-13 11:04:19 - new
<b>Rating:</b>	5.00	<b>Reviewed State:</b>	Not Reviewed
<b>Location:</b>	StringUtil.java (<Source Code>/org/apache/qpid/server/util):36		
<b>Tags:</b>	no tags assigned		
<b>Comment:</b>	<i>no comment</i>		
<b>Description:</b>	An identified location for problem type 'Usage: java.util.Random'. Declared in: java.util.Random  Matching pattern in special code kind 'Usage: java.util.Random': java.util.Random()		



## Findings List