ATT&CK™ Navigator Layer File Format Definition

This document describes version 1.3 of the MITRE ATT&CK Navigator Layer file format. The ATT&CK Navigator stores layers as JSON, therefore this document defines the JSON properties in a layer file.

Property Table

	Required ?	Default Value (if not present)	Description
String	Yes	n/a	Must be "1.1"
String	Yes	n/a	The name of the layer
String	No	ധ	A free-form text field that describes the contents or intent of the layer
String	Yes	n/a	Technology domain that this layer represents. Valid values are: mitre-enterprise mitre-mobile
Filter object	No		See Filter object definition below
Number	No	0	Specifies the ordering of the techniques within each tactic category as follows: 0: sort ascending alphabetically by technique name 1: sort descending alphabetically by
	String String String Filter object	String Yes String Yes String No String No Filter No object	String Yes n/a String Yes n/a String No "" String No "" String No object

Name	Туре	Required ?	Default Value (if not present)	Description
			. ,	2: sort ascending by technique score 3: sort descending by technique score
viewMode	Number	No	0	Specifies the view mode for the layer as follows: 0: display the full table with tactic and technique names 1: display compact table with abbreviated tactic and technique names 2: display mini table with no text with the exception of tooltips
hideDisabled	Boolean	No	false	Specifies whether techniques that have been disabled are still displayed (greyed-out) or omitted from the view as follows: true: omit techniques marked as disabled from the view false: include disabled techniques in the view but display as greyed-out
techniques	Array of Technique objects	No		See definition of Technique object below.

Name	Туре	Required ?	Default Value (if not present)	Description
gradient	Object	No	Red to Green, minValue=0, maxValue=10 0	
legendItems	Array of LegendIte m objects	No		See definition of LegendItem object below
showTacticRowBackgrou nd	Boolean	No	false	If true, the tactic row background color will be the value of the tacticRowBackground field
tacticRowBackground	String	No	"#dddddd"	The tactic row background color

Filter Object Properties

Name	Туре	Required?	Default Value	Description
			(if not present)	
stages	Array of	No	["act"]	Specifies the logical stages of
	string			the attack lifecycle to display.
				Valid choices are:
				prepare, act
				Array must contain at least one
l				of these values.
platforms	Array of	No	All platforms	Specifies the platforms within
	string		defined within	the technology domain – only
			domain	those techniques tagged with
				these platforms are to be
				displayed. Valid values are as
				follows:
				domain-mitha antannnica:
				<pre>domain=mitre-enterprise: windows, linux,</pre>
				mac willdows, iillux,
				ind C
				domain=mitre-mobile:
				android, ios

Technique Object Properties

Name	Туре	Required?	Default Value (if not present)	Description
techniqueID	String	Yes	n/a	Unique identifier of the ATT&CK technique, e.g. T####
comment	String	No	(C)	Free-text field
enabled	Boolean	No	true	Specifies if the technique is considered enabled or disabled in this layer
score	Number	No	(unscored)	Optional numeric score assigned to this technique in this layer. If omitted, the technique is consider to be "unscored" meaning that it will not be assigned a color from the gradient by the Navigator.
color	String	No	w	Explicit color value assigned to this technique in this layer. Note that explicitly defined color overrides any color implied by the score – the Navigator will display the technique using the explicitly defined color.

Gradient Object Properties

Name	Туре	Required?	Default Value (if not present)	Description
colors	Array of string	Yes	n/a	Specifies the hexadecimal RGB color values that constitute the color spectrum in use. The array must contain at least two (2) values, corresponding to the minValue and maxValue scores.
minValue	Number	Yes	n/a	The lower bound score of the gradient.
maxValue	Number	Yes	n/a	The upper bound score of the gradient. Note: maxValue must be > minValue

LegendItem Object Properties

Name	Туре	Required?	Default Value (if not present)	Description
label	String	Yes	n/a	The name of the legend item
color	String	Yes	n/a	The color of the legend item

Example

The following example illustrates the layer file format:

```
{
     "version": "1.3",
     "name": "example",
     "description": "hello, world",
     "domain": "mitre-enterprise"
     "filters": {
                "stages": [ "act" ],
                "platforms": [ "windows" ],
     },
     "sorting": 2,
     "techniques": [
           {
                 "techniqueID": "T1156",
                "enabled": false,
                 "comment": "disabled technique with a comment"
           },
                "techniqueID": "T1015",
                 "score": 50
           },
                 "techniqueID": "T1103",
                 "color": "#FF00FF"
           },
     "legendItems": [
           {
                "label": "Legend Item Label",
                "color": "#FF00FF"
           }
     "showTacticRowBackground": true,
     "tacticRowBackground": "#205b8f"
```