

Connect to instance | EC2 | ap-southeast-1 x EC2 Instance Connect | ap-south-1 x Webhooks x pipelinedemoproject [Jenkins] x Docker Hub x +

github.com/Sedhusiva/docker-jenkins-pipeline/settings/hooks

New Tab New Tab Gmail YouTube Maps

Sedhusiva / docker-jenkins-pipeline

Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Okay, that hook was successfully created. We sent a ping payload to test it out! Read more about it at <https://docs.github.com/webhooks/#ping-event>.

General

Access

Collaborators

Moderation options

Code and automation

Branches

Tags

Rules

Actions

Webhooks

Environments

Codespaces

Pages

Security

Code security and analysis

Webhooks

Add webhook

Webhooks allow external services to be notified when certain events happen. When the specified events happen, we'll send a POST request to each of the URLs you provide. Learn more in our [Webhooks Guide](#).

• <http://52.66.21.123:8080/github-we...> (push)

Edit Delete

31°C Sunny

Search

ENG IN 10:52 05-10-2023

Connect to instance | EC2 | ap-southeast-1 x EC2 Instance Connect | ap-south-1 x Editing docker-jenkins-pipeline/ x pipelinedemoproject [Jenkins] x Docker Hub x +

github.com/Sedhusiva/docker-jenkins-pipeline/edit/main/app/app.py

New Tab New Tab Gmail YouTube Maps

Sedhusiva / docker-jenkins-pipeline

Search Type to search

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Files

main

Go to file

app

__init__.py

app.py

tests

Dockerfile

Jenkinsfile

README.md

requirements.txt

docker-jenkins-pipeline / app / app.py in main

Cancel changes Commit changes...

Edit Preview Code 55% faster with GitHub Copilot

Spaces 4 No wrap

```
1 from flask import Flask
2
3 app = Flask(__name__)
4
5 @app.route('/')
6 def hello_world():
7     return 'Hello Everyone'
8
9 if __name__ == '__main__':
10     app.run(debug=True, host='0.0.0.0')
11
```

Use Control + Shift + m to toggle the tab key moving focus. Alternatively, use esc then tab to move to the next interactive element on the page.

31°C Sunny

Search

ENG IN 10:54 05-10-2023

Connect to instance | EC2 | ap-southeast-1 | x

EC2 Instance Connect | ap-southeast-1 | x

docker-jenkins-pipeline/app/app | x

pipelinedemoproject [Jenkins] | x

Docker Hub | x

+ | x

Not secure | 52.66.21.123:8080/job/pipelinedemoproject/

New Tab | New Tab | Gmail | YouTube | Maps

Dashboard > pipelinedemoproject >

Configure

Delete Pipeline

Full Stage View

GitHub

Rename

Pipeline Syntax

GitHub Hook Log

Build History

trend

Filter builds...

#14
05-Oct-2023, 5:25 AM

#13
04-Oct-2023, 11:51 AM

#12
04-Oct-2023, 11:44 AM

#11
04-Oct-2023, 11:34 AM

Disable Project

Stage View

Average stage times:
(Average full run time: ~26s)

	Declarative: Checkout SCM	Build	Test	Deploy	Declarative: Post Actions
#14 Oct 05 10:55 1 commit	1s	1s	3s	10s	
#13 Oct 04 17:21 2 commits	1s	1s	5s	7s	7s
#12 Oct 04 17:14 No Changes					
#11 Oct 04 17:04 2 commits	1s	1s	4s	7s	2s
#10 Oct 04 16:15 2 commits	1s	1s	11s	7s	26s

31°C
Sunny

Search


ENG IN

10:56
05-10-2023




Connect to instance | EC2 | xEC2 Instance Connect | ap-xdocker-jenkins-pipeline/ap-xpipelinedemoproject #14 xDocker HubxNotification Mail From Jen-x

← → ↻ ⚠ Not secure | 52.66.21.123:8080/job/pipelinedemoproject/14/console


New TabNew TabGmailYouTubeMaps


 **Jenkins**


Search (CTRL+K) ?


 1  Sedhura S  log out


Dashboard > pipelinedemoproject > #14


 Status


 Changes


 Console Output


 View as plain text


 Edit Build Information


 Delete build '#14'


 Polling Log


 Git Build Data


 Restart from Stage

 Replay


 Pipeline Steps


 Workspaces


 Previous Build

 **Console Output**




```
Started by GitHub push by Sedhusiva
Obtained Jenkinsfile from git https://github.com/Sedhusiva/docker-jenkins-pipeline.git
[Pipeline] Start of Pipeline
[Pipeline] node
Running on Jenkins in /var/lib/jenkins/workspace/pipelinedemoproject
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Declarative: Checkout SCM)
[Pipeline] checkout
Selected Git installation does not exist. Using Default
The recommended git tool is: NONE
using credential github
> git rev-parse --resolve-git-dir /var/lib/jenkins/workspace/pipelinedemoproject/.git # timeout=10
Fetching changes from the remote Git repository
> git config remote.origin.url https://github.com/Sedhusiva/docker-jenkins-pipeline.git # timeout=10
Fetching upstream changes from https://github.com/Sedhusiva/docker-jenkins-pipeline.git
> git --version # timeout=10
> git --version # 'git version 2.34.1'
using GIT_ASKPASS to set credentials first pipeline project
> git fetch --tags --force --progress -- https://github.com/Sedhusiva/docker-jenkins-pipeline.git +refs/heads/*:refs/remotes/origin/* # timeout=10
> git rev-parse refs/remotes/origin/main^{commit} # timeout=10
Checking out Revision 14174aac0ffb40be356b1c987db29d11eb6f46bd (refs/remotes/origin/main)
```

 31°C Sunny

 Search



ENG IN

10:57 05-10-2023

Connect to instance | EC2

EC2 Instance Connect | ap

docker-jenkins-pipeline/ap

pipelinedemoproject #14

Docker Hub

Notification Mail From Jen

← → ↻ ⚠ Not secure | 52.66.21.123:8080/job/pipelinedemoproject/14/console

New Tab New Tab Gmail YouTube Maps

Dashboard > pipelinedemoproject > #14

```
[Pipeline] withEnv
[Pipeline] {
[Pipeline] stage
[Pipeline] { (Build)
[Pipeline] sh
+ docker build -t my-flask .
DEPRECATED: The legacy builder is deprecated and will be removed in a future release.
            Install the buildx component to build images with BuildKit:
            https://docs.docker.com/go/buildx/

Sending build context to Docker daemon 151.6kB

Step 1/8 : FROM python:3.9-alpine
--> c6a833d4884b
Step 2/8 : WORKDIR /flask_app
--> Using cache
--> 5c96ddb9afaa
Step 3/8 : COPY requirements.txt .
--> Using cache
--> 51ffe00256f1
Step 4/8 : RUN pip install --no-cache-dir -r requirements.txt
--> Using cache
--> 8e30cfb3dc0e
Step 5/8 : RUN pip install pytest
--> Using cache
--> 7300dad36172
Step 6/8 : COPY app/ .
--> 304222006352
Step 7/8 : COPY tests/ app/tests/
--> 78ea0e326252
Step 8/8 : CMD [ "python", "app.py" ]
```

1 31°C Sunny

Search

ENG IN

10:57 05-10-2023

Connect to instance | EC2 | x

EC2 Instance Connect | ap- x

docker-jenkins-pipeline/ap x

pipelinedemoproject #14 C x

Docker Hub x

Notification Mail From Jen x

+ x

← → ↻ ⚠ Not secure | 52.66.21.123:8080/job/pipelinedemoproject/14/console


🔗 ☆ ⚙ ⬇ 🖨 👤 ⋮


🔄 New Tab 🔄 New Tab 📧 Gmail 📺 YouTube 📍 Maps

Dashboard > pipelinedemoproject > #14


```
9f75761b4398: Layer already exists
c11c338ce572: Layer already exists
f7d98ff5796b: Layer already exists
f303ce0a6b1f: Layer already exists
aeee4e814629: Layer already exists
a711af6e374b: Layer already exists
a1c2f058ec5f: Layer already exists
673deaf20f58: Layer already exists
cc2447e1835a: Layer already exists
7a539b158f35: Pushed
c6c1829a5bce: Pushed
latest: digest: sha256:2c3cd36c3af0daeb00cb3aa50f36317d77bc7a45a3039083764af8cb5a4d542a size: 2617
[Pipeline] }
[Pipeline] // withCredentials
[Pipeline] }
[Pipeline] // stage
[Pipeline] stage
[Pipeline] { (Declarative: Post Actions)
[Pipeline] sh
+ docker rm -f mypycont
mypycont
[Pipeline] sh
+ docker run --name mypycont -d -p 3000:5000 my-flask
f774bc6417e82a1bc566f430f86a019943b75d80ea690be7d6a6edd9fdc9646f
[Pipeline] mail
[Pipeline] }
[Pipeline] // stage
[Pipeline] }
[Pipeline] // withEnv
[Pipeline] }
```

1 31°C Sunny





^ ENG IN



10:57 05-10-2023

Connect to instance x EC2 Instance Connect x docker-jenkins-pipili x pipelinedemoproject x Docker Hub x Notification Mail From x Editing jenkins-exec/ x

mail.google.com/mail/u/0/#inbox/FMfcgzGtxSzPZZSZSwrhvDZHxWdwrjnM

New Tab New Tab Gmail YouTube Maps

Search mail

Compose

Inbox 3,246

Starred

Snoozed

Sent

Drafts

More

Labels +

1 of 5,230

Notification Mail From Jenkins Inbox x

address not configured yet <sivasanthi.svs@gmail.com>
to me

11:04 (0 minutes ago)

The simplescriptpt Pipeline project Task 7, Automatic Notification will be sent through email While any change made in commit by adding the webhook in the created and configured repository.

Reply

Forward

31°C Sunny

Search


ENG IN

11:05 05-10-2023

Connect to instance x EC2 Instance Connect x docker-jenkins-pipili x pipelinedemoproject x Docker Hub x Notification Mail Fro x Editing jenkins-exec/ x +

← → ↻ ⚠ Not secure | 52.66.21.123:8080/job/pipelinedemoproject/16/ ⌂ ☆ ⚙ ⬇ 📄 🖼 👤 ⋮

New Tab New Tab Gmail YouTube Maps

 **Jenkins**

🔍 Search (CTRL+K) ? 🛡 1 👤 Sedhuras S ⌵ 🚪 log out

Dashboard > pipelinedemoproject > #16

Status

</> Changes

📄 Console Output

✏ Edit Build Information

🗑 Delete build '#16'

📄 Polling Log

📊 Git Build Data


🔄 Restart from Stage

↺ Replay

☰ Pipeline Steps

📁 Workspaces

← Previous Build


 **Build #16 (05-Oct-2023, 5:34:28 AM)**


Keep this build forever

✎ Add description Started 1 min 1 sec ago Took **23 sec**

</> Changes


1. Update Jenkinsfile ([commit: ad362e6](#)) ([details](#) / [githubweb](#))


 [Started by GitHub push by Sedhusiva](#)


 **git**

Revision: ad362e69414d361afb9bb395d5f7a7669188ae6b
Repository: <https://github.com/Sedhusiva/docker-jenkins-pipeline.git>

- refs/remotes/origin/main

 31°C Sunny

 🔍 Search



⬆ ENG IN 📶 🔊 🔋

11:05 05-10-2023

Connect to insta x EC2 Instance Cor x docker-jenkins-p x pipelinedemopr x Docker Hub x Notification Mail x Editing jenkins-e x JPG to PDF - Cor x

github.com/Sedhusiva/docker-jenkins-pipeline/blob/main/app/app.py

New Tab New Tab Gmail YouTube Maps

Sedhusiva / docker-jenkins-pipeline

Type to search

+ > < < > < >

<> Code Issues Pull requests Actions Projects Wiki Security Insights Settings

Files

main

Go to file

app

__init__.py

app.py

tests

Dockerfile

Jenkinsfile

README.md

requirements.txt

docker-jenkins-pipeline / app / app.py

Sedhusiva Update app.py 14174aa · 13 minutes ago History

Code Blame 10 lines (7 loc) · 233 Bytes Code 55% faster with GitHub Copilot

Raw Copy Download Edit

```
1 from flask import Flask
2
3 app = Flask(__name__)
4
5 @app.route('/')
6 def hello_world():
7     return 'The Email Configuration By Automated when any changes made by Commit'
8
9 if __name__ == '__main__':
10     app.run(debug=True, host='0.0.0.0')
```

31°C Sunny

Search

ENG IN 11:09 05-10-2023