ER to Relational Mapping

COSC 304 – Introduction to Database Systems

ER Model to Relational Schemas

Converting an ER model to a relational database schema involves 8 steps.

In general, these steps convert entities to relations and ER relationships to relations. For 1:1 and 1:N relationships, foreign keys are used instead of separate relations.

ER to Relational Example

ER to Relational Mapping
Step #1: Convert Strong Entities

Step #1: Convert each strong entity to a relation.

Employee
eno {PK}
ename
state
city
street
title
salary

➡ Employee (<u>eno</u>, ename, state, city, street, title, salary)

- Notes:
  - Attributes of the entity type become attributes of the relation.
  - Multi-valued attributes are handled separately (in step #6).
  - The primary key of the relation is the key attributes for the entity.

Employee (<u>eno</u>, ename, state, city, street, title, salary)

Project (<u>pno</u>, pname, budget)

Department (<u>dno</u>, dname)

Step #2: Convert each weak entity into a relation with foreign keys to its identifying relations (entities). Example:

Employee

eno {PK}
ename
state
city
street
title
salary

1..1

Has ▼

0..*

Dependent

name {PPK}
age

Employee (eno, ename, state, city, street, title, salary)

Dependent (eno, name, age)

Dependent.eno is a FK to Employee.eno

6

Dependent (<u>eno</u>, <u>name</u>, age)

Employee (<u>eno</u>, ename, state, city, street, title, salary)

Project (<u>pno</u>, pname, budget)

Department (<u>dno</u>, dname)

ER to Relational Mapping
# Steps #3-5: Convert Relationships

Steps 3 to 5 convert *binary* relationships of cardinality:

- 1:1 - Step #3
- 1:N - Step #4
- M:N - Step #5

M:N relationships are the most general case, and the conversion algorithm for these relationships can be applied to 1:1 and 1:N as well.

- However, for performance reasons, it is more efficient to perform different conversions for each relationship type.
- In general, each ER relationship can be mapped to a relation. However, for 1:1 and 1:N relationships, it is more efficient to combine the relationship with an existing relation instead of creating a new one.

Relationships that are not binary are handled in step #7.

ER to Relational Mapping
Step #3: Convert 1:1 Relationships

Step #3: Convert binary 1:1 relationships into a `UNIQUE` foreign key reference from one relation to the other.

Chose one of the relations, say *R*, and:

- Add the attributes of the relationship to *R*.
- Add the primary key attributes of the other relation to *R*, and create a foreign key reference to the other relation.
- Declare these added primary key attributes of *R* to be `UNIQUE`.
- Note: You can select either relation, but it is best to select the relation that is guaranteed to always participate in the relationship or the one that will participate the most in the relationship.

Employee

eno {PK}
ename
state
city
street
title
salary

bonus

Department

dno {PK}
dname

0..1   Manages ▶   0..1

Manages (eno, dno, bonus)

Department (dno, dname)

Employee (eno, ename, state, city, street, title, salary)

Department (dno, dname, **mgreno, bonus**)

Note: Renamed eno to mgreno for clarity.

# ER to Relational Mapping
Step #4: Convert 1:N Relationships

Step #4: Convert binary 1:N relationships into a foreign key reference from the N-side relation to the 1-side relation.

Note: Unlike 1:1 relationships, you must select the N-side of the relationship as the relation containing the foreign key and relationship attributes.

ER to Relational Mapping
Step #4: Convert 1:N Relationships

Employee
- eno {PK}
- ename
- state
- city
- street
- title
- salary

◄ Has

0..*   0..1

Department
- dno {PK}
- dname

inDept (<u>dno</u>, <u>eno</u>)   Department (<u>dno</u>, dname, mgreno, bonus)

Employee (<u>eno</u>, ename, state, city, street, title, salary)

Employee (<u>eno</u>, ename, state, city, street, title, salary, **dno**)

ER to Relational Mapping
Step #4: Convert 1:N Relationships

Project

pno {PK}
pname
budget
location [1..3]
/totalEmp

0..* ◀ Has 0..1

Department

dno {PK}
dname

Question: What table has the foreign key field?

A) Project   **B)** Department   **C)** None

ER to Relational Mapping
Step #4: Convert 1:N Relationships

◄ **Supervises**

0..1
Supervisor

0..*

Supervisee

Employee

eno {PK}
ename
state
city
street
title
salary

Supervises (<u>supereno</u>, <u>eno</u>)

Employee (<u>eno</u>, ename, state, city, street, title, salary, dno)

Employee (<u>eno</u>, ename, state, city, street, title, salary, dno, **supereno**)

Dependent (<u>eno</u>, <u>name</u>, age)

Employee (<u>eno</u>, ename, state, city, street, title, salary, **dno**, **supereno**)

Project (<u>pno</u>, pname, budget, **dno**)

Department (<u>dno</u>, dname, **mgreno**, **bonus**)

Step #5: Convert binary M:N relationships into a new relation with foreign keys to the two participating entities.

- The primary key consists of the primary keys of the two relations.

Employee		WorksOn ▶		Project
eno {PK}	0..*		0..*	pno {PK}
ename				pname
state				budget
city		responsibility		location [1..3]
street		hours		
title				
salary				

Project (pno, pname, budget, dno)

Employee (eno, ename, state, city, street, title, salary, dno, supereno)

WorksOn (eno, pno, resp, hours)

16

ER to Relational Mapping
Current Relational Schema - Step #5

Dependent (<u>eno</u>, <u>name</u>, age)

Employee (<u>eno</u>, ename, state, city, street, title, salary, **dno**, **supereno**)

WorksOn (<u>eno</u>, <u>pno</u>, resp, hours)

Project (<u>pno</u>, pname, budget, **dno**)

Department (<u>dno</u>, dname, **mgreno**, **bonus**)

# ER to Relational Mapping
Step #6: Convert Multi-Valued Attributes

Step #6: Convert a multi-valued attribute into a relation with composite (two or more attributes) primary key consisting of the attribute value plus the primary key of the attribute's entity.

Project

pno {PK}
pname
budget
location [1..3]

Project (<u>pno</u>, pname, budget, dno)

ProjectLocation (<u>pno</u>, <u>location</u>)

Project (<u>pno</u>, pname, budget, dno)

Dependent (<u>eno</u>, <u>name</u>, age)

Employee (<u>eno</u>, ename, state, city, street, title, salary, dno, supereno)

WorksOn (<u>eno</u>, <u>pno</u>, resp, hours)

Project (<u>pno</u>, pname, budget, dno)

ProjectLocation (<u>pno</u>, <u>location</u>)

Department (<u>dno</u>, dname, mgreno, bonus)

ER to Relational Mapping
Step #7: Convert n-ary Relationships

Step #7: Convert *n*-ary relationships by creating a new relation with primary keys from all entities and foreign keys back to them.

Part (pno, pname, desc)

Project (jno, jname, budget)

Provide (pno, sno, jno, quantity, price)

Supplier (sno, sname, address)

EER to Relational Mapping

An additional step is necessary to convert subclasses and superclasses to the relational model.

We have several different approaches:

- 1) Create a separate relation for each superclass and subclass.
  - Most general technique that we will use.
- 2) Create relations for subclass only.
  - Only works if superclass has mandatory participation.
- 3) Create a single relation with one type attribute.
  - Attribute is used to indicate the type of object (subclass) in the row.
  - Works only if the subclasses are disjoint.
- 4) Create a single relation with multiple type attributes.
  - Have a boolean valued attribute for each subclass. True if in subclass.
  - Works if subclasses may be overlapping.

Step #8: Convert subclasses and superclasses by creating a relation for each subclass and superclass. Link the subclasses to the superclass using foreign key references.

Given a superclass C and set of subclasses $S_1, S_2, ..., S_n$:

- Create a relation R for C.
- The primary key for R is the primary key of the superclass.
- Create relations $R_1, R_2, ..., R_n$ for subclasses $S_1, S_2, ..., S_n$.
- The primary key for each R_i is the primary key of the superclass.
- For each R_i, create a foreign key to R using the primary key attributes.

Step #8: Create a relation for each subclass and superclass. Link the subclasses to the superclass using foreign key references.

Supervisor (eno)

Supervisor

Manager
bonus

Manager (eno, bonus)

{Optional, AND}

Employee
number {PK}
name
state
city
street
title
salary

Employee (eno, ename, state, city, street, title, salary, supereno)

23

Summary of ER to Relational Mapping

| **ER Model**	**Relational Model**
Strong Entity	Relation
Weak Entity	Relation with PK combining all PKs of identifying entities
1:1 or 1:N Relationship Type	Foreign key (from N-side to 1-side)
M:N Relationship Type	"Relationship" relation and 2 foreign keys
n-ary Relationship Type	"Relationship" relation and n foreign keys
Multi-valued attribute	Relation and foreign key
Key attribute	Primary key attribute

ER to Relational Mapping Question

Question: How many of the following statements are **true**?

1) The M:N relationship mapping rule could be applied to 1:1 and 1:N relationships, as it is more general.

2) A M:N relationship is mapped to a relation in the relational model.

3) The designer has a choice on which side to put the foreign key when mapping a 1:N relationship.

4) When mapping a multi-value attribute, the new table containing the multi-value attribute will have a composite key.

**A)** 0   **B)** 1   **C)** 2   **D)** 3   **E)** 4

ER to Relational Mapping
University Question

Question: Convert to the relational model.

Conclusion

There is a straightforward algorithm for converting ER models to relational schemas.

The algorithm involves 7 steps for converting regular ER models, and 8 steps for converting EER models.

In general, these steps convert entities to relations and ER relationships to relations. For 1:1 and 1:N relationships, foreign keys can be used instead of separate relations.

Objectives

Given an ER/EER diagram, convert it into a relational schema using the eight steps.

Discuss the different ways of converting subclasses/superclasses into relational schemas.

THE UNIVERSITY OF BRITISH COLUMBIA