

innovadeluxe

Customizing Order Reference



PrestaShop

GUIDE



Certified Agency


This document includes a step by step guide to install, uninstall and configure your new Innovadeluxe module.

Next, the process to upload a module, install it in a simple way and have fun with e-commerce taking advantage of your Prestashop Store is explained step by step.


How to UPLOAD THE MODULE

Pasos a seguir:

- 1) Download your purchased module.
- 2) In order to upload your module, you have two different options available: upload using a FTP client or directly from your Prestashop backoffice. We recommend to use a FTP client (like Filezilla). Uploading from your backoffice can cause file permissions problems on some servers.
 - A. If you are using a FTP client, first unzip the downloaded file . Once connected to your server by using a FTP client, search for the folder "modules" and upload the unzipped folder. The module is now uploaded to your shop. Later we'll explain how to install your new module.
 - B. If you are uploading your module using Prestashop backoffice, follow the next steps:
 1. In the module list available in your backoffice, search for a button called "Add new module" in the top right corner.



2. Click this button and you'll be asked to search for the module you want to upload.




3. Once your new module is selected, just click the button to upload it. The next step is installation.


How To INSTALL THE MODULE

Once your module is uploaded, it's the moment to install it, this step is easier than the previous one:

- 1) Browse to your backoffice, locate the section "Modules and Services" in your menu and the modules list will be displayed.
- 2) In this list, you can filter by author, search Innovadeluxe and automatically the list will be filtered displaying all the modules developed by Innovadeluxe.



- 3) Once located your new module, click the "Install" button.




- 4) Then, you'll have to confirm the installation. Accept and the module will be installed in your shop.
- 5) Now you have to browse to section "Performance" in your store and clear cache. Once cleared, you'll be able to test the module.




ARE YOU HAVING ANY PROBLEMS WHILE INSTALLING?

- 1) If the module advises you about a override modified by another module and can not be copied to the folder "override", follow these steps:
 - A. Use your FTP client to access your shop. Search for the folder "Modules". Browse it and locate our module, then find the "override" folder inside the module. Browse the structure and search for the controller or class in the advice. Look the next Snapshot. But for each module, the name of the controller or class can change, to know the name of the controller or class, take a look to the module advice while installing. Once located, open it using notepad or any other text editor.



B. Now locate the “override” folder in your shop root folder and browse inside it to find the .php file with the same name than the one you opened first. Take a look to the next snapshot. Once located, open it with notepad or any other text editor.



C. Now you have to merge both files. Browse to the first file you opened, the module one and copy all the contents in the file except the part marked in the next capture. This way you’ll copy all the method code and you’ll be ready to paste into the second file you opened, the one in the override folder in the root of your shop.

```

1 <?php
2 /**
3  * 2007-2015 PrestaShop
4  *
5  * NOTICE OF LICENSE
6  *
7  * @author Innova Deluxe SL
8  * @copyright 2015 Innova Deluxe SL
9  *
10 * @license INNOVADELUXE
11 */
12
13 class CmsController extends CmsControllerCore
14 {
15
16     public function initContent()
17     {
18         if (Module::isEnabled('deluxepivatecms') && Configuration::get('DELUXEPRIVATECMS_LICENSED') == true)
19         {
20             $deluxePrivateCms = Module::getInstanceByName('deluxepivatecms');
21             parent::initContent();
22             $id_cms = (int)Tools::getValue('id_cms');
23
24             $parent_cat = new CMSCategory(1, $this->context->language->id);
25             $this->context->smarty->assign('id_current_lang', $this->context->language->id);
26             $this->context->smarty->assign('home_title', $parent_cat->name);
27             $this->context->smarty->assign('home_subtitle', $parent_cat->description);
28
29             $this->setTemplate(_PS_MODULE_DIR_.'/deluxepivatecms/views/templates/front/private.tpl');
30         }
31         else
32         {
33             $this->setTemplate(_PS_THEME_DIR_.'/404.tpl');
34         }
35     }
36 }
37
38 else
39 {
40     parent::initContent();
41 }
42
43 }
44
45 }
46
47 }
48
49 }
50
51 }
52
53 }
54
55 }
56
57 }
58
59 }
60
61 }
62
63 }
64
65 }
66
67 }

```


D. Open the second file and go to the bottom of the file and paste the code you copied before the last bracket. Ensure that it's before the last bracket, in other case, an error will be produced and the module will not work properly.

```

108     parent::initContent();
109 }
110
111 }
112
113
114
115
116
117 }
118

```

E. Once done the hard work is done. Search for the "cache" file in the root folder and inside it the file class_index.php. Once located, remove it. This file will be automatically created again.



F. Now you can close your FTP client. Now you have to access to your backoffice to clear Prestashop cache, take a look to the next snapshot.



G. The module is installed, and ready to use. If you're having any problems with installation, please contact us. Follow the steps in the next point.


2) If you're having any problems while installing, please contact us and we'll help you. You'll have to provide us with the next informations:

- FTP access to your shop. We need access at least for "override" and "modules" folders.
- Access to you Prestashop backoffice. , we'll need access for modules, performance and catalogue or orders depending on the module, in order to test it.

If you're contacting us for the first time, please provide us us with this informations together with a clear explanation of your problem and all the process you followed, for us to locate it quickly and solve it immediately.


How To UNINSTALL THE MODULE

If the module is useful no more for your store, you can uninstall it in a simple way. Just locate the module in the modules list and in the dropdown menu, on the right of the module name, select "Uninstall", accept, and that's it, the module is uninstalled. You can delete it if you want or need to.



OTHER NOTES


As you can see, when clicking on the dropdown menu at the right of the module name, there are more options to apply to your module. Here is a explanation for each one:



- **Disable:** This option disables the module, for example, if you're not going to use it for some time. You have not to uninstall, maintaining all your configurations for the module.
- **Disable for mobile devices:** When activating this option, the module will be disabled in the frontoffice for mobile devices.
- **Disable for tablets:** When activating this option, the module will be disabled in the frontoffice for tablets.
- **Disable for computers:** When activating this option, the module will be disabled in the frontoffice for computers.
- **Reset:** If you click this option, the module will be reinstalled, all configurations will be reset to their default values and all previous configurations will be lost, so be careful, use this option only if the module is not working properly.
- **Add to favorites:** By clicking this option, the module will be added to your favorite modules list.
- **Delete:** If you click this option, the module will be installed and deleted from your server.

How to upgrade Innovadeluxe modules:

1. Use Prestashop maintenance mode (recommended)
2. Use your FTP client to access "modules" folder in your server, search for the module you want to update and then just rename the folder. For example, if folder is called "deluxeopd" you can rename it to "backup_deluxeopd_02_feb_2016", this way, you'll know when the update was done at any moment.
3. Now, unzip in your computer the module last version downloaded from your Innovadeluxe customer area and upload it to the "modules" folder in your server, you should not have any overwrite advice.
4. Once uploaded, just browse to the modules tab in your Prestashop store backoffice, search for our module, and configure it. The module should be updated and everything should be working correctly.
5. Then, browse to "Advanced parameters->performance" and clear your site cache.
6. At last, activate your store and ensure everything is working ok.



Configuration module:

OPCIONES

¿Usar referencia numérica en tus pedidos? ☒ SÍ ☐ NO

Puedes cambiar la referencia de tus pedidos. Por ejemplo: 000000001 o INT000001

Longitud de la referencia numérica

Set the length of reference, max length 9

Enable or disable custom references

¿Usar referencia numérica en tus pedidos? ☒ SÍ ☐ NO

Puedes cambiar la referencia de tus pedidos. Por ejemplo: 000000001 o INT000001

Longitud de la referencia numérica.

Set the length of reference, max length 9

Establezca el prefijo para sus pedidos

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el sufijo

Number of characters for reference, maximum 9

Set the length of reference, max length 9

Establezca el prefijo para sus pedidos

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el sufijo

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el siguiente número de referencia

A prefix can be added to the reference, it is subtracted from the 9 available characters

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el sufijo

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el siguiente número de referencia

Este es el número que será usado en su próximo pedido.

A suffix can be added to the reference, it is subtracted from the 9 available characters

Establezca el sufijo

La longitud de este valor condicionará la longitud del número de referencia. El número de referencia que configure no podrá exceder en 9 caracteres.

Establezca el siguiente número de referencia

Este es el número que será usado en su próximo pedido.

Incrementar el número de referencia en:

El número a incrementar en cada pedido. Si la funcionalidad aleatoria está habilitada.

¿ Usar un número aleatorio para incrementar.? ☐ ☒

Generar aleatoriamente el próximo número de pedido. El actual actuará como valor máximo

A numbering can be established from which custom references begin to be generated

Establezca el siguiente número de referencia

Este es el número que será usado en su próximo pedido.

Incrementar el número de referencia en:

El número a incrementar en cada pedido. Si la funcionalidad aleatoria está habilitada.

¿ Usar un número aleatorio para incrementar.? ☐ ☒

Generar aleatoriamente el próximo número de pedido. El actual actuará como valor máximo

Número mínimo a incrementar

El número mínimo permitido a incrementar en cada pedido, habilitado sólo cuando la funcionalidad aleatoria esta activa

You can indicate how the references are increased, one at a time or with the number you indicate

Este es el número que será usado en su próximo pedido.

Incrementar el número de referencia en:

El número a incrementar en cada pedido. Si la funcionalidad aleatoria está habilitada.

¿ Usar un número aleatorio para incrementar.? ☐ ☒

Generar aleatoriamente el próximo número de pedido. El actual actuará como valor máximo

Número mínimo a incrementar

El número mínimo permitido a incrementar en cada pedido, habilitado sólo cuando la funcionalidad aleatoria esta activa

You can indicate that the number of increment of the reference is random

¿ Usar un número aleatorio para incrementar? SI NO

Generar aleatoriamente el próximo número de pedido. El actual actuará como valor máximo

Número mínimo a incrementar

1

El número mínimo permitido a incrementar en cada pedido, habilitado sólo cuando la funcionalidad aleatoria esta activa

You can set a minimum number for the increase of the numbering of the order reference

<input type="checkbox"/>	19	0000250DK	Sí	España	C. innovadeluxe	32,67 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	15/07/2016 14:31:40		Ver		
<input type="checkbox"/>	18	INT0011DC	No	España	D. dev	19,98 €	Transferencia bancaria	Entregado	10/08/2015 15:31:49				Ver
<input type="checkbox"/>	17	INT0010DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:31:31		Ver		
<input type="checkbox"/>	16	INT0009DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:31:15		Ver		
<input type="checkbox"/>	15	INT0008DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:30:58		Ver		
<input type="checkbox"/>	14	INT0007DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:30:40		Ver		
<input type="checkbox"/>	13	INT0006DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:30:22		Ver		
<input type="checkbox"/>	12	INT0005DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:30:07		Ver		
<input type="checkbox"/>	11	INT0004DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:29:43		Ver		
<input type="checkbox"/>	10	INT0003DC	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:29:18		Ver		
<input type="checkbox"/>	9	INT0001DC	No	España	D. dev	19,98 €	Transferencia bancaria	Cancelado	10/08/2015 15:27:57		Ver		
<input type="checkbox"/>	8	INT0001DC	No	España	D. dev	19,98 €	Transferencia bancaria	Cancelado	10/08/2015 15:21:21		Ver		
<input type="checkbox"/>	7	ZBYBWPDKN	No	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	10/08/2015 15:20:39		Ver		
<input type="checkbox"/>	6	INT000001	Sí	España	D. dev	19,98 €	Transferencia bancaria	Pago por transferencia bancaria pendiente	15/07/2015 12:32:41		Ver		
<input type="checkbox"/>	5	KHWLILZLL	No	EE.UU.	J. DOE	71,51 €	Bank wire	Pago por transferencia bancaria pendiente	15/07/2015 11:52:45		Ver		
<input type="checkbox"/>	4	FFATNOMMJ	No	EE.UU.	J. DOE	89,89 €	Payment by check	Pago mediante cheque pendiente	15/07/2015 11:52:45		Ver		
<input type="checkbox"/>	3	UOYEVOLI	No	EE.UU.	J. DOE	76,01 €	Payment by check	Error en el pago	15/07/2015 11:52:45		Ver		
<input type="checkbox"/>	2	OHSATSERP	No	EE.UU.	J. DOE	75,90 €	Payment by check	Pago mediante cheque pendiente	15/07/2015 11:52:45		Ver		
<input type="checkbox"/>	1	XKBKNABJK	Sí	EE.UU.	J. DOE	55,00 €	Payment by check	Cancelado	15/07/2015 11:52:45		Ver		

Acciones Agrupadas

Multi-Store Usage

This module is compatible with multi-store Prestashop module. You can install the module in all your stores in a multi-store and use different configurations for each of them or configure once for all stores. But remember that if you want to use different installations of PrestaShop (independent shops), you have the obligation of buy the module license for each shop.

Our guarantee

Innovadeluxe certified developers team will help you in all your needs. We'll do all we can to solve your problems as soon as possible. Due to we're a Prestashop certified agency, we can offer you fast and quality solutions. We ensure you'll be satisfied with our products and support.

We offer you the best support. If you have a problem with one of our modules for Prestashop, you can contact us. In this same page, in the gray block of purchase of the module, you have a link to contact the developer, click and send us your queries. We support in Spanish, Italian and English.

- ✓ Do you have problems with the module? If the module tells you that an override has already been modified by another module, we can intervene and mix both modifications so that both modules work correctly. Contact us.
- ✓ Do you need help with installation and configuration? If you have doubts when installing or configuring the module, contact us and one of our technicians will guide you in the process to follow.
- ✓ Constant updates: Our modules are always updated to ensure optimum operation with all versions of Prestashop that we indicate as compatible.
- ✓ If you have problems and ask us for support, we will need access to your store via FTP and to the administration. If you do not give us access, we will not be able to help you.
- ✓ We can customize the module for you, please contact us and tell us how would you like the module to be.

We need your comments and evaluation

Your evaluation is very important for us. If our products and services have been useful for you, please give us five stars. Five stars will help us to keep on working with the same energy and adding new functions to our modules.

innovadeluxe



PrestaShop

https://addons.prestashop.com/en/76_innovadeluxe